



## Full wwPDB EM Validation Report ⓘ

Mar 31, 2025 – 07:02 PM JST

PDB ID : 6LU8 / pdb\_00006lu8  
EMDB ID : EMD-0978  
Title : Cryo-EM structure of a human pre-60S ribosomal subunit - state A  
Authors : Liang, X.; Zuo, M.; Zhang, Y.; Li, N.; Ma, C.; Dong, M.; Gao, N.  
Deposited on : 2020-01-26  
Resolution : 3.13 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev117  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.42

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.13 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	731	
2	2	5070	
3	3	503	
4	4	634	
5	5	120	
6	6	245	
7	7	163	
8	8	156	


















Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	9	134	
10	A	217	
11	B	403	
12	C	159	
13	D	427	
14	E	115	
15	F	117	
16	G	266	
17	H	123	
18	I	192	
19	K	105	
20	L	148	
21	M	97	
22	N	178	
23	O	70	
24	P	51	
25	Q	211	
26	R	203	
27	S	215	
28	U	204	
29	V	203	
30	W	106	
31	X	92	
32	Y	184	
33	Z	188	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	a	196	
35	b	176	
36	c	160	
37	d	128	
38	e	140	
39	g	156	
40	h	145	
41	i	136	
42	j	125	
43	k	135	
44	l	137	
45	m	257	
46	n	110	
47	o	288	
48	p	248	
49	r	297	
50	z	129	

## 2 Entry composition

There are 52 unique types of molecules in this entry. The entry contains 143909 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nucleolar GTP-binding protein 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	1	19	Total	C	N	O	S	0	0
			148	88	23	35	2		

- Molecule 2 is a RNA chain called 28S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	2	3477	Total	C	N	O	P	0	0
			74680	33310	13669	24225	3476		

- Molecule 3 is a protein called 60S ribosomal export protein NMD3.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	3	243	Total	C	N	O	S	0	0
			1951	1242	341	351	17		

- Molecule 4 is a protein called Nucleolar GTP-binding protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	4	605	Total	C	N	O	S	0	0
			4965	3124	903	911	27		

- Molecule 5 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	5	120	Total	C	N	O	P	0	0
			2558	1141	456	842	119		

- Molecule 6 is a protein called Eukaryotic translation initiation factor 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	6	244	Total	C	N	O	S	0	0
			1852	1149	318	372	13		

- Molecule 7 is a protein called Probable ribosome biogenesis protein RLP24.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	7	135	Total	C	N	O	S	0	0
			1159	737	225	187	10		

- Molecule 8 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	8	156	Total	C	N	O	P	0	0
			3315	1481	585	1094	155		

- Molecule 9 is a protein called Zinc finger protein 593.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	9	86	Total	C	N	O	S	0	0
			711	433	154	121	3		

- Molecule 10 is a protein called 60S ribosomal protein L10a.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	A	212	Total	C	N	O	S	0	0
			1708	1092	308	300	8		

- Molecule 11 is a protein called 60S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	B	400	Total	C	N	O	S	1	0
			3235	2060	607	554	14		

- Molecule 12 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	C	90	Total	C	N	O	S	0	0
			743	462	163	114	4		

- Molecule 13 is a protein called 60S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	D	357	Total	C	N	O	S	0	0
			2848	1794	569	472	13		

- Molecule 14 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	E	94	Total	C	N	O	S	0	0
			732	465	130	131	6		

- Molecule 15 is a protein called 60S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	F	109	Total	C	N	O	S	0	0
			868	544	179	139	6		

- Molecule 16 is a protein called 60S ribosomal protein L7a.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	G	241	Total	C	N	O	S	1	0
			1940	1236	374	326	4		

- Molecule 17 is a protein called 60S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	H	122	Total	C	N	O	S	0	0
			1015	641	205	168	1		

- Molecule 18 is a protein called 60S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	I	190	Total	C	N	O	S	0	0
			1518	956	284	272	6		

- Molecule 19 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	K	97	Total	C	N	O	S	0	0
			799	500	170	124	5		

- Molecule 20 is a protein called 60S ribosomal protein L27a.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	L	147	Total	C	N	O	S	0	0
			1162	736	237	186	3		

- Molecule 21 is a protein called 60S ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	M	86	Total	C	N	O	S	0	0
			705	434	155	111	5		

- Molecule 22 is a protein called 60S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	N	165	Total	C	N	O	S	0	0
			1319	836	245	233	5		

- Molecule 23 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	O	69	Total	C	N	O	S	0	0
			569	366	103	99	1		

- Molecule 24 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	P	50	Total	C	N	O	S	0	0
			444	281	98	64	1		

- Molecule 25 is a protein called 60S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	Q	210	Total	C	N	O	S	0	0
			1701	1064	352	281	4		

- Molecule 26 is a protein called Translation machinery-associated protein 16.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	R	150	Total	C	N	O	S	0	0
			1272	793	244	230	5		

- Molecule 27 is a protein called 60S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	S	135	Total	C	N	O	S	0	0
			1111	713	213	178	7		

- Molecule 28 is a protein called 60S ribosomal protein L15.



Mol	Chain	Residues	Atoms					AltConf	Trace
28	U	203	Total	C	N	O	S	0	0
			1701	1072	359	266	4		

- Molecule 29 is a protein called 60S ribosomal protein L13a.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	V	201	Total	C	N	O	S	0	0
			1650	1063	321	261	5		

- Molecule 30 is a protein called 60S ribosomal protein L36a.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	W	103	Total	C	N	O	S	0	0
			842	528	172	136	6		

- Molecule 31 is a protein called 60S ribosomal protein L37a.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	X	90	Total	C	N	O	S	0	0
			698	440	134	117	7		

- Molecule 32 is a protein called 60S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	Y	153	Total	C	N	O	S	0	0
			1242	776	241	216	9		

- Molecule 33 is a protein called 60S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	Z	187	Total	C	N	O	S	0	0
			1513	944	314	250	5		

- Molecule 34 is a protein called 60S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	a	148	Total	C	N	O	S	0	0
			1239	772	266	192	9		

- Molecule 35 is a protein called 60S ribosomal protein L18a.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	b	176	Total	C	N	O	S	0	0
			1461	930	284	236	11		

- Molecule 36 is a protein called 60S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	c	155	Total	C	N	O	S	0	0
			1264	801	248	210	5		

- Molecule 37 is a protein called 60S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	d	101	Total	C	N	O	S	0	0
			825	529	144	150	2		

- Molecule 38 is a protein called 60S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	e	131	Total	C	N	O	S	0	0
			979	618	184	172	5		

- Molecule 39 is a protein called 60S ribosomal protein L23a.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	g	118	Total	C	N	O	S	0	0
			967	618	181	167	1		

- Molecule 40 is a protein called 60S ribosomal protein L26.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	h	134	Total	C	N	O	S	0	0
			1115	700	226	186	3		

- Molecule 41 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	i	135	Total	C	N	O	S	0	0
			1107	714	208	182	3		

- Molecule 42 is a protein called 60S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	j	107	Total	C	N	O	S	0	0
			888	560	171	155	2		

- Molecule 43 is a protein called 60S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	k	128	Total	C	N	O	S	0	0
			1053	667	216	165	5		

- Molecule 44 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	l	125	Total	C	N	O	S	0	0
			1002	622	207	168	5		

- Molecule 45 is a protein called 60S ribosomal protein L8.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	m	248	Total	C	N	O	S	0	0
			1898	1189	389	314	6		

- Molecule 46 is a protein called 60S ribosomal protein L35a.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	n	109	Total	C	N	O	S	0	0
			876	555	174	144	3		

- Molecule 47 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	o	218	Total	C	N	O	S	0	0
			1750	1125	332	289	4		

- Molecule 48 is a protein called 60S ribosomal protein L7.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	p	225	Total	C	N	O	S	1	0
			1878	1207	361	301	9		

- Molecule 49 is a protein called 60S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	r	293	Total	C	N	O	S	0	0
			2386	1510	435	427	14		

- Molecule 50 is a protein called Protein LLP homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	z	34	Total	C	N	O	S	0	0
			284	179	61	43	1		

- Molecule 51 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
51	2	229	Total	Mg	0
			229	229	
51	5	3	Total	Mg	0
			3	3	
51	8	6	Total	Mg	0
			6	6	
51	B	1	Total	Mg	0
			1	1	
51	D	1	Total	Mg	0
			1	1	
51	F	1	Total	Mg	0
			1	1	
51	L	1	Total	Mg	0
			1	1	
51	M	1	Total	Mg	0
			1	1	
51	k	1	Total	Mg	0
			1	1	
51	m	1	Total	Mg	0
			1	1	
51	n	1	Total	Mg	0
			1	1	
51	p	1	Total	Mg	0
			1	1	

- Molecule 52 is water.



Mol	Chain	Residues	Atoms		AltConf
52	2	13	Total	O	0
			13	13	


*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms		AltConf
52	k	1	Total 1	O 1	0
52	o	1	Total 1	O 1	0
52	p	1	Total 1	O 1	0


















G4870	A4744	A4884	C4615	A4548	C4483	U4419	U4351	U4289	A4219	C4138	U	G
C4871	G4745	U4685	A4616	G4549	A4484	U4420	U4352	U4290	A4220	G4139	U	G
G4872	G4886	C4886	U4619	G4550	C4485	C4421	U4353	G4291	C4223	C4140	G4068	C
G4873	A4687	C4687	U4620	U4551	C4486	A4422	G4355	A4292	C4224	C4141	U4071	C
A4874	U4748	C4688	C4621	A4553	A4487	A4423	U4358	C4294	G4225	C4142	C4072	C
G4875	G4749	U4689	A4622	A4554	G4489	U4424	U4359	U4295	G4226	C4143	A4073	C
U4876	G4750	C4690	G4623	U4555	C4490	A4425	U4360	U4296	U4227	C4144	C4074	G
G4877	G4751	A4691	A4624	U4556	U4493	G4426	U4361	G4297	G4228	C4145	U4075	G
C4878	U4752	A4692	C4625	U4557	A4494	C4427	U4362	A4298	G4229	C4146	A4076	C
G4879	C4753	C4693	A4626	U4558	G4495	A4428	A4363	U4299	C4230	C4147	C4077	G
C4880	G4754	C4694	U4627	C4560	G4496	G4429	C4364	U4300	A4233	C4148	C4078	G
U4881	C4757	C4695	U4628	C4561	U4497	G4430	C4365	U4301	A4234	U4083	C4079	G
U4882	U4758	U4696	U4629	C4562	U4498	C4431	A4366	U4302	U4084	C4153	U	G
C4883	C4759	C4698	U4632	U4563	G4499	C4434	A4367	A4303	C4237	C4154	G4084	C
G4884	G4760	U4699	U4633	U4564	U4500	U4435	A4369	G4304	G4238	C4155	A4085	C
C4885	A4761	C4699	A4635	C4565	U4501	U	G4370	G4305	A4239	C4156	G	G
C4886	A4762	C4700	U4636	U4566	C4502	U	C4371	A4307	C4243	C4157	C4088	C
U4888	U4763	G4702	G4637	G4567	A4503	U	U4372	C4308	A4244	C4158	U	C
G4889	U4764	U4703	U4638	A4568	C4504	U	U4373	G4309	U4245	C4159	G	G
G4890	G4765	C4704	U4639	U4569	C4505	U	U4374	A4310	A4248	C4160	G4096	C
A4891	G4766	A4705	C4639	U4570	C4506	G	C4375	A4311	G4249	G4161	C4097	C
A4892	C4767	G4706	C4640	A4571	A4507	A	A4376	U4312	G4250	C4162	A4098	C
A4893	U4707	U4641	U4642	U4572	C4508	PSU	G4377	A4313	G4251	U4163	G4099	U
A4894	A4708	G4572	U4573	G4573	U4509	C	A4378	C4314	A4251	C4164	C4100	C
C4895	U4709	U4574	U4575	U4576	A4510	C	A4379	C4315	C4252	C4165	C4101	C
G4896	C4710	C4575	U4577	U4577	A4511	U	A4380	G4316	G4253	C4166	C4102	G
U4897	G4711	U4576	U4577	U4577	C4512	U	A4381	A4317	G4254	C4167	C4103	G
C4898	C4712	U4577	U4577	U4577	A4513	U	A4382	C4318	A4255	C4168	C4104	C
G4899	C4713	U4577	U4577	U4577	C4514	U	U4383	C4319	A4256	C4169	C4105	C
G4900	C4714	U4577	U4577	U4577	G4515	U	U4384	A4323	C4257	C4170	C4106	C
G4901	C4715	U4577	U4577	U4577	G4516	U	A4385	A4324	C4258	C4171	C4107	C
C4902	A4716	U4577	U4577	U4577	U4517	U	A4386	A4325	C4259	C4172	C4108	C
C4905	G4717	U4577	U4577	U4577	A4518	U	C4387	A4326	C4261	C4173	C4109	C
C4906	G4718	U4577	U4577	U4577	C4519	U	A4388	C4327	G4262	C4174	C4110	C
G4907	C4719	A4589	A4655	A4589	G4520	U	A4389	G4328	G4263	C4175	C4111	C
G4908	C4720	A4590	U4656	A4590	U4521	U	A4390	C4329	G4264	C4176	C4112	C
A4909	G4721	U4591	U4657	U4591	C4522	U	U4391	G4330	G4265	C4177	C4113	C
G4910	G4722	U4592	U4658	U4592	G4523	U	U4392	G4331	G4266	C4178	C4114	C
A4911	C4723	U4593	U4659	U4593	C4524	U	U4393	C4332	G4267	C4179	C4115	C
G4912	A4724	C4595	U4660	C4595	U4525	U	U4394	C4333	A4268	C4180	C4116	C
C4913	C4725	U4596	U4661	U4596	G4527	U	A	U4334	C4191	C4181	C4117	C
G4914	G4726	C4597	A4664	U4597	G4528	U	C	C4335	A4192	C4182	C4118	C
G4915	U4727	C4598	C4665	A4599	G4529	U	U	C4336	C4193	C4183	C4119	C
C4921	U4728	A4599	G4666	C4600	U4530	U	G	C4337	U4194	C4184	U4120	C
C4922	C4730	U4601	U4667	A4602	U4531	U	G	C4338	G4195	C4185	G4121	C
C4923	G4731	C4603	C4670	C4603	A4532	U	C	A4339	G4196	C4186	C4122	C
C4924	G4732	C4604	C4671	G4604	G4534	U	U4403	U4340	C4206	C4187	C4123	C
U4925	C4733	A4605	U4672	A4605	A4535	U	U4404	C4341	C4207	C4188	U4117	C
C4926	C4734	C4606	U4673	C4606	C4536	U	U4405	C4342	A4203	C4189	U4118	C
G4927	A4735	A4607	C4674	C4607	C4537	U	U4406	U4343	A4204	C4190	C4119	C
C4928	C4736	G4608	U4675	G4608	G4538	U	C	C4344	A4205	C4191	C4120	C
C4929	G4737	C4609	U4676	C4609	U4539	U	C4413	C4345	C4208	C4192	C4121	C
C4930	C4738	A4610	U4677	A4610	U4540	U	A4414	U4346	C4209	C4193	C4122	C
C4931	C4739	A4611	C4678	A4611	U4541	U	A4415	G4347	C4210	C4194	C4123	C
A4932	C4740	C4612	A4681	C4612	G4544	U	A4416	A4348	A4212	C4195	C4124	C
C4933	C4741	C4613	U4682	C4613	G4545	U	A4417	A4349	C4213	C4196	C4125	C
A4934	G4742	U4683	U4683	U4683	C4547	U	C4418	C4350	C4214	C4197	C4126	C
G4935	C4743	C4684	C4684	C4684	C4548	U	C4419	C4351	C4215	C4198	C4127	C
G4936	C4744	C4685	C4685	C4685	G4549	U	C4420	C4352	C4216	C4199	C4128	C
C4937	C4745	C4686	C4686	C4686	G4550	U	C4421	C4353	C4217	C4200	C4129	C
C4938	C4746	C4687	C4687	C4687	U4551	U	C4422	C4354	C4218	C4201	C4130	C
C4939	C4747	C4688	C4688	C4688	A4487	U	C4423	C4355	C4219	C4202	C4131	C
C4940	C4748	C4689	C4689	C4689	G4489	U	C4424	C4356	C4220	C4203	C4132	C
C4941	C4749	C4690	C4690	C4690	C4490	U	C4425	C4357	C4221	C4204	C4133	C
C4942	C4750	C4691	C4691	C4691	U4493	U	C4426	C4358	C4222	C4205	C4134	C
C4943	C4751	C4692	C4692	C4692	A4494	U	C4427	C4359	C4223	C4206	C4135	C
C4944	C4752	C4693	C4693	C4693	G4495	U	C4428	C4360	C4224	C4207	C4136	C
C4945	C4753	C4694	C4694	C4694	A4496	U	C4429	C4361	C4225	C4208	C4137	C
C4946	C4754	C4695	C4695	C4695	U4497	U	C4430	C4362	C4226	C4209	C4138	C
C4947	C4755	C4696	C4696	C4696	U4498	U	C4431	C4363	C4227	C4210	C4139	C
C4948	C4756	C4697	C4697	C4697	G4499	U	C4432	C4364	C4228	C4211	C4140	C
C4949	C4757	C4698	C4698	C4698	U4500	U	C4433	C4365	C4229	C4212	C4141	C
C4950	C4758	C4699	C4699	C4699	U4501	U	C4434	C4366	C4230	C4213	C4142	C
C4951	C4759	C4700	C4700	C4700	C4502	U	C4435	C4367	C4231	C4214	C4143	C
C4952	C4760	C4701	C4701	C4701	A4503	U	C4436	C4368	C4232	C4215	C4144	C
C4953	C4761	C4702	C4702	C4702	C4504	U	C4437	C4369	C4233	C4216	C4145	C
C4954	C4762	C4703	C4703	C4703	C4505	U	C4438	C4370	C4234	C4217	C4146	C
C4955	C4763	C4704	C4704	C4704	C4506	U	C4439	C4371	C4235	C4218	C4147	C
C4956	C4764	C4705	C4705	C4705	A4507	U	C4440	C4372	C4236	C4219	C4148	C
C4957	C4765	C4706	C4706	C4706	C4508	U	C4441	C4373	C4237	C4220	C4149	C
C4958	C4766	C4707	C4707	C4707	U4509	U	C4442	C4374	C4238	C4221	C4150	C
C4959	C4767	C4708	C4708	C4708	A4510	U	C4443	C4375	C4239	C4222	C4151	C
C4960	C4768	C4709	C4709	C4709	C4511	U	C4444	C4376	C4240	C4223	C4152	C
C4961	C4769	C4710	C4710	C4710	A4512	U	C4445	C4377	C4241	C4224	C4153	C
C4962	C4770	C4711	C4711	C4711	C4513	U	C4446	C4378	C4242	C4225	C4154	C
C4963	C4771	C4712	C4712	C4712	C4514	U	C4447	C4379	C4243	C4226	C4155	C
C4964	C4772	C4713	C4713	C4713	U4515	U	C4448	C4380	C4244	C4227	C4156	C
C4965	C4773	C4714	C4714	C4714	C4516	U	C4449	C4381	C4245	C4228	C4157	C
C4966	C4774	C4715	C4715	C4715	A4517	U	C4450	C4382	C4246	C4229	C4158	C
C4967	C4775	C4716	C4716	C4716	C4518	U	C4451	C4383	C4247	C4230	C4159	C
C4968	C4776	C4717	C4717	C4717	A4519	U	C4452	C4384	C4248	C4231	C4160	C
C4969	C4777	C4718	C4718	C4718	G4520	U	C4453	C4385	C4249	C4232	C4161	C
G4970	C4778	C4719	C4719	C4719	U4521	U	C4454	C4386	C4250	C4233	C4162	C
A4971	C4779	C4720	C4720	C4720	C4522	U	C4455	C4387	C4251	C4234	C4163	C
G4972	C4780	C4721	C4721	C4721	G4523	U	C4456	C4388	C4252	C4235	C4164	C
C4973	C4781	C4722	C4722	C4722	C4524	U	C4457	C4389	C4253	C4236	C4165	C
C4974	C4782	C4723	C4723	C4723	C4525	U	C4458	C4390	C4254	C4237	C4166	C
C4975	C4783	C4724	C4724	C4724	C4526	U	C4459	C4391	C4255	C4238	C4167	C
C4976	C4784	C4725	C4725	C4725	C4527	U	C4460	C4392	C4256	C4239	C4168	C
C4977	C4785	C4726	C4726	C4726	G4528	U	C4461	C4393	C4257	C4240	C4169	C
C4978	C4786	C4727	C4727	C4727	G4529	U	C4462	C4394	C4258	C4241	C4170	C
C4979	C4787	C4728	C4728	C4728	G4530	U	C4463	C4395	C4259	C4242	C4171	C
C4980	C4788	C4729	C4729	C4729	U4531	U	C4464	C4396	C4260	C4243	C4172	C
C4981	C4789	C4730	C4730	C4730	U4532	U	C4465	C4397	C4261	C4244	C4173	C
C4982	C4790	C4731	C4731	C4731	A4533	U	C4466	C4398	C4262	C4245	C4174	C
C4983	C4791	C4732	C4732	C4732	G4534	U	C4467	C4399	C4263	C4246	C4175	C</



• Molecule 3: 60S ribosomal export protein NMD3


Chain 3: 47% 52%



THR


• Molecule 4: Nucleolar GTP-binding protein 1

Chain 4: 19% 91% 5%



• Molecule 5: 5S rRNA



Chain 5: 42% 47% 11%




- Molecule 6: Eukaryotic translation initiation factor 6




- Molecule 7: Probable ribosome biogenesis protein RLP24




- Molecule 8: 5.8S rRNA




- Molecule 9: Zinc finger protein 593





- Molecule 10: 60S ribosomal protein L10a









- Molecule 16: 60S ribosomal protein L7a



- Molecule 17: 60S ribosomal protein L35




- Molecule 18: 60S ribosomal protein L9





- Molecule 19: 60S ribosomal protein L36




- Molecule 20: 60S ribosomal protein L27a



- Molecule 21: 60S ribosomal protein L37



- Molecule 22: 60S ribosomal protein L11



- Molecule 23: 60S ribosomal protein L38





- Molecule 24: 60S ribosomal protein L39



- Molecule 25: 60S ribosomal protein L13




- Molecule 26: Translation machinery-associated protein 16



- Molecule 27: 60S ribosomal protein L14







- Molecule 28: 60S ribosomal protein L15

Chain U:  97%




- Molecule 29: 60S ribosomal protein L13a

Chain V:  99%




- Molecule 30: 60S ribosomal protein L36a

Chain W:  94%





- Molecule 31: 60S ribosomal protein L37a

Chain X:  96%



- Molecule 32: 60S ribosomal protein L17

Chain Y:  82%




- Molecule 33: 60S ribosomal protein L18


Chain Z:  98%




## • Molecule 34: 60S ribosomal protein L19




## • Molecule 35: 60S ribosomal protein L18a




## • Molecule 36: 60S ribosomal protein L21




## • Molecule 37: 60S ribosomal protein L22



## • Molecule 38: 60S ribosomal protein L23




## • Molecule 39: 60S ribosomal protein L23a



## • Molecule 40: 60S ribosomal protein L26





- Molecule 41: 60S ribosomal protein L27

Chain i: 97%




- Molecule 42: 60S ribosomal protein L31

Chain j: 6% 85% 14%




- Molecule 43: 60S ribosomal protein L32

Chain k: 95% 5%




- Molecule 44: 60S ribosomal protein L28

Chain l: 91% 9%



- Molecule 45: 60S ribosomal protein L8

Chain m: 95%



- Molecule 46: 60S ribosomal protein L35a

Chain n: 98%



- Molecule 47: 60S ribosomal protein L6

G97	G98	G99	K100	N101	G102	G103	T104	I144	T176	V194	I203	S204	N205	K210	K221	LEU	ARG	LYS	PRO	ARG	ARG	HIS	GLN	GLU	GLY	GLU	ILE	PHE	ASP	THR	GLU	GLY	E238	K239	F288															
ALA	GLY	GLU	LYS	VAL	GLU	LYS	PRO	ASP	THR	LYS	GLU	LYS	VAL	VAL	GLY	ALA	GLY	LYS	VAL	LYS	LYS	GLY	ASN	LEU	LYS	ALA	LYS	LYS	PRO	LYS	LYS	GLY	GLY	P42	A76	LYS	LYS	SER	LYS	VAL	GLU	LYS	LYS	LYS	GLU	VAL	LYS	LEU	A90	THR

- Chain p:  90% 9%

MET  
 GLU  
 VAL  
 GLU  
 LYS  
 LYS  
 LYS  
 VAL  
 PRO  
 ALA  
 VAL  
 PRO  
 THR  
 LEU  
 LYS  
 LYS  
 ARG  
 ARG  
 N24  
 F25  
 A26  
 E27  
 L28  
 L33  
 R34  
 K35  
 M20  
 W24F

- Chain r:  12% 98%

MET	G2	F3	V4	K5	V6	V7	D128	E213	F214	D215	M235	E238	P257	K258	K259	E260	V261	K262	K263	K264	R265	A274	K277	D278	R279	V280	A281	Q282	K283	K284	A285	S286	F287	L288	R289	A290	Q291	E292	R293	A294	ALA	GLU
-----	----	----	----	----	----	----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----

- Chain z:  26% 74%

[illegible]

## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	21489	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	64	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.454	Depositor
Minimum map value	-0.187	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.013	Depositor
Recommended contour level	0.07	Depositor
Map size (Å)	507.84, 507.84, 507.84	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.058, 1.058, 1.058	Depositor

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 7MG, OMC, B8W, OMG, I4U, B9B, BGH, PSU, OMU, 5MU, E7G, B8H, UR3, B8T, P7G, B9H, 5MC, M7A, 6MZ, B8K, 2MG, MHG, MG, E6G, P4U, A2M, 1MA, B8Q

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	1	0.37	0/148	0.72	0/196
2	2	0.92	13/81168 (0.0%)	1.80	3749/126540 (3.0%)
3	3	0.42	0/1990	0.71	2/2685 (0.1%)
4	4	0.42	0/5048	0.76	12/6774 (0.2%)
5	5	0.81	0/2858	1.77	129/4455 (2.9%)
6	6	0.45	0/1877	0.74	1/2554 (0.0%)
7	7	0.45	0/1181	0.71	1/1563 (0.1%)
8	8	0.98	0/3679	1.78	161/5732 (2.8%)
9	9	0.39	0/723	0.77	2/961 (0.2%)
10	A	0.43	1/1736 (0.1%)	0.92	6/2328 (0.3%)
11	B	0.53	0/3306	0.79	7/4423 (0.2%)
12	C	0.37	0/755	0.63	0/996
13	D	0.51	0/2902	0.73	2/3898 (0.1%)
14	E	0.42	0/742	0.69	0/996
15	F	0.49	0/878	0.72	0/1170
16	G	0.47	0/1976	0.77	2/2658 (0.1%)
17	H	0.42	0/1023	0.63	0/1351
18	I	0.44	0/1537	0.69	2/2066 (0.1%)
19	K	0.39	0/810	0.65	1/1072 (0.1%)
20	L	0.51	0/1191	0.72	1/1591 (0.1%)
21	M	0.56	0/720	0.72	0/952
22	N	0.42	0/1341	0.78	2/1793 (0.1%)
23	O	0.42	0/575	0.65	1/761 (0.1%)
24	P	0.50	0/454	0.70	0/599
25	Q	0.48	0/1732	0.66	0/2315
26	R	0.38	0/1293	0.71	0/1725
27	S	0.48	0/1133	0.70	1/1516 (0.1%)
28	U	0.51	0/1746	0.71	1/2338 (0.0%)
29	V	0.49	0/1682	0.69	0/2250
30	W	0.48	0/855	0.75	2/1128 (0.2%)
31	X	0.49	0/708	0.65	0/941

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
32	Y	0.48	0/1268	0.67	0/1701
33	Z	0.50	0/1537	0.74	1/2052 (0.0%)
34	a	0.46	0/1255	0.66	1/1662 (0.1%)
35	b	0.48	0/1501	0.65	0/2013
36	c	0.47	0/1291	0.69	0/1725
37	d	0.45	0/839	0.83	1/1126 (0.1%)
38	e	0.49	0/993	0.72	1/1332 (0.1%)
39	g	0.45	0/984	0.63	1/1323 (0.1%)
40	h	0.49	0/1132	0.68	0/1504
41	i	0.47	0/1130	0.68	0/1507
42	j	0.51	1/903 (0.1%)	0.70	0/1216
43	k	0.53	0/1071	0.69	0/1429
44	l	0.46	0/1017	0.72	1/1364 (0.1%)
45	m	0.53	0/1936	0.77	2/2596 (0.1%)
46	n	0.52	0/895	0.72	0/1198
47	o	0.42	0/1784	0.73	1/2393 (0.0%)
48	p	0.49	0/1916	0.72	2/2553 (0.1%)
49	r	0.43	0/2432	0.71	1/3256 (0.0%)
50	z	0.37	0/286	0.54	0/372
All	All	0.76	15/151937 (0.0%)	1.48	4097/222649 (1.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	3	0	2
4	4	0	6
6	6	0	1
10	A	0	7
11	B	0	2
18	I	0	1
22	N	0	1
25	Q	0	1
26	R	0	1
27	S	0	1
30	W	0	1
41	i	0	1
45	m	0	1
46	n	0	1
47	o	0	2
All	All	0	29

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	2	256	G	N7-C5	-7.57	1.34	1.39
2	2	2465	C	N1-C6	-7.32	1.32	1.37
2	2	1577	G	C2-N3	-7.08	1.27	1.32
2	2	4764	A	N9-C4	-6.65	1.33	1.37
2	2	1254	A	N9-C4	6.39	1.41	1.37
2	2	2484	A	N9-C4	6.38	1.41	1.37
2	2	485	C	N1-C2	6.17	1.46	1.40
2	2	2409	U	C2-O2	-5.95	1.17	1.22
2	2	256	G	C8-N7	-5.78	1.27	1.30
2	2	467	U	N1-C2	5.56	1.43	1.38
2	2	3646	A	N7-C5	-5.51	1.35	1.39
42	j	58	GLY	C-N	-5.50	1.21	1.34
2	2	2404	A	N7-C5	-5.21	1.36	1.39
10	A	170	GLY	N-CA	5.20	1.53	1.46
2	2	504	G	N9-C4	5.10	1.42	1.38

All (4097) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	516	C	N1-C2-O2	16.84	129.00	118.90
2	2	485	C	C2-N1-C1'	16.20	136.62	118.80
10	A	169	VAL	O-C-N	-15.96	96.07	123.20
2	2	4119	C	N1-C2-O2	15.50	128.20	118.90
2	2	449	C	C2-N1-C1'	15.49	135.84	118.80
2	2	467	U	N3-C2-O2	-15.22	111.55	122.20
2	2	449	C	N1-C2-O2	15.04	127.92	118.90
2	2	467	U	N1-C2-O2	14.68	133.08	122.80
2	2	485	C	N1-C2-O2	14.64	127.69	118.90
2	2	516	C	C6-N1-C2	-14.48	114.51	120.30
2	2	516	C	C2-N1-C1'	14.14	134.36	118.80
2	2	753	C	N1-C2-O2	13.93	127.26	118.90
2	2	4945	G	C5-C6-O6	-13.66	120.40	128.60
2	2	4682	U	N3-C2-O2	-13.49	112.75	122.20
2	2	516	C	N3-C2-O2	-13.46	112.48	121.90
5	5	39	C	N1-C2-O2	13.39	126.94	118.90
2	2	4502	C	N1-C2-O2	12.91	126.64	118.90
2	2	1245	C	C5-C6-N1	12.79	127.39	121.00
2	2	4119	C	N3-C2-O2	-12.79	112.95	121.90
2	2	4709	U	N3-C2-O2	-12.72	113.30	122.20
2	2	2465	C	C5-C6-N1	12.53	127.26	121.00
2	2	4887	C	N1-C2-O2	12.52	126.41	118.90
2	2	2814	C	N1-C2-O2	12.49	126.39	118.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	4682	U	N1-C2-O2	12.44	131.50	122.80
2	2	4662	C	C6-N1-C2	-12.38	115.35	120.30
2	2	256	G	C6-C5-N7	-12.14	123.12	130.40
8	8	64	U	N3-C2-O2	-12.13	113.71	122.20
2	2	4502	C	N3-C2-O2	-12.09	113.44	121.90
2	2	467	U	C2-N1-C1'	12.07	132.18	117.70
2	2	753	C	N3-C2-O2	-12.05	113.46	121.90
2	2	656	C	N1-C2-O2	12.04	126.12	118.90
2	2	1859	C	N1-C2-O2	12.04	126.12	118.90
2	2	2783	A	N1-C2-N3	-12.02	123.29	129.30
2	2	1245	C	C6-N1-C2	-12.02	115.49	120.30
2	2	4502	C	C6-N1-C2	-12.00	115.50	120.30
2	2	516	C	C5-C6-N1	11.85	126.92	121.00
2	2	738	C	N1-C2-O2	11.81	125.99	118.90
2	2	4709	U	N1-C2-O2	11.78	131.04	122.80
2	2	2820	C	N1-C2-O2	11.72	125.93	118.90
2	2	988	C	C2-N1-C1'	11.68	131.65	118.80
2	2	220	C	N1-C2-O2	11.66	125.90	118.90
2	2	2491	C	C6-N1-C2	-11.65	115.64	120.30
2	2	4969	C	C6-N1-C2	-11.63	115.65	120.30
2	2	1417	C	C6-N1-C2	-11.61	115.66	120.30
2	2	100	C	C2-N1-C1'	11.60	131.56	118.80
2	2	4119	C	C6-N1-C2	-11.58	115.67	120.30
2	2	2255	C	N1-C2-O2	11.47	125.78	118.90
2	2	115	C	C2-N1-C1'	11.36	131.30	118.80
2	2	4730	C	C6-N1-C2	-11.33	115.77	120.30
2	2	4393	G	C5-C6-O6	11.29	135.37	128.60
2	2	489	C	N1-C2-O2	11.22	125.63	118.90
2	2	485	C	C6-N1-C1'	-11.21	107.34	120.80
2	2	4229	U	N3-C2-O2	-11.20	114.36	122.20
2	2	2410	C	C6-N1-C2	-11.19	115.83	120.30
2	2	2860	C	N1-C2-O2	11.18	125.61	118.90
2	2	3637	U	N3-C2-O2	-11.17	114.38	122.20
10	A	169	VAL	CA-C-N	11.15	138.50	116.20
2	2	753	C	C2-N1-C1'	11.15	131.06	118.80
2	2	1628	C	C6-N1-C2	-11.15	115.84	120.30
2	2	454	U	N3-C2-O2	-11.09	114.44	122.20
2	2	449	C	N3-C2-O2	-11.08	114.14	121.90
2	2	1079	C	N1-C2-O2	11.04	125.53	118.90
2	2	1472	C	C6-N1-C2	-11.03	115.89	120.30
2	2	656	C	N3-C2-O2	-11.02	114.19	121.90
2	2	115	C	N1-C2-O2	11.01	125.51	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	3636	C	C6-N1-C2	-10.99	115.90	120.30
2	2	4990	C	N1-C2-O2	10.98	125.48	118.90
2	2	4199	C	N1-C2-O2	10.97	125.48	118.90
2	2	4880	C	N1-C2-O2	10.95	125.47	118.90
2	2	2560	C	C6-N1-C2	-10.94	115.92	120.30
2	2	41	C	C5-C6-N1	10.90	126.45	121.00
2	2	656	C	C6-N1-C2	-10.89	115.94	120.30
2	2	100	C	N1-C2-O2	10.87	125.42	118.90
2	2	1929	A	C2-N3-C4	10.85	116.03	110.60
2	2	738	C	C6-N1-C2	-10.84	115.96	120.30
2	2	4608	G	N7-C8-N9	10.82	118.51	113.10
2	2	4360	U	N3-C2-O2	-10.82	114.63	122.20
2	2	449	C	C6-N1-C1'	-10.81	107.83	120.80
5	5	28	C	C6-N1-C2	-10.78	115.99	120.30
2	2	77	U	N3-C2-O2	-10.77	114.66	122.20
2	2	4453	C	N1-C2-O2	10.77	125.36	118.90
2	2	485	C	C6-N1-C2	-10.77	115.99	120.30
2	2	1859	C	C6-N1-C2	-10.77	115.99	120.30
2	2	1429	C	C6-N1-C2	-10.68	116.03	120.30
2	2	1577	G	C2-N3-C4	10.59	117.19	111.90
5	5	102	U	N3-C2-O2	-10.59	114.79	122.20
2	2	4758	U	N3-C2-O2	-10.57	114.80	122.20
2	2	257	C	C6-N1-C2	-10.57	116.07	120.30
2	2	4144	C	C5-C6-N1	10.57	126.28	121.00
2	2	41	C	C6-N1-C2	-10.54	116.08	120.30
2	2	654	C	N1-C2-O2	10.53	125.22	118.90
2	2	4303	C	N1-C2-O2	10.53	125.22	118.90
2	2	4505	C	C6-N1-C2	-10.51	116.10	120.30
2	2	3926	C	N1-C2-O2	10.51	125.20	118.90
2	2	4171	C	N1-C2-O2	10.49	125.19	118.90
2	2	4303	C	N3-C2-O2	-10.48	114.56	121.90
2	2	1632	A	C2-N3-C4	10.39	115.80	110.60
2	2	454	U	N1-C2-O2	10.37	130.06	122.80
2	2	2710	C	N1-C2-O2	10.35	125.11	118.90
2	2	1386	C	C6-N1-C2	-10.35	116.16	120.30
2	2	1243	C	C6-N1-C2	-10.31	116.17	120.30
2	2	753	C	C6-N1-C2	-10.29	116.18	120.30
2	2	417	G	O4'-C1'-N9	10.28	116.42	108.20
2	2	4119	C	C2-N1-C1'	10.26	130.08	118.80
2	2	195	C	C6-N1-C2	-10.23	116.21	120.30
2	2	498	C	C6-N1-C2	-10.23	116.21	120.30
2	2	4140	C	N1-C2-O2	10.20	125.02	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	485	C	N3-C2-O2	-10.19	114.77	121.90
2	2	1417	C	C5-C6-N1	10.18	126.09	121.00
2	2	1731	C	C6-N1-C2	-10.17	116.23	120.30
2	2	4352	U	N3-C2-O2	-10.17	115.08	122.20
2	2	2627	C	C6-N1-C2	-10.15	116.24	120.30
2	2	3637	U	N1-C2-O2	10.15	129.91	122.80
2	2	3709	U	N3-C2-O2	-10.15	115.10	122.20
2	2	1634	A	N1-C2-N3	-10.14	124.23	129.30
2	2	988	C	C6-N1-C2	-10.14	116.24	120.30
2	2	1302	U	N3-C2-O2	-10.13	115.11	122.20
2	2	9	C	C6-N1-C2	-10.12	116.25	120.30
2	2	1686	C	N1-C2-O2	10.12	124.97	118.90
2	2	1192	C	C6-N1-C2	-10.11	116.26	120.30
2	2	4887	C	N3-C2-O2	-10.10	114.83	121.90
2	2	4945	G	C4-C5-N7	10.08	114.83	110.80
2	2	449	C	C6-N1-C2	-10.07	116.27	120.30
2	2	1726	U	N3-C2-O2	-10.07	115.15	122.20
2	2	4695	C	N1-C2-O2	10.05	124.93	118.90
2	2	2255	C	C2-N1-C1'	10.04	129.84	118.80
2	2	2022	C	N1-C2-O2	10.04	124.92	118.90
2	2	4594	U	N3-C2-O2	-10.03	115.18	122.20
2	2	112	C	C6-N1-C2	-10.03	116.29	120.30
2	2	1276	C	C6-N1-C2	-10.03	116.29	120.30
2	2	4758	U	N1-C2-O2	10.01	129.81	122.80
2	2	3870	C	C6-N1-C2	-9.99	116.31	120.30
2	2	988	C	C5-C6-N1	9.98	125.99	121.00
2	2	4601	U	N3-C2-O2	-9.98	115.21	122.20
2	2	4775	C	N1-C2-O2	9.97	124.88	118.90
2	2	988	C	N1-C2-O2	9.96	124.88	118.90
2	2	4215	C	N1-C2-O2	9.96	124.88	118.90
2	2	96	U	N3-C2-O2	-9.95	115.23	122.20
2	2	4303	C	C2-N1-C1'	9.94	129.74	118.80
2	2	3680	U	N3-C2-O2	-9.94	115.24	122.20
2	2	115	C	N3-C2-O2	-9.93	114.95	121.90
2	2	53	C	C6-N1-C2	-9.92	116.33	120.30
2	2	4508	C	C6-N1-C2	-9.91	116.33	120.30
2	2	3588	C	C6-N1-C2	-9.91	116.34	120.30
2	2	4601	U	N1-C2-O2	9.91	129.74	122.80
2	2	489	C	C6-N1-C2	-9.91	116.34	120.30
2	2	2351	C	C6-N1-C2	-9.88	116.35	120.30
2	2	704	C	N1-C2-O2	9.86	124.81	118.90
8	8	126	C	C6-N1-C2	-9.86	116.36	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	282	C	N1-C2-O2	9.85	124.81	118.90
2	2	2410	C	C5-C6-N1	9.84	125.92	121.00
5	5	39	C	N3-C2-O2	-9.84	115.02	121.90
8	8	103	A	N1-C2-N3	-9.82	124.39	129.30
2	2	1302	U	N1-C2-O2	9.81	129.67	122.80
2	2	4887	C	C6-N1-C2	-9.81	116.38	120.30
2	2	2603	C	C6-N1-C2	-9.81	116.38	120.30
2	2	456	C	O4'-C1'-N1	9.80	116.04	108.20
2	2	4608	G	C8-N9-C4	-9.80	102.48	106.40
2	2	1816	C	C6-N1-C2	-9.78	116.39	120.30
2	2	3926	C	C6-N1-C2	-9.78	116.39	120.30
2	2	180	C	C5-C6-N1	9.77	125.88	121.00
45	m	246	LEU	CA-CB-CG	9.76	137.75	115.30
2	2	485	C	C5-C6-N1	9.76	125.88	121.00
2	2	654	C	N3-C2-O2	-9.74	115.08	121.90
2	2	3657	U	N3-C2-O2	-9.74	115.39	122.20
2	2	1191	C	C6-N1-C2	-9.71	116.42	120.30
30	W	81	ARG	NE-CZ-NH1	9.71	125.15	120.30
2	2	4453	C	C2-N1-C1'	9.71	129.48	118.80
2	2	209	U	N1-C2-O2	9.70	129.59	122.80
2	2	3588	C	C5-C6-N1	9.70	125.85	121.00
2	2	3870	C	C5-C6-N1	9.69	125.84	121.00
2	2	1352	C	C6-N1-C2	-9.68	116.43	120.30
2	2	1607	C	C6-N1-C2	-9.68	116.43	120.30
2	2	1254	A	C2-N3-C4	9.67	115.44	110.60
2	2	2814	C	N3-C2-O2	-9.67	115.13	121.90
2	2	4476	C	N1-C2-O2	9.67	124.70	118.90
2	2	4532	U	N3-C2-O2	-9.66	115.44	122.20
2	2	1686	C	C6-N1-C2	-9.66	116.44	120.30
2	2	2814	C	C2-N1-C1'	9.66	129.42	118.80
2	2	972	C	N1-C2-O2	9.65	124.69	118.90
2	2	1340	C	C5-C6-N1	9.65	125.82	121.00
2	2	2803	U	N3-C2-O2	-9.64	115.45	122.20
2	2	449	C	C5-C6-N1	9.64	125.82	121.00
2	2	77	U	N1-C2-O2	9.64	129.54	122.80
2	2	1384	C	C6-N1-C2	-9.63	116.45	120.30
2	2	972	C	C6-N1-C2	-9.63	116.45	120.30
2	2	738	C	N3-C2-O2	-9.63	115.16	121.90
2	2	2627	C	C5-C6-N1	9.62	125.81	121.00
2	2	1637	A	N1-C2-N3	-9.62	124.49	129.30
2	2	4144	C	C6-N1-C2	-9.62	116.45	120.30
2	2	3598	C	N1-C2-O2	9.61	124.67	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	14	C	C6-N1-C2	-9.61	116.46	120.30
2	2	2603	C	C5-C6-N1	9.59	125.80	121.00
2	2	256	G	C4-C5-N7	9.59	114.64	110.80
2	2	4766	C	C6-N1-C2	-9.59	116.46	120.30
2	2	209	U	N3-C2-O2	-9.59	115.49	122.20
2	2	4775	C	C2-N1-C1'	9.59	129.34	118.80
2	2	985	C	C6-N1-C2	-9.58	116.47	120.30
2	2	489	C	C2-N1-C1'	9.57	129.33	118.80
2	2	4206	C	C6-N1-C2	-9.57	116.47	120.30
2	2	1241	C	N1-C2-O2	9.56	124.64	118.90
2	2	2302	C	C6-N1-C2	-9.56	116.48	120.30
2	2	925	C	C6-N1-C2	-9.55	116.48	120.30
2	2	4243	C	C6-N1-C2	-9.54	116.48	120.30
2	2	100	C	N3-C2-O2	-9.53	115.23	121.90
2	2	948	C	C6-N1-C2	-9.52	116.49	120.30
2	2	4273	A	N1-C6-N6	-9.52	112.89	118.60
2	2	2820	C	C6-N1-C2	-9.51	116.50	120.30
2	2	1302	U	C2-N1-C1'	9.49	129.09	117.70
5	5	78	C	C6-N1-C2	-9.49	116.50	120.30
2	2	1458	C	N1-C2-O2	9.48	124.59	118.90
2	2	1344	C	C6-N1-C2	-9.48	116.51	120.30
2	2	1467	C	C6-N1-C2	-9.48	116.51	120.30
2	2	148	C	C6-N1-C2	-9.47	116.51	120.30
2	2	2710	C	C2-N1-C1'	9.47	129.21	118.80
2	2	499	G	C4-N9-C1'	9.46	138.80	126.50
2	2	1191	C	N3-C2-O2	-9.45	115.28	121.90
2	2	2362	U	N3-C2-O2	-9.45	115.58	122.20
2	2	3650	C	C6-N1-C2	-9.45	116.52	120.30
2	2	4758	U	C2-N1-C1'	9.45	129.04	117.70
2	2	1848	C	C6-N1-C2	-9.44	116.52	120.30
2	2	2373	C	C5-C6-N1	9.43	125.72	121.00
2	2	4700	A	N1-C2-N3	-9.43	124.58	129.30
2	2	2856	C	N1-C2-O2	9.43	124.56	118.90
2	2	2593	C	C6-N1-C2	-9.43	116.53	120.30
2	2	4471	U	N3-C2-O2	-9.43	115.60	122.20
2	2	2568	C	N1-C2-O2	9.42	124.55	118.90
2	2	2803	U	N1-C2-O2	9.41	129.39	122.80
2	2	2560	C	C5-C6-N1	9.40	125.70	121.00
2	2	4996	C	C6-N1-C2	-9.39	116.54	120.30
2	2	4342	C	C6-N1-C2	-9.39	116.54	120.30
2	2	2373	C	C6-N1-C2	-9.38	116.55	120.30
2	2	257	C	C5-C6-N1	9.37	125.69	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1859	C	N3-C2-O2	-9.36	115.34	121.90
2	2	3598	C	N3-C2-O2	-9.36	115.35	121.90
2	2	654	C	C6-N1-C2	-9.35	116.56	120.30
2	2	282	C	N3-C2-O2	-9.34	115.36	121.90
2	2	2048	U	N3-C2-O2	-9.34	115.66	122.20
2	2	1889	U	N3-C2-O2	-9.32	115.67	122.20
2	2	2802	C	C6-N1-C2	-9.32	116.57	120.30
2	2	50	C	N1-C2-O2	9.32	124.49	118.90
2	2	1472	C	C5-C6-N1	9.32	125.66	121.00
8	8	126	C	N1-C2-O2	9.32	124.49	118.90
2	2	4703	U	N3-C2-O2	-9.31	115.68	122.20
2	2	2783	A	C6-N1-C2	9.31	124.19	118.60
2	2	2022	C	C6-N1-C2	-9.30	116.58	120.30
5	5	28	C	N1-C2-O2	9.30	124.48	118.90
2	2	2048	U	N1-C2-O2	9.30	129.31	122.80
2	2	2410	C	N1-C2-O2	9.29	124.48	118.90
2	2	1859	C	C5-C6-N1	9.29	125.64	121.00
2	2	256	G	N3-C4-N9	9.29	131.57	126.00
2	2	4945	G	N3-C4-N9	9.28	131.57	126.00
2	2	2257	C	N1-C2-O2	9.26	124.46	118.90
2	2	2820	C	N3-C2-O2	-9.25	115.42	121.90
2	2	504	G	C4-N9-C1'	9.25	138.52	126.50
2	2	1429	C	C5-C6-N1	9.24	125.62	121.00
2	2	1969	G	N1-C6-O6	-9.23	114.36	119.90
5	5	39	C	C6-N1-C2	-9.23	116.61	120.30
2	2	2560	C	C2-N1-C1'	9.22	128.94	118.80
2	2	2094	G	N3-C4-C5	-9.20	124.00	128.60
2	2	673	C	C6-N1-C2	-9.20	116.62	120.30
2	2	2262	G	C4-N9-C1'	9.19	138.45	126.50
2	2	2484	A	C2-N3-C4	9.17	115.18	110.60
2	2	4508	C	N1-C2-O2	9.16	124.40	118.90
2	2	738	C	C2-N1-C1'	9.16	128.88	118.80
2	2	110	C	C6-N1-C2	-9.16	116.64	120.30
2	2	322	C	N1-C2-O2	9.15	124.39	118.90
2	2	3882	C	N1-C2-O2	9.14	124.39	118.90
2	2	3587	C	N1-C2-O2	9.13	124.38	118.90
2	2	4199	C	N3-C2-O2	-9.13	115.51	121.90
2	2	504	G	N3-C4-C5	-9.13	124.03	128.60
2	2	2802	C	C5-C6-N1	9.13	125.56	121.00
2	2	4213	A	N1-C2-N3	-9.12	124.74	129.30
2	2	3709	U	N1-C2-O2	9.12	129.18	122.80
8	8	82	A	C2-N3-C4	9.11	115.16	110.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	256	G	N3-C2-N2	9.11	126.28	119.90
2	2	2867	C	C6-N1-C2	-9.11	116.66	120.30
2	2	4655	A	N1-C2-N3	-9.11	124.75	129.30
2	2	1241	C	C2-N1-C1'	9.10	128.81	118.80
2	2	4921	C	C6-N1-C2	-9.09	116.66	120.30
8	8	107	C	C6-N1-C2	-9.09	116.67	120.30
2	2	2729	C	C6-N1-C2	-9.08	116.67	120.30
2	2	4880	C	N3-C2-O2	-9.08	115.55	121.90
8	8	140	C	C6-N1-C2	-9.08	116.67	120.30
2	2	4559	A	N1-C2-N3	-9.07	124.76	129.30
2	2	716	C	C6-N1-C2	-9.07	116.67	120.30
2	2	2505	C	C6-N1-C2	-9.07	116.67	120.30
5	5	102	U	N1-C2-O2	9.07	129.15	122.80
2	2	1395	U	N3-C2-O2	-9.06	115.86	122.20
2	2	1666	C	C6-N1-C2	-9.06	116.67	120.30
8	8	99	U	N3-C2-O2	-9.05	115.86	122.20
2	2	4945	G	N1-C6-O6	9.05	125.33	119.90
2	2	2499	C	N1-C2-O2	9.04	124.33	118.90
2	2	4714	C	C6-N1-C2	-9.04	116.68	120.30
2	2	220	C	N3-C2-O2	-9.04	115.57	121.90
2	2	4771	C	C5-C6-N1	9.04	125.52	121.00
2	2	4969	C	C5-C6-N1	9.03	125.52	121.00
2	2	2260	C	C6-N1-C2	-9.03	116.69	120.30
2	2	489	C	C5-C6-N1	9.03	125.51	121.00
2	2	4340	U	N3-C2-O2	-9.01	115.89	122.20
2	2	4289	U	N3-C2-O2	-9.00	115.90	122.20
2	2	1889	U	N1-C2-O2	9.00	129.10	122.80
2	2	79	C	C6-N1-C2	-8.99	116.70	120.30
2	2	4989	U	N1-C2-O2	8.99	129.09	122.80
2	2	4280	A	N1-C2-N3	-8.98	124.81	129.30
2	2	1722	C	C6-N1-C2	-8.98	116.71	120.30
2	2	2337	C	C6-N1-C2	-8.98	116.71	120.30
2	2	1192	C	N1-C2-O2	8.98	124.29	118.90
2	2	1494	U	N3-C2-O2	-8.97	115.92	122.20
2	2	1243	C	C5-C6-N1	8.97	125.48	121.00
2	2	2274	C	C6-N1-C2	-8.96	116.72	120.30
2	2	4764	A	N1-C2-N3	-8.96	124.82	129.30
2	2	2351	C	C5-C6-N1	8.96	125.48	121.00
2	2	2410	C	C2-N1-C1'	8.94	128.63	118.80
2	2	2653	C	C6-N1-C2	-8.94	116.72	120.30
2	2	1663	C	C5-C6-N1	8.93	125.47	121.00
2	2	390	C	C6-N1-C2	-8.93	116.73	120.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1674	C	C6-N1-C2	-8.93	116.73	120.30
2	2	2465	C	C6-N1-C2	-8.91	116.74	120.30
2	2	2860	C	N3-C2-O2	-8.91	115.66	121.90
2	2	4360	U	N1-C2-O2	8.91	129.04	122.80
2	2	4972	U	N3-C2-O2	-8.91	115.96	122.20
2	2	205	C	C6-N1-C2	-8.90	116.74	120.30
2	2	738	C	C5-C6-N1	8.89	125.45	121.00
2	2	4989	U	N3-C2-O2	-8.89	115.98	122.20
2	2	1722	C	C5-C6-N1	8.89	125.44	121.00
2	2	1893	C	C6-N1-C2	-8.89	116.75	120.30
2	2	1906	U	N3-C2-O2	-8.89	115.98	122.20
2	2	4505	C	C5-C6-N1	8.89	125.44	121.00
2	2	390	C	C5-C6-N1	8.88	125.44	121.00
2	2	4505	C	N1-C2-O2	8.88	124.23	118.90
2	2	4990	C	N3-C2-O2	-8.87	115.69	121.90
2	2	4365	C	C5-C6-N1	8.87	125.44	121.00
2	2	4171	C	N3-C2-O2	-8.86	115.70	121.90
2	2	2667	C	N1-C2-O2	8.85	124.21	118.90
2	2	4958	C	C5-C6-N1	8.85	125.42	121.00
2	2	3926	C	N3-C2-O2	-8.84	115.71	121.90
2	2	5025	C	C6-N1-C2	-8.84	116.76	120.30
2	2	1342	A	N1-C2-N3	-8.83	124.88	129.30
2	2	4119	C	C5-C6-N1	8.82	125.41	121.00
2	2	4140	C	N3-C2-O2	-8.82	115.72	121.90
5	5	78	C	C5-C6-N1	8.81	125.41	121.00
2	2	489	C	N3-C2-O2	-8.81	115.73	121.90
2	2	3866	C	C6-N1-C2	-8.79	116.78	120.30
2	2	2303	C	N1-C2-O2	8.79	124.18	118.90
2	2	220	C	C6-N1-C2	-8.78	116.79	120.30
2	2	112	C	C5-C6-N1	8.78	125.39	121.00
2	2	1579	C	C6-N1-C2	-8.77	116.79	120.30
2	2	2362	U	N1-C2-O2	8.77	128.94	122.80
2	2	2262	G	N3-C4-N9	8.76	131.26	126.00
2	2	141	C	N1-C2-O2	8.76	124.16	118.90
2	2	4708	A	C2-N3-C4	8.76	114.98	110.60
2	2	174	C	N1-C2-O2	8.76	124.15	118.90
2	2	3919	C	C6-N1-C2	-8.75	116.80	120.30
5	5	91	C	C5-C6-N1	8.75	125.38	121.00
2	2	1720	C	C6-N1-C2	-8.75	116.80	120.30
2	2	180	C	N1-C2-O2	8.75	124.15	118.90
2	2	3655	C	C6-N1-C2	-8.74	116.80	120.30
2	2	4662	C	C5-C6-N1	8.74	125.37	121.00

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	122	U	N3-C2-O2	-8.73	116.09	122.20
2	2	4229	U	N1-C2-O2	8.72	128.91	122.80
2	2	322	C	C6-N1-C2	-8.72	116.81	120.30
2	2	4772	C	C6-N1-C2	-8.71	116.81	120.30
2	2	1897	A	C2-N3-C4	8.71	114.95	110.60
2	2	4502	C	C2-N1-C1'	8.71	128.38	118.80
2	2	4237	C	C6-N1-C2	-8.71	116.82	120.30
11	B	360	LEU	CA-CB-CG	8.70	135.32	115.30
2	2	28	C	C6-N1-C2	-8.70	116.82	120.30
2	2	504	G	N3-C4-N9	8.69	131.21	126.00
2	2	2074	C	C5-C6-N1	8.69	125.34	121.00
2	2	4508	C	C5-C6-N1	8.68	125.34	121.00
8	8	150	C	N1-C2-O2	8.67	124.10	118.90
2	2	2035	C	C6-N1-C2	-8.67	116.83	120.30
2	2	4887	C	C2-N1-C1'	8.67	128.33	118.80
2	2	180	C	C6-N1-C2	-8.66	116.83	120.30
2	2	1216	C	C2-N1-C1'	8.66	128.32	118.80
8	8	51	U	C2-N1-C1'	8.66	128.09	117.70
2	2	44	A	C2-N3-C4	8.65	114.93	110.60
2	2	2867	C	C5-C6-N1	8.65	125.33	121.00
2	2	4667	C	C6-N1-C2	-8.65	116.84	120.30
2	2	1848	C	C5-C6-N1	8.65	125.33	121.00
2	2	673	C	C5-C6-N1	8.65	125.32	121.00
2	2	1632	A	N1-C2-N3	-8.65	124.98	129.30
2	2	4259	C	C5-C6-N1	8.64	125.32	121.00
2	2	4302	U	N3-C2-O2	-8.64	116.15	122.20
2	2	1447	C	C6-N1-C2	-8.64	116.85	120.30
2	2	1893	C	C5-C6-N1	8.63	125.32	121.00
2	2	68	U	N3-C2-O2	-8.63	116.16	122.20
2	2	124	C	C6-N1-C2	-8.62	116.85	120.30
2	2	1687	U	N3-C2-O2	-8.61	116.17	122.20
2	2	3866	C	C5-C6-N1	8.61	125.31	121.00
2	2	4206	C	C5-C6-N1	8.61	125.30	121.00
2	2	3618	C	C6-N1-C2	-8.60	116.86	120.30
2	2	4281	A	N7-C8-N9	8.60	118.10	113.80
2	2	4365	C	C6-N1-C2	-8.60	116.86	120.30
2	2	2404	A	N1-C2-N3	-8.60	125.00	129.30
2	2	2022	C	C2-N1-C1'	8.60	128.26	118.80
2	2	1686	C	N3-C2-O2	-8.59	115.89	121.90
2	2	498	C	N1-C2-O2	8.59	124.06	118.90
2	2	1599	A	N1-C2-N3	-8.59	125.00	129.30
5	5	28	C	C5-C6-N1	8.59	125.30	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	14	C	N1-C2-O2	8.58	124.05	118.90
2	2	3680	U	N1-C2-O2	8.58	128.81	122.80
2	2	1702	C	N1-C2-O2	8.57	124.04	118.90
2	2	4352	U	N1-C2-O2	8.56	128.79	122.80
2	2	3901	A	C2-N3-C4	8.56	114.88	110.60
2	2	1875	C	C5-C6-N1	8.55	125.28	121.00
2	2	2271	C	C6-N1-C2	-8.55	116.88	120.30
2	2	282	C	C6-N1-C2	-8.55	116.88	120.30
8	8	52	A	N1-C2-N3	-8.55	125.03	129.30
2	2	4880	C	C6-N1-C2	-8.55	116.88	120.30
2	2	1417	C	C2-N1-C1'	8.55	128.20	118.80
2	2	281	U	N3-C2-O2	-8.54	116.22	122.20
2	2	178	C	C5-C6-N1	8.54	125.27	121.00
37	d	43	LEU	CA-CB-CG	8.54	134.94	115.30
2	2	4772	C	C5-C6-N1	8.53	125.26	121.00
2	2	71	C	C6-N1-C2	-8.53	116.89	120.30
2	2	3840	U	N3-C2-O2	-8.53	116.23	122.20
5	5	67	C	C6-N1-C2	-8.52	116.89	120.30
2	2	2850	A	C2-N3-C4	8.52	114.86	110.60
2	2	14	C	C5-C6-N1	8.52	125.26	121.00
2	2	2491	C	C5-C6-N1	8.52	125.26	121.00
2	2	2349	A	N1-C2-N3	-8.50	125.05	129.30
8	8	126	C	C5-C6-N1	8.50	125.25	121.00
2	2	289	C	C6-N1-C2	-8.50	116.90	120.30
2	2	1469	C	C6-N1-C2	-8.49	116.90	120.30
2	2	4505	C	C2-N1-C1'	8.49	128.15	118.80
2	2	2073	C	C6-N1-C2	-8.49	116.90	120.30
8	8	96	C	N1-C2-O2	8.48	123.99	118.90
2	2	1731	C	C5-C6-N1	8.48	125.24	121.00
2	2	4215	C	N3-C2-O2	-8.48	115.97	121.90
5	5	24	C	C6-N1-C2	-8.47	116.91	120.30
2	2	1726	U	N1-C2-O2	8.47	128.73	122.80
2	2	2403	A	N1-C2-N3	-8.47	125.07	129.30
2	2	1847	C	C6-N1-C2	-8.46	116.91	120.30
8	8	28	C	C6-N1-C2	-8.46	116.92	120.30
8	8	64	U	N1-C2-O2	8.46	128.72	122.80
2	2	100	C	C6-N1-C1'	-8.46	110.65	120.80
2	2	1621	A	N1-C2-N3	-8.46	125.07	129.30
2	2	1921	C	N1-C2-O2	8.46	123.97	118.90
2	2	1320	U	N1-C2-O2	8.46	128.72	122.80
2	2	2729	C	C5-C6-N1	8.45	125.23	121.00
2	2	1077	C	C6-N1-C2	-8.45	116.92	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	3856	A	N1-C2-N3	-8.45	125.08	129.30
8	8	51	U	N3-C2-O2	-8.45	116.29	122.20
2	2	4921	C	N1-C2-O2	8.45	123.97	118.90
2	2	4958	C	N1-C2-O2	8.44	123.97	118.90
8	8	111	U	C2-N1-C1'	8.44	127.83	117.70
2	2	4171	C	C6-N1-C2	-8.44	116.92	120.30
2	2	4996	C	C5-C6-N1	8.43	125.22	121.00
2	2	5008	C	C6-N1-C2	-8.43	116.93	120.30
2	2	367	C	C6-N1-C2	-8.43	116.93	120.30
2	2	663	G	C4-C5-N7	8.42	114.17	110.80
2	2	4532	U	N1-C2-O2	8.42	128.70	122.80
2	2	4958	C	C6-N1-C2	-8.42	116.93	120.30
2	2	1599	A	C2-N3-C4	8.42	114.81	110.60
2	2	1097	C	C6-N1-C2	-8.41	116.94	120.30
2	2	1566	C	C6-N1-C2	-8.41	116.94	120.30
2	2	3863	C	C5-C6-N1	8.41	125.21	121.00
2	2	178	C	C6-N1-C2	-8.41	116.94	120.30
2	2	1352	C	C5-C6-N1	8.40	125.20	121.00
2	2	1792	U	N3-C2-O2	-8.40	116.32	122.20
5	5	26	C	C6-N1-C2	-8.40	116.94	120.30
2	2	1503	A	N1-C2-N3	-8.39	125.11	129.30
2	2	3693	U	N1-C2-O2	8.39	128.68	122.80
2	2	4614	G	C5-C6-O6	8.39	133.63	128.60
8	8	99	U	N1-C2-O2	8.39	128.67	122.80
8	8	51	U	N1-C2-O2	8.38	128.67	122.80
2	2	3693	U	N3-C2-O2	-8.38	116.34	122.20
2	2	2560	C	N1-C2-O2	8.37	123.92	118.90
2	2	98	A	N1-C2-N3	-8.36	125.12	129.30
2	2	2074	C	C6-N1-C2	-8.36	116.95	120.30
2	2	4308	C	N1-C2-O2	8.36	123.92	118.90
2	2	4662	C	N3-C2-O2	-8.36	116.05	121.90
2	2	2255	C	N3-C2-O2	-8.35	116.06	121.90
2	2	2683	C	C6-N1-C2	-8.34	116.96	120.30
2	2	4709	U	C2-N1-C1'	8.34	127.71	117.70
2	2	4278	C	C6-N1-C2	-8.34	116.96	120.30
2	2	3855	C	C6-N1-C2	-8.34	116.97	120.30
2	2	2791	C	C6-N1-C2	-8.34	116.97	120.30
2	2	4775	C	N3-C2-O2	-8.34	116.06	121.90
2	2	2262	G	N3-C4-C5	-8.33	124.44	128.60
2	2	4140	C	C6-N1-C2	-8.33	116.97	120.30
2	2	663	G	N7-C8-N9	8.32	117.26	113.10
2	2	2528	G	C4-N9-C1'	8.32	137.31	126.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1093	C	C6-N1-C2	-8.32	116.97	120.30
2	2	2710	C	N3-C2-O2	-8.31	116.08	121.90
2	2	4258	C	C5-C6-N1	8.31	125.16	121.00
2	2	5004	C	C5-C6-N1	8.30	125.15	121.00
2	2	1535	C	C5-C6-N1	8.30	125.15	121.00
2	2	1816	C	C5-C6-N1	8.30	125.15	121.00
2	2	2022	C	N3-C2-O2	-8.30	116.09	121.90
2	2	76	A	N1-C2-N3	-8.29	125.15	129.30
2	2	419	A	N1-C2-N3	-8.29	125.16	129.30
2	2	4928	C	C2-N1-C1'	8.29	127.92	118.80
2	2	49	U	N3-C2-O2	-8.28	116.40	122.20
2	2	9	C	C5-C6-N1	8.28	125.14	121.00
2	2	175	C	C6-N1-C2	-8.28	116.99	120.30
8	8	32	C	C6-N1-C2	-8.28	116.99	120.30
5	5	22	A	C2-N3-C4	8.28	114.74	110.60
2	2	2806	A	N1-C2-N3	-8.27	125.17	129.30
2	2	3636	C	C5-C6-N1	8.27	125.13	121.00
2	2	50	C	C6-N1-C2	-8.26	117.00	120.30
2	2	80	C	C6-N1-C2	-8.26	117.00	120.30
2	2	1458	C	N3-C2-O2	-8.26	116.12	121.90
2	2	3826	C	C6-N1-C2	-8.25	117.00	120.30
2	2	115	C	C6-N1-C2	-8.25	117.00	120.30
8	8	101	C	N1-C2-O2	8.25	123.85	118.90
2	2	27	C	C6-N1-C2	-8.24	117.00	120.30
2	2	1402	C	N1-C2-O2	8.24	123.85	118.90
2	2	2094	G	C2-N3-C4	8.24	116.02	111.90
5	5	76	U	N3-C2-O2	-8.24	116.43	122.20
2	2	2627	C	C2-N1-C1'	8.24	127.87	118.80
2	2	2716	C	C6-N1-C2	-8.24	117.00	120.30
2	2	4341	C	N1-C2-O2	8.24	123.84	118.90
2	2	2404	A	C2-N3-C4	8.23	114.72	110.60
2	2	1541	C	C6-N1-C2	-8.23	117.01	120.30
2	2	4674	C	C6-N1-C2	-8.23	117.01	120.30
2	2	347	A	N1-C2-N3	-8.23	125.19	129.30
2	2	4278	C	C5-C6-N1	8.23	125.11	121.00
2	2	4945	G	C6-C5-N7	-8.23	125.46	130.40
2	2	1847	C	C5-C6-N1	8.22	125.11	121.00
2	2	2890	C	C6-N1-C2	-8.22	117.01	120.30
2	2	1668	A	N1-C2-N3	-8.22	125.19	129.30
8	8	103	A	C2-N3-C4	8.21	114.71	110.60
2	2	204	U	N3-C2-O2	-8.21	116.45	122.20
5	5	4	U	N3-C2-O2	-8.21	116.45	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1859	C	C2-N1-C1'	8.21	127.83	118.80
2	2	2561	C	C6-N1-C2	-8.21	117.02	120.30
2	2	2760	G	P-O3'-C3'	8.21	129.55	119.70
2	2	4771	C	C6-N1-C2	-8.21	117.02	120.30
2	2	385	A	N1-C2-N3	-8.21	125.20	129.30
2	2	59	A	N1-C2-N3	-8.20	125.20	129.30
2	2	360	A	N1-C2-N3	-8.20	125.20	129.30
2	2	1579	C	C5-C6-N1	8.20	125.10	121.00
2	2	3696	C	N1-C2-O2	8.20	123.82	118.90
2	2	1821	G	N3-C4-C5	-8.20	124.50	128.60
2	2	1508	A	N1-C2-N3	-8.20	125.20	129.30
8	8	32	C	N1-C2-O2	8.20	123.82	118.90
2	2	1340	C	C6-N1-C2	-8.19	117.02	120.30
2	2	4714	C	N1-C2-O2	8.19	123.81	118.90
2	2	4667	C	C5-C6-N1	8.19	125.09	121.00
2	2	4672	A	N1-C2-N3	-8.19	125.21	129.30
2	2	1809	C	C6-N1-C2	-8.18	117.03	120.30
5	5	44	C	N1-C2-O2	8.18	123.81	118.90
2	2	1623	A	N1-C2-N3	-8.18	125.21	129.30
2	2	2094	G	N3-C4-N9	8.18	130.91	126.00
2	2	3748	A	N1-C2-N3	-8.18	125.21	129.30
2	2	65	A	N1-C2-N3	-8.18	125.21	129.30
8	8	59	A	N1-C2-N3	-8.18	125.21	129.30
2	2	3646	A	N1-C2-N3	-8.17	125.21	129.30
2	2	274	C	C6-N1-C2	-8.17	117.03	120.30
2	2	1308	C	C6-N1-C2	-8.17	117.03	120.30
2	2	1720	C	N1-C2-O2	8.16	123.80	118.90
2	2	2035	C	C5-C6-N1	8.16	125.08	121.00
2	2	4476	C	C2-N1-C1'	8.16	127.78	118.80
33	Z	28	LEU	CA-CB-CG	8.16	134.07	115.30
2	2	1913	C	C6-N1-C2	-8.16	117.04	120.30
2	2	472	C	C6-N1-C2	-8.15	117.04	120.30
2	2	1093	C	C5-C6-N1	8.15	125.08	121.00
2	2	3685	C	C6-N1-C2	-8.15	117.04	120.30
2	2	209	U	C2-N1-C1'	8.15	127.48	117.70
2	2	2653	C	C5-C6-N1	8.15	125.07	121.00
8	8	37	A	N1-C2-N3	-8.15	125.23	129.30
2	2	2872	C	C6-N1-C2	-8.14	117.04	120.30
2	2	372	A	N1-C2-N3	-8.14	125.23	129.30
2	2	1310	C	C5-C6-N1	8.14	125.07	121.00
2	2	1439	C	C6-N1-C2	-8.14	117.04	120.30
2	2	4286	C	C6-N1-C2	-8.14	117.04	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	43	U	N3-C2-O2	-8.14	116.50	122.20
2	2	279	A	N1-C2-N3	-8.13	125.23	129.30
2	2	4730	C	C5-C6-N1	8.13	125.06	121.00
2	2	4233	A	N1-C2-N3	-8.13	125.23	129.30
2	2	2598	A	C2-N3-C4	8.13	114.66	110.60
2	2	1216	C	N1-C2-O2	8.13	123.78	118.90
2	2	1097	C	N1-C2-O2	8.12	123.77	118.90
2	2	1320	U	N3-C2-O2	-8.12	116.52	122.20
2	2	1875	C	C6-N1-C2	-8.12	117.05	120.30
2	2	3926	C	C5-C6-N1	8.12	125.06	121.00
2	2	436	C	N1-C2-O2	8.12	123.77	118.90
2	2	1309	C	C5-C6-N1	8.12	125.06	121.00
2	2	2337	C	C5-C6-N1	8.12	125.06	121.00
5	5	76	U	N1-C2-O2	8.12	128.48	122.80
2	2	383	A	N1-C2-N3	-8.12	125.24	129.30
2	2	2593	C	C5-C6-N1	8.11	125.06	121.00
2	2	4426	C	N1-C2-O2	8.12	123.77	118.90
2	2	4990	C	C6-N1-C2	-8.11	117.05	120.30
2	2	208	A	N1-C2-N3	-8.11	125.24	129.30
2	2	4453	C	N3-C2-O2	-8.11	116.22	121.90
2	2	1893	C	N1-C2-O2	8.11	123.76	118.90
2	2	4102	C	N1-C2-O2	8.10	123.76	118.90
2	2	3910	C	C6-N1-C2	-8.10	117.06	120.30
2	2	4766	C	C5-C6-N1	8.10	125.05	121.00
2	2	67	C	C6-N1-C2	-8.10	117.06	120.30
2	2	4304	A	N1-C2-N3	-8.09	125.25	129.30
2	2	5043	A	N1-C2-N3	-8.09	125.25	129.30
2	2	1915	C	N1-C2-O2	8.09	123.75	118.90
2	2	516	C	C6-N1-C1'	-8.09	111.09	120.80
2	2	4327	C	C6-N1-C2	-8.09	117.06	120.30
8	8	1	C	C6-N1-C2	-8.09	117.06	120.30
2	2	1906	U	N1-C2-O2	8.09	128.46	122.80
2	2	1191	C	N1-C2-O2	8.08	123.75	118.90
5	5	39	C	C5-C6-N1	8.08	125.04	121.00
2	2	2860	C	C6-N1-C2	-8.07	117.07	120.30
2	2	4500	U	N3-C2-O2	-8.07	116.55	122.20
2	2	195	C	C5-C6-N1	8.07	125.04	121.00
2	2	4921	C	C5-C6-N1	8.07	125.04	121.00
2	2	1386	C	C5-C6-N1	8.07	125.03	121.00
2	2	4958	C	C2-N1-C1'	8.06	127.67	118.80
2	2	663	G	C6-C5-N7	-8.06	125.56	130.40
2	2	3912	U	N3-C2-O2	-8.06	116.56	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	5060	A	N1-C2-N3	-8.06	125.27	129.30
2	2	317	A	N1-C2-N3	-8.06	125.27	129.30
2	2	1197	C	C6-N1-C2	-8.06	117.08	120.30
2	2	2325	C	C6-N1-C2	-8.06	117.08	120.30
8	8	54	C	N1-C2-O2	8.06	123.73	118.90
2	2	2497	C	N1-C2-O2	8.05	123.73	118.90
2	2	44	A	N1-C2-N3	-8.05	125.27	129.30
2	2	1437	C	C6-N1-C2	-8.05	117.08	120.30
2	2	4313	A	N1-C2-N3	-8.05	125.28	129.30
2	2	1687	U	N1-C2-O2	8.05	128.43	122.80
2	2	1850	A	N1-C2-N3	-8.04	125.28	129.30
2	2	3862	A	N1-C2-N3	-8.04	125.28	129.30
2	2	4701	A	N1-C2-N3	-8.04	125.28	129.30
2	2	39	A	N1-C2-N3	-8.04	125.28	129.30
2	2	1720	C	C5-C6-N1	8.04	125.02	121.00
2	2	2697	A	N1-C2-N3	-8.04	125.28	129.30
2	2	4504	C	N1-C2-O2	8.04	123.72	118.90
2	2	657	C	N1-C2-O2	8.03	123.72	118.90
2	2	1193	C	C6-N1-C2	-8.03	117.09	120.30
2	2	1276	C	C5-C6-N1	8.03	125.01	121.00
2	2	5002	U	N3-C2-O2	-8.03	116.58	122.20
2	2	1417	C	N1-C2-O2	8.02	123.71	118.90
2	2	3911	C	C6-N1-C2	-8.02	117.09	120.30
2	2	4696	C	N1-C2-O2	8.02	123.71	118.90
2	2	683	C	C6-N1-C2	-8.01	117.09	120.30
2	2	925	C	C5-C6-N1	8.01	125.01	121.00
2	2	1420	A	C2-N3-C4	8.01	114.61	110.60
2	2	2037	C	C6-N1-C2	-8.01	117.09	120.30
2	2	4387	C	N1-C2-O2	8.01	123.71	118.90
2	2	1662	C	C6-N1-C2	-8.01	117.10	120.30
2	2	2282	A	N1-C2-N3	-8.01	125.30	129.30
8	8	101	C	C5-C6-N1	8.01	125.00	121.00
2	2	4887	C	C5-C6-N1	8.00	125.00	121.00
2	2	499	G	N3-C4-N9	8.00	130.80	126.00
5	5	28	C	N3-C2-O2	-8.00	116.30	121.90
2	2	4233	A	C2-N3-C4	7.99	114.60	110.60
2	2	1521	C	C6-N1-C2	-7.99	117.10	120.30
2	2	1333	A	N1-C2-N3	-7.99	125.31	129.30
2	2	4299	U	N3-C2-O2	-7.99	116.61	122.20
2	2	4341	C	N3-C2-O2	-7.98	116.31	121.90
2	2	1344	C	C5-C6-N1	7.98	124.99	121.00
2	2	418	A	N1-C2-N3	-7.98	125.31	129.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1650	A	N1-C2-N3	-7.98	125.31	129.30
2	2	1695	U	N3-C2-O2	-7.97	116.62	122.20
2	2	1289	C	N1-C2-O2	7.97	123.68	118.90
2	2	2532	C	C6-N1-C2	-7.97	117.11	120.30
2	2	2908	U	N3-C2-O2	-7.97	116.62	122.20
2	2	2268	A	N1-C2-N3	-7.97	125.32	129.30
8	8	62	A	N1-C2-N3	-7.97	125.32	129.30
2	2	941	C	C6-N1-C2	-7.96	117.11	120.30
2	2	2072	C	C6-N1-C2	-7.96	117.11	120.30
2	2	1929	A	N1-C2-N3	-7.96	125.32	129.30
2	2	3838	U	N3-C2-O2	-7.96	116.63	122.20
2	2	3860	A	N1-C2-N3	-7.96	125.32	129.30
2	2	1467	C	C5-C6-N1	7.96	124.98	121.00
2	2	3824	A	N1-C2-N3	-7.96	125.32	129.30
2	2	306	A	N1-C2-N3	-7.96	125.32	129.30
2	2	914	U	P-O3'-C3'	7.96	129.25	119.70
2	2	4302	U	N1-C2-O2	7.96	128.37	122.80
8	8	54	C	C5-C6-N1	7.96	124.98	121.00
2	2	2094	G	C4-N9-C1'	7.96	136.84	126.50
2	2	4471	U	N1-C2-O2	7.96	128.37	122.80
2	2	2062	C	C6-N1-C2	-7.95	117.12	120.30
2	2	436	C	C6-N1-C2	-7.94	117.12	120.30
2	2	4708	A	N1-C2-N3	-7.94	125.33	129.30
2	2	4945	G	N9-C4-C5	-7.94	102.22	105.40
2	2	198	A	N1-C2-N3	-7.94	125.33	129.30
2	2	1602	U	N3-C2-O2	-7.93	116.65	122.20
2	2	1832	C	N1-C2-O2	7.93	123.66	118.90
2	2	2818	C	C6-N1-C2	-7.93	117.13	120.30
2	2	4613	C	N1-C2-O2	7.92	123.66	118.90
2	2	1566	C	C5-C6-N1	7.92	124.96	121.00
2	2	1578	U	N3-C2-O2	-7.92	116.66	122.20
2	2	1837	A	N1-C2-N3	-7.92	125.34	129.30
2	2	33	A	N1-C2-N3	-7.91	125.34	129.30
2	2	1674	C	C5-C6-N1	7.91	124.95	121.00
2	2	96	U	N1-C2-O2	7.91	128.34	122.80
2	2	1668	A	C2-N3-C4	7.91	114.55	110.60
2	2	1969	G	C5-C6-O6	7.90	133.34	128.60
2	2	17	A	N1-C2-N3	-7.90	125.35	129.30
2	2	1310	C	C6-N1-C2	-7.90	117.14	120.30
2	2	3863	C	C6-N1-C2	-7.90	117.14	120.30
2	2	1395	U	C6-N1-C2	-7.90	116.26	121.00
2	2	2500	U	N3-C2-O2	-7.89	116.67	122.20

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	4286	C	C5-C6-N1	7.89	124.95	121.00
2	2	4289	U	N1-C2-O2	7.89	128.32	122.80
2	2	108	A	N1-C2-N3	-7.89	125.36	129.30
2	2	1192	C	N3-C2-O2	-7.88	116.38	121.90
2	2	4476	C	N3-C2-O2	-7.88	116.38	121.90
2	2	1206	C	C6-N1-C2	-7.88	117.15	120.30
2	2	4162	C	N1-C2-O2	7.88	123.63	118.90
2	2	2683	C	C5-C6-N1	7.88	124.94	121.00
2	2	335	A	N1-C2-N3	-7.87	125.36	129.30
2	2	2627	C	N1-C2-O2	7.87	123.62	118.90
2	2	3622	C	N1-C2-O2	7.87	123.62	118.90
2	2	2263	A	N1-C2-N3	-7.87	125.37	129.30
2	2	1897	A	N1-C2-N3	-7.87	125.37	129.30
2	2	366	A	N1-C2-N3	-7.86	125.37	129.30
8	8	50	C	C6-N1-C2	-7.86	117.16	120.30
2	2	3911	C	C5-C6-N1	7.86	124.93	121.00
2	2	2749	C	C6-N1-C2	-7.86	117.16	120.30
2	2	4695	C	N3-C2-O2	-7.85	116.40	121.90
2	2	289	C	C5-C6-N1	7.85	124.93	121.00
2	2	4972	U	N1-C2-O2	7.85	128.30	122.80
2	2	1707	C	C6-N1-C2	-7.85	117.16	120.30
2	2	1535	C	C6-N1-C2	-7.85	117.16	120.30
2	2	4685	U	N3-C2-O2	-7.84	116.71	122.20
2	2	2685	C	C6-N1-C2	-7.84	117.17	120.30
2	2	3621	A	N1-C2-N3	-7.84	125.38	129.30
2	2	2837	U	N3-C2-O2	-7.83	116.72	122.20
2	2	34	A	N1-C2-N3	-7.83	125.38	129.30
2	2	2483	G	N3-C4-N9	7.83	130.70	126.00
2	2	362	A	N1-C2-N3	-7.83	125.39	129.30
2	2	4155	C	N1-C2-O2	7.83	123.60	118.90
2	2	2616	C	C6-N1-C2	-7.83	117.17	120.30
2	2	2894	A	N1-C2-N3	-7.83	125.39	129.30
2	2	4712	C	C6-N1-C2	-7.83	117.17	120.30
2	2	4300	U	N3-C2-O2	-7.82	116.72	122.20
2	2	4921	C	C2-N1-C1'	7.82	127.41	118.80
2	2	1241	C	N3-C2-O2	-7.82	116.43	121.90
2	2	1308	C	C5-C6-N1	7.82	124.91	121.00
2	2	4662	C	N1-C2-O2	7.82	123.59	118.90
2	2	2835	A	N1-C2-N3	-7.81	125.39	129.30
2	2	2583	C	C6-N1-C2	-7.81	117.18	120.30
2	2	672	C	C2-N1-C1'	7.80	127.38	118.80
2	2	4775	C	C6-N1-C2	-7.80	117.18	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	204	U	N1-C2-O2	7.80	128.26	122.80
2	2	1601	A	N1-C2-N3	-7.80	125.40	129.30
2	2	2395	A	N1-C2-N3	-7.80	125.40	129.30
2	2	2819	U	N3-C2-O2	-7.80	116.74	122.20
2	2	4336	A	N1-C2-N3	-7.80	125.40	129.30
2	2	4376	A	N1-C2-N3	-7.80	125.40	129.30
2	2	56	A	N1-C2-N3	-7.80	125.40	129.30
2	2	274	C	C5-C6-N1	7.80	124.90	121.00
2	2	2895	A	N1-C2-N3	-7.80	125.40	129.30
2	2	2472	A	N1-C2-N3	-7.80	125.40	129.30
2	2	1402	C	N3-C2-O2	-7.80	116.44	121.90
2	2	23	C	C6-N1-C2	-7.79	117.18	120.30
2	2	1665	C	C6-N1-C2	-7.79	117.18	120.30
2	2	345	C	C6-N1-C2	-7.79	117.18	120.30
2	2	376	A	N1-C2-N3	-7.79	125.40	129.30
2	2	972	C	C5-C6-N1	7.79	124.90	121.00
2	2	1888	A	N1-C2-N3	-7.79	125.40	129.30
2	2	1486	C	C6-N1-C2	-7.79	117.18	120.30
2	2	2908	U	N1-C2-O2	7.79	128.25	122.80
2	2	3652	A	N1-C2-N3	-7.79	125.41	129.30
2	2	2445	C	C6-N1-C2	-7.79	117.19	120.30
2	2	2845	A	N1-C2-N3	-7.79	125.41	129.30
2	2	3635	A	N1-C2-N3	-7.79	125.41	129.30
2	2	4594	U	N1-C2-O2	7.79	128.25	122.80
2	2	2532	C	C5-C6-N1	7.78	124.89	121.00
2	2	4664	A	N1-C2-N3	-7.78	125.41	129.30
20	L	46	ASP	CB-CG-OD1	7.78	125.30	118.30
2	2	345	C	C5-C6-N1	7.78	124.89	121.00
2	2	2483	G	N3-C4-C5	-7.78	124.71	128.60
2	2	679	C	C6-N1-C2	-7.78	117.19	120.30
5	5	14	C	C6-N1-C2	-7.78	117.19	120.30
2	2	349	A	N1-C2-N3	-7.77	125.41	129.30
2	2	1388	A	N1-C2-N3	-7.77	125.42	129.30
2	2	2604	C	C6-N1-C2	-7.77	117.19	120.30
2	2	1439	C	C5-C6-N1	7.77	124.88	121.00
2	2	3648	A	N1-C2-N3	-7.77	125.42	129.30
2	2	1527	A	N1-C2-N3	-7.76	125.42	129.30
2	2	471	A	N1-C2-N3	-7.76	125.42	129.30
2	2	1628	C	C5-C6-N1	7.76	124.88	121.00
2	2	4565	C	C6-N1-C2	-7.76	117.20	120.30
2	2	499	G	C8-N9-C1'	-7.76	116.92	127.00
8	8	140	C	C5-C6-N1	7.76	124.88	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1809	C	C5-C6-N1	7.76	124.88	121.00
2	2	712	C	C5-C6-N1	7.75	124.88	121.00
2	2	1585	C	C6-N1-C2	-7.75	117.20	120.30
2	2	338	A	N1-C2-N3	-7.75	125.42	129.30
2	2	709	C	C6-N1-C2	-7.75	117.20	120.30
2	2	1603	C	C6-N1-C2	-7.75	117.20	120.30
2	2	2418	A	N1-C2-N3	-7.75	125.43	129.30
2	2	1663	C	C6-N1-C2	-7.75	117.20	120.30
2	2	4237	C	C5-C6-N1	7.74	124.87	121.00
2	2	15	A	N1-C2-N3	-7.74	125.43	129.30
2	2	5051	C	C6-N1-C2	-7.74	117.20	120.30
2	2	4308	C	N3-C2-O2	-7.73	116.49	121.90
2	2	454	U	C2-N1-C1'	7.73	126.98	117.70
2	2	4626	A	N1-C2-N3	-7.73	125.43	129.30
2	2	4700	A	C2-N3-C4	7.73	114.47	110.60
2	2	281	U	N1-C2-O2	7.73	128.21	122.80
2	2	1086	C	C6-N1-C2	-7.73	117.21	120.30
2	2	2544	G	N3-C4-N9	7.73	130.64	126.00
2	2	2745	A	N1-C2-N3	-7.73	125.44	129.30
2	2	4738	C	C5-C6-N1	7.73	124.86	121.00
2	2	4342	C	C5-C6-N1	7.72	124.86	121.00
2	2	2615	C	C6-N1-C2	-7.72	117.21	120.30
2	2	88	A	N1-C2-N3	-7.72	125.44	129.30
2	2	322	C	C5-C6-N1	7.72	124.86	121.00
2	2	1686	C	C5-C6-N1	7.72	124.86	121.00
2	2	2033	A	N1-C2-N3	-7.72	125.44	129.30
2	2	1607	C	N3-C2-O2	-7.72	116.50	121.90
2	2	2073	C	C5-C6-N1	7.72	124.86	121.00
2	2	2840	A	N1-C2-N3	-7.71	125.44	129.30
2	2	4324	A	N1-C2-N3	-7.71	125.44	129.30
2	2	67	C	C5-C6-N1	7.71	124.86	121.00
2	2	228	C	C6-N1-C2	-7.71	117.22	120.30
2	2	972	C	N3-C2-O2	-7.71	116.50	121.90
2	2	4379	A	N1-C2-N3	-7.71	125.44	129.30
2	2	336	A	N1-C2-N3	-7.71	125.44	129.30
2	2	1387	A	N1-C2-N3	-7.71	125.44	129.30
2	2	2615	C	N1-C2-O2	7.71	123.53	118.90
2	2	4261	C	C6-N1-C2	-7.71	117.22	120.30
2	2	4342	C	N1-C2-O2	7.71	123.53	118.90
2	2	4612	C	C6-N1-C2	-7.71	117.22	120.30
2	2	4601	U	C2-N1-C1'	7.71	126.95	117.70
2	2	3688	U	N3-C2-O2	-7.70	116.81	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	112	C	C2-N1-C1'	7.70	127.27	118.80
2	2	499	G	N3-C4-C5	-7.70	124.75	128.60
2	2	1518	A	N1-C2-N3	-7.70	125.45	129.30
2	2	5035	U	N3-C2-O2	-7.70	116.81	122.20
2	2	4484	A	N1-C2-N3	-7.69	125.45	129.30
2	2	4563	U	N3-C2-O2	-7.69	116.82	122.20
2	2	1702	C	C2-N1-C1'	7.68	127.25	118.80
2	2	4110	C	C6-N1-C2	-7.68	117.23	120.30
2	2	220	C	C5-C6-N1	7.68	124.84	121.00
2	2	307	A	N1-C2-N3	-7.68	125.46	129.30
2	2	1049	C	C6-N1-C2	-7.68	117.23	120.30
2	2	4339	A	N1-C2-N3	-7.68	125.46	129.30
2	2	4980	C	C5-C6-N1	7.68	124.84	121.00
2	2	5016	A	O4'-C1'-N9	7.68	114.34	108.20
2	2	1405	C	N1-C2-O2	7.68	123.51	118.90
2	2	2257	C	C2-N1-C1'	7.68	127.24	118.80
2	2	4268	A	N1-C2-N3	-7.67	125.46	129.30
2	2	2787	A	N1-C2-N3	-7.67	125.46	129.30
2	2	2817	C	C6-N1-C2	-7.67	117.23	120.30
4	4	230	LEU	CA-CB-CG	7.67	132.94	115.30
2	2	2107	C	N1-C2-O2	7.66	123.50	118.90
2	2	467	U	C6-N1-C1'	-7.66	110.47	121.20
2	2	1801	A	N1-C2-N3	-7.66	125.47	129.30
2	2	2107	C	C6-N1-C2	-7.66	117.24	120.30
2	2	4964	C	C6-N1-C2	-7.66	117.24	120.30
2	2	5008	C	C5-C6-N1	7.66	124.83	121.00
2	2	1367	C	N1-C2-O2	7.66	123.50	118.90
2	2	3598	C	C6-N1-C2	-7.66	117.24	120.30
2	2	421	C	C6-N1-C2	-7.65	117.24	120.30
2	2	4281	A	C5-N7-C8	-7.65	100.07	103.90
8	8	116	C	C6-N1-C2	-7.65	117.24	120.30
2	2	4596	C	N1-C2-O2	7.65	123.49	118.90
8	8	101	C	C6-N1-C2	-7.65	117.24	120.30
2	2	3894	A	N1-C2-N3	-7.64	125.48	129.30
2	2	1577	G	N1-C6-O6	-7.64	115.32	119.90
2	2	1915	C	N3-C2-O2	-7.64	116.55	121.90
2	2	4506	C	N1-C2-O2	7.64	123.48	118.90
2	2	1381	U	N3-C2-O2	-7.63	116.86	122.20
2	2	2031	C	C6-N1-C2	-7.63	117.25	120.30
2	2	4215	C	C6-N1-C2	-7.63	117.25	120.30
8	8	81	C	C6-N1-C2	-7.63	117.25	120.30
2	2	985	C	C5-C6-N1	7.62	124.81	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	2262	G	C8-N9-C1'	-7.62	117.09	127.00
5	5	6	C	C6-N1-C2	-7.62	117.25	120.30
5	5	4	U	N1-C2-O2	7.62	128.13	122.80
2	2	337	U	N3-C2-O2	-7.62	116.87	122.20
2	2	4703	U	N1-C2-O2	7.62	128.13	122.80
8	8	9	A	N1-C2-N3	-7.61	125.49	129.30
2	2	1607	C	N1-C2-O2	7.61	123.47	118.90
2	2	4553	A	N1-C2-N3	-7.61	125.50	129.30
2	2	115	C	C6-N1-C1'	-7.61	111.67	120.80
2	2	2071	A	C2-N3-C4	7.61	114.40	110.60
2	2	365	U	N3-C2-O2	-7.61	116.88	122.20
2	2	2499	C	N3-C2-O2	-7.61	116.58	121.90
2	2	1921	C	C6-N1-C2	-7.60	117.26	120.30
2	2	3936	A	N1-C2-N3	-7.60	125.50	129.30
2	2	946	C	C6-N1-C2	-7.60	117.26	120.30
2	2	3919	C	C5-C6-N1	7.60	124.80	121.00
2	2	498	C	N3-C2-O2	-7.59	116.58	121.90
2	2	4656	A	N1-C2-N3	-7.59	125.50	129.30
2	2	4714	C	C5-C6-N1	7.59	124.80	121.00
2	2	716	C	C5-C6-N1	7.59	124.80	121.00
2	2	4682	U	C2-N1-C1'	7.59	126.81	117.70
8	8	20	A	N1-C2-N3	-7.59	125.50	129.30
2	2	661	C	C6-N1-C2	-7.59	117.26	120.30
2	2	648	G	N3-C4-N9	7.59	130.55	126.00
2	2	4979	A	N1-C2-N3	-7.59	125.51	129.30
5	5	39	C	C2-N3-C4	7.59	123.69	119.90
2	2	2695	A	N1-C2-N3	-7.59	125.51	129.30
2	2	2033	A	P-O3'-C3'	7.58	128.80	119.70
2	2	386	A	N1-C2-N3	-7.58	125.51	129.30
2	2	395	A	N1-C2-N3	-7.58	125.51	129.30
2	2	3928	A	N1-C2-N3	-7.58	125.51	129.30
2	2	733	A	N1-C2-N3	-7.58	125.51	129.30
2	2	1397	A	N1-C2-N3	-7.58	125.51	129.30
5	5	39	C	C2-N1-C1'	7.58	127.14	118.80
2	2	271	C	C5-C6-N1	7.58	124.79	121.00
2	2	1494	U	N1-C2-O2	7.57	128.10	122.80
2	2	2338	C	C6-N1-C2	-7.57	117.27	120.30
2	2	2825	A	N1-C2-N3	-7.57	125.52	129.30
2	2	2527	A	N1-C2-N3	-7.57	125.52	129.30
2	2	23	C	C5-C6-N1	7.57	124.78	121.00
2	2	163	A	N1-C2-N3	-7.57	125.52	129.30
2	2	2062	C	N1-C2-O2	7.57	123.44	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	4258	C	C6-N1-C2	-7.57	117.27	120.30
2	2	1735	U	N3-C2-O2	-7.57	116.90	122.20
2	2	2303	C	C6-N1-C2	-7.57	117.27	120.30
2	2	1447	C	C5-C6-N1	7.56	124.78	121.00
2	2	39	A	C2-N3-C4	7.56	114.38	110.60
2	2	1330	A	N1-C2-N3	-7.56	125.52	129.30
2	2	2594	C	C6-N1-C2	-7.56	117.28	120.30
2	2	4764	A	C4-C5-C6	-7.56	113.22	117.00
2	2	1731	C	N1-C2-O2	7.56	123.44	118.90
2	2	3717	A	N1-C2-N3	-7.56	125.52	129.30
2	2	334	A	N1-C2-N3	-7.55	125.52	129.30
2	2	1050	C	C6-N1-C2	-7.55	117.28	120.30
2	2	1963	C	C6-N1-C2	-7.55	117.28	120.30
2	2	1870	C	C6-N1-C2	-7.55	117.28	120.30
2	2	4393	G	C6-N1-C2	7.55	129.63	125.10
2	2	2513	A	N1-C2-N3	-7.55	125.53	129.30
2	2	4546	A	N1-C2-N3	-7.55	125.53	129.30
2	2	2528	G	N3-C4-N9	7.55	130.53	126.00
2	2	4206	C	N1-C2-O2	7.55	123.43	118.90
2	2	123	C	C6-N1-C2	-7.54	117.28	120.30
2	2	152	U	N3-C2-O2	-7.54	116.92	122.20
2	2	3861	A	N1-C2-N3	-7.54	125.53	129.30
2	2	2351	C	N1-C2-O2	7.54	123.42	118.90
5	5	91	C	C6-N1-C2	-7.54	117.28	120.30
2	2	672	C	C5-C6-N1	7.54	124.77	121.00
2	2	672	C	N1-C2-O2	7.54	123.42	118.90
2	2	2820	C	C5-C6-N1	7.54	124.77	121.00
2	2	4565	C	C5-C6-N1	7.54	124.77	121.00
5	5	24	C	N1-C2-O2	7.54	123.42	118.90
2	2	30	C	C6-N1-C2	-7.53	117.29	120.30
2	2	98	A	C2-N3-C4	7.53	114.37	110.60
2	2	326	C	C6-N1-C2	-7.53	117.29	120.30
2	2	2038	U	N3-C2-O2	-7.53	116.93	122.20
2	2	2382	A	N1-C2-N3	-7.53	125.53	129.30
2	2	2856	C	N3-C2-O2	-7.53	116.63	121.90
2	2	2676	A	N1-C2-N3	-7.53	125.53	129.30
2	2	656	C	C2-N1-C1'	7.53	127.08	118.80
2	2	1469	C	C5-C6-N1	7.53	124.76	121.00
2	2	1192	C	C5-C6-N1	7.53	124.76	121.00
2	2	2483	G	C4-N9-C1'	7.52	136.28	126.50
2	2	4500	U	N1-C2-O2	7.52	128.07	122.80
2	2	3849	A	N1-C2-N3	-7.52	125.54	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	4467	A	N1-C2-N3	-7.52	125.54	129.30
2	2	984	C	C6-N1-C2	-7.52	117.29	120.30
2	2	4503	A	N1-C2-N3	-7.52	125.54	129.30
2	2	656	C	C5-C6-N1	7.52	124.76	121.00
8	8	82	A	N1-C2-N3	-7.52	125.54	129.30
2	2	1324	A	N1-C2-N3	-7.52	125.54	129.30
2	2	2611	A	N1-C2-N3	-7.52	125.54	129.30
2	2	49	U	N1-C2-O2	7.51	128.06	122.80
2	2	162	A	N1-C2-N3	-7.51	125.55	129.30
2	2	943	A	N1-C2-N3	-7.51	125.55	129.30
8	8	126	C	N3-C2-O2	-7.51	116.65	121.90
2	2	472	C	N1-C2-O2	7.50	123.40	118.90
2	2	504	G	C8-N9-C1'	-7.50	117.25	127.00
2	2	3845	A	N1-C2-N3	-7.50	125.55	129.30
2	2	1391	A	N1-C2-N3	-7.50	125.55	129.30
8	8	54	C	C6-N1-C2	-7.50	117.30	120.30
2	2	319	A	N1-C2-N3	-7.50	125.55	129.30
2	2	388	A	N1-C2-N3	-7.50	125.55	129.30
2	2	1907	A	N1-C2-N3	-7.50	125.55	129.30
2	2	988	C	C6-N1-C1'	-7.49	111.81	120.80
2	2	1378	C	C2-N1-C1'	7.49	127.04	118.80
2	2	2371	U	N3-C2-O2	-7.49	116.95	122.20
2	2	297	U	N3-C2-O2	-7.49	116.96	122.20
2	2	2701	U	N3-C2-O2	-7.49	116.96	122.20
2	2	30	C	N1-C2-O2	7.49	123.39	118.90
2	2	1580	C	C6-N1-C2	-7.49	117.31	120.30
2	2	123	C	C5-C6-N1	7.48	124.74	121.00
2	2	4490	C	C6-N1-C2	-7.48	117.31	120.30
2	2	4508	C	N3-C2-O2	-7.48	116.66	121.90
2	2	3631	U	N3-C2-O2	-7.48	116.96	122.20
2	2	79	C	C5-C6-N1	7.48	124.74	121.00
2	2	2428	A	N1-C2-N3	-7.48	125.56	129.30
2	2	355	A	N1-C2-N3	-7.48	125.56	129.30
2	2	1079	C	N3-C2-O2	-7.47	116.67	121.90
2	2	1695	U	N1-C2-O2	7.47	128.03	122.80
2	2	2460	A	N1-C2-N3	-7.47	125.56	129.30
2	2	2764	A	N1-C2-N3	-7.47	125.56	129.30
2	2	4340	U	N1-C2-O2	7.47	128.03	122.80
2	2	4343	U	N3-C2-O2	-7.47	116.97	122.20
2	2	1079	C	C5-C6-N1	7.46	124.73	121.00
2	2	2890	C	C5-C6-N1	7.46	124.73	121.00
2	2	3721	U	N3-C2-O2	-7.46	116.98	122.20

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	371	A	N1-C2-N3	-7.46	125.57	129.30
2	2	2031	C	N1-C2-O2	7.46	123.38	118.90
2	2	3935	C	C6-N1-C2	-7.46	117.32	120.30
2	2	4109	G	C4-N9-C1'	7.45	136.19	126.50
8	8	35	C	C5-C6-N1	7.45	124.73	121.00
2	2	101	A	N1-C2-N3	-7.45	125.58	129.30
2	2	2864	A	N1-C2-N3	-7.45	125.58	129.30
2	2	2473	A	N1-C2-N3	-7.45	125.58	129.30
2	2	2389	A	N1-C2-N3	-7.45	125.58	129.30
2	2	4886	C	N1-C2-O2	7.44	123.37	118.90
2	2	4319	C	N1-C2-O2	7.44	123.37	118.90
2	2	435	A	N1-C2-N3	-7.44	125.58	129.30
2	2	1671	U	N3-C2-O2	-7.44	116.99	122.20
2	2	259	C	C6-N1-C2	-7.44	117.33	120.30
2	2	944	A	N1-C2-N3	-7.43	125.58	129.30
2	2	2370	A	N1-C2-N3	-7.43	125.58	129.30
2	2	498	C	C5-C6-N1	7.43	124.72	121.00
2	2	2438	A	N1-C2-N3	-7.43	125.58	129.30
2	2	2532	C	N1-C2-O2	7.43	123.36	118.90
2	2	141	C	C6-N1-C2	-7.43	117.33	120.30
2	2	1184	A	C2-N3-C4	7.43	114.31	110.60
2	2	1472	C	C2-N1-C1'	7.43	126.97	118.80
2	2	4243	C	C5-C6-N1	7.43	124.71	121.00
2	2	2528	G	N3-C4-C5	-7.42	124.89	128.60
2	2	14	C	C2-N1-C1'	7.42	126.96	118.80
2	2	1076	C	C6-N1-C2	-7.42	117.33	120.30
2	2	1633	G	P-O3'-C3'	7.42	128.61	119.70
2	2	4911	A	N1-C2-N3	-7.42	125.59	129.30
2	2	4866	C	C6-N1-C2	-7.42	117.33	120.30
2	2	2867	C	N1-C2-O2	7.42	123.35	118.90
2	2	3739	C	C6-N1-C2	-7.42	117.33	120.30
2	2	2376	A	N1-C2-N3	-7.42	125.59	129.30
2	2	407	A	N1-C2-N3	-7.41	125.59	129.30
2	2	50	C	N3-C2-O2	-7.41	116.71	121.90
2	2	1665	C	C5-C6-N1	7.41	124.70	121.00
2	2	2096	G	N3-C4-N9	7.41	130.45	126.00
2	2	4957	C	C6-N1-C2	-7.41	117.34	120.30
2	2	2568	C	N3-C2-O2	-7.41	116.71	121.90
2	2	5007	A	N1-C2-N3	-7.41	125.60	129.30
2	2	427	A	N1-C2-N3	-7.41	125.60	129.30
2	2	3656	A	N1-C2-N3	-7.41	125.60	129.30
2	2	4461	C	C6-N1-C2	-7.41	117.34	120.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	4088	C	C6-N1-C2	-7.40	117.34	120.30
2	2	35	U	N3-C2-O2	-7.40	117.02	122.20
2	2	2807	A	N1-C2-N3	-7.40	125.60	129.30
2	2	1245	C	C2-N1-C1'	7.40	126.94	118.80
2	2	228	C	C5-C6-N1	7.40	124.70	121.00
2	2	1079	C	C6-N1-C2	-7.40	117.34	120.30
2	2	4453	C	C6-N1-C1'	-7.40	111.92	120.80
2	2	1507	C	C6-N1-C2	-7.39	117.34	120.30
2	2	2062	C	N3-C2-O2	-7.39	116.72	121.90
2	2	3872	A	N1-C2-N3	-7.39	125.60	129.30
2	2	1367	C	C2-N1-C1'	7.39	126.93	118.80
2	2	3719	A	N1-C2-N3	-7.38	125.61	129.30
2	2	3826	C	C5-C6-N1	7.38	124.69	121.00
2	2	4325	A	N1-C2-N3	-7.38	125.61	129.30
2	2	2885	A	N1-C2-N3	-7.38	125.61	129.30
2	2	4731	G	O4'-C1'-N9	7.38	114.10	108.20
5	5	43	U	N3-C2-O2	-7.38	117.04	122.20
2	2	4669	A	N1-C2-N3	-7.38	125.61	129.30
8	8	35	C	C6-N1-C2	-7.38	117.35	120.30
2	2	3935	C	C5-C6-N1	7.37	124.69	121.00
2	2	70	A	N1-C2-N3	-7.37	125.62	129.30
2	2	1477	C	C6-N1-C2	-7.37	117.35	120.30
2	2	4621	C	C6-N1-C2	-7.37	117.35	120.30
2	2	4219	A	N1-C2-N3	-7.36	125.62	129.30
2	2	47	A	N1-C2-N3	-7.36	125.62	129.30
2	2	931	C	C6-N1-C2	-7.36	117.36	120.30
2	2	977	C	N1-C2-O2	7.36	123.31	118.90
2	2	4170	A	N1-C2-N3	-7.36	125.62	129.30
2	2	68	U	N1-C2-O2	7.35	127.95	122.80
2	2	1894	C	C6-N1-C2	-7.35	117.36	120.30
2	2	663	G	N3-C4-N9	7.35	130.41	126.00
2	2	3728	A	N1-C2-N3	-7.35	125.63	129.30
2	2	2512	A	N1-C2-N3	-7.35	125.63	129.30
2	2	4199	C	C6-N1-C2	-7.35	117.36	120.30
47	o	144	ILE	C-N-CA	7.35	140.07	121.70
2	2	4308	C	C6-N1-C2	-7.35	117.36	120.30
2	2	1558	A	N1-C2-N3	-7.34	125.63	129.30
2	2	2022	C	C5-C6-N1	7.34	124.67	121.00
2	2	963	G	C4-N9-C1'	7.34	136.04	126.50
2	2	2078	C	N1-C2-O2	7.34	123.30	118.90
2	2	3727	A	N1-C2-N3	-7.34	125.63	129.30
2	2	1616	U	N3-C2-O2	-7.34	117.06	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	974	C	C6-N1-C2	-7.34	117.37	120.30
2	2	4589	A	N1-C2-N3	-7.34	125.63	129.30
2	2	1967	A	N1-C2-N3	-7.33	125.63	129.30
2	2	4307	A	N1-C2-N3	-7.33	125.63	129.30
5	5	100	A	N1-C2-N3	-7.33	125.63	129.30
2	2	1817	U	N3-C2-O2	-7.33	117.07	122.20
2	2	1197	C	C5-C6-N1	7.33	124.67	121.00
5	5	29	C	C6-N1-C2	-7.33	117.37	120.30
2	2	81	C	C6-N1-C2	-7.33	117.37	120.30
2	2	384	A	N1-C2-N3	-7.33	125.64	129.30
2	2	4640	C	N1-C2-O2	7.33	123.30	118.90
8	8	32	C	C5-C6-N1	7.33	124.66	121.00
2	2	329	A	N1-C2-N3	-7.32	125.64	129.30
5	5	38	U	N3-C2-O2	-7.32	117.08	122.20
2	2	322	C	N3-C2-O2	-7.32	116.78	121.90
2	2	1736	A	N1-C2-N3	-7.32	125.64	129.30
2	2	3892	U	N3-C2-O2	-7.32	117.08	122.20
2	2	4913	G	P-O3'-C3'	7.32	128.48	119.70
2	2	2583	C	C5-C6-N1	7.31	124.66	121.00
8	8	141	C	C5-C6-N1	7.31	124.66	121.00
2	2	3747	A	N1-C2-N3	-7.31	125.64	129.30
2	2	1794	A	N1-C2-N3	-7.31	125.64	129.30
2	2	2561	C	N1-C2-O2	7.31	123.29	118.90
2	2	1638	A	N1-C2-N3	-7.31	125.64	129.30
2	2	1934	A	N1-C2-N3	-7.31	125.64	129.30
5	5	29	C	N1-C2-O2	7.31	123.28	118.90
2	2	1963	C	N1-C2-O2	7.31	123.28	118.90
2	2	2815	A	N1-C2-N3	-7.31	125.65	129.30
2	2	4607	A	O4'-C1'-N9	7.31	114.05	108.20
2	2	2451	A	N1-C2-N3	-7.30	125.65	129.30
2	2	3923	A	N1-C2-N3	-7.30	125.65	129.30
2	2	2536	A	N1-C2-N3	-7.30	125.65	129.30
2	2	2582	A	N1-C2-N3	-7.30	125.65	129.30
2	2	2837	U	N1-C2-O2	7.30	127.91	122.80
2	2	4205	A	N1-C2-N3	-7.30	125.65	129.30
2	2	4612	C	N1-C2-O2	7.30	123.28	118.90
2	2	2791	C	C5-C6-N1	7.30	124.65	121.00
2	2	1323	A	N1-C2-N3	-7.29	125.66	129.30
2	2	1663	C	N1-C2-O2	7.29	123.27	118.90
2	2	2844	A	N1-C2-N3	-7.29	125.66	129.30
2	2	4259	C	C6-N1-C2	-7.29	117.39	120.30
2	2	488	G	C6-C5-N7	-7.29	126.03	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1547	A	N1-C2-N3	-7.29	125.66	129.30
2	2	259	C	N1-C2-O2	7.28	123.27	118.90
2	2	1427	A	N1-C2-N3	-7.28	125.66	129.30
2	2	2381	A	N1-C2-N3	-7.28	125.66	129.30
2	2	1176	C	C6-N1-C2	-7.28	117.39	120.30
2	2	3647	A	N1-C2-N3	-7.28	125.66	129.30
2	2	455	C	C6-N1-C2	-7.27	117.39	120.30
2	2	1289	C	C6-N1-C2	-7.27	117.39	120.30
2	2	1392	A	N1-C2-N3	-7.27	125.66	129.30
2	2	2511	A	N1-C2-N3	-7.27	125.66	129.30
2	2	227	A	N1-C2-N3	-7.27	125.67	129.30
2	2	1077	C	C5-C6-N1	7.27	124.64	121.00
2	2	36	U	N3-C2-O2	-7.27	117.11	122.20
2	2	2307	A	N1-C2-N3	-7.27	125.67	129.30
2	2	3924	C	C6-N1-C2	-7.27	117.39	120.30
2	2	4885	U	N3-C2-O2	-7.27	117.11	122.20
2	2	4310	A	N1-C2-N3	-7.27	125.67	129.30
8	8	155	C	C6-N1-C2	-7.27	117.39	120.30
2	2	1381	U	N1-C2-O2	7.26	127.89	122.80
2	2	124	C	C5-C6-N1	7.26	124.63	121.00
2	2	1738	A	N1-C2-N3	-7.26	125.67	129.30
2	2	4605	A	N1-C2-N3	-7.26	125.67	129.30
2	2	4622	A	N1-C2-N3	-7.26	125.67	129.30
5	5	77	A	N1-C2-N3	-7.26	125.67	129.30
2	2	2447	U	N3-C2-O2	-7.26	117.12	122.20
2	2	377	A	N1-C2-N3	-7.26	125.67	129.30
2	2	1540	C	C6-N1-C2	-7.26	117.40	120.30
2	2	1450	C	C6-N1-C2	-7.26	117.40	120.30
2	2	2368	A	N1-C2-N3	-7.26	125.67	129.30
2	2	3871	A	N1-C2-N3	-7.26	125.67	129.30
2	2	4665	A	N1-C2-N3	-7.25	125.67	129.30
2	2	1418	C	C6-N1-C2	-7.25	117.40	120.30
2	2	1384	C	C5-C6-N1	7.25	124.62	121.00
2	2	4707	A	N1-C2-N3	-7.25	125.68	129.30
2	2	1515	A	N1-C2-N3	-7.25	125.68	129.30
2	2	2625	U	N3-C2-O2	-7.25	117.13	122.20
2	2	2641	A	N1-C2-N3	-7.25	125.68	129.30
2	2	4601	U	C6-N1-C2	-7.25	116.65	121.00
2	2	1499	C	C6-N1-C2	-7.24	117.40	120.30
8	8	40	A	N1-C2-N3	-7.24	125.68	129.30
2	2	4926	C	C2-N1-C1'	7.24	126.77	118.80
2	2	50	C	C5-C6-N1	7.24	124.62	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	2789	A	N1-C2-N3	-7.24	125.68	129.30
2	2	2892	C	N1-C2-O2	7.24	123.24	118.90
2	2	4705	A	N1-C2-N3	-7.24	125.68	129.30
2	2	1821	G	N3-C4-N9	7.24	130.34	126.00
2	2	2303	C	N3-C2-O2	-7.24	116.83	121.90
2	2	4361	U	N3-C2-O2	-7.24	117.14	122.20
2	2	1615	C	C6-N1-C2	-7.23	117.41	120.30
2	2	1646	A	N1-C2-N3	-7.23	125.68	129.30
2	2	3838	U	N1-C2-O2	7.23	127.86	122.80
2	2	4716	C	C6-N1-C2	-7.23	117.41	120.30
8	8	104	A	N1-C2-N3	-7.23	125.69	129.30
2	2	1193	C	C5-C6-N1	7.22	124.61	121.00
2	2	2505	C	C5-C6-N1	7.22	124.61	121.00
2	2	4466	C	C6-N1-C2	-7.22	117.41	120.30
2	2	4098	A	N1-C2-N3	-7.22	125.69	129.30
2	2	4214	A	N1-C2-N3	-7.22	125.69	129.30
2	2	5042	A	N1-C2-N3	-7.22	125.69	129.30
2	2	932	A	N1-C2-N3	-7.22	125.69	129.30
2	2	947	C	C6-N1-C2	-7.22	117.41	120.30
2	2	1585	C	C5-C6-N1	7.22	124.61	121.00
8	8	107	C	C5-C6-N1	7.22	124.61	121.00
2	2	276	C	C6-N1-C2	-7.21	117.41	120.30
2	2	2072	C	C5-C6-N1	7.21	124.61	121.00
2	2	3746	A	N1-C2-N3	-7.21	125.69	129.30
2	2	3870	C	N1-C2-O2	7.21	123.23	118.90
2	2	4183	G	N3-C4-N9	7.21	130.33	126.00
2	2	1087	A	N1-C2-N3	-7.21	125.70	129.30
2	2	2051	C	C6-N1-C2	-7.21	117.42	120.30
2	2	3917	A	N1-C2-N3	-7.21	125.70	129.30
2	2	4482	U	N3-C2-O2	-7.21	117.16	122.20
2	2	328	A	N1-C2-N3	-7.20	125.70	129.30
5	5	26	C	C5-C6-N1	7.20	124.60	121.00
8	8	41	A	N1-C2-N3	-7.20	125.70	129.30
2	2	4507	A	N1-C2-N3	-7.20	125.70	129.30
2	2	1472	C	N1-C2-O2	7.20	123.22	118.90
28	U	134	LEU	CA-CB-CG	7.20	131.86	115.30
2	2	2629	C	C6-N1-C2	-7.20	117.42	120.30
2	2	5011	A	N1-C2-N3	-7.20	125.70	129.30
2	2	1354	A	N1-C2-N3	-7.20	125.70	129.30
2	2	5019	A	C4-C5-C6	-7.20	113.40	117.00
2	2	3903	A	N1-C2-N3	-7.19	125.70	129.30
2	2	80	C	C5-C6-N1	7.19	124.59	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	3891	A	N1-C2-N3	-7.19	125.70	129.30
2	2	4314	C	N1-C2-O2	7.19	123.21	118.90
2	2	359	A	N1-C2-N3	-7.18	125.71	129.30
2	2	1085	C	C6-N1-C2	-7.18	117.43	120.30
2	2	4078	C	C6-N1-C2	-7.18	117.43	120.30
2	2	4133	C	C6-N1-C2	-7.18	117.43	120.30
2	2	2689	C	C6-N1-C2	-7.18	117.43	120.30
5	5	11	A	N1-C2-N3	-7.18	125.71	129.30
2	2	1923	A	N1-C2-N3	-7.18	125.71	129.30
2	2	2815	A	C2-N3-C4	7.17	114.19	110.60
2	2	3844	U	N3-C2-O2	-7.17	117.18	122.20
2	2	4224	A	N1-C2-N3	-7.17	125.71	129.30
2	2	4362	A	N1-C2-N3	-7.17	125.71	129.30
2	2	4773	C	C6-N1-C2	-7.17	117.43	120.30
2	2	4464	A	C2-N3-C4	7.17	114.19	110.60
2	2	4263	C	C6-N1-C2	-7.17	117.43	120.30
2	2	1795	A	N1-C2-N3	-7.17	125.72	129.30
2	2	4350	C	N1-C2-O2	7.17	123.20	118.90
2	2	53	C	C5-C6-N1	7.17	124.58	121.00
2	2	2517	A	N1-C2-N3	-7.16	125.72	129.30
2	2	2509	C	N1-C2-O2	7.16	123.20	118.90
2	2	2818	C	C5-C6-N1	7.16	124.58	121.00
2	2	753	C	C5-C6-N1	7.16	124.58	121.00
2	2	1929	A	C4-N9-C1'	7.16	139.18	126.30
2	2	2047	A	N1-C2-N3	-7.16	125.72	129.30
2	2	112	C	N1-C2-O2	7.15	123.19	118.90
2	2	477	C	C6-N1-C2	-7.15	117.44	120.30
5	5	101	A	N1-C2-N3	-7.15	125.72	129.30
2	2	1936	C	C6-N1-C2	-7.15	117.44	120.30
2	2	2594	C	C5-C6-N1	7.15	124.58	121.00
2	2	3847	C	C6-N1-C2	-7.15	117.44	120.30
2	2	4588	U	N3-C2-O2	-7.15	117.19	122.20
2	2	4261	C	C5-C6-N1	7.15	124.57	121.00
2	2	4977	A	N1-C2-N3	-7.15	125.73	129.30
2	2	87	A	N1-C2-N3	-7.14	125.73	129.30
2	2	2337	C	N1-C2-O2	7.14	123.19	118.90
2	2	2308	A	N1-C2-N3	-7.14	125.73	129.30
2	2	205	C	C5-C6-N1	7.14	124.57	121.00
2	2	4387	C	C6-N1-C2	-7.14	117.44	120.30
2	2	493	G	C4-N9-C1'	7.14	135.78	126.50
2	2	99	A	N1-C2-N3	-7.13	125.73	129.30
2	2	3939	G	N3-C4-C5	-7.13	125.03	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	509	A	N1-C2-N3	-7.13	125.73	129.30
2	2	3650	C	C5-C6-N1	7.13	124.56	121.00
2	2	4177	C	C6-N1-C2	-7.13	117.45	120.30
2	2	4983	C	C6-N1-C2	-7.13	117.45	120.30
2	2	1956	A	N1-C2-N3	-7.12	125.74	129.30
2	2	5023	C	C6-N1-C2	-7.12	117.45	120.30
2	2	963	G	N3-C4-N9	7.12	130.27	126.00
2	2	5	A	N1-C2-N3	-7.12	125.74	129.30
2	2	2375	A	N1-C2-N3	-7.12	125.74	129.30
2	2	4077	A	N1-C2-N3	-7.12	125.74	129.30
2	2	4548	A	N1-C2-N3	-7.12	125.74	129.30
2	2	1554	A	N1-C2-N3	-7.11	125.74	129.30
8	8	104	A	C4-C5-C6	-7.11	113.44	117.00
2	2	974	C	N1-C2-O2	7.11	123.17	118.90
2	2	3673	C	P-O3'-C3'	7.11	128.23	119.70
2	2	2360	A	N1-C2-N3	-7.11	125.74	129.30
2	2	4127	A	N1-C2-N3	-7.11	125.75	129.30
2	2	4970	C	C6-N1-C2	-7.11	117.46	120.30
2	2	2341	A	N1-C2-N3	-7.11	125.75	129.30
2	2	4602	A	N1-C2-N3	-7.11	125.75	129.30
2	2	4642	U	N3-C2-O2	-7.11	117.22	122.20
2	2	4687	A	N1-C2-N3	-7.11	125.75	129.30
5	5	68	C	C6-N1-C2	-7.11	117.46	120.30
8	8	44	A	N1-C2-N3	-7.11	125.75	129.30
2	2	436	C	N3-C2-O2	-7.11	116.93	121.90
2	2	4627	U	N1-C2-O2	7.11	127.77	122.80
49	r	235	MET	CA-CB-CG	7.11	125.38	113.30
2	2	1607	C	C5-C6-N1	7.10	124.55	121.00
2	2	1825	A	N1-C2-N3	-7.10	125.75	129.30
2	2	1583	A	N1-C2-N3	-7.10	125.75	129.30
2	2	3629	A	N1-C2-N3	-7.10	125.75	129.30
2	2	909	A	N1-C2-N3	-7.10	125.75	129.30
2	2	1694	C	C6-N1-C2	-7.10	117.46	120.30
2	2	4585	U	N3-C2-O2	-7.10	117.23	122.20
2	2	5048	A	N1-C2-N3	-7.10	125.75	129.30
2	2	106	A	N1-C2-N3	-7.09	125.75	129.30
2	2	368	C	N1-C2-O2	7.09	123.16	118.90
2	2	975	C	C6-N1-C2	-7.09	117.46	120.30
2	2	1960	A	N1-C2-N3	-7.09	125.75	129.30
2	2	4502	C	C5-C6-N1	7.09	124.55	121.00
10	A	10	LEU	CA-CB-CG	7.09	131.62	115.30
2	2	1447	C	N1-C2-O2	7.09	123.16	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1729	A	N1-C2-N3	-7.09	125.75	129.30
2	2	4385	A	N1-C2-N3	-7.09	125.76	129.30
2	2	4562	C	N1-C2-O2	7.09	123.15	118.90
2	2	1577	G	C8-N9-C4	-7.08	103.57	106.40
2	2	4506	C	C6-N1-C2	-7.08	117.47	120.30
2	2	455	C	C5-C6-N1	7.08	124.54	121.00
2	2	2069	A	N1-C2-N3	-7.08	125.76	129.30
2	2	2317	C	C6-N1-C2	-7.08	117.47	120.30
2	2	4565	C	N1-C2-O2	7.08	123.15	118.90
2	2	1690	C	C6-N1-C2	-7.08	117.47	120.30
2	2	4935	C	N1-C2-O2	7.08	123.15	118.90
2	2	429	A	N1-C2-N3	-7.08	125.76	129.30
2	2	2300	A	N1-C2-N3	-7.08	125.76	129.30
2	2	289	C	N1-C2-O2	7.08	123.15	118.90
2	2	2095	A	N1-C2-N3	-7.08	125.76	129.30
8	8	118	C	C6-N1-C2	-7.08	117.47	120.30
2	2	233	U	N3-C2-O2	-7.08	117.25	122.20
8	8	88	A	N1-C2-N3	-7.08	125.76	129.30
2	2	2016	C	C6-N1-C2	-7.07	117.47	120.30
2	2	2595	C	C6-N1-C2	-7.07	117.47	120.30
2	2	4286	C	N1-C2-O2	7.07	123.14	118.90
2	2	2821	U	N3-C2-O2	-7.07	117.25	122.20
5	5	74	A	N1-C2-N3	-7.07	125.77	129.30
2	2	4692	A	N1-C2-N3	-7.07	125.77	129.30
2	2	5008	C	N1-C2-O2	7.06	123.14	118.90
8	8	48	A	N1-C2-N3	-7.06	125.77	129.30
2	2	242	U	N3-C2-O2	-7.06	117.26	122.20
2	2	1737	A	N1-C2-N3	-7.06	125.77	129.30
2	2	3604	A	N1-C2-N3	-7.06	125.77	129.30
2	2	3915	U	N3-C2-O2	-7.06	117.26	122.20
2	2	1372	A	N1-C2-N3	-7.06	125.77	129.30
2	2	3702	A	C2-N3-C4	7.06	114.13	110.60
2	2	4487	A	N1-C2-N3	-7.06	125.77	129.30
2	2	4535	A	N1-C2-N3	-7.06	125.77	129.30
2	2	2833	A	N1-C2-N3	-7.06	125.77	129.30
2	2	337	U	N1-C2-O2	7.05	127.74	122.80
2	2	1458	C	C6-N1-C2	-7.05	117.48	120.30
2	2	1597	G	N1-C6-O6	-7.05	115.67	119.90
2	2	353	A	N1-C2-N3	-7.05	125.77	129.30
2	2	2367	A	N1-C2-N3	-7.05	125.78	129.30
2	2	3905	A	P-O3'-C3'	7.05	128.16	119.70
8	8	95	A	N1-C2-N3	-7.05	125.77	129.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	719	C	C6-N1-C2	-7.05	117.48	120.30
2	2	1079	C	C2-N1-C1'	7.05	126.55	118.80
2	2	3670	C	N1-C2-O2	7.05	123.13	118.90
2	2	4348	A	N1-C2-N3	-7.05	125.78	129.30
2	2	148	C	C5-C6-N1	7.05	124.52	121.00
2	2	1097	C	C5-C6-N1	7.05	124.52	121.00
2	2	1621	A	C4-C5-C6	-7.05	113.48	117.00
2	2	2591	A	N1-C2-N3	-7.05	125.78	129.30
2	2	4381	A	N1-C2-N3	-7.05	125.78	129.30
2	2	4712	C	C5-C6-N1	7.05	124.52	121.00
2	2	110	C	C5-C6-N1	7.04	124.52	121.00
10	A	211	GLY	C-N-CA	7.04	139.31	121.70
2	2	1821	G	C2-N3-C4	7.04	115.42	111.90
2	2	2592	U	N3-C2-O2	-7.04	117.27	122.20
2	2	2858	A	N1-C2-N3	-7.04	125.78	129.30
2	2	3636	C	N1-C2-O2	7.04	123.12	118.90
2	2	3618	C	C5-C6-N1	7.04	124.52	121.00
8	8	135	C	N1-C2-O2	7.04	123.12	118.90
2	2	51	A	N1-C2-N3	-7.04	125.78	129.30
2	2	235	A	N1-C2-N3	-7.04	125.78	129.30
2	2	408	A	N1-C2-N3	-7.03	125.78	129.30
2	2	4464	A	N1-C2-N3	-7.03	125.78	129.30
2	2	2813	A	N1-C2-N3	-7.03	125.78	129.30
2	2	2332	A	N1-C2-N3	-7.03	125.79	129.30
2	2	1932	A	N1-C2-N3	-7.03	125.79	129.30
2	2	426	A	N1-C2-N3	-7.03	125.79	129.30
2	2	504	G	C2-N3-C4	7.03	115.41	111.90
2	2	493	G	N3-C4-N9	7.02	130.21	126.00
2	2	2615	C	N3-C2-O2	-7.02	116.98	121.90
2	2	4864	U	N1-C2-O2	7.02	127.72	122.80
2	2	654	C	C5-C6-N1	7.02	124.51	121.00
2	2	122	U	N1-C2-O2	7.02	127.71	122.80
2	2	345	C	N1-C2-O2	7.01	123.11	118.90
2	2	1943	A	N1-C2-N3	-7.01	125.79	129.30
2	2	2814	C	C6-N1-C1'	-7.01	112.39	120.80
2	2	3724	A	N1-C2-N3	-7.01	125.80	129.30
2	2	4207	C	C6-N1-C2	-7.01	117.50	120.30
2	2	4983	C	N1-C2-O2	7.01	123.11	118.90
4	4	411	LEU	CA-CB-CG	7.01	131.42	115.30
2	2	1892	A	N1-C2-N3	-7.01	125.80	129.30
2	2	2282	A	C2-N3-C4	7.01	114.10	110.60
2	2	2449	A	N1-C2-N3	-7.01	125.80	129.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	4651	A	N1-C2-N3	-7.01	125.80	129.30
2	2	1613	A	N1-C2-N3	-7.00	125.80	129.30
2	2	2484	A	N1-C2-N3	-7.00	125.80	129.30
2	2	3890	A	N1-C2-N3	-7.00	125.80	129.30
2	2	3939	G	C2-N3-C4	7.00	115.40	111.90
2	2	711	A	N1-C2-N3	-7.00	125.80	129.30
2	2	2685	C	C5-C6-N1	7.00	124.50	121.00
8	8	28	C	C5-C6-N1	7.00	124.50	121.00
2	2	28	C	C5-C6-N1	7.00	124.50	121.00
2	2	657	C	N3-C2-O2	-7.00	117.00	121.90
2	2	1474	C	C6-N1-C2	-7.00	117.50	120.30
2	2	4691	A	N1-C2-N3	-7.00	125.80	129.30
2	2	953	C	C6-N1-C2	-7.00	117.50	120.30
2	2	2347	A	N1-C2-N3	-7.00	125.80	129.30
2	2	672	C	C6-N1-C2	-6.99	117.50	120.30
2	2	2096	G	C4-N9-C1'	6.99	135.59	126.50
2	2	3643	A	N1-C2-N3	-6.99	125.80	129.30
5	5	50	A	N1-C2-N3	-6.99	125.80	129.30
2	2	1460	C	C6-N1-C2	-6.99	117.50	120.30
2	2	299	C	C6-N1-C2	-6.99	117.50	120.30
2	2	1433	A	N1-C2-N3	-6.99	125.81	129.30
2	2	2029	A	N1-C2-N3	-6.99	125.81	129.30
8	8	150	C	C5-C6-N1	6.99	124.49	121.00
2	2	1386	C	N1-C2-O2	6.99	123.09	118.90
2	2	61	A	N1-C2-N3	-6.99	125.81	129.30
2	2	3775	A	N1-C2-N3	-6.99	125.81	129.30
2	2	4568	A	N1-C2-N3	-6.98	125.81	129.30
2	2	5002	U	N1-C2-O2	6.98	127.69	122.80
2	2	402	A	N1-C2-N3	-6.98	125.81	129.30
2	2	2850	A	N1-C2-N3	-6.98	125.81	129.30
2	2	3732	A	N1-C2-N3	-6.98	125.81	129.30
2	2	4517	A	N1-C2-N3	-6.98	125.81	129.30
2	2	2351	C	C2-N1-C1'	6.98	126.48	118.80
2	2	928	C	C6-N1-C2	-6.98	117.51	120.30
2	2	62	A	N1-C2-N3	-6.98	125.81	129.30
2	2	1334	A	N1-C2-N3	-6.98	125.81	129.30
2	2	1727	U	N3-C2-O2	-6.98	117.32	122.20
2	2	1936	C	N1-C2-O2	6.98	123.09	118.90
2	2	4212	A	N1-C2-N3	-6.97	125.81	129.30
30	W	81	ARG	NE-CZ-NH2	-6.97	116.81	120.30
2	2	3906	A	N1-C2-N3	-6.97	125.81	129.30
2	2	1838	A	N1-C2-N3	-6.97	125.82	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	3649	A	N1-C2-N3	-6.97	125.81	129.30
2	2	2019	C	C6-N1-C2	-6.97	117.51	120.30
2	2	396	A	N1-C2-N3	-6.97	125.82	129.30
2	2	1655	C	C6-N1-C2	-6.97	117.51	120.30
2	2	1729	A	C2-N3-C4	6.97	114.08	110.60
2	2	4369	A	N1-C2-N3	-6.97	125.82	129.30
2	2	1564	A	N1-C2-N3	-6.96	125.82	129.30
2	2	1735	U	N1-C2-O2	6.96	127.67	122.80
2	2	2491	C	C6-N1-C1'	6.96	129.16	120.80
8	8	155	C	C5-C6-N1	6.96	124.48	121.00
2	2	1962	A	C2-N3-C4	6.96	114.08	110.60
2	2	4683	U	N3-C2-O2	-6.96	117.33	122.20
2	2	318	A	N1-C2-N3	-6.96	125.82	129.30
2	2	1870	C	C5-C6-N1	6.96	124.48	121.00
2	2	4880	C	C5-C6-N1	6.96	124.48	121.00
2	2	474	C	C6-N1-C2	-6.96	117.52	120.30
2	2	1378	C	N1-C2-O2	6.96	123.07	118.90
2	2	1796	U	N3-C2-O2	-6.96	117.33	122.20
2	2	2528	G	C8-N9-C1'	-6.96	117.96	127.00
2	2	3851	U	N3-C2-O2	-6.96	117.33	122.20
2	2	4729	A	N1-C2-N3	-6.96	125.82	129.30
2	2	1097	C	C2-N1-C1'	6.96	126.45	118.80
2	2	1486	C	C5-C6-N1	6.96	124.48	121.00
2	2	10	A	N1-C2-N3	-6.95	125.82	129.30
2	2	420	A	N1-C2-N3	-6.95	125.82	129.30
2	2	4186	A	N1-C2-N3	-6.95	125.82	129.30
2	2	2255	C	C6-N1-C1'	-6.95	112.46	120.80
2	2	4938	A	N1-C2-N3	-6.95	125.83	129.30
5	5	102	U	C2-N1-C1'	6.95	126.04	117.70
2	2	1368	A	N1-C2-N3	-6.95	125.83	129.30
2	2	4155	C	C6-N1-C2	-6.95	117.52	120.30
2	2	4279	A	N1-C2-N3	-6.95	125.83	129.30
2	2	4380	A	N1-C2-N3	-6.95	125.83	129.30
2	2	2689	C	C5-C6-N1	6.95	124.47	121.00
2	2	4282	A	N1-C2-N3	-6.95	125.83	129.30
2	2	4317	A	N1-C2-N3	-6.95	125.83	129.30
8	8	57	C	N1-C2-O2	6.95	123.07	118.90
2	2	100	C	O4'-C1'-N1	6.94	113.76	108.20
8	8	113	C	C6-N1-C2	-6.94	117.52	120.30
2	2	472	C	C5-C6-N1	6.94	124.47	121.00
2	2	4648	A	N1-C2-N3	-6.94	125.83	129.30
2	2	3912	U	N1-C2-O2	6.94	127.66	122.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	4109	G	N3-C4-N9	6.94	130.16	126.00
2	2	1431	C	C6-N1-C2	-6.94	117.53	120.30
2	2	3821	A	N1-C2-N3	-6.94	125.83	129.30
2	2	1863	U	N3-C2-O2	-6.94	117.34	122.20
2	2	4714	C	N3-C2-O2	-6.94	117.05	121.90
2	2	2587	A	N1-C2-N3	-6.93	125.83	129.30
2	2	3649	A	C2-N3-C4	6.93	114.07	110.60
2	2	4886	C	C6-N1-C2	-6.93	117.53	120.30
2	2	2856	C	C6-N1-C2	-6.93	117.53	120.30
2	2	4762	A	N1-C2-N3	-6.93	125.83	129.30
2	2	4979	A	C2-N3-C4	6.93	114.06	110.60
8	8	43	A	C2-N3-C4	6.93	114.06	110.60
2	2	1679	A	N1-C2-N3	-6.93	125.84	129.30
2	2	2746	A	N1-C2-N3	-6.93	125.84	129.30
2	2	4229	U	C2-N1-C1'	6.93	126.01	117.70
2	2	985	C	C2-N1-C1'	6.93	126.42	118.80
2	2	1917	A	N1-C2-N3	-6.92	125.84	129.30
2	2	4234	A	N1-C2-N3	-6.92	125.84	129.30
2	2	2081	C	C6-N1-C2	-6.92	117.53	120.30
2	2	43	U	N1-C2-O2	6.92	127.64	122.80
2	2	4561	C	C6-N1-C2	-6.92	117.53	120.30
2	2	4496	A	N1-C2-N3	-6.92	125.84	129.30
2	2	1921	C	N3-C2-O2	-6.92	117.06	121.90
2	2	295	A	N1-C2-N3	-6.92	125.84	129.30
2	2	1731	C	C2-N1-C1'	6.92	126.41	118.80
2	2	2529	A	N1-C2-N3	-6.92	125.84	129.30
2	2	4584	A	N1-C2-N3	-6.92	125.84	129.30
2	2	147	A	N1-C2-N3	-6.92	125.84	129.30
2	2	2563	C	C6-N1-C2	-6.91	117.53	120.30
2	2	243	A	N1-C2-N3	-6.91	125.84	129.30
2	2	2667	C	N3-C2-O2	-6.91	117.06	121.90
2	2	101	A	C2-N3-C4	6.91	114.06	110.60
2	2	977	C	C6-N1-C2	-6.91	117.54	120.30
2	2	1656	U	N3-C2-O2	-6.91	117.36	122.20
2	2	2417	A	N1-C2-N3	-6.91	125.84	129.30
8	8	137	A	N1-C2-N3	-6.91	125.84	129.30
2	2	3901	A	N1-C2-N3	-6.91	125.85	129.30
2	2	1553	A	N1-C2-N3	-6.90	125.85	129.30
2	2	4695	C	C6-N1-C2	-6.90	117.54	120.30
2	2	71	C	C5-C6-N1	6.90	124.45	121.00
2	2	1449	C	C6-N1-C2	-6.90	117.54	120.30
2	2	2604	C	C5-C6-N1	6.90	124.45	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	4157	A	N1-C2-N3	-6.90	125.85	129.30
2	2	1958	A	N1-C2-N3	-6.90	125.85	129.30
2	2	2412	A	N1-C2-N3	-6.90	125.85	129.30
2	2	84	A	N1-C2-N3	-6.90	125.85	129.30
2	2	1794	A	C2-N3-C4	6.90	114.05	110.60
2	2	2093	A	N1-C2-N3	-6.90	125.85	129.30
8	8	101	C	C2-N1-C1'	6.90	126.39	118.80
2	2	1631	A	N1-C2-N3	-6.90	125.85	129.30
2	2	2396	A	N1-C2-N3	-6.90	125.85	129.30
2	2	3736	A	N1-C2-N3	-6.90	125.85	129.30
2	2	4635	A	N1-C2-N3	-6.89	125.85	129.30
10	A	29	LEU	CA-CB-CG	6.89	131.16	115.30
2	2	259	C	N3-C2-O2	-6.89	117.08	121.90
2	2	1312	A	N1-C2-N3	-6.89	125.85	129.30
2	2	4576	U	N3-C2-O2	-6.89	117.38	122.20
5	5	6	C	C5-C6-N1	6.89	124.45	121.00
2	2	2882	A	N1-C2-N3	-6.89	125.86	129.30
5	5	13	A	N1-C2-N3	-6.89	125.86	129.30
5	5	22	A	N1-C2-N3	-6.89	125.86	129.30
2	2	675	C	C5-C6-N1	6.89	124.44	121.00
8	8	77	A	N1-C2-N3	-6.89	125.86	129.30
2	2	1096	C	C6-N1-C2	-6.89	117.55	120.30
2	2	1192	C	C2-N1-C1'	6.89	126.38	118.80
2	2	2379	A	N1-C2-N3	-6.89	125.86	129.30
2	2	222	C	N1-C2-O2	6.88	123.03	118.90
2	2	1580	C	C5-C6-N1	6.88	124.44	121.00
2	2	2507	A	N1-C2-N3	-6.88	125.86	129.30
5	5	14	C	C5-C6-N1	6.88	124.44	121.00
2	2	4488	A	N1-C2-N3	-6.88	125.86	129.30
2	2	165	A	N1-C2-N3	-6.88	125.86	129.30
2	2	2770	C	C6-N1-C2	-6.88	117.55	120.30
2	2	3636	C	N3-C2-O2	-6.88	117.08	121.90
2	2	5044	A	N1-C2-N3	-6.88	125.86	129.30
2	2	732	A	N1-C2-N3	-6.88	125.86	129.30
2	2	1592	G	C4-N9-C1'	6.88	135.44	126.50
2	2	2332	A	C4-C5-C6	-6.87	113.56	117.00
2	2	4303	C	C6-N1-C1'	-6.87	112.55	120.80
2	2	668	C	N1-C2-O2	6.87	123.02	118.90
2	2	2431	A	N1-C2-N3	-6.87	125.86	129.30
2	2	4883	C	C6-N1-C2	-6.87	117.55	120.30
2	2	1462	A	N1-C2-N3	-6.87	125.87	129.30
2	2	2077	C	C5-C6-N1	6.87	124.43	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	2274	C	C5-C6-N1	6.87	124.43	121.00
2	2	2285	A	N1-C2-N3	-6.86	125.87	129.30
2	2	660	A	N1-C2-N3	-6.86	125.87	129.30
2	2	2748	C	C6-N1-C2	-6.86	117.56	120.30
2	2	663	G	C5-N7-C8	-6.86	100.87	104.30
2	2	4192	A	N1-C2-N3	-6.86	125.87	129.30
2	2	4681	A	N1-C2-N3	-6.86	125.87	129.30
2	2	516	C	C2-N3-C4	6.86	123.33	119.90
2	2	470	A	N1-C2-N3	-6.86	125.87	129.30
2	2	3908	A	N1-C2-N3	-6.85	125.87	129.30
2	2	935	A	C4-C5-C6	-6.85	113.57	117.00
2	2	1468	C	C6-N1-C2	-6.85	117.56	120.30
2	2	2071	A	N1-C2-N3	-6.85	125.87	129.30
2	2	915	A	N1-C2-N3	-6.85	125.88	129.30
2	2	2017	A	N1-C2-N3	-6.85	125.88	129.30
2	2	4608	G	C6-C5-N7	-6.85	126.29	130.40
2	2	4989	U	C2-N1-C1'	6.85	125.92	117.70
2	2	2107	C	N3-C2-O2	-6.84	117.11	121.90
2	2	4895	C	C2-N1-C1'	6.84	126.33	118.80
5	5	24	C	C5-C6-N1	6.84	124.42	121.00
2	2	1459	A	N1-C2-N3	-6.84	125.88	129.30
2	2	1793	A	N1-C2-N3	-6.84	125.88	129.30
2	2	675	C	C6-N1-C2	-6.84	117.56	120.30
2	2	948	C	C5-C6-N1	6.84	124.42	121.00
2	2	1546	C	C5-C6-N1	6.84	124.42	121.00
2	2	4257	A	N1-C2-N3	-6.84	125.88	129.30
5	5	16	A	N1-C2-N3	-6.84	125.88	129.30
2	2	4144	C	C2-N3-C4	6.83	123.32	119.90
2	2	4292	A	N1-C2-N3	-6.83	125.88	129.30
2	2	4717	A	N1-C2-N3	-6.83	125.88	129.30
8	8	97	A	N1-C2-N3	-6.83	125.88	129.30
2	2	1577	G	N3-C4-C5	-6.83	125.18	128.60
2	2	1809	C	N1-C2-O2	6.83	123.00	118.90
2	2	2335	C	C6-N1-C2	-6.83	117.57	120.30
2	2	3775	A	C2-N3-C4	6.83	114.02	110.60
2	2	4710	C	C5-C6-N1	6.83	124.42	121.00
2	2	73	A	N1-C2-N3	-6.83	125.89	129.30
2	2	1523	A	N1-C2-N3	-6.83	125.89	129.30
2	2	1540	C	N1-C2-O2	6.83	123.00	118.90
2	2	1662	C	C5-C6-N1	6.82	124.41	121.00
2	2	174	C	N3-C2-O2	-6.82	117.12	121.90
2	2	256	G	N9-C4-C5	-6.82	102.67	105.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	115	C	O4'-C1'-N1	6.82	113.66	108.20
2	2	141	C	N3-C2-O2	-6.82	117.13	121.90
2	2	233	U	N1-C2-O2	6.82	127.57	122.80
2	2	1541	C	C5-C6-N1	6.82	124.41	121.00
2	2	2886	U	N3-C2-O2	-6.82	117.43	122.20
2	2	4486	C	N1-C2-O2	6.82	122.99	118.90
2	2	4611	A	N1-C2-N3	-6.81	125.89	129.30
2	2	4346	U	N3-C2-O2	-6.81	117.43	122.20
2	2	274	C	N1-C2-O2	6.81	122.99	118.90
2	2	1076	C	C5-C6-N1	6.81	124.41	121.00
2	2	1703	C	N1-C2-O2	6.81	122.98	118.90
2	2	4627	U	N3-C2-O2	-6.81	117.44	122.20
2	2	1243	C	N1-C2-O2	6.80	122.98	118.90
2	2	654	C	C2-N1-C1'	6.80	126.28	118.80
2	2	2819	U	N1-C2-O2	6.80	127.56	122.80
2	2	14	C	N3-C2-O2	-6.80	117.14	121.90
2	2	1373	A	N1-C2-N3	-6.80	125.90	129.30
2	2	1949	U	N3-C2-O2	-6.80	117.44	122.20
2	2	3622	C	C6-N1-C2	-6.80	117.58	120.30
2	2	3696	C	N3-C2-O2	-6.80	117.14	121.90
2	2	42	A	N1-C2-N3	-6.80	125.90	129.30
2	2	2453	A	N1-C2-N3	-6.80	125.90	129.30
2	2	5050	C	C6-N1-C2	-6.80	117.58	120.30
2	2	469	C	C6-N1-C2	-6.79	117.58	120.30
2	2	378	A	N1-C2-N3	-6.79	125.90	129.30
2	2	1694	C	C5-C6-N1	6.79	124.40	121.00
2	2	1723	A	N1-C2-N3	-6.79	125.90	129.30
2	2	1405	C	C5-C6-N1	6.79	124.39	121.00
2	2	984	C	C5-C6-N1	6.79	124.39	121.00
2	2	985	C	N1-C2-O2	6.79	122.97	118.90
2	2	1468	C	C5-C6-N1	6.79	124.39	121.00
2	2	2581	A	N1-C2-N3	-6.79	125.91	129.30
2	2	2795	A	N1-C2-N3	-6.79	125.91	129.30
2	2	2843	U	N3-C2-O2	-6.79	117.45	122.20
2	2	1936	C	N3-C2-O2	-6.79	117.15	121.90
2	2	365	U	N1-C2-O2	6.79	127.55	122.80
2	2	467	U	C6-N1-C2	-6.79	116.93	121.00
2	2	1915	C	C2-N1-C1'	6.79	126.26	118.80
8	8	96	C	N3-C2-O2	-6.79	117.15	121.90
8	8	141	C	C6-N1-C2	-6.79	117.59	120.30
2	2	303	C	C6-N1-C2	-6.78	117.59	120.30
2	2	2313	A	N1-C2-N3	-6.78	125.91	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	3630	A	N1-C2-N3	-6.78	125.91	129.30
2	2	4299	U	N1-C2-O2	6.78	127.55	122.80
2	2	4963	G	C2-N3-C4	6.78	115.29	111.90
2	2	3587	C	N3-C2-O2	-6.78	117.15	121.90
2	2	7	C	C5-C6-N1	6.78	124.39	121.00
2	2	707	C	C6-N1-C2	-6.78	117.59	120.30
2	2	1315	C	C5-C6-N1	6.78	124.39	121.00
5	5	83	A	N1-C2-N3	-6.77	125.91	129.30
2	2	220	C	C2-N1-C1'	6.77	126.25	118.80
2	2	1792	U	N1-C2-O2	6.77	127.54	122.80
2	2	4709	U	C6-N1-C2	-6.77	116.94	121.00
2	2	4767	C	C6-N1-C2	-6.77	117.59	120.30
2	2	4967	A	N1-C2-N3	-6.77	125.91	129.30
5	5	43	U	N1-C2-O2	6.77	127.54	122.80
2	2	1257	A	N1-C2-N3	-6.77	125.91	129.30
2	2	4909	A	N1-C2-N3	-6.77	125.92	129.30
8	8	11	C	C6-N1-C2	-6.77	117.59	120.30
2	2	1921	C	C2-N1-C1'	6.77	126.24	118.80
2	2	326	C	C5-C6-N1	6.76	124.38	121.00
2	2	668	C	C6-N1-C2	-6.76	117.59	120.30
2	2	1722	C	N1-C2-O2	6.76	122.96	118.90
2	2	3942	A	N1-C2-N3	-6.76	125.92	129.30
8	8	90	C	C6-N1-C2	-6.76	117.59	120.30
2	2	125	C	C6-N1-C2	-6.76	117.60	120.30
2	2	4971	A	N1-C2-N3	-6.76	125.92	129.30
2	2	1858	A	N1-C2-N3	-6.76	125.92	129.30
2	2	2716	C	C5-C6-N1	6.76	124.38	121.00
2	2	406	C	P-O3'-C3'	6.76	127.81	119.70
2	2	3893	C	C6-N1-C2	-6.76	117.60	120.30
2	2	4864	U	N3-C2-O2	-6.76	117.47	122.20
2	2	2025	A	N1-C2-N3	-6.75	125.92	129.30
2	2	4254	G	C4-N9-C1'	6.75	135.28	126.50
2	2	5051	C	C5-C6-N1	6.75	124.38	121.00
2	2	4074	C	N1-C2-O2	6.75	122.95	118.90
5	5	90	A	N1-C2-N3	-6.75	125.92	129.30
2	2	64	A	N1-C2-N3	-6.75	125.92	129.30
2	2	2077	C	C6-N1-C2	-6.75	117.60	120.30
2	2	2528	G	C2-N3-C4	6.75	115.28	111.90
2	2	4366	A	N1-C2-N3	-6.75	125.93	129.30
2	2	4426	C	N3-C2-O2	-6.75	117.18	121.90
2	2	4327	C	C5-C6-N1	6.75	124.37	121.00
2	2	4724	A	N1-C2-N3	-6.75	125.93	129.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	38	A	N1-C2-N3	-6.74	125.93	129.30
2	2	4608	G	C5-N7-C8	-6.74	100.93	104.30
2	2	960	A	N1-C2-N3	-6.74	125.93	129.30
8	8	111	U	N3-C2-O2	-6.74	117.48	122.20
2	2	4171	C	C5-C6-N1	6.74	124.37	121.00
5	5	35	U	N3-C2-O2	-6.74	117.48	122.20
2	2	4490	C	C5-C6-N1	6.74	124.37	121.00
2	2	4616	A	N1-C2-N3	-6.74	125.93	129.30
5	5	5	A	N1-C2-N3	-6.74	125.93	129.30
2	2	472	C	C2-N1-C1'	6.74	126.21	118.80
2	2	2040	A	N1-C2-N3	-6.73	125.93	129.30
2	2	2388	A	N1-C2-N3	-6.73	125.93	129.30
2	2	256	G	N1-C2-N2	-6.73	110.14	116.20
2	2	4696	C	N3-C2-O2	-6.73	117.19	121.90
2	2	679	C	C5-C6-N1	6.73	124.36	121.00
2	2	2856	C	C5-C6-N1	6.73	124.36	121.00
2	2	2696	A	N1-C2-N3	-6.73	125.94	129.30
2	2	753	C	C6-N1-C1'	-6.72	112.73	120.80
2	2	2833	A	C2-N3-C4	6.72	113.96	110.60
2	2	4980	C	C6-N1-C2	-6.72	117.61	120.30
2	2	2374	A	N1-C2-N3	-6.72	125.94	129.30
2	2	4244	A	N1-C2-N3	-6.72	125.94	129.30
2	2	1216	C	C6-N1-C1'	-6.72	112.73	120.80
2	2	941	C	C5-C6-N1	6.72	124.36	121.00
2	2	1540	C	C5-C6-N1	6.72	124.36	121.00
2	2	4969	C	N1-C2-O2	6.72	122.93	118.90
2	2	1603	C	C5-C6-N1	6.72	124.36	121.00
2	2	2429	A	N1-C2-N3	-6.72	125.94	129.30
2	2	2812	A	N1-C2-N3	-6.72	125.94	129.30
2	2	166	C	C6-N1-C2	-6.71	117.61	120.30
2	2	300	A	N1-C2-N3	-6.71	125.94	129.30
2	2	1939	A	N1-C2-N3	-6.71	125.94	129.30
2	2	1808	C	C6-N1-C2	-6.71	117.61	120.30
2	2	2477	A	N1-C2-N3	-6.71	125.94	129.30
8	8	80	A	N1-C2-N3	-6.71	125.94	129.30
2	2	2870	A	N1-C2-N3	-6.71	125.94	129.30
2	2	31	U	N3-C2-O2	-6.71	117.50	122.20
2	2	4562	C	C6-N1-C2	-6.71	117.62	120.30
2	2	4655	A	C5-C6-N1	6.71	121.05	117.70
2	2	4874	A	N1-C2-N3	-6.71	125.95	129.30
2	2	4640	C	C6-N1-C2	-6.71	117.62	120.30
2	2	2544	G	N3-C4-C5	-6.71	125.25	128.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	2410	C	N3-C2-O2	-6.70	117.21	121.90
2	2	3657	U	C6-N1-C2	-6.70	116.98	121.00
2	2	141	C	C5-C6-N1	6.70	124.35	121.00
2	2	4599	A	N1-C2-N3	-6.70	125.95	129.30
2	2	1176	C	C5-C6-N1	6.70	124.35	121.00
2	2	1315	C	C6-N1-C2	-6.70	117.62	120.30
2	2	297	U	N1-C2-O2	6.70	127.49	122.80
2	2	1533	A	N1-C2-N3	-6.70	125.95	129.30
2	2	2871	A	N1-C2-N3	-6.70	125.95	129.30
2	2	4303	C	C6-N1-C2	-6.70	117.62	120.30
2	2	294	G	C2-N3-C4	6.69	115.25	111.90
2	2	2642	A	N1-C2-N3	-6.69	125.95	129.30
2	2	704	C	N3-C2-O2	-6.69	117.22	121.90
2	2	2669	C	C6-N1-C2	-6.69	117.62	120.30
2	2	3924	C	C5-C6-N1	6.69	124.35	121.00
2	2	5061	A	N1-C2-N3	-6.69	125.95	129.30
2	2	688	U	N3-C2-O2	-6.69	117.52	122.20
2	2	2670	C	C5-C6-N1	6.69	124.34	121.00
2	2	4133	C	C5-C6-N1	6.69	124.34	121.00
2	2	4878	C	C6-N1-C2	-6.69	117.62	120.30
2	2	1193	C	N1-C2-O2	6.69	122.91	118.90
2	2	1491	A	N1-C2-N3	-6.69	125.95	129.30
2	2	2600	A	N1-C2-N3	-6.69	125.96	129.30
2	2	956	A	N1-C2-N3	-6.69	125.96	129.30
2	2	4990	C	C2-N1-C1'	6.69	126.16	118.80
2	2	2684	C	C6-N1-C2	-6.69	117.63	120.30
2	2	4137	C	C5-C6-N1	6.68	124.34	121.00
2	2	5042	A	C2-N3-C4	6.68	113.94	110.60
2	2	2561	C	C5-C6-N1	6.68	124.34	121.00
2	2	201	C	N1-C2-O2	6.68	122.91	118.90
2	2	440	U	N3-C2-O2	-6.68	117.52	122.20
2	2	673	C	C2-N1-C1'	6.68	126.15	118.80
2	2	1088	C	C6-N1-C2	-6.68	117.63	120.30
2	2	4684	A	N1-C2-N3	-6.68	125.96	129.30
2	2	4716	C	C5-C6-N1	6.68	124.34	121.00
2	2	78	U	N3-C2-O2	-6.68	117.53	122.20
2	2	673	C	N1-C2-O2	6.68	122.91	118.90
2	2	4390	A	N1-C2-N3	-6.68	125.96	129.30
8	8	92	U	N3-C2-O2	-6.68	117.53	122.20
2	2	4966	A	N1-C2-N3	-6.67	125.96	129.30
2	2	4155	C	C5-C6-N1	6.67	124.34	121.00
2	2	4393	G	N1-C6-O6	-6.67	115.90	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	4506	C	N3-C2-O2	-6.67	117.23	121.90
5	5	36	C	C6-N1-C2	-6.67	117.63	120.30
2	2	120	A	N1-C2-N3	-6.67	125.97	129.30
5	5	79	U	N3-C2-O2	-6.67	117.53	122.20
2	2	282	C	C5-C6-N1	6.67	124.33	121.00
2	2	2392	C	C5-C6-N1	6.67	124.33	121.00
2	2	2845	A	C2-N3-C4	6.67	113.93	110.60
5	5	44	C	N3-C2-O2	-6.67	117.23	121.90
8	8	148	A	N1-C2-N3	-6.67	125.97	129.30
2	2	2755	A	N1-C2-N3	-6.66	125.97	129.30
2	2	4621	C	N1-C2-O2	6.66	122.89	118.90
2	2	917	A	N1-C2-N3	-6.65	125.97	129.30
2	2	4413	C	N1-C2-O2	6.65	122.89	118.90
2	2	3624	A	N1-C2-N3	-6.65	125.97	129.30
2	2	386	A	C2-N3-C4	6.65	113.92	110.60
2	2	2869	U	N3-C2-O2	-6.65	117.55	122.20
2	2	434	A	N1-C2-N3	-6.65	125.98	129.30
2	2	1309	C	C6-N1-C2	-6.65	117.64	120.30
2	2	1816	C	C2-N1-C1'	6.65	126.11	118.80
2	2	3612	C	C6-N1-C2	-6.65	117.64	120.30
8	8	32	C	N3-C2-O2	-6.65	117.25	121.90
5	5	38	U	N1-C2-O2	6.65	127.45	122.80
2	2	1696	C	C5-C6-N1	6.64	124.32	121.00
2	2	4345	C	C5-C6-N1	6.64	124.32	121.00
2	2	4449	A	C2-N3-C4	6.64	113.92	110.60
2	2	27	C	C5-C6-N1	6.64	124.32	121.00
2	2	1248	C	C5-C6-N1	6.64	124.32	121.00
2	2	4906	C	C6-N1-C2	-6.64	117.64	120.30
2	2	2264	C	N1-C2-O2	6.64	122.88	118.90
8	8	3	A	N1-C2-N3	-6.64	125.98	129.30
2	2	667	A	N1-C2-N3	-6.63	125.98	129.30
2	2	1514	U	N3-C2-O2	-6.63	117.56	122.20
2	2	71	C	C6-N1-C1'	6.63	128.76	120.80
2	2	3721	U	N1-C2-O2	6.63	127.44	122.80
2	2	4533	A	N1-C2-N3	-6.63	125.98	129.30
2	2	1701	A	N1-C2-N3	-6.63	125.98	129.30
2	2	363	A	N1-C2-N3	-6.63	125.99	129.30
2	2	2699	C	C6-N1-C2	-6.63	117.65	120.30
2	2	1577	G	N3-C2-N2	-6.63	115.26	119.90
5	5	57	C	C5-C6-N1	6.63	124.31	121.00
2	2	2774	C	N1-C2-O2	6.62	122.88	118.90
2	2	385	A	OP1-P-O3'	6.62	119.77	105.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1556	C	C6-N1-C2	-6.62	117.65	120.30
2	2	4926	C	N1-C2-O2	6.62	122.87	118.90
2	2	294	G	C4-N9-C1'	6.62	135.11	126.50
2	2	302	C	C5-C6-N1	6.62	124.31	121.00
2	2	1222	A	N1-C2-N3	-6.62	125.99	129.30
2	2	4504	C	N3-C2-O2	-6.62	117.27	121.90
2	2	2630	U	N3-C2-O2	-6.62	117.57	122.20
2	2	4243	C	C2-N1-C1'	6.62	126.08	118.80
2	2	4653	C	C6-N1-C2	-6.61	117.66	120.30
2	2	4701	A	C2-N3-C4	6.61	113.91	110.60
2	2	2757	A	N1-C2-N3	-6.61	126.00	129.30
2	2	2043	A	N1-C2-N3	-6.61	126.00	129.30
2	2	2792	C	C6-N1-C2	-6.61	117.66	120.30
2	2	4395	U	P-O3'-C3'	6.61	127.63	119.70
2	2	1430	C	C6-N1-C2	-6.60	117.66	120.30
2	2	2255	C	C5-C6-N1	6.60	124.30	121.00
2	2	2772	C	C6-N1-C2	-6.60	117.66	120.30
2	2	3622	C	C5-C6-N1	6.60	124.30	121.00
2	2	4866	C	C5-C6-N1	6.60	124.30	121.00
5	5	91	C	N1-C2-O2	6.60	122.86	118.90
2	2	694	C	C6-N1-C2	-6.60	117.66	120.30
2	2	2302	C	C5-C6-N1	6.60	124.30	121.00
2	2	2866	C	C6-N1-C2	-6.60	117.66	120.30
2	2	4387	C	N3-C2-O2	-6.60	117.28	121.90
2	2	4655	A	C2-N3-C4	6.60	113.90	110.60
8	8	111	U	N1-C2-O2	6.60	127.42	122.80
2	2	3829	G	C2-N3-C4	6.60	115.20	111.90
2	2	2078	C	C6-N1-C2	-6.59	117.66	120.30
2	2	4341	C	C6-N1-C2	-6.59	117.66	120.30
2	2	4503	A	C2-N3-C4	6.59	113.90	110.60
2	2	4940	C	N1-C2-O2	6.59	122.86	118.90
2	2	2647	A	N1-C2-N3	-6.59	126.00	129.30
2	2	4613	C	C6-N1-C2	-6.59	117.66	120.30
2	2	4613	C	N3-C2-O2	-6.59	117.29	121.90
2	2	3658	C	C6-N1-C2	-6.59	117.67	120.30
2	2	4710	C	C6-N1-C2	-6.59	117.67	120.30
2	2	2625	U	N1-C2-O2	6.59	127.41	122.80
2	2	2016	C	N1-C2-O2	6.58	122.85	118.90
2	2	3690	U	N3-C2-O2	-6.58	117.59	122.20
2	2	4728	U	N3-C2-O2	-6.58	117.59	122.20
2	2	3840	U	N1-C2-O2	6.58	127.41	122.80
2	2	2031	C	C5-C6-N1	6.58	124.29	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	5046	U	N3-C2-O2	-6.58	117.60	122.20
2	2	1600	A	N1-C2-N3	-6.58	126.01	129.30
2	2	2867	C	C2-N1-C1'	6.58	126.03	118.80
2	2	3685	C	C5-C6-N1	6.58	124.29	121.00
2	2	3855	C	C5-C6-N1	6.58	124.29	121.00
2	2	2497	C	N3-C2-O2	-6.57	117.30	121.90
2	2	2872	C	C5-C6-N1	6.57	124.29	121.00
2	2	4879	C	C6-N1-C2	-6.57	117.67	120.30
2	2	282	C	C2-N1-C1'	6.57	126.03	118.80
2	2	368	C	C6-N1-C2	-6.57	117.67	120.30
2	2	4956	A	N1-C2-N3	-6.57	126.02	129.30
2	2	36	U	N1-C2-O2	6.57	127.39	122.80
2	2	227	A	C2-N3-C4	6.57	113.88	110.60
2	2	2560	C	N3-C2-O2	-6.57	117.30	121.90
2	2	4621	C	C5-C6-N1	6.57	124.28	121.00
2	2	2553	A	N1-C2-N3	-6.56	126.02	129.30
2	2	4183	G	C2-N3-C4	6.56	115.18	111.90
2	2	65	A	C4-C5-C6	-6.56	113.72	117.00
2	2	271	C	C6-N1-C2	-6.56	117.67	120.30
2	2	1289	C	C5-C6-N1	6.56	124.28	121.00
2	2	2292	C	C6-N1-C2	-6.56	117.67	120.30
2	2	2500	U	N1-C2-O2	6.56	127.39	122.80
2	2	1386	C	N3-C2-O2	-6.56	117.31	121.90
2	2	158	A	N1-C2-N3	-6.56	126.02	129.30
2	2	3662	A	C4-C5-C6	-6.56	113.72	117.00
2	2	4109	G	C8-N9-C1'	-6.56	118.47	127.00
2	2	4764	A	C6-N1-C2	6.56	122.54	118.60
2	2	1942	A	N1-C2-N3	-6.56	126.02	129.30
2	2	3892	U	N1-C2-O2	6.56	127.39	122.80
2	2	4895	C	N1-C2-O2	6.56	122.83	118.90
2	2	1609	U	N3-C2-O2	-6.55	117.61	122.20
2	2	2592	U	N1-C2-O2	6.55	127.39	122.80
8	8	55	U	N3-C2-O2	-6.55	117.61	122.20
8	8	66	A	N1-C2-N3	-6.55	126.02	129.30
2	2	17	A	C2-N3-C4	6.55	113.88	110.60
2	2	688	U	N1-C2-O2	6.55	127.39	122.80
2	2	408	A	C4-C5-C6	-6.55	113.73	117.00
2	2	2356	U	N3-C2-O2	-6.55	117.62	122.20
8	8	43	A	N1-C2-N3	-6.55	126.03	129.30
2	2	4738	C	C6-N1-C2	-6.55	117.68	120.30
2	2	238	C	C5-C6-N1	6.54	124.27	121.00
2	2	2271	C	C5-C6-N1	6.54	124.27	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	4300	U	N1-C2-O2	6.54	127.38	122.80
2	2	389	A	N1-C2-N3	-6.54	126.03	129.30
2	2	1478	C	C6-N1-C2	-6.54	117.68	120.30
2	2	332	C	N1-C2-O2	6.54	122.82	118.90
2	2	657	C	C6-N1-C2	-6.54	117.68	120.30
2	2	1822	U	N3-C2-O2	-6.54	117.62	122.20
2	2	2392	C	C6-N1-C2	-6.54	117.68	120.30
8	8	50	C	C5-C6-N1	6.54	124.27	121.00
2	2	290	U	N3-C2-O2	-6.54	117.62	122.20
2	2	326	C	N1-C2-O2	6.54	122.82	118.90
2	2	2324	C	C6-N1-C2	-6.54	117.69	120.30
2	2	4626	A	C2-N3-C4	6.54	113.87	110.60
2	2	4653	C	C5-C6-N1	6.54	124.27	121.00
2	2	86	U	N3-C2-O2	-6.54	117.62	122.20
2	2	4991	U	N1-C2-O2	6.54	127.38	122.80
2	2	2037	C	C5-C6-N1	6.54	124.27	121.00
2	2	2783	A	C5-N7-C8	-6.53	100.63	103.90
2	2	2881	A	N1-C2-N3	-6.53	126.03	129.30
2	2	4420	U	N1-C2-O2	6.53	127.37	122.80
2	2	2710	C	C6-N1-C1'	-6.53	112.96	120.80
2	2	4504	C	C6-N1-C2	-6.53	117.69	120.30
2	2	935	A	N1-C2-N3	-6.53	126.03	129.30
2	2	4766	C	C2-N1-C1'	6.53	125.98	118.80
2	2	7	C	N1-C2-O2	6.53	122.82	118.90
2	2	1694	C	N1-C2-O2	6.53	122.82	118.90
2	2	488	G	N7-C8-N9	6.53	116.36	113.10
2	2	1575	A	N1-C2-N3	-6.53	126.04	129.30
2	2	1861	U	N3-C2-O2	-6.53	117.63	122.20
2	2	121	A	N1-C2-N3	-6.52	126.04	129.30
2	2	1893	C	C2-N1-C1'	6.52	125.97	118.80
2	2	3621	A	C2-N3-C4	6.52	113.86	110.60
2	2	1714	C	C6-N1-C2	-6.52	117.69	120.30
2	2	2499	C	C6-N1-C2	-6.52	117.69	120.30
2	2	1414	C	N1-C2-O2	6.51	122.81	118.90
2	2	2362	U	C2-N1-C1'	6.51	125.52	117.70
5	5	52	C	C6-N1-C2	-6.51	117.69	120.30
2	2	1450	C	C5-C6-N1	6.51	124.26	121.00
2	2	2543	A	N1-C2-N3	-6.51	126.05	129.30
2	2	3737	A	N1-C2-N3	-6.51	126.04	129.30
2	2	3919	C	N1-C2-O2	6.51	122.81	118.90
2	2	4645	C	C6-N1-C2	-6.51	117.69	120.30
2	2	5016	A	N7-C8-N9	6.51	117.05	113.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1653	A	N1-C2-N3	-6.51	126.05	129.30
2	2	2255	C	C6-N1-C2	-6.51	117.70	120.30
2	2	1703	C	C2-N1-C1'	6.50	125.95	118.80
2	2	2317	C	C5-C6-N1	6.50	124.25	121.00
2	2	458	C	C6-N1-C2	-6.50	117.70	120.30
2	2	2059	C	C6-N1-C2	-6.50	117.70	120.30
2	2	3610	A	N1-C2-N3	-6.50	126.05	129.30
8	8	17	A	C5-C6-N1	6.50	120.95	117.70
2	2	2674	A	N1-C2-N3	-6.50	126.05	129.30
2	2	3739	C	C5-C6-N1	6.50	124.25	121.00
2	2	4928	C	N3-C2-O2	-6.50	117.35	121.90
5	5	58	A	N1-C2-N3	-6.50	126.05	129.30
2	2	660	A	C2-N3-C4	6.50	113.85	110.60
2	2	2420	A	N1-C2-N3	-6.50	126.05	129.30
2	2	1371	A	N1-C2-N3	-6.50	126.05	129.30
2	2	1473	U	N3-C2-O2	-6.50	117.65	122.20
2	2	4500	U	C5-C6-N1	6.50	125.95	122.70
2	2	89	C	C6-N1-C2	-6.50	117.70	120.30
2	2	1404	G	N3-C4-C5	-6.50	125.35	128.60
2	2	3932	U	N3-C2-O2	-6.50	117.65	122.20
2	2	1096	C	C5-C6-N1	6.50	124.25	121.00
2	2	2621	A	N1-C2-N3	-6.50	126.05	129.30
2	2	4273	A	C4-C5-C6	-6.50	113.75	117.00
2	2	4203	A	N1-C2-N3	-6.49	126.05	129.30
2	2	1509	C	C6-N1-C2	-6.49	117.70	120.30
2	2	2659	A	C4-C5-C6	-6.49	113.76	117.00
2	2	4500	U	C2-N1-C1'	6.49	125.49	117.70
2	2	947	C	C5-C6-N1	6.49	124.24	121.00
2	2	1578	U	N1-C2-O2	6.49	127.34	122.80
2	2	3712	A	N1-C2-N3	-6.49	126.06	129.30
2	2	2743	A	N1-C2-N3	-6.48	126.06	129.30
2	2	3590	G	N3-C4-N9	6.48	129.89	126.00
2	2	3893	C	C5-C6-N1	6.48	124.24	121.00
2	2	2030	A	N1-C2-N3	-6.48	126.06	129.30
2	2	3882	C	N3-C2-O2	-6.48	117.36	121.90
2	2	4477	A	N1-C2-N3	-6.48	126.06	129.30
2	2	488	G	N3-C4-N9	6.48	129.89	126.00
2	2	712	C	C6-N1-C2	-6.48	117.71	120.30
2	2	1941	A	N1-C2-N3	-6.48	126.06	129.30
2	2	3905	A	N1-C2-N3	-6.48	126.06	129.30
2	2	4607	A	N1-C2-N3	-6.48	126.06	129.30
5	5	49	A	N1-C2-N3	-6.48	126.06	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	5	55	A	N1-C2-N3	-6.48	126.06	129.30
2	2	953	C	C5-C6-N1	6.48	124.24	121.00
2	2	1572	U	N3-C2-O2	-6.47	117.67	122.20
2	2	4088	C	C5-C6-N1	6.47	124.24	121.00
2	2	1822	U	N1-C2-O2	6.47	127.33	122.80
2	2	4727	A	N1-C2-N3	-6.47	126.06	129.30
2	2	2678	A	N1-C2-N3	-6.47	126.07	129.30
2	2	4372	U	N3-C2-O2	-6.47	117.67	122.20
2	2	4473	A	N1-C2-N3	-6.47	126.07	129.30
2	2	1216	C	N3-C2-O2	-6.47	117.37	121.90
2	2	2260	C	C5-C6-N1	6.47	124.23	121.00
2	2	4183	G	N3-C4-C5	-6.46	125.37	128.60
2	2	4964	C	C5-C6-N1	6.46	124.23	121.00
2	2	304	C	N1-C2-O2	6.46	122.78	118.90
2	2	2766	A	N1-C2-N3	-6.46	126.07	129.30
2	2	2856	C	C2-N1-C1'	6.46	125.91	118.80
2	2	4345	C	C6-N1-C2	-6.46	117.72	120.30
2	2	149	A	N1-C2-N3	-6.46	126.07	129.30
2	2	1589	C	C5-C6-N1	6.46	124.23	121.00
2	2	1078	A	N1-C2-N3	-6.46	126.07	129.30
2	2	1341	U	N3-C2-O2	-6.46	117.68	122.20
2	2	4510	A	N1-C2-N3	-6.46	126.07	129.30
2	2	4315	A	N1-C2-N3	-6.46	126.07	129.30
2	2	493	G	C8-N9-C1'	-6.46	118.61	127.00
2	2	4288	C	C6-N1-C2	-6.46	117.72	120.30
2	2	648	G	C4-N9-C1'	6.45	134.89	126.50
2	2	750	U	N3-C2-O2	-6.45	117.68	122.20
2	2	4079	C	C6-N1-C2	-6.45	117.72	120.30
2	2	4555	U	P-O3'-C3'	6.45	127.44	119.70
2	2	5035	U	N1-C2-O2	6.45	127.32	122.80
5	5	42	A	N1-C2-N3	-6.45	126.07	129.30
5	5	95	C	N1-C2-O2	6.45	122.77	118.90
2	2	907	C	N1-C2-O2	6.45	122.77	118.90
2	2	1298	C	C6-N1-C2	-6.45	117.72	120.30
2	2	4199	C	C2-N1-C1'	6.45	125.89	118.80
2	2	1460	C	C5-C6-N1	6.45	124.22	121.00
8	8	108	A	N1-C2-N3	-6.45	126.08	129.30
2	2	371	A	C4-C5-C6	-6.45	113.78	117.00
2	2	1964	A	N1-C2-N3	-6.45	126.08	129.30
2	2	2088	A	N1-C2-N3	-6.45	126.08	129.30
2	2	3876	A	N1-C2-N3	-6.45	126.08	129.30
2	2	4983	C	N3-C2-O2	-6.45	117.39	121.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	706	C	C6-N1-C2	-6.44	117.72	120.30
2	2	2513	A	C4-C5-C6	-6.44	113.78	117.00
2	2	4422	A	N1-C2-N3	-6.44	126.08	129.30
2	2	2817	C	C5-C6-N1	6.44	124.22	121.00
2	2	1720	C	N3-C2-O2	-6.44	117.39	121.90
2	2	2017	A	C2-N3-C4	6.44	113.82	110.60
2	2	2520	C	C6-N1-C2	-6.44	117.72	120.30
2	2	3826	C	N1-C2-O2	6.44	122.76	118.90
2	2	1494	U	C6-N1-C2	-6.44	117.14	121.00
2	2	4140	C	C5-C6-N1	6.44	124.22	121.00
2	2	4206	C	C2-N1-C1'	6.44	125.88	118.80
2	2	4239	A	N1-C2-N3	-6.44	126.08	129.30
2	2	180	C	N3-C2-O2	-6.43	117.40	121.90
2	2	1241	C	C6-N1-C2	-6.43	117.73	120.30
2	2	1500	A	N1-C2-N3	-6.43	126.08	129.30
2	2	4773	C	C5-C6-N1	6.43	124.22	121.00
2	2	2534	C	C6-N1-C2	-6.43	117.73	120.30
2	2	3910	C	C5-C6-N1	6.43	124.22	121.00
2	2	4172	A	N1-C2-N3	-6.43	126.08	129.30
2	2	41	C	N1-C2-O2	6.43	122.76	118.90
2	2	3587	C	C2-N1-C1'	6.43	125.87	118.80
2	2	4428	A	N1-C2-N3	-6.43	126.08	129.30
5	5	88	A	N1-C2-N3	-6.43	126.09	129.30
2	2	1395	U	C5-C6-N1	6.43	125.91	122.70
2	2	264	C	C5-C6-N1	6.43	124.21	121.00
2	2	4696	C	C6-N1-C2	-6.43	117.73	120.30
2	2	1635	C	C5-C6-N1	6.42	124.21	121.00
2	2	1805	A	N1-C2-N3	-6.42	126.09	129.30
2	2	4701	A	N1-C6-N6	-6.42	114.75	118.60
2	2	4654	C	C6-N1-C2	-6.42	117.73	120.30
2	2	30	C	C2-N1-C1'	6.42	125.86	118.80
2	2	513	U	C6-N1-C2	-6.42	117.15	121.00
2	2	713	C	C6-N1-C2	-6.42	117.73	120.30
2	2	1279	A	N1-C2-N3	-6.42	126.09	129.30
2	2	1305	C	C6-N1-C2	-6.42	117.73	120.30
2	2	3680	U	C2-N1-C1'	6.42	125.40	117.70
8	8	26	C	C6-N1-C2	-6.42	117.73	120.30
2	2	692	A	N1-C2-N3	-6.42	126.09	129.30
2	2	1648	C	C6-N1-C2	-6.42	117.73	120.30
2	2	2544	G	C4-N9-C1'	6.42	134.84	126.50
2	2	2744	A	N1-C2-N3	-6.42	126.09	129.30
2	2	4685	U	N1-C2-O2	6.42	127.29	122.80

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	4929	C	C6-N1-C2	-6.42	117.73	120.30
2	2	238	C	C6-N1-C2	-6.42	117.73	120.30
2	2	111	C	C6-N1-C2	-6.41	117.73	120.30
2	2	759	G	N3-C4-C5	-6.41	125.39	128.60
2	2	1289	C	N3-C2-O2	-6.41	117.41	121.90
2	2	676	C	C6-N1-C2	-6.41	117.74	120.30
2	2	2708	U	C2-N1-C1'	6.41	125.39	117.70
2	2	4323	A	N1-C2-N3	-6.41	126.09	129.30
2	2	4893	A	N1-C2-N3	-6.41	126.10	129.30
2	2	2325	C	C5-C6-N1	6.41	124.20	121.00
2	2	4229	U	C6-N1-C2	-6.41	117.16	121.00
2	2	4563	U	N1-C2-O2	6.41	127.28	122.80
5	5	54	A	N1-C2-N3	-6.41	126.10	129.30
2	2	1332	C	C5-C6-N1	6.40	124.20	121.00
2	2	336	A	C2-N3-C4	6.40	113.80	110.60
2	2	324	A	N1-C2-N3	-6.40	126.10	129.30
2	2	100	C	C6-N1-C2	-6.40	117.74	120.30
2	2	2100	A	N1-C2-N3	-6.40	126.10	129.30
2	2	2843	U	O5'-P-OP1	-6.40	99.94	105.70
2	2	4164	C	C6-N1-C2	-6.40	117.74	120.30
5	5	68	C	C5-C6-N1	6.40	124.20	121.00
5	5	67	C	C5-C6-N1	6.40	124.20	121.00
2	2	2573	A	N1-C2-N3	-6.39	126.10	129.30
2	2	460	C	C5-C6-N1	6.39	124.20	121.00
2	2	2042	A	N1-C2-N3	-6.39	126.10	129.30
2	2	2338	C	C5-C6-N1	6.39	124.20	121.00
2	2	2445	C	C5-C6-N1	6.39	124.20	121.00
2	2	2533	C	C6-N1-C2	-6.39	117.74	120.30
2	2	3688	U	N1-C2-O2	6.39	127.27	122.80
2	2	30	C	C5-C6-N1	6.39	124.19	121.00
2	2	2290	C	N1-C2-O2	6.39	122.73	118.90
2	2	3702	A	N1-C2-N3	-6.39	126.10	129.30
2	2	33	A	C2-N3-C4	6.39	113.80	110.60
2	2	718	C	C5-C6-N1	6.39	124.19	121.00
2	2	1238	A	N1-C2-N3	-6.39	126.11	129.30
2	2	1593	A	N1-C2-N3	-6.39	126.11	129.30
2	2	2660	A	N1-C2-N3	-6.39	126.11	129.30
8	8	118	C	C5-C6-N1	6.39	124.19	121.00
2	2	344	A	N1-C2-N3	-6.38	126.11	129.30
5	5	103	A	N1-C2-N3	-6.38	126.11	129.30
2	2	4136	G	P-O3'-C3'	6.38	127.36	119.70
2	2	1431	C	C5-C6-N1	6.38	124.19	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1832	C	N3-C2-O2	-6.38	117.43	121.90
2	2	1344	C	N1-C2-O2	6.38	122.72	118.90
2	2	4683	U	N1-C2-O2	6.38	127.26	122.80
2	2	4985	U	N3-C2-O2	-6.38	117.74	122.20
2	2	4990	C	C5-C6-N1	6.38	124.19	121.00
2	2	492	U	N3-C2-O2	-6.37	117.74	122.20
2	2	1206	C	C5-C6-N1	6.37	124.19	121.00
2	2	2879	A	N1-C2-N3	-6.37	126.11	129.30
2	2	4162	C	C2-N1-C1'	6.37	125.81	118.80
2	2	991	C	N1-C2-O2	6.37	122.72	118.90
2	2	2392	C	N1-C2-O2	6.37	122.72	118.90
2	2	2832	A	N1-C2-N3	-6.37	126.11	129.30
2	2	1420	A	N1-C2-N3	-6.37	126.11	129.30
2	2	2506	G	C4-N9-C1'	6.37	134.78	126.50
2	2	946	C	C5-C6-N1	6.37	124.18	121.00
2	2	1497	A	N1-C2-N3	-6.37	126.12	129.30
2	2	4590	A	N1-C2-N3	-6.37	126.12	129.30
2	2	1428	U	N3-C2-O2	-6.37	117.74	122.20
8	8	79	G	C8-N9-C4	-6.37	103.85	106.40
2	2	167	C	C6-N1-C2	-6.37	117.75	120.30
2	2	1644	C	C5-C6-N1	6.37	124.18	121.00
2	2	4254	G	N3-C4-C5	-6.37	125.42	128.60
2	2	4262	C	C6-N1-C2	-6.37	117.75	120.30
2	2	699	C	N1-C2-O2	6.36	122.72	118.90
2	2	4284	C	C6-N1-C2	-6.36	117.75	120.30
2	2	1239	C	C6-N1-C2	-6.36	117.75	120.30
2	2	3687	A	N1-C2-N3	-6.36	126.12	129.30
2	2	1613	A	C4-C5-C6	-6.36	113.82	117.00
2	2	2565	A	N1-C2-N3	-6.36	126.12	129.30
2	2	4505	C	N3-C2-O2	-6.36	117.45	121.90
2	2	1178	G	C4-N9-C1'	6.36	134.77	126.50
2	2	3696	C	C6-N1-C2	-6.36	117.76	120.30
2	2	1635	C	C6-N1-C2	-6.35	117.76	120.30
2	2	3662	A	N1-C2-N3	-6.35	126.12	129.30
2	2	4943	A	N1-C2-N3	-6.35	126.12	129.30
2	2	686	A	N1-C2-N3	-6.35	126.12	129.30
2	2	694	C	N1-C2-O2	6.35	122.71	118.90
2	2	3642	A	N1-C2-N3	-6.35	126.12	129.30
2	2	454	U	C6-N1-C2	-6.35	117.19	121.00
8	8	65	A	N1-C2-N3	-6.35	126.13	129.30
2	2	3853	U	N3-C2-O2	-6.35	117.76	122.20
2	2	4892	A	N1-C2-N3	-6.35	126.13	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	964	A	N1-C2-N3	-6.34	126.13	129.30
2	2	2366	A	N1-C2-N3	-6.34	126.13	129.30
2	2	4116	C	OP2-P-O3'	6.34	119.16	105.20
2	2	4284	C	C5-C6-N1	6.34	124.17	121.00
2	2	4585	U	C6-N1-C2	-6.34	117.19	121.00
2	2	4767	C	C5-C6-N1	6.34	124.17	121.00
2	2	4879	C	C5-C6-N1	6.34	124.17	121.00
8	8	116	C	C5-C6-N1	6.34	124.17	121.00
2	2	909	A	C2-N3-C4	6.34	113.77	110.60
2	2	2304	U	N3-C2-O2	-6.34	117.76	122.20
2	2	1610	C	C6-N1-C2	-6.34	117.76	120.30
2	2	2532	C	C2-N1-C1'	6.34	125.77	118.80
2	2	4074	C	C6-N1-C2	-6.34	117.76	120.30
2	2	4254	G	N3-C4-N9	6.34	129.80	126.00
2	2	4100	C	N1-C2-O2	6.34	122.70	118.90
2	2	5004	C	C6-N1-C2	-6.34	117.77	120.30
2	2	1514	U	N1-C2-O2	6.33	127.23	122.80
2	2	1519	C	N1-C2-O2	6.33	122.70	118.90
2	2	3726	A	N1-C2-N3	-6.33	126.13	129.30
2	2	4518	A	N1-C2-N3	-6.33	126.13	129.30
2	2	3942	A	C2-N3-C4	6.33	113.77	110.60
2	2	4449	A	N1-C2-N3	-6.33	126.13	129.30
2	2	433	A	N1-C2-N3	-6.33	126.13	129.30
2	2	988	C	N3-C2-O2	-6.33	117.47	121.90
2	2	1191	C	C5-C6-N1	6.33	124.17	121.00
2	2	1630	A	N1-C2-N3	-6.33	126.14	129.30
2	2	1857	C	C6-N1-C2	-6.33	117.77	120.30
2	2	3594	C	N1-C2-O2	6.33	122.70	118.90
2	2	4480	A	N1-C2-N3	-6.33	126.14	129.30
2	2	1884	C	N1-C2-O2	6.33	122.70	118.90
2	2	3852	A	N1-C2-N3	-6.33	126.14	129.30
2	2	67	C	N1-C2-O2	6.33	122.70	118.90
2	2	1405	C	C6-N1-C2	-6.33	117.77	120.30
2	2	4639	G	C2-N3-C4	6.33	115.06	111.90
2	2	2551	A	N1-C2-N3	-6.33	126.14	129.30
2	2	2614	C	C6-N1-C2	-6.33	117.77	120.30
2	2	4612	C	N3-C2-O2	-6.33	117.47	121.90
2	2	4991	U	N3-C2-O2	-6.33	117.77	122.20
2	2	1666	C	C5-C6-N1	6.32	124.16	121.00
2	2	4138	C	N1-C2-O2	6.32	122.69	118.90
8	8	91	A	N1-C2-N3	-6.32	126.14	129.30
2	2	4906	C	N1-C2-O2	6.32	122.69	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	3716	C	C5-C6-N1	6.32	124.16	121.00
2	2	3858	C	N1-C2-O2	6.32	122.69	118.90
16	G	114	LEU	CA-CB-CG	6.32	129.84	115.30
2	2	242	U	C6-N1-C2	-6.32	117.21	121.00
2	2	2085	G	C4-N9-C1'	6.32	134.71	126.50
2	2	1357	C	C5-C6-N1	6.32	124.16	121.00
8	8	130	C	C6-N1-C2	-6.32	117.77	120.30
2	2	4934	A	N1-C2-N3	-6.31	126.14	129.30
2	2	2684	C	C5-C6-N1	6.31	124.16	121.00
2	2	4479	A	N1-C2-N3	-6.31	126.14	129.30
2	2	113	A	N1-C2-N3	-6.31	126.14	129.30
2	2	723	A	N1-C2-N3	-6.31	126.14	129.30
2	2	1254	A	C4-N9-C1'	6.31	137.66	126.30
2	2	3870	C	C2-N1-C1'	6.31	125.74	118.80
2	2	4342	C	N3-C2-O2	-6.31	117.48	121.90
2	2	368	C	N3-C2-O2	-6.31	117.48	121.90
2	2	1097	C	N3-C2-O2	-6.31	117.48	121.90
44	1	13	CYS	CA-CB-SG	6.31	125.35	114.00
2	2	2340	C	C6-N1-C2	-6.30	117.78	120.30
2	2	3656	A	C2-N3-C4	6.30	113.75	110.60
2	2	3851	U	N1-C2-O2	6.30	127.21	122.80
2	2	1827	C	C6-N1-C2	-6.30	117.78	120.30
2	2	3590	G	N3-C4-C5	-6.30	125.45	128.60
2	2	4420	U	N3-C2-O2	-6.30	117.79	122.20
2	2	911	U	N3-C2-O2	-6.30	117.79	122.20
2	2	1404	G	N3-C4-N9	6.30	129.78	126.00
2	2	1563	A	N1-C2-N3	-6.30	126.15	129.30
2	2	2729	C	N1-C2-O2	6.30	122.68	118.90
2	2	4406	U	C2-N1-C1'	6.30	125.26	117.70
2	2	5019	A	C5-C6-N1	6.30	120.85	117.70
2	2	4698	C	C5-C6-N1	6.30	124.15	121.00
2	2	256	G	N1-C6-O6	6.30	123.68	119.90
2	2	2784	C	C5-C6-N1	6.30	124.15	121.00
2	2	4394	A	N1-C2-N3	-6.30	126.15	129.30
2	2	2483	G	C8-N9-C1'	-6.29	118.82	127.00
2	2	1583	A	C2-N3-C4	6.29	113.75	110.60
2	2	1669	A	N1-C2-N3	-6.29	126.15	129.30
2	2	2791	C	N1-C2-O2	6.29	122.68	118.90
2	2	4178	A	N1-C2-N3	-6.29	126.15	129.30
2	2	4223	C	C6-N1-C2	-6.29	117.78	120.30
8	8	72	A	N1-C2-N3	-6.29	126.15	129.30
2	2	305	A	N1-C2-N3	-6.29	126.15	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	2482	C	C5-C6-N1	6.29	124.14	121.00
2	2	2628	U	N3-C2-O2	-6.29	117.80	122.20
2	2	3680	U	C6-N1-C2	-6.29	117.23	121.00
2	2	518	G	N3-C4-C5	-6.29	125.46	128.60
2	2	2670	C	C6-N1-C2	-6.29	117.78	120.30
2	2	4267	G	C2-N3-C4	6.29	115.04	111.90
2	2	4509	U	N3-C2-O2	-6.29	117.80	122.20
2	2	4929	C	C5-C6-N1	6.29	124.14	121.00
2	2	2096	G	C8-N9-C1'	-6.29	118.83	127.00
2	2	3608	A	N1-C2-N3	-6.29	126.16	129.30
2	2	1175	A	N1-C2-N3	-6.29	126.16	129.30
2	2	2303	C	C5-C6-N1	6.29	124.14	121.00
2	2	3596	A	N1-C2-N3	-6.29	126.16	129.30
2	2	4137	C	C6-N1-C2	-6.29	117.79	120.30
2	2	911	U	N1-C2-O2	6.28	127.20	122.80
2	2	2078	C	C5-C6-N1	6.28	124.14	121.00
2	2	347	A	C2-N3-C4	6.28	113.74	110.60
2	2	1726	U	C2-N1-C1'	6.28	125.24	117.70
2	2	2803	U	C5-C6-N1	6.28	125.84	122.70
2	2	209	U	C5-C6-N1	6.28	125.84	122.70
5	5	28	C	C2-N1-C1'	6.28	125.71	118.80
2	2	1642	A	N1-C2-N3	-6.28	126.16	129.30
2	2	3	C	C5-C6-N1	6.27	124.14	121.00
2	2	2710	C	C6-N1-C2	-6.27	117.79	120.30
2	2	1286	C	C6-N1-C2	-6.27	117.79	120.30
2	2	4482	U	N1-C2-O2	6.27	127.19	122.80
2	2	4982	A	N1-C2-N3	-6.27	126.17	129.30
2	2	1521	C	C5-C6-N1	6.26	124.13	121.00
5	5	94	C	N1-C2-O2	6.26	122.66	118.90
2	2	295	A	C5-C6-N1	6.26	120.83	117.70
2	2	977	C	N3-C2-O2	-6.26	117.52	121.90
2	2	3716	C	C6-N1-C2	-6.26	117.80	120.30
11	B	67	VAL	CB-CA-C	6.26	123.30	111.40
2	2	1478	C	C5-C6-N1	6.26	124.13	121.00
2	2	3655	C	C5-C6-N1	6.26	124.13	121.00
2	2	3692	A	N1-C2-N3	-6.26	126.17	129.30
2	2	1086	C	C5-C6-N1	6.26	124.13	121.00
2	2	1270	A	N1-C2-N3	-6.26	126.17	129.30
2	2	1884	C	C6-N1-C2	-6.26	117.80	120.30
2	2	2857	A	N1-C2-N3	-6.26	126.17	129.30
2	2	3865	A	N1-C2-N3	-6.26	126.17	129.30
2	2	1094	G	C4-N9-C1'	6.25	134.63	126.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1566	C	C2-N1-C1'	6.25	125.68	118.80
2	2	2654	C	C6-N1-C2	-6.25	117.80	120.30
2	2	23	C	N1-C2-O2	6.25	122.65	118.90
2	2	1307	A	N1-C2-N3	-6.25	126.17	129.30
2	2	1690	C	C5-C6-N1	6.25	124.13	121.00
2	2	4289	U	C2-N1-C1'	6.25	125.20	117.70
2	2	4422	A	C2-N3-C4	6.25	113.73	110.60
2	2	115	C	C5-C6-N1	6.25	124.13	121.00
2	2	410	A	N1-C2-N3	-6.25	126.17	129.30
2	2	2016	C	C5-C6-N1	6.25	124.13	121.00
2	2	4085	A	N1-C2-N3	-6.25	126.17	129.30
2	2	4673	U	N3-C2-O2	-6.25	117.82	122.20
2	2	1567	U	N3-C2-O2	-6.25	117.83	122.20
2	2	259	C	C5-C6-N1	6.24	124.12	121.00
2	2	974	C	N3-C2-O2	-6.24	117.53	121.90
2	2	1452	A	N1-C2-N3	-6.24	126.18	129.30
2	2	2439	G	N3-C4-N9	6.24	129.75	126.00
2	2	4281	A	O4'-C1'-N9	6.24	113.19	108.20
2	2	4674	C	N1-C2-O2	6.24	122.65	118.90
2	2	449	C	C2-N3-C4	6.24	123.02	119.90
2	2	2344	U	N1-C2-O2	6.24	127.17	122.80
2	2	5046	U	C6-N1-C2	-6.24	117.25	121.00
2	2	74	G	C4-N9-C1'	6.24	134.61	126.50
2	2	466	A	N1-C2-N3	-6.24	126.18	129.30
2	2	3926	C	C2-N1-C1'	6.24	125.66	118.80
2	2	2765	A	N1-C2-N3	-6.24	126.18	129.30
2	2	499	G	N7-C8-N9	6.24	116.22	113.10
2	2	1248	C	C6-N1-C2	-6.24	117.81	120.30
2	2	2257	C	N3-C2-O2	-6.24	117.54	121.90
2	2	5030	U	C4-C5-C6	6.24	123.44	119.70
2	2	1615	C	C5-C6-N1	6.23	124.12	121.00
2	2	931	C	C5-C6-N1	6.23	124.12	121.00
2	2	81	C	C5-C6-N1	6.23	124.11	121.00
2	2	294	G	N3-C4-N9	6.23	129.74	126.00
2	2	977	C	C2-N1-C1'	6.23	125.65	118.80
4	4	158	LEU	CA-CB-CG	6.23	129.63	115.30
2	2	1706	A	N1-C2-N3	-6.23	126.19	129.30
2	2	4921	C	N3-C2-O2	-6.23	117.54	121.90
2	2	1302	U	C6-N1-C1'	-6.23	112.48	121.20
2	2	3694	U	N3-C2-O2	-6.23	117.84	122.20
2	2	1096	C	N1-C2-O2	6.22	122.64	118.90
2	2	2409	U	N1-C2-N3	6.22	118.64	114.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	4215	C	C5-C6-N1	6.22	124.11	121.00
8	8	3	A	C2-N3-C4	6.22	113.71	110.60
2	2	66	A	N1-C2-N3	-6.22	126.19	129.30
2	2	1641	G	O4'-C1'-N9	-6.22	103.22	108.20
2	2	4996	C	N1-C2-O2	6.22	122.63	118.90
2	2	1832	C	C6-N1-C2	-6.22	117.81	120.30
2	2	4744	A	N1-C2-N3	-6.22	126.19	129.30
2	2	3927	U	N3-C2-O2	-6.22	117.85	122.20
2	2	1332	C	C6-N1-C2	-6.22	117.81	120.30
2	2	1963	C	N3-C2-O2	-6.22	117.55	121.90
2	2	4987	C	N1-C2-O2	6.22	122.63	118.90
2	2	1602	U	N1-C2-O2	6.21	127.15	122.80
2	2	1804	A	N1-C2-N3	-6.21	126.19	129.30
2	2	1891	A	N1-C2-N3	-6.21	126.19	129.30
2	2	4499	G	O5'-P-OP2	-6.21	100.11	105.70
5	5	24	C	N3-C2-O2	-6.21	117.55	121.90
5	5	57	C	C6-N1-C2	-6.21	117.81	120.30
2	2	2018	C	C6-N1-C2	-6.21	117.81	120.30
2	2	178	C	N1-C2-O2	6.21	122.63	118.90
2	2	296	A	N1-C2-N3	-6.21	126.20	129.30
2	2	2540	C	C6-N1-C2	-6.21	117.82	120.30
2	2	4406	U	N3-C2-O2	-6.21	117.86	122.20
2	2	490	C	C5-C6-N1	6.21	124.10	121.00
2	2	963	G	N3-C4-C5	-6.20	125.50	128.60
2	2	966	A	C2-N3-C4	6.20	113.70	110.60
2	2	1616	U	N1-C2-O2	6.20	127.14	122.80
2	2	2094	G	C8-N9-C4	-6.20	103.92	106.40
2	2	4758	U	C6-N1-C1'	-6.20	112.52	121.20
2	2	1817	U	N1-C2-O2	6.20	127.14	122.80
2	2	5034	A	N1-C2-N3	-6.20	126.20	129.30
8	8	17	A	C2-N3-C4	6.20	113.70	110.60
2	2	1201	U	N3-C2-O2	-6.20	117.86	122.20
8	8	17	A	N1-C2-N3	-6.20	126.20	129.30
8	8	54	C	N3-C2-O2	-6.20	117.56	121.90
2	2	1620	U	N3-C2-O2	-6.20	117.86	122.20
2	2	2096	G	N3-C4-C5	-6.20	125.50	128.60
2	2	4378	A	N1-C2-N3	-6.20	126.20	129.30
2	2	4109	G	N3-C4-C5	-6.19	125.50	128.60
2	2	94	A	N1-C2-N3	-6.19	126.20	129.30
2	2	963	G	C8-N9-C1'	-6.19	118.95	127.00
2	2	2792	C	C5-C6-N1	6.19	124.10	121.00
2	2	128	C	C6-N1-C2	-6.19	117.82	120.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	8	150	C	C6-N1-C2	-6.19	117.82	120.30
2	2	4105	A	N1-C2-N3	-6.19	126.21	129.30
2	2	4624	A	N1-C2-N3	-6.19	126.21	129.30
2	2	2616	C	C5-C6-N1	6.18	124.09	121.00
2	2	2623	A	N1-C2-N3	-6.18	126.21	129.30
2	2	1375	C	N1-C2-O2	6.18	122.61	118.90
2	2	4387	C	C5-C6-N1	6.18	124.09	121.00
2	2	4981	G	C4-N9-C1'	6.18	134.54	126.50
2	2	962	C	N1-C2-O2	6.18	122.61	118.90
2	2	1184	A	N1-C2-N3	-6.18	126.21	129.30
2	2	1327	C	C6-N1-C2	-6.18	117.83	120.30
2	2	3653	A	N1-C2-N3	-6.18	126.21	129.30
2	2	2483	G	C2-N3-C4	6.18	114.99	111.90
2	2	2439	G	C4-N9-C1'	6.18	134.53	126.50
2	2	4366	A	C4-C5-C6	-6.18	113.91	117.00
2	2	367	C	C5-C6-N1	6.17	124.09	121.00
2	2	4645	C	C5-C6-N1	6.17	124.09	121.00
8	8	84	A	N1-C2-N3	-6.17	126.21	129.30
2	2	452	A	N1-C2-N3	-6.17	126.21	129.30
2	2	1521	C	N1-C2-O2	6.17	122.60	118.90
2	2	7	C	C6-N1-C2	-6.17	117.83	120.30
2	2	212	A	N1-C2-N3	-6.17	126.21	129.30
2	2	2565	A	C2-N3-C4	6.17	113.69	110.60
2	2	4605	A	C2-N3-C4	6.17	113.69	110.60
2	2	4775	C	C6-N1-C1'	-6.17	113.39	120.80
2	2	1632	A	C4-N9-C1'	6.17	137.40	126.30
2	2	2057	A	N1-C2-N3	-6.17	126.22	129.30
2	2	4291	G	C2-N3-C4	6.17	114.98	111.90
2	2	2598	A	N1-C2-N3	-6.17	126.22	129.30
2	2	1719	A	N1-C2-N3	-6.16	126.22	129.30
2	2	3882	C	C2-N1-C1'	6.16	125.58	118.80
2	2	4886	C	C5-C6-N1	6.16	124.08	121.00
2	2	474	C	C5-C6-N1	6.16	124.08	121.00
2	2	12	A	N1-C2-N3	-6.16	126.22	129.30
2	2	264	C	C6-N1-C2	-6.16	117.84	120.30
2	2	434	A	C2-N3-C4	6.16	113.68	110.60
2	2	463	A	N1-C2-N3	-6.16	126.22	129.30
2	2	1243	C	C2-N1-C1'	6.16	125.58	118.80
2	2	1449	C	C5-C6-N1	6.16	124.08	121.00
2	2	4698	C	C6-N1-C2	-6.16	117.84	120.30
2	2	69	A	N1-C2-N3	-6.16	126.22	129.30
2	2	295	A	C4-C5-C6	-6.16	113.92	117.00

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	2484	A	C4-N9-C1'	6.16	137.38	126.30
2	2	3860	A	C2-N3-C4	6.15	113.68	110.60
2	2	1929	A	C8-N9-C1'	-6.15	116.62	127.70
2	2	2018	C	C5-C6-N1	6.15	124.08	121.00
2	2	3622	C	N3-C2-O2	-6.15	117.59	121.90
2	2	4562	C	C5-C6-N1	6.15	124.08	121.00
5	5	29	C	C2-N1-C1'	6.15	125.57	118.80
8	8	61	A	N1-C2-N3	-6.15	126.22	129.30
2	2	469	C	N1-C2-O2	6.15	122.59	118.90
2	2	38	A	C4-C5-C6	-6.15	113.93	117.00
2	2	1672	U	N3-C2-O2	-6.15	117.90	122.20
2	2	2749	C	C5-C6-N1	6.15	124.07	121.00
8	8	101	C	N3-C2-O2	-6.15	117.60	121.90
2	2	218	A	N1-C2-N3	-6.14	126.23	129.30
2	2	3667	C	C6-N1-C2	-6.14	117.84	120.30
3	3	324	VAL	C-N-CA	6.14	137.06	121.70
8	8	51	U	C6-N1-C1'	-6.14	112.60	121.20
2	2	3828	A	N1-C2-N3	-6.14	126.23	129.30
2	2	4957	C	C5-C6-N1	6.14	124.07	121.00
8	8	4	C	C5-C6-N1	6.14	124.07	121.00
2	2	4255	A	C2-N3-C4	6.14	113.67	110.60
5	5	19	C	C5-C6-N1	6.14	124.07	121.00
2	2	12	A	C2-N3-C4	6.14	113.67	110.60
2	2	252	C	C5-C6-N1	6.14	124.07	121.00
2	2	1669	A	C4-C5-C6	-6.14	113.93	117.00
2	2	1241	C	C6-N1-C1'	-6.14	113.44	120.80
2	2	1245	C	N1-C2-O2	6.14	122.58	118.90
2	2	1658	G	C2-N3-C4	6.14	114.97	111.90
2	2	4137	C	N1-C2-O2	6.13	122.58	118.90
2	2	2860	C	C5-C6-N1	6.13	124.07	121.00
2	2	668	C	N3-C2-O2	-6.13	117.61	121.90
2	2	757	G	C4-N9-C1'	6.13	134.47	126.50
2	2	1477	C	C5-C6-N1	6.13	124.06	121.00
2	2	3682	A	N1-C2-N3	-6.13	126.24	129.30
2	2	6	C	N1-C2-O2	6.12	122.57	118.90
2	2	1346	C	C5-C6-N1	6.12	124.06	121.00
2	2	2264	C	C6-N1-C2	-6.12	117.85	120.30
2	2	4928	C	C6-N1-C2	-6.12	117.85	120.30
2	2	4165	C	C5-C6-N1	6.12	124.06	121.00
2	2	3587	C	C6-N1-C2	-6.12	117.85	120.30
2	2	4352	U	C2-N1-C1'	6.12	125.04	117.70
2	2	4522	G	O5'-P-OP2	6.12	118.04	110.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	683	C	C5-C6-N1	6.12	124.06	121.00
2	2	1896	A	N1-C2-N3	-6.12	126.24	129.30
2	2	238	C	N1-C2-O2	6.12	122.57	118.90
2	2	1661	C	C5-C6-N1	6.12	124.06	121.00
2	2	1882	U	C5-C4-O4	-6.12	122.23	125.90
2	2	2497	C	C6-N1-C2	-6.11	117.86	120.30
2	2	2629	C	N1-C2-O2	6.11	122.57	118.90
2	2	1565	A	N1-C2-N3	-6.11	126.24	129.30
2	2	2272	C	C6-N1-C2	-6.11	117.86	120.30
2	2	4130	C	C6-N1-C2	-6.11	117.86	120.30
2	2	4352	U	C6-N1-C2	-6.11	117.33	121.00
2	2	3745	U	N3-C2-O2	-6.11	117.92	122.20
2	2	406	C	C6-N1-C2	-6.11	117.86	120.30
2	2	1398	A	N1-C2-N3	-6.11	126.25	129.30
2	2	2482	C	C6-N1-C2	-6.11	117.86	120.30
2	2	4165	C	C6-N1-C2	-6.11	117.86	120.30
2	2	488	G	C8-N9-C4	-6.10	103.96	106.40
2	2	2276	A	N1-C2-N3	-6.10	126.25	129.30
2	2	358	C	N1-C2-O2	6.10	122.56	118.90
2	2	1307	A	C2-N3-C4	6.10	113.65	110.60
2	2	4752	U	N1-C2-O2	6.10	127.07	122.80
2	2	1926	C	C6-N1-C2	-6.10	117.86	120.30
2	2	2038	U	N1-C2-O2	6.10	127.07	122.80
2	2	2290	C	C5-C6-N1	6.10	124.05	121.00
2	2	3891	A	C2-N3-C4	6.10	113.65	110.60
2	2	4361	U	N1-C2-O2	6.10	127.07	122.80
2	2	747	A	N1-C2-N3	-6.10	126.25	129.30
2	2	1791	U	N3-C2-O2	-6.10	117.93	122.20
2	2	1346	C	C6-N1-C2	-6.09	117.86	120.30
2	2	1696	C	C6-N1-C2	-6.09	117.86	120.30
2	2	4110	C	C5-C6-N1	6.09	124.05	121.00
2	2	4466	C	C5-C6-N1	6.09	124.05	121.00
2	2	4610	A	O4'-C1'-N9	6.09	113.08	108.20
2	2	4674	C	C5-C6-N1	6.09	124.05	121.00
2	2	4722	G	C4-N9-C1'	6.09	134.42	126.50
2	2	4955	A	N1-C2-N3	-6.09	126.25	129.30
8	8	144	U	N3-C2-O2	-6.09	117.93	122.20
2	2	385	A	C4-C5-C6	-6.09	113.95	117.00
2	2	459	C	C6-N1-C2	-6.09	117.86	120.30
2	2	4527	G	C4-C5-N7	6.09	113.24	110.80
2	2	1849	U	N3-C2-O2	-6.09	117.94	122.20
8	8	30	U	N3-C2-O2	-6.09	117.94	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	661	C	C5-C6-N1	6.08	124.04	121.00
2	2	332	C	C5-C6-N1	6.08	124.04	121.00
2	2	4133	C	C2-N1-C1'	6.08	125.49	118.80
2	2	4734	A	N1-C2-N3	-6.08	126.26	129.30
2	2	663	G	N9-C4-C5	-6.08	102.97	105.40
2	2	1430	C	C5-C6-N1	6.08	124.04	121.00
2	2	469	C	C5-C6-N1	6.08	124.04	121.00
2	2	4340	U	C6-N1-C2	-6.08	117.35	121.00
2	2	4612	C	C5-C6-N1	6.08	124.04	121.00
2	2	1564	A	C2-N3-C4	6.08	113.64	110.60
2	2	1521	C	N3-C2-O2	-6.08	117.65	121.90
2	2	1828	C	C6-N1-C2	-6.08	117.87	120.30
2	2	1894	C	C5-C6-N1	6.08	124.04	121.00
2	2	4396	A	N1-C2-N3	-6.08	126.26	129.30
2	2	2043	A	C4-C5-C6	-6.07	113.97	117.00
2	2	2820	C	C2-N1-C1'	6.07	125.48	118.80
2	2	4930	C	C6-N1-C2	-6.07	117.87	120.30
2	2	981	C	C5-C6-N1	6.07	124.03	121.00
2	2	4544	A	N1-C2-N3	-6.07	126.27	129.30
2	2	1554	A	C2-N3-C4	6.07	113.63	110.60
2	2	472	C	N3-C2-O2	-6.06	117.66	121.90
2	2	1050	C	C5-C6-N1	6.06	124.03	121.00
2	2	4639	G	N3-C4-N9	6.06	129.64	126.00
2	2	1503	A	C4-C5-C6	-6.06	113.97	117.00
2	2	2821	U	N1-C2-O2	6.06	127.04	122.80
2	2	4894	A	N1-C2-N3	-6.06	126.27	129.30
2	2	4747	C	C6-N1-C2	-6.06	117.88	120.30
2	2	4424	A	N1-C2-N3	-6.06	126.27	129.30
2	2	1702	C	N3-C2-O2	-6.06	117.66	121.90
2	2	1176	C	N1-C2-O2	6.05	122.53	118.90
2	2	1306	C	C6-N1-C2	-6.05	117.88	120.30
2	2	1341	U	N1-C2-O2	6.05	127.04	122.80
2	2	62	A	C2-N3-C4	6.05	113.62	110.60
2	2	1802	A	N1-C2-N3	-6.05	126.27	129.30
2	2	3882	C	C6-N1-C2	-6.05	117.88	120.30
2	2	4434	C	C6-N1-C2	-6.05	117.88	120.30
2	2	4500	U	C6-N1-C2	-6.05	117.37	121.00
2	2	35	U	N1-C2-O2	6.05	127.03	122.80
2	2	518	G	N3-C4-N9	6.05	129.63	126.00
5	5	115	A	N1-C2-N3	-6.05	126.28	129.30
2	2	2505	C	N1-C2-O2	6.05	122.53	118.90
2	2	4747	C	C5-C6-N1	6.05	124.02	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	2344	U	N3-C2-O2	-6.04	117.97	122.20
2	2	4298	A	C2-N3-C4	6.04	113.62	110.60
2	2	4640	C	C5-C6-N1	6.04	124.02	121.00
4	4	12	VAL	CA-CB-CG1	6.04	119.96	110.90
2	2	1874	A	N1-C2-N3	-6.04	126.28	129.30
2	2	1644	C	C6-N1-C2	-6.04	117.88	120.30
2	2	4388	A	C4-C5-C6	-6.04	113.98	117.00
2	2	294	G	N3-C4-C5	-6.04	125.58	128.60
2	2	1546	C	C6-N1-C2	-6.04	117.88	120.30
2	2	2509	C	N3-C2-O2	-6.04	117.67	121.90
2	2	4766	C	N1-C2-O2	6.04	122.52	118.90
5	5	91	C	C2-N1-C1'	6.03	125.44	118.80
2	2	3	C	C6-N1-C2	-6.03	117.89	120.30
2	2	971	U	C2-N1-C1'	6.03	124.94	117.70
2	2	2731	C	C5-C6-N1	6.03	124.02	121.00
8	8	90	C	C5-C6-N1	6.03	124.02	121.00
2	2	1094	G	N3-C4-C5	-6.03	125.59	128.60
2	2	4712	C	N1-C2-O2	6.03	122.52	118.90
8	8	99	U	C2-N1-C1'	6.03	124.93	117.70
2	2	4695	C	C5-C6-N1	6.03	124.01	121.00
8	8	113	C	C5-C6-N1	6.03	124.01	121.00
2	2	518	G	C4-N9-C1'	6.02	134.33	126.50
2	2	4562	C	N3-C2-O2	-6.02	117.68	121.90
2	2	427	A	C2-N3-C4	6.02	113.61	110.60
2	2	1508	A	C4-C5-C6	-6.02	113.99	117.00
2	2	2420	A	C4-C5-C6	-6.02	113.99	117.00
2	2	4263	C	C5-C6-N1	6.02	124.01	121.00
2	2	991	C	C6-N1-C2	-6.02	117.89	120.30
2	2	709	C	N1-C2-O2	6.02	122.51	118.90
2	2	746	A	N1-C2-N3	-6.02	126.29	129.30
2	2	1889	U	C2-N1-C1'	6.02	124.92	117.70
2	2	2849	A	N1-C6-N6	-6.02	114.99	118.60
2	2	1908	A	N1-C2-N3	-6.02	126.29	129.30
2	2	1293	G	C4-N9-C1'	6.01	134.32	126.50
2	2	919	C	C6-N1-C2	-6.01	117.89	120.30
2	2	1193	C	N3-C2-O2	-6.01	117.69	121.90
2	2	83	C	C5-C6-N1	6.01	124.00	121.00
2	2	929	A	N1-C2-N3	-6.01	126.30	129.30
2	2	1566	C	N1-C2-O2	6.01	122.51	118.90
8	8	4	C	C6-N1-C2	-6.01	117.89	120.30
2	2	400	A	N1-C2-N3	-6.01	126.30	129.30
2	2	2027	U	N3-C2-O2	-6.01	117.99	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1577	G	N1-C2-N2	6.01	121.61	116.20
2	2	3877	A	N1-C2-N3	-6.00	126.30	129.30
2	2	1884	C	C5-C6-N1	6.00	124.00	121.00
2	2	2107	C	C2-N1-C1'	6.00	125.40	118.80
2	2	2323	C	C6-N1-C2	-6.00	117.90	120.30
2	2	2418	A	N7-C8-N9	6.00	116.80	113.80
2	2	3943	A	N1-C2-N3	-6.00	126.30	129.30
2	2	4164	C	C5-C6-N1	6.00	124.00	121.00
2	2	4318	C	C6-N1-C2	-6.00	117.90	120.30
2	2	4474	A	N1-C2-N3	-6.00	126.30	129.30
2	2	4928	C	N1-C2-O2	6.00	122.50	118.90
2	2	1339	U	N3-C2-O2	-6.00	118.00	122.20
5	5	19	C	C6-N1-C2	-6.00	117.90	120.30
2	2	4318	C	C5-C6-N1	6.00	124.00	121.00
2	2	4641	U	N3-C2-O2	-6.00	118.00	122.20
2	2	1367	C	N3-C2-O2	-6.00	117.70	121.90
2	2	2713	C	C6-N1-C2	-6.00	117.90	120.30
2	2	4133	C	N1-C2-O2	6.00	122.50	118.90
2	2	56	A	C4-C5-C6	-5.99	114.00	117.00
2	2	363	A	C4-C5-C6	-5.99	114.00	117.00
2	2	1305	C	C5-C6-N1	5.99	124.00	121.00
2	2	1648	C	C5-C6-N1	5.99	124.00	121.00
2	2	1966	C	C6-N1-C2	-5.99	117.90	120.30
2	2	3920	U	N3-C2-O2	-5.99	118.00	122.20
8	8	150	C	N3-C2-O2	-5.99	117.70	121.90
2	2	2072	C	N1-C2-O2	5.99	122.50	118.90
2	2	2409	U	N3-C2-O2	-5.99	118.01	122.20
2	2	4622	A	C4-C5-C6	-5.99	114.00	117.00
2	2	10	A	C2-N3-C4	5.99	113.60	110.60
2	2	125	C	C5-C6-N1	5.99	124.00	121.00
2	2	350	C	N1-C2-O2	5.99	122.49	118.90
2	2	4255	A	N1-C2-N3	-5.99	126.30	129.30
2	2	4970	C	N1-C2-O2	5.99	122.49	118.90
2	2	2371	U	N1-C2-O2	5.99	126.99	122.80
2	2	5008	C	N3-C2-O2	-5.99	117.71	121.90
2	2	460	C	C6-N1-C2	-5.99	117.91	120.30
2	2	1293	G	N3-C4-C5	-5.99	125.61	128.60
2	2	1525	A	N1-C2-N3	-5.99	126.31	129.30
2	2	2094	G	C8-N9-C1'	-5.98	119.22	127.00
2	2	2798	A	N1-C2-N3	-5.98	126.31	129.30
2	2	3598	C	C5-C6-N1	5.98	123.99	121.00
2	2	3602	C	C6-N1-C2	-5.98	117.91	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1254	A	N1-C2-N3	-5.98	126.31	129.30
2	2	2537	A	N1-C2-N3	-5.98	126.31	129.30
8	8	153	C	C6-N1-C2	-5.98	117.91	120.30
2	2	2447	U	N1-C2-O2	5.98	126.98	122.80
2	2	2615	C	C2-N1-C1'	5.98	125.38	118.80
5	5	2	U	N3-C2-O2	-5.98	118.02	122.20
2	2	1913	C	C5-C6-N1	5.98	123.99	121.00
2	2	2892	C	C2-N1-C1'	5.98	125.37	118.80
2	2	155	C	N1-C2-O2	5.97	122.48	118.90
2	2	984	C	N1-C2-O2	5.97	122.48	118.90
2	2	4507	A	C2-N3-C4	5.97	113.59	110.60
2	2	1095	A	N1-C2-N3	-5.97	126.31	129.30
2	2	2667	C	C6-N1-C2	-5.97	117.91	120.30
2	2	3829	G	N3-C4-C5	-5.97	125.61	128.60
8	8	93	C	N1-C2-O2	5.97	122.48	118.90
2	2	4654	C	C5-C6-N1	5.97	123.99	121.00
2	2	1636	U	N3-C2-O2	-5.97	118.02	122.20
2	2	1957	U	N3-C2-O2	-5.97	118.02	122.20
2	2	3890	A	C5-C6-N1	5.97	120.68	117.70
2	2	1474	C	C5-C6-N1	5.96	123.98	121.00
2	2	986	C	C5-C6-N1	5.96	123.98	121.00
2	2	4955	A	C2-N3-C4	5.96	113.58	110.60
5	5	57	C	N1-C2-O2	5.96	122.48	118.90
2	2	1294	A	N1-C2-N3	-5.96	126.32	129.30
2	2	2412	A	C2-N3-C4	5.96	113.58	110.60
2	2	965	G	N3-C4-N9	5.96	129.57	126.00
2	2	1593	A	C4-C5-C6	-5.96	114.02	117.00
2	2	3854	C	C5-C6-N1	5.96	123.98	121.00
2	2	1275	G	O4'-C1'-N9	5.96	112.97	108.20
2	2	2589	C	C6-N1-C2	-5.96	117.92	120.30
2	2	4177	C	C5-C6-N1	5.96	123.98	121.00
2	2	4725	C	C6-N1-C2	-5.96	117.92	120.30
2	2	4860	G	N3-C4-N9	5.96	129.57	126.00
2	2	291	U	N3-C2-O2	-5.95	118.03	122.20
2	2	303	C	C5-C6-N1	5.95	123.98	121.00
5	5	33	U	N3-C2-O2	-5.95	118.03	122.20
2	2	917	A	C4-C5-C6	-5.95	114.02	117.00
2	2	1263	A	N1-C2-N3	-5.95	126.33	129.30
2	2	4860	G	C4-N9-C1'	5.95	134.24	126.50
2	2	4130	C	C5-C6-N1	5.95	123.97	121.00
2	2	2417	A	O4'-C1'-N9	5.95	112.96	108.20
2	2	3846	C	C5-C6-N1	5.95	123.97	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	4332	C	C6-N1-C2	-5.95	117.92	120.30
9	9	15	LEU	CA-CB-CG	5.95	128.98	115.30
2	2	1447	C	N3-C2-O2	-5.95	117.74	121.90
2	2	1684	A	N1-C2-N3	-5.95	126.33	129.30
2	2	650	C	C6-N1-C2	-5.94	117.92	120.30
2	2	4144	C	C2-N1-C1'	5.94	125.34	118.80
2	2	4311	A	C4-C5-C6	-5.94	114.03	117.00
2	2	2375	A	C4-C5-C6	-5.94	114.03	117.00
2	2	2725	A	N1-C2-N3	-5.94	126.33	129.30
2	2	4561	C	N1-C2-O2	5.94	122.47	118.90
2	2	4639	G	C4-N9-C1'	5.94	134.22	126.50
2	2	1962	A	N1-C2-N3	-5.94	126.33	129.30
2	2	2692	U	N3-C2-O2	-5.94	118.04	122.20
2	2	4935	C	N3-C2-O2	-5.94	117.74	121.90
18	I	176	LEU	CA-CB-CG	5.94	128.95	115.30
2	2	1049	C	C6-N1-C1'	5.93	127.92	120.80
2	2	1344	C	C2-N1-C1'	5.93	125.33	118.80
2	2	2533	C	N1-C2-O2	5.93	122.46	118.90
2	2	2892	C	C6-N1-C2	-5.93	117.93	120.30
2	2	3711	A	N1-C2-N3	-5.93	126.33	129.30
5	5	102	U	C6-N1-C2	-5.93	117.44	121.00
2	2	1699	A	N1-C2-N3	-5.93	126.33	129.30
2	2	2059	C	C5-C6-N1	5.93	123.97	121.00
2	2	4723	A	N1-C2-N3	-5.93	126.33	129.30
2	2	4973	U	N3-C2-O2	-5.93	118.05	122.20
2	2	5038	A	N1-C2-N3	-5.93	126.33	129.30
8	8	28	C	N1-C2-O2	5.93	122.46	118.90
2	2	4074	C	C2-N1-C1'	5.93	125.32	118.80
2	2	4120	U	C2-N1-C1'	5.93	124.82	117.70
2	2	4983	C	C5-C6-N1	5.93	123.97	121.00
2	2	2371	U	C6-N1-C2	-5.92	117.45	121.00
2	2	1505	C	C6-N1-C2	-5.92	117.93	120.30
2	2	4569	U	N3-C2-O2	-5.92	118.06	122.20
2	2	4577	U	N3-C2-O2	-5.92	118.06	122.20
2	2	80	C	N1-C2-O2	5.92	122.45	118.90
2	2	1303	A	N1-C2-N3	-5.92	126.34	129.30
2	2	2445	C	N1-C2-O2	5.92	122.45	118.90
2	2	1505	C	C5-C6-N1	5.92	123.96	121.00
2	2	2329	U	N3-C2-O2	-5.92	118.06	122.20
2	2	3861	A	C2-N3-C4	5.92	113.56	110.60
5	5	30	C	C6-N1-C2	-5.92	117.93	120.30
2	2	4594	U	C6-N1-C2	-5.92	117.45	121.00

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1682	A	C2-N3-C4	5.91	113.56	110.60
11	B	304	SER	C-N-CA	5.91	136.48	121.70
2	2	2729	C	C2-N1-C1'	5.91	125.30	118.80
2	2	1254	A	N3-C4-N9	5.91	132.13	127.40
2	2	30	C	N3-C2-O2	-5.91	117.77	121.90
2	2	757	G	N3-C4-N9	5.91	129.54	126.00
2	2	4594	U	C2-N1-C1'	5.91	124.79	117.70
2	2	436	C	C5-C6-N1	5.91	123.95	121.00
2	2	2031	C	N3-C2-O2	-5.90	117.77	121.90
2	2	2721	G	C2-N3-C4	5.90	114.85	111.90
8	8	135	C	C6-N1-C2	-5.90	117.94	120.30
2	2	648	G	C8-N9-C1'	-5.90	119.33	127.00
2	2	1893	C	N3-C2-O2	-5.90	117.77	121.90
2	2	2704	C	N1-C2-O2	5.90	122.44	118.90
2	2	3632	C	C6-N1-C2	-5.90	117.94	120.30
2	2	1656	U	N1-C2-O2	5.90	126.93	122.80
2	2	294	G	C8-N9-C1'	-5.90	119.33	127.00
2	2	3830	A	N1-C2-N3	-5.90	126.35	129.30
2	2	4172	A	C2-N3-C4	5.90	113.55	110.60
8	8	118	C	N1-C2-O2	5.90	122.44	118.90
2	2	1859	C	C2-N3-C4	5.89	122.85	119.90
2	2	2292	C	C5-C6-N1	5.89	123.95	121.00
2	2	4969	C	C2-N3-C4	5.89	122.85	119.90
2	2	1726	U	C6-N1-C2	-5.89	117.47	121.00
2	2	4393	G	C8-N9-C4	-5.89	104.04	106.40
2	2	4905	C	C6-N1-C2	-5.89	117.94	120.30
2	2	2905	C	C6-N1-C2	-5.89	117.95	120.30
2	2	3781	C	C6-N1-C2	-5.89	117.95	120.30
2	2	1863	U	N1-C2-O2	5.88	126.92	122.80
2	2	2081	C	C5-C6-N1	5.88	123.94	121.00
2	2	2268	A	C4-C5-C6	-5.88	114.06	117.00
2	2	3848	U	N3-C2-O2	-5.88	118.08	122.20
2	2	4878	C	C5-C6-N1	5.88	123.94	121.00
2	2	1672	U	N1-C2-O2	5.88	126.92	122.80
2	2	2779	C	C6-N1-C2	-5.88	117.95	120.30
2	2	5037	U	N3-C2-O2	-5.88	118.08	122.20
2	2	209	U	C6-N1-C2	-5.88	117.47	121.00
4	4	417	TRP	CA-CB-CG	5.88	124.88	113.70
2	2	4639	G	N3-C4-C5	-5.88	125.66	128.60
2	2	2695	A	C4-C5-C6	-5.88	114.06	117.00
2	2	3604	A	C2-N3-C4	5.88	113.54	110.60
2	2	4746	C	N1-C2-O2	5.88	122.43	118.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1540	C	N3-C2-O2	-5.87	117.79	121.90
2	2	1499	C	C5-C6-N1	5.87	123.94	121.00
2	2	4668	U	N3-C2-O2	-5.87	118.09	122.20
5	5	69	U	N3-C2-O2	-5.87	118.09	122.20
2	2	1509	C	C5-C6-N1	5.87	123.94	121.00
2	2	1843	A	N1-C2-N3	-5.87	126.36	129.30
2	2	1203	G	N3-C4-N9	5.87	129.52	126.00
2	2	4674	C	N3-C2-O2	-5.87	117.79	121.90
2	2	2413	U	N3-C2-O2	-5.87	118.09	122.20
2	2	2611	A	C2-N3-C4	5.87	113.53	110.60
2	2	83	C	C6-N1-C2	-5.87	117.95	120.30
2	2	233	U	C4-C5-C6	5.87	123.22	119.70
2	2	256	G	C5-C6-O6	-5.87	125.08	128.60
2	2	4511	A	N1-C2-N3	-5.87	126.37	129.30
2	2	4561	C	C5-C6-N1	5.87	123.93	121.00
2	2	1906	U	C6-N1-C2	-5.86	117.48	121.00
2	2	2279	A	N1-C2-N3	-5.86	126.37	129.30
2	2	4886	C	N3-C2-O2	-5.86	117.80	121.90
2	2	1633	G	OP1-P-O3'	5.86	118.09	105.20
8	8	135	C	C5-C6-N1	5.86	123.93	121.00
2	2	304	C	C6-N1-C2	-5.86	117.96	120.30
2	2	734	G	C2-N3-C4	5.86	114.83	111.90
2	2	1274	A	N1-C2-N3	-5.86	126.37	129.30
2	2	2497	C	C2-N1-C1'	5.86	125.24	118.80
2	2	1190	C	N1-C2-O2	5.86	122.41	118.90
2	2	4749	C	C6-N1-C2	-5.86	117.96	120.30
2	2	4880	C	C2-N1-C1'	5.86	125.24	118.80
2	2	332	C	C6-N1-C2	-5.85	117.96	120.30
2	2	1404	G	C4-N9-C1'	5.85	134.11	126.50
2	2	152	U	C6-N1-C2	-5.85	117.49	121.00
2	2	1682	A	N1-C2-N3	-5.85	126.37	129.30
2	2	1850	A	C2-N3-C4	5.85	113.53	110.60
2	2	4770	U	N3-C2-O2	-5.85	118.10	122.20
2	2	2410	C	C2-N3-C4	5.85	122.82	119.90
8	8	59	A	C2-N3-C4	5.85	113.52	110.60
2	2	2537	A	C2-N3-C4	5.85	113.52	110.60
18	I	146	LEU	CA-CB-CG	5.85	128.75	115.30
2	2	1552	G	O4'-C1'-N9	5.85	112.88	108.20
2	2	4878	C	N1-C2-O2	5.84	122.41	118.90
2	2	376	A	C2-N3-C4	5.84	113.52	110.60
2	2	707	C	C5-C6-N1	5.84	123.92	121.00
2	2	663	G	C4-N9-C1'	5.84	134.09	126.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	105	A	C4-C5-C6	-5.84	114.08	117.00
2	2	905	C	C6-N1-C2	-5.84	117.97	120.30
2	2	3844	U	C6-N1-C2	-5.84	117.50	121.00
2	2	3847	C	C5-C6-N1	5.84	123.92	121.00
2	2	78	U	N1-C2-O2	5.84	126.89	122.80
2	2	421	C	C5-C6-N1	5.84	123.92	121.00
2	2	2372	U	N3-C2-O2	-5.84	118.11	122.20
2	2	4252	C	N1-C2-O2	5.84	122.40	118.90
2	2	1401	C	C5-C6-N1	5.83	123.92	121.00
2	2	1417	C	N3-C2-O2	-5.83	117.82	121.90
2	2	4722	G	N3-C4-C5	-5.83	125.68	128.60
8	8	83	C	C5-C6-N1	5.83	123.92	121.00
2	2	4158	C	C5-C6-N1	5.83	123.92	121.00
2	2	4145	C	C6-N1-C2	-5.83	117.97	120.30
2	2	4298	A	N1-C2-N3	-5.83	126.39	129.30
2	2	1837	A	C2-N3-C4	5.83	113.52	110.60
2	2	4348	A	C4-C5-C6	-5.83	114.08	117.00
2	2	4736	C	C6-N1-C2	-5.83	117.97	120.30
2	2	4350	C	C6-N1-C2	-5.83	117.97	120.30
2	2	152	U	N1-C2-O2	5.83	126.88	122.80
2	2	1921	C	C5-C6-N1	5.83	123.91	121.00
2	2	4303	C	O4'-C1'-N1	5.83	112.86	108.20
2	2	201	C	C6-N1-C2	-5.82	117.97	120.30
2	2	2601	A	N1-C2-N3	-5.82	126.39	129.30
2	2	4077	A	C2-N3-C4	5.82	113.51	110.60
2	2	2337	C	N3-C2-O2	-5.82	117.83	121.90
2	2	2690	C	C5-C6-N1	5.82	123.91	121.00
2	2	1345	A	C4-C5-C6	-5.82	114.09	117.00
2	2	1450	C	C2-N1-C1'	5.82	125.20	118.80
2	2	1901	C	C6-N1-C2	-5.82	117.97	120.30
2	2	2828	U	N3-C2-O2	-5.82	118.13	122.20
2	2	4274	A	N1-C2-N3	-5.82	126.39	129.30
2	2	436	C	C2-N1-C1'	5.82	125.20	118.80
2	2	1560	A	N1-C2-N3	-5.82	126.39	129.30
2	2	2762	G	C8-N9-C4	-5.82	104.07	106.40
2	2	4207	C	C5-C6-N1	5.82	123.91	121.00
2	2	4945	G	C5-N7-C8	-5.82	101.39	104.30
2	2	4896	G	C4-N9-C1'	5.81	134.06	126.50
2	2	2302	C	N1-C2-O2	5.81	122.39	118.90
2	2	2534	C	C5-C6-N1	5.81	123.91	121.00
2	2	3931	C	C5-C6-N1	5.81	123.91	121.00
2	2	3774	A	N1-C2-N3	-5.81	126.39	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	2446	C	N1-C2-O2	5.81	122.39	118.90
2	2	2836	A	N1-C2-N3	-5.81	126.40	129.30
2	2	3824	A	C4-C5-C6	-5.80	114.10	117.00
2	2	86	U	N1-C2-O2	5.80	126.86	122.80
2	2	1201	U	N1-C2-O2	5.80	126.86	122.80
2	2	1960	A	C2-N3-C4	5.80	113.50	110.60
2	2	66	A	C4-C5-C6	-5.79	114.10	117.00
2	2	458	C	N1-C2-O2	5.79	122.38	118.90
2	2	4980	C	N1-C2-O2	5.79	122.38	118.90
2	2	1282	G	N3-C4-N9	5.79	129.48	126.00
2	2	2304	U	N1-C2-O2	5.79	126.86	122.80
2	2	2629	C	C5-C6-N1	5.79	123.90	121.00
8	8	26	C	N1-C2-O2	5.79	122.38	118.90
2	2	3734	U	N1-C2-O2	5.79	126.86	122.80
2	2	4158	C	C6-N1-C2	-5.79	117.98	120.30
2	2	204	U	C5-C6-N1	5.79	125.59	122.70
2	2	2561	C	N3-C2-O2	-5.79	117.85	121.90
2	2	2051	C	C5-C6-N1	5.79	123.89	121.00
8	8	96	C	C6-N1-C2	-5.79	117.98	120.30
38	e	90	ARG	C-N-CA	5.79	136.17	121.70
2	2	4687	A	N9-C4-C5	-5.79	103.48	105.80
2	2	4939	C	C6-N1-C2	-5.79	117.99	120.30
5	5	29	C	N3-C2-O2	-5.79	117.85	121.90
2	2	1877	G	N3-C4-C5	-5.78	125.71	128.60
2	2	2334	C	C6-N1-C2	-5.78	117.99	120.30
2	2	3680	U	C5-C6-N1	5.78	125.59	122.70
2	2	227	A	C4-C5-C6	-5.78	114.11	117.00
2	2	256	G	N7-C8-N9	5.78	115.99	113.10
2	2	1327	C	C5-C6-N1	5.78	123.89	121.00
2	2	2250	C	C5-C6-N1	5.78	123.89	121.00
2	2	2783	A	N7-C8-N9	5.78	116.69	113.80
2	2	4709	U	C5-C6-N1	5.78	125.59	122.70
2	2	4885	U	N1-C2-O2	5.78	126.84	122.80
2	2	1082	C	O4'-C1'-N1	5.77	112.82	108.20
2	2	1281	G	C4-N9-C1'	5.77	134.00	126.50
2	2	2853	C	N1-C2-O2	5.77	122.36	118.90
2	2	424	U	N3-C2-O2	-5.77	118.16	122.20
2	2	759	G	N3-C4-N9	5.77	129.46	126.00
2	2	754	U	N3-C2-O2	-5.77	118.16	122.20
2	2	966	A	N1-C2-N3	-5.77	126.42	129.30
2	2	1350	C	C6-N1-C2	-5.77	117.99	120.30
2	2	2066	C	N1-C2-O2	5.77	122.36	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	3599	A	N1-C2-N3	-5.77	126.42	129.30
2	2	4336	A	C4-C5-C6	-5.77	114.11	117.00
2	2	4689	U	C5-C6-N1	5.77	125.58	122.70
4	4	261	CYS	CA-CB-SG	5.77	124.39	114.00
2	2	2772	C	N1-C2-O2	5.77	122.36	118.90
2	2	3844	U	N1-C2-O2	5.77	126.84	122.80
2	2	4363	A	N1-C2-N3	-5.77	126.42	129.30
2	2	4613	C	C5-C6-N1	5.77	123.88	121.00
2	2	4705	A	C2-N3-C4	5.77	113.48	110.60
2	2	5048	A	C2-N3-C4	5.77	113.48	110.60
8	8	71	A	N1-C2-N3	-5.77	126.42	129.30
2	2	455	C	N1-C2-O2	5.76	122.36	118.90
2	2	1944	A	N1-C2-N3	-5.76	126.42	129.30
2	2	4695	C	C2-N1-C1'	5.76	125.14	118.80
2	2	4608	G	C4-C5-N7	5.76	113.11	110.80
2	2	750	U	N1-C2-O2	5.76	126.83	122.80
2	2	919	C	N1-C2-O2	5.76	122.36	118.90
2	2	1255	A	N1-C2-N3	-5.76	126.42	129.30
2	2	4271	A	C4-C5-C6	-5.76	114.12	117.00
2	2	4707	A	C4-C5-C6	-5.76	114.12	117.00
2	2	196	C	C6-N1-C2	-5.76	118.00	120.30
2	2	4648	A	C2-N3-C4	5.76	113.48	110.60
2	2	5002	U	C2-N1-C1'	5.76	124.61	117.70
2	2	1812	C	C6-N1-C2	-5.76	118.00	120.30
2	2	3845	A	C2-N3-C4	5.76	113.48	110.60
2	2	5056	A	N1-C2-N3	-5.76	126.42	129.30
5	5	80	U	N3-C2-O2	-5.76	118.17	122.20
8	8	111	U	C6-N1-C1'	-5.75	113.14	121.20
2	2	74	G	C8-N9-C1'	-5.75	119.52	127.00
2	2	732	A	C2-N3-C4	5.75	113.47	110.60
2	2	1579	C	N1-C2-O2	5.75	122.35	118.90
2	2	1923	A	C2-N3-C4	5.75	113.48	110.60
2	2	204	U	C2-N1-C1'	5.75	124.60	117.70
2	2	1397	A	C4-C5-C6	-5.75	114.12	117.00
2	2	1832	C	C5-C6-N1	5.75	123.87	121.00
2	2	256	G	C4-C5-C6	5.75	122.25	118.80
2	2	1796	U	N1-C2-O2	5.75	126.82	122.80
2	2	4140	C	C2-N1-C1'	5.75	125.12	118.80
2	2	4224	A	C4-C5-C6	-5.75	114.13	117.00
2	2	4476	C	C6-N1-C1'	-5.75	113.91	120.80
2	2	4675	U	N3-C2-O2	-5.75	118.18	122.20
2	2	972	C	C2-N1-C1'	5.75	125.12	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1320	U	C2-N1-C1'	5.75	124.59	117.70
2	2	4985	U	N1-C2-O2	5.75	126.82	122.80
2	2	5061	A	C2-N3-C4	5.75	113.47	110.60
2	2	1293	G	C2-N3-C4	5.74	114.77	111.90
2	2	1357	C	C6-N1-C2	-5.74	118.00	120.30
2	2	2023	C	N1-C2-O2	5.74	122.35	118.90
2	2	338	A	C4-C5-C6	-5.74	114.13	117.00
2	2	757	G	N3-C4-C5	-5.74	125.73	128.60
2	2	2062	C	C5-C6-N1	5.74	123.87	121.00
2	2	3611	A	N1-C2-N3	-5.74	126.43	129.30
2	2	2484	A	N3-C4-N9	5.74	131.99	127.40
2	2	4251	A	N1-C2-N3	-5.74	126.43	129.30
2	2	126	C	C6-N1-C2	-5.74	118.00	120.30
2	2	1970	A	N1-C2-N3	-5.74	126.43	129.30
2	2	3831	U	N3-C2-O2	-5.74	118.18	122.20
5	5	46	C	C6-N1-C2	-5.74	118.00	120.30
2	2	1428	U	C5-C6-N1	5.74	125.57	122.70
2	2	5050	C	C5-C6-N1	5.74	123.87	121.00
2	2	1345	A	N1-C2-N3	-5.74	126.43	129.30
2	2	1801	A	C2-N3-C4	5.74	113.47	110.60
2	2	3882	C	C5-C6-N1	5.74	123.87	121.00
2	2	4396	A	C2-N3-C4	5.74	113.47	110.60
22	N	94	LEU	CA-CB-CG	5.74	128.49	115.30
2	2	2439	G	C8-N9-C1'	-5.73	119.55	127.00
2	2	4078	C	C5-C6-N1	5.73	123.87	121.00
2	2	4940	C	C6-N1-C2	-5.73	118.01	120.30
5	5	4	U	C2-N1-C1'	5.73	124.58	117.70
2	2	2701	U	N1-C2-O2	5.73	126.81	122.80
2	2	4388	A	N1-C2-N3	-5.73	126.43	129.30
2	2	1821	G	C4-N9-C1'	5.73	133.95	126.50
2	2	2505	C	N3-C2-O2	-5.73	117.89	121.90
2	2	2589	C	N1-C2-O2	5.73	122.34	118.90
2	2	4504	C	C5-C6-N1	5.73	123.86	121.00
8	8	92	U	C6-N1-C2	-5.73	117.56	121.00
2	2	319	A	C4-C5-C6	-5.72	114.14	117.00
2	2	4722	G	N3-C4-N9	5.72	129.43	126.00
2	2	4970	C	C5-C6-N1	5.72	123.86	121.00
4	4	72	LEU	CA-CB-CG	5.72	128.46	115.30
2	2	511	C	N1-C2-O2	5.72	122.33	118.90
2	2	1343	A	N1-C2-N3	-5.72	126.44	129.30
2	2	1418	C	C5-C6-N1	5.72	123.86	121.00
2	2	1401	C	C6-N1-C2	-5.72	118.01	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	333	U	N3-C2-O2	-5.71	118.20	122.20
2	2	2334	C	C5-C6-N1	5.71	123.86	121.00
2	2	3939	G	N3-C4-N9	5.71	129.43	126.00
8	8	153	C	C5-C6-N1	5.71	123.86	121.00
2	2	158	A	C4-C5-C6	-5.71	114.14	117.00
2	2	4728	U	N1-C2-O2	5.71	126.80	122.80
2	2	4424	A	C2-N3-C4	5.71	113.46	110.60
11	B	364	ASP	CB-CG-OD1	5.71	123.44	118.30
2	2	1926	C	C5-C6-N1	5.71	123.86	121.00
2	2	648	G	N3-C4-C5	-5.71	125.75	128.60
2	2	2384	U	N3-C2-O2	-5.71	118.20	122.20
2	2	4940	C	C5-C6-N1	5.71	123.85	121.00
2	2	5001	U	N3-C2-O2	-5.71	118.20	122.20
2	2	1214	C	N1-C2-O2	5.71	122.32	118.90
2	2	1966	C	C5-C6-N1	5.70	123.85	121.00
2	2	3890	A	C2-N3-C4	5.70	113.45	110.60
2	2	659	G	N3-C4-C5	-5.70	125.75	128.60
2	2	3870	C	C2-N3-C4	5.70	122.75	119.90
4	4	306	ILE	CG1-CB-CG2	-5.70	98.86	111.40
2	2	4071	U	N3-C2-O2	-5.70	118.21	122.20
2	2	4363	A	C2-N3-C4	5.70	113.45	110.60
8	8	26	C	C5-C6-N1	5.70	123.85	121.00
2	2	2110	C	N1-C2-O2	5.70	122.32	118.90
2	2	2295	C	C6-N1-C2	-5.70	118.02	120.30
2	2	1285	U	N3-C2-O2	-5.69	118.21	122.20
2	2	2351	C	N3-C2-O2	-5.69	117.91	121.90
2	2	4102	C	N3-C2-O2	-5.69	117.92	121.90
2	2	4343	U	N1-C2-O2	5.69	126.78	122.80
2	2	4515	G	C2-N3-C4	5.69	114.75	111.90
11	B	292	LEU	CA-CB-CG	5.69	128.39	115.30
2	2	256	G	N3-C4-C5	-5.69	125.75	128.60
2	2	3650	C	N1-C2-O2	5.69	122.31	118.90
2	2	4155	C	N3-C2-O2	-5.69	117.92	121.90
2	2	197	A	N1-C2-N3	-5.69	126.46	129.30
2	2	975	C	N1-C2-O2	5.69	122.31	118.90
2	2	2253	A	N1-C2-N3	-5.69	126.46	129.30
2	2	1197	C	C2-N1-C1'	5.68	125.05	118.80
2	2	1447	C	C2-N1-C1'	5.68	125.05	118.80
2	2	3846	C	C6-N1-C2	-5.68	118.03	120.30
2	2	493	G	N3-C4-C5	-5.68	125.76	128.60
2	2	2533	C	C5-C6-N1	5.68	123.84	121.00
2	2	221	C	C6-N1-C2	-5.68	118.03	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	358	C	C6-N1-C2	-5.68	118.03	120.30
2	2	2427	G	N1-C6-O6	-5.68	116.49	119.90
2	2	704	C	C2-N1-C1'	5.68	125.05	118.80
2	2	974	C	C5-C6-N1	5.68	123.84	121.00
2	2	5044	A	C2-N3-C4	5.68	113.44	110.60
6	6	131	ASP	CB-CG-OD1	5.68	123.41	118.30
2	2	4770	U	N1-C2-O2	5.67	126.77	122.80
2	2	2654	C	C5-C6-N1	5.67	123.84	121.00
8	8	88	A	C2-N3-C4	5.67	113.44	110.60
2	2	1198	G	C4-N9-C1'	5.67	133.87	126.50
8	8	130	C	C5-C6-N1	5.67	123.83	121.00
2	2	2083	C	C6-N1-C2	-5.67	118.03	120.30
2	2	2544	G	C8-N9-C1'	-5.67	119.63	127.00
5	5	115	A	C4-C5-C6	-5.67	114.17	117.00
2	2	1464	C	C6-N1-C2	-5.67	118.03	120.30
2	2	3748	A	C2-N3-C4	5.67	113.44	110.60
2	2	4738	C	N1-C2-O2	5.67	122.30	118.90
8	8	155	C	N1-C2-O2	5.67	122.30	118.90
2	2	326	C	C2-N1-C1'	5.67	125.03	118.80
2	2	2803	U	C6-N1-C2	-5.67	117.60	121.00
2	2	4186	A	C4-C5-C6	-5.67	114.17	117.00
2	2	4213	A	C2-N3-C4	5.67	113.43	110.60
2	2	406	C	C2'-C3'-O3'	5.66	122.76	113.70
2	2	4227	U	N3-C2-O2	-5.66	118.24	122.20
2	2	4513	A	N1-C2-N3	-5.66	126.47	129.30
2	2	706	C	C5-C6-N1	5.66	123.83	121.00
2	2	2031	C	C2-N1-C1'	5.66	125.03	118.80
2	2	2892	C	C5-C6-N1	5.66	123.83	121.00
2	2	70	A	C4-C5-C6	-5.66	114.17	117.00
2	2	2085	G	N3-C4-N9	5.66	129.39	126.00
2	2	1412	G	C4-C5-N7	5.65	113.06	110.80
2	2	4237	C	N1-C2-O2	5.65	122.29	118.90
2	2	365	U	C2-N1-C1'	5.65	124.48	117.70
2	2	458	C	C5-C6-N1	5.65	123.83	121.00
2	2	1343	A	C2-N3-C4	5.65	113.42	110.60
2	2	4414	A	C4-C5-C6	-5.65	114.17	117.00
2	2	5030	U	N3-C4-O4	5.65	123.36	119.40
5	5	29	C	C5-C6-N1	5.65	123.83	121.00
2	2	2458	C	N1-C2-O2	5.65	122.29	118.90
2	2	1387	A	C4-C5-C6	-5.65	114.18	117.00
2	2	1592	G	C8-N9-C1'	-5.65	119.66	127.00
2	2	2593	C	C2-N1-C1'	5.65	125.01	118.80

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	2601	A	C4-C5-C6	-5.64	114.18	117.00
2	2	466	A	C2-N3-C4	5.64	113.42	110.60
2	2	3647	A	C4-C5-C6	-5.64	114.18	117.00
2	2	1072	C	C5-C6-N1	5.64	123.82	121.00
2	2	1929	A	N3-C4-N9	5.64	131.91	127.40
2	2	4469	U	N3-C2-O2	-5.64	118.25	122.20
2	2	991	C	N3-C2-O2	-5.64	117.95	121.90
2	2	1947	U	N1-C2-O2	5.64	126.75	122.80
2	2	4337	C	C6-N1-C2	-5.64	118.05	120.30
2	2	4350	C	C5-C6-N1	5.64	123.82	121.00
2	2	239	C	C6-N1-C2	-5.63	118.05	120.30
2	2	4950	U	C2-N1-C1'	5.63	124.46	117.70
2	2	3657	U	N1-C2-O2	5.63	126.74	122.80
2	2	2362	U	C6-N1-C2	-5.63	117.62	121.00
2	2	4963	G	C8-N9-C4	-5.63	104.15	106.40
8	8	45	C	C6-N1-C2	-5.63	118.05	120.30
2	2	117	C	C5-C6-N1	5.63	123.81	121.00
2	2	1807	C	C6-N1-C2	-5.63	118.05	120.30
2	2	2264	C	C5-C6-N1	5.63	123.81	121.00
2	2	2779	C	C5-C6-N1	5.63	123.81	121.00
2	2	1557	C	C5-C6-N1	5.62	123.81	121.00
2	2	717	U	N3-C2-O2	-5.62	118.26	122.20
2	2	2465	C	C2-N1-C1'	5.62	124.98	118.80
2	2	2551	A	C2-N3-C4	5.62	113.41	110.60
2	2	2869	U	N1-C2-O2	5.62	126.74	122.80
2	2	2439	G	N3-C4-C5	-5.62	125.79	128.60
2	2	2447	U	C6-N1-C2	-5.62	117.63	121.00
2	2	4262	C	C5-C6-N1	5.62	123.81	121.00
2	2	4337	C	C5-C6-N1	5.62	123.81	121.00
2	2	4773	C	C2-N1-C1'	5.62	124.98	118.80
2	2	4906	C	C2-N1-C1'	5.62	124.98	118.80
8	8	72	A	C2-N3-C4	5.62	113.41	110.60
2	2	2843	U	C6-N1-C2	-5.62	117.63	121.00
2	2	3902	A	N1-C2-N3	-5.62	126.49	129.30
2	2	4298	A	C5-C6-N1	5.62	120.51	117.70
2	2	47	A	C4-C5-C6	-5.62	114.19	117.00
2	2	1538	U	N3-C2-O2	-5.62	118.27	122.20
2	2	3779	A	N1-C2-N3	-5.62	126.49	129.30
2	2	3663	A	N1-C2-N3	-5.62	126.49	129.30
2	2	2347	A	C4-C5-C6	-5.61	114.19	117.00
2	2	3853	U	C2-N1-C1'	5.61	124.44	117.70
2	2	4609	G	C5-C6-O6	-5.61	125.23	128.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	2036	C	C6-N1-C2	-5.61	118.06	120.30
2	2	4905	C	N1-C2-O2	5.61	122.27	118.90
2	2	27	C	C2-N1-C1'	5.61	124.97	118.80
2	2	2325	C	N1-C2-O2	5.61	122.27	118.90
2	2	2607	C	C5-C6-N1	5.61	123.81	121.00
2	2	2673	G	C2-N3-C4	5.61	114.70	111.90
8	8	57	C	N3-C2-O2	-5.61	117.97	121.90
2	2	111	C	C5-C6-N1	5.61	123.80	121.00
2	2	168	C	C6-N1-C2	-5.61	118.06	120.30
2	2	1634	A	C2-N3-C4	5.61	113.40	110.60
2	2	2806	A	C4-C5-N7	5.61	113.50	110.70
2	2	3733	A	N1-C2-N3	-5.61	126.50	129.30
2	2	4488	A	C4-C5-C6	-5.61	114.20	117.00
2	2	3905	A	OP2-P-O3'	5.61	117.53	105.20
2	2	4128	A	N1-C2-N3	-5.60	126.50	129.30
2	2	1094	G	N3-C4-N9	5.60	129.36	126.00
2	2	1572	U	N1-C2-O2	5.60	126.72	122.80
2	2	2021	G	C4-N9-C1'	5.60	133.78	126.50
2	2	3823	G	N3-C4-N9	5.60	129.36	126.00
2	2	4251	A	C4-C5-C6	-5.60	114.20	117.00
2	2	4319	C	C6-N1-C2	-5.60	118.06	120.30
2	2	4752	U	N3-C2-O2	-5.60	118.28	122.20
2	2	1967	A	C2-N3-C4	5.60	113.40	110.60
2	2	3690	U	N1-C2-O2	5.60	126.72	122.80
2	2	4559	A	C4-C5-C6	-5.60	114.20	117.00
2	2	4393	G	N9-C4-C5	5.60	107.64	105.40
2	2	4561	C	C2-N1-C1'	5.60	124.96	118.80
5	5	35	U	N1-C2-O2	5.60	126.72	122.80
2	2	1507	C	C5-C6-N1	5.60	123.80	121.00
2	2	2509	C	C6-N1-C2	-5.60	118.06	120.30
2	2	1294	A	O4'-C1'-N9	5.59	112.68	108.20
2	2	1365	C	N1-C2-O2	5.59	122.25	118.90
2	2	2249	C	C6-N1-C2	-5.59	118.06	120.30
2	2	2540	C	C5-C6-N1	5.59	123.79	121.00
8	8	52	A	C2-N3-C4	5.59	113.39	110.60
2	2	3915	U	C6-N1-C2	-5.59	117.65	121.00
2	2	4072	C	C6-N1-C2	-5.59	118.06	120.30
2	2	274	C	C2-N1-C1'	5.59	124.94	118.80
2	2	759	G	C2-N3-C4	5.59	114.69	111.90
2	2	1963	C	C5-C6-N1	5.59	123.79	121.00
2	2	4603	C	C6-N1-C2	-5.59	118.06	120.30
5	5	78	C	N1-C2-O2	5.59	122.25	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1896	A	C4-C5-C6	-5.58	114.21	117.00
2	2	723	A	C4-C5-C6	-5.58	114.21	117.00
2	2	1286	C	C5-C6-N1	5.58	123.79	121.00
5	5	44	C	C6-N1-C2	-5.58	118.07	120.30
23	O	13	LEU	CA-CB-CG	5.58	128.14	115.30
2	2	1731	C	N3-C2-O2	-5.58	117.99	121.90
2	2	4386	C	N1-C2-O2	5.58	122.25	118.90
2	2	4699	U	OP1-P-O3'	5.58	117.48	105.20
2	2	709	C	C5-C6-N1	5.58	123.79	121.00
2	2	300	A	C4-C5-C6	-5.58	114.21	117.00
2	2	2430	C	C6-N1-C2	-5.58	118.07	120.30
2	2	4945	G	C4-N9-C1'	5.58	133.75	126.50
2	2	299	C	C5-C6-N1	5.58	123.79	121.00
2	2	2538	U	N3-C2-O2	-5.58	118.30	122.20
2	2	89	C	C5-C6-N1	5.58	123.79	121.00
2	2	419	A	C4-C5-C6	-5.58	114.21	117.00
2	2	1907	A	C2-N3-C4	5.58	113.39	110.60
2	2	2627	C	N3-C2-O2	-5.58	118.00	121.90
2	2	2726	G	C4-N9-C1'	5.58	133.75	126.50
2	2	4907	G	N3-C4-N9	5.58	129.34	126.00
2	2	318	A	C2-N3-C4	5.57	113.39	110.60
2	2	703	G	C4-N9-C1'	5.57	133.75	126.50
2	2	1791	U	N1-C2-O2	5.57	126.70	122.80
2	2	4119	C	C6-N1-C1'	-5.57	114.11	120.80
2	2	4615	C	N1-C2-O2	5.57	122.24	118.90
8	8	148	A	C4-C5-C6	-5.57	114.21	117.00
2	2	88	A	C2-N3-C4	5.57	113.39	110.60
2	2	1818	G	O4'-C1'-N9	5.57	112.66	108.20
2	2	2304	U	C2-N1-C1'	5.57	124.39	117.70
2	2	4248	A	N1-C2-N3	-5.57	126.52	129.30
2	2	4314	C	N3-C2-O2	-5.57	118.00	121.90
2	2	2272	C	C5-C6-N1	5.57	123.78	121.00
2	2	2290	C	C6-N1-C2	-5.57	118.07	120.30
2	2	4119	C	C2-N3-C4	5.57	122.69	119.90
2	2	3668	C	N1-C2-O2	5.57	122.24	118.90
2	2	1085	C	C5-C6-N1	5.57	123.78	121.00
2	2	1577	G	N9-C4-C5	5.57	107.63	105.40
2	2	1839	U	N3-C2-O2	-5.57	118.30	122.20
2	2	2496	G	N3-C4-N9	5.57	129.34	126.00
2	2	4223	C	C5-C6-N1	5.57	123.78	121.00
2	2	4748	U	N3-C2-O2	-5.57	118.30	122.20
5	5	96	U	N3-C2-O2	-5.57	118.30	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	84	A	C4-C5-C6	-5.56	114.22	117.00
2	2	981	C	C6-N1-C2	-5.56	118.08	120.30
2	2	4393	G	C5-C6-N1	-5.56	108.72	111.50
2	2	62	A	C5-C6-N1	5.56	120.48	117.70
2	2	513	U	C5-C6-N1	5.56	125.48	122.70
5	5	74	A	C2-N3-C4	5.56	113.38	110.60
5	5	74	A	C4-C5-C6	-5.56	114.22	117.00
2	2	2017	A	C4-N9-C1'	5.56	136.30	126.30
2	2	2767	U	N3-C2-O2	-5.56	118.31	122.20
2	2	3709	U	C6-N1-C2	-5.56	117.67	121.00
2	2	3832	U	N3-C2-O2	-5.56	118.31	122.20
2	2	4461	C	C5-C6-N1	5.56	123.78	121.00
2	2	1947	U	N3-C2-O2	-5.56	118.31	122.20
2	2	3707	U	N3-C2-O2	-5.55	118.31	122.20
2	2	1439	C	N1-C2-O2	5.55	122.23	118.90
2	2	155	C	N3-C2-O2	-5.55	118.01	121.90
2	2	1737	A	C2-N3-C4	5.55	113.38	110.60
2	2	2426	U	N3-C2-O2	-5.55	118.31	122.20
2	2	489	C	C6-N1-C1'	-5.55	114.14	120.80
2	2	4532	U	C6-N1-C2	-5.55	117.67	121.00
2	2	4537	C	N1-C2-O2	5.55	122.23	118.90
2	2	4655	A	C4-C5-C6	-5.55	114.22	117.00
2	2	2511	A	C4-C5-C6	-5.55	114.23	117.00
2	2	4253	A	N1-C2-N3	-5.55	126.53	129.30
2	2	2671	C	C6-N1-C2	-5.55	118.08	120.30
2	2	4664	A	C2-N3-C4	5.55	113.37	110.60
2	2	5051	C	N1-C2-O2	5.55	122.23	118.90
13	D	229	LEU	CA-CB-CG	5.55	128.06	115.30
2	2	919	C	N3-C2-O2	-5.54	118.02	121.90
2	2	1443	A	N1-C2-N3	-5.54	126.53	129.30
2	2	2085	G	C8-N9-C1'	-5.54	119.79	127.00
2	2	2498	C	C6-N1-C2	-5.54	118.08	120.30
2	2	2563	C	N1-C2-O2	5.54	122.23	118.90
2	2	105	A	N1-C2-N3	-5.54	126.53	129.30
2	2	329	A	C2-N3-C4	5.54	113.37	110.60
2	2	1913	C	N3-C2-O2	-5.54	118.02	121.90
2	2	2595	C	N1-C2-O2	5.54	122.22	118.90
2	2	4268	A	C2-N3-C4	5.54	113.37	110.60
2	2	1870	C	N1-C2-O2	5.54	122.22	118.90
9	9	11	ARG	N-CA-C	5.54	125.96	111.00
2	2	1293	G	N3-C4-N9	5.54	129.32	126.00
8	8	1	C	C5-C6-N1	5.54	123.77	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1395	U	N1-C2-O2	5.54	126.68	122.80
2	2	2699	C	C5-C6-N1	5.54	123.77	121.00
2	2	2710	C	C5-C6-N1	5.54	123.77	121.00
2	2	4945	G	C5-C6-N1	5.54	114.27	111.50
8	8	89	U	N3-C2-O2	-5.54	118.33	122.20
2	2	5038	A	C4-C5-C6	-5.53	114.23	117.00
2	2	905	C	C5-C6-N1	5.53	123.77	121.00
2	2	975	C	C5-C6-N1	5.53	123.77	121.00
2	2	1650	A	C4-C5-C6	-5.53	114.23	117.00
2	2	2850	A	C4-N9-C1'	5.53	136.25	126.30
2	2	2894	A	C2-N3-C4	5.53	113.36	110.60
2	2	4243	C	N1-C2-O2	5.53	122.22	118.90
2	2	3612	C	C5-C6-N1	5.53	123.76	121.00
2	2	694	C	C5-C6-N1	5.53	123.76	121.00
2	2	3841	C	C5-C6-N1	5.53	123.76	121.00
2	2	1337	A	N1-C2-N3	-5.52	126.54	129.30
2	2	1378	C	C6-N1-C1'	-5.52	114.17	120.80
2	2	3824	A	C2-N3-C4	5.52	113.36	110.60
2	2	4107	G	C4-N9-C1'	5.52	133.68	126.50
2	2	4624	A	C2-N3-C4	5.52	113.36	110.60
2	2	1304	C	C6-N1-C2	-5.52	118.09	120.30
2	2	1428	U	C6-N1-C2	-5.52	117.69	121.00
2	2	3734	U	N3-C2-O2	-5.52	118.33	122.20
2	2	4508	C	C2-N3-C4	5.52	122.66	119.90
4	4	41	HIS	C-N-CA	5.52	135.50	121.70
2	2	2360	A	C4-C5-C6	-5.52	114.24	117.00
2	2	4281	A	C8-N9-C4	-5.52	103.59	105.80
2	2	383	A	C4-C5-C6	-5.52	114.24	117.00
2	2	2690	C	C6-N1-C2	-5.52	118.09	120.30
2	2	4913	G	OP2-P-O3'	5.52	117.33	105.20
2	2	1556	C	C5-C6-N1	5.51	123.76	121.00
2	2	1949	U	C6-N1-C2	-5.51	117.69	121.00
2	2	4295	U	N3-C2-O2	-5.51	118.34	122.20
2	2	4896	G	N3-C4-C5	-5.51	125.84	128.60
22	N	174	ILE	CG1-CB-CG2	-5.51	99.27	111.40
2	2	252	C	C6-N1-C2	-5.51	118.09	120.30
2	2	1663	C	C2-N1-C1'	5.51	124.86	118.80
2	2	2319	C	N1-C2-O2	5.51	122.21	118.90
5	5	34	C	C5-C6-N1	5.51	123.76	121.00
2	2	4188	U	N3-C2-O2	-5.51	118.34	122.20
2	2	4689	U	N3-C2-O2	-5.51	118.34	122.20
8	8	21	C	N1-C2-O2	5.51	122.21	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	4928	C	C6-N1-C1'	-5.51	114.19	120.80
2	2	1901	C	C5-C6-N1	5.51	123.75	121.00
2	2	1178	G	N3-C4-N9	5.50	129.30	126.00
2	2	1812	C	N1-C2-O2	5.50	122.20	118.90
4	4	284	LEU	CB-CG-CD1	-5.50	101.64	111.00
5	5	34	C	C6-N1-C2	-5.50	118.10	120.30
48	p	220	MET	C-N-CA	5.50	135.46	121.70
2	2	1461	C	C6-N1-C2	-5.50	118.10	120.30
2	2	447	C	C6-N1-C2	-5.50	118.10	120.30
2	2	3597	G	O5'-P-OP1	-5.50	100.75	105.70
2	2	4608	G	O4'-C1'-N9	5.50	112.60	108.20
2	2	3823	G	N3-C4-C5	-5.50	125.85	128.60
2	2	488	G	N3-C4-C5	-5.50	125.85	128.60
2	2	1314	C	O5'-P-OP2	-5.50	100.75	105.70
2	2	2905	C	C5-C6-N1	5.50	123.75	121.00
2	2	4694	G	O4'-C1'-N9	5.50	112.60	108.20
2	2	141	C	C2-N1-C1'	5.50	124.85	118.80
2	2	2866	C	C5-C6-N1	5.50	123.75	121.00
2	2	4981	G	C8-N9-C1'	-5.50	119.86	127.00
16	G	131	LYS	C-N-CA	5.50	135.44	121.70
2	2	42	A	C4-C5-C6	-5.49	114.25	117.00
2	2	659	G	N3-C4-N9	5.49	129.30	126.00
2	2	1684	A	C4-C5-C6	-5.49	114.25	117.00
2	2	4319	C	C5-C6-N1	5.49	123.75	121.00
2	2	5025	C	C5-C6-N1	5.49	123.75	121.00
48	p	28	LEU	CA-CB-CG	5.49	127.94	115.30
2	2	450	G	N3-C4-N9	5.49	129.29	126.00
2	2	4559	A	C6-N1-C2	5.49	121.89	118.60
2	2	4977	A	C2-N3-C4	5.49	113.34	110.60
8	8	98	C	C6-N1-C2	-5.49	118.10	120.30
2	2	355	A	C2-N3-C4	5.49	113.34	110.60
2	2	1661	C	C6-N1-C2	-5.49	118.11	120.30
2	2	4308	C	C5-C6-N1	5.49	123.74	121.00
2	2	1873	A	N1-C2-N3	-5.49	126.56	129.30
2	2	4215	C	C2-N1-C1'	5.48	124.83	118.80
2	2	1655	C	C5-C6-N1	5.48	123.74	121.00
2	2	4230	C	C6-N1-C2	-5.48	118.11	120.30
2	2	504	G	C8-N9-C4	-5.48	104.21	106.40
2	2	3833	C	C6-N1-C2	-5.48	118.11	120.30
5	5	22	A	C4-N9-C1'	5.48	136.16	126.30
8	8	126	C	C2-N3-C4	5.48	122.64	119.90
2	2	51	A	C2-N3-C4	5.48	113.34	110.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1467	C	N1-C2-O2	5.48	122.19	118.90
2	2	1917	A	C4-C5-C6	-5.48	114.26	117.00
2	2	2041	A	N1-C2-N3	-5.48	126.56	129.30
2	2	4688	C	N1-C2-O2	5.48	122.19	118.90
2	2	195	C	C2-N1-C1'	5.48	124.82	118.80
2	2	1537	A	C5-C6-N1	5.48	120.44	117.70
2	2	4134	C	C6-N1-C2	-5.48	118.11	120.30
2	2	2302	C	N3-C2-O2	-5.47	118.07	121.90
2	2	2506	G	C8-N9-C1'	-5.47	119.88	127.00
2	2	4874	A	C4-C5-C6	-5.47	114.26	117.00
2	2	4927	G	C4-N9-C1'	5.47	133.62	126.50
2	2	2621	A	C4-C5-C6	-5.47	114.26	117.00
2	2	2860	C	C2-N1-C1'	5.47	124.82	118.80
2	2	3650	C	C2-N1-C1'	5.47	124.82	118.80
2	2	4177	C	N1-C2-O2	5.47	122.18	118.90
2	2	499	G	C6-C5-N7	-5.47	127.12	130.40
2	2	2593	C	N1-C2-O2	5.47	122.18	118.90
2	2	4939	C	C5-C6-N1	5.47	123.73	121.00
2	2	1694	C	C2-N1-C1'	5.47	124.81	118.80
2	2	2825	A	C4-C5-C6	-5.47	114.27	117.00
2	2	2908	U	C2-N1-C1'	5.47	124.26	117.70
2	2	4972	U	C6-N1-C2	-5.47	117.72	121.00
2	2	208	A	C4-C5-C6	-5.46	114.27	117.00
2	2	323	C	C6-N1-C2	-5.46	118.11	120.30
2	2	2672	C	C5-C6-N1	5.46	123.73	121.00
2	2	4426	C	C6-N1-C2	-5.46	118.11	120.30
2	2	5023	C	N1-C2-O2	5.46	122.18	118.90
2	2	1802	A	C4-C5-C6	-5.46	114.27	117.00
2	2	4552	U	N3-C2-O2	-5.46	118.38	122.20
2	2	1913	C	N1-C2-O2	5.46	122.18	118.90
2	2	4860	G	C8-N9-C1'	-5.46	119.90	127.00
2	2	5003	U	N3-C2-O2	-5.46	118.38	122.20
2	2	1947	U	C2-N1-C1'	5.46	124.25	117.70
5	5	30	C	N1-C2-O2	5.46	122.17	118.90
2	2	2598	A	C4-C5-C6	-5.46	114.27	117.00
2	2	2770	C	C5-C6-N1	5.46	123.73	121.00
2	2	4109	G	C2-N3-C4	5.46	114.63	111.90
2	2	1465	G	N3-C4-N9	5.46	129.27	126.00
2	2	1472	C	N3-C2-O2	-5.46	118.08	121.90
2	2	2772	C	N3-C2-O2	-5.46	118.08	121.90
2	2	4576	U	N1-C2-O2	5.46	126.62	122.80
2	2	1716	G	N3-C4-C5	-5.45	125.87	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	2539	C	C5-C6-N1	5.45	123.73	121.00
2	2	4486	C	N3-C2-O2	-5.45	118.08	121.90
2	2	488	G	C4-C5-N7	5.45	112.98	110.80
2	2	4074	C	N3-C2-O2	-5.45	118.08	121.90
2	2	1812	C	C5-C6-N1	5.45	123.73	121.00
2	2	2708	U	N1-C2-O2	5.45	126.62	122.80
2	2	3643	A	C4-C5-C6	-5.45	114.28	117.00
2	2	4362	A	C2-N3-C4	5.45	113.33	110.60
2	2	4698	C	N1-C2-O2	5.45	122.17	118.90
2	2	56	A	C5-C6-N1	5.45	120.42	117.70
2	2	1598	C	N1-C2-O2	5.45	122.17	118.90
8	8	55	U	N1-C2-O2	5.45	126.61	122.80
2	2	4160	C	C6-N1-C2	-5.45	118.12	120.30
8	8	18	U	N3-C2-O2	-5.45	118.39	122.20
2	2	1175	A	C2-N3-C4	5.45	113.32	110.60
2	2	4775	C	C5-C6-N1	5.45	123.72	121.00
2	2	290	U	N1-C2-O2	5.44	126.61	122.80
2	2	1220	G	N3-C4-N9	5.44	129.27	126.00
2	2	2388	A	C4-C5-C6	-5.44	114.28	117.00
2	2	2478	C	C6-N1-C2	-5.44	118.12	120.30
2	2	4383	U	C6-N1-C2	-5.44	117.73	121.00
2	2	4429	C	C6-N1-C2	-5.44	118.12	120.30
2	2	2418	A	C2-N3-C4	5.44	113.32	110.60
2	2	2701	U	C6-N1-C2	-5.44	117.74	121.00
5	5	32	A	N1-C2-N3	-5.44	126.58	129.30
2	2	2105	A	N1-C2-N3	-5.44	126.58	129.30
2	2	4933	C	C6-N1-C2	-5.44	118.12	120.30
8	8	44	A	C4-C5-C6	-5.44	114.28	117.00
2	2	3932	U	N1-C2-O2	5.44	126.61	122.80
2	2	4713	G	N3-C4-C5	-5.44	125.88	128.60
2	2	2806	A	N9-C4-C5	-5.43	103.63	105.80
2	2	4153	C	C6-N1-C2	-5.43	118.13	120.30
2	2	4358	U	N3-C2-O2	-5.43	118.39	122.20
5	5	74	A	C5-C6-N1	5.43	120.42	117.70
2	2	1843	A	C4-C5-C6	-5.43	114.28	117.00
2	2	648	G	C6-C5-N7	-5.43	127.14	130.40
2	2	86	U	C2-N1-C1'	5.43	124.22	117.70
2	2	175	C	N3-C2-O2	-5.43	118.10	121.90
2	2	2395	A	C4-C5-C6	-5.43	114.28	117.00
2	2	1655	C	N1-C2-O2	5.43	122.16	118.90
5	5	94	C	N3-C2-O2	-5.43	118.10	121.90
5	5	95	C	N3-C2-O2	-5.43	118.10	121.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	2257	C	C6-N1-C1'	-5.42	114.29	120.80
2	2	2849	A	C4-C5-C6	-5.42	114.29	117.00
2	2	4178	A	C4-C5-C6	-5.42	114.29	117.00
5	5	20	U	N3-C2-O2	-5.42	118.40	122.20
5	5	76	U	C2-N1-C1'	5.42	124.21	117.70
2	2	94	A	C4-C5-C6	-5.42	114.29	117.00
2	2	465	G	C4-N9-C1'	5.42	133.55	126.50
2	2	110	C	N1-C2-O2	5.42	122.15	118.90
2	2	4703	U	C6-N1-C2	-5.42	117.75	121.00
2	2	4990	C	OP1-P-O3'	5.42	117.12	105.20
2	2	1306	C	C5-C6-N1	5.42	123.71	121.00
2	2	389	A	C2-N3-C4	5.42	113.31	110.60
2	2	1643	A	N1-C2-N3	-5.42	126.59	129.30
2	2	2066	C	N3-C2-O2	-5.42	118.11	121.90
2	2	2382	A	C2-N3-C4	5.42	113.31	110.60
2	2	467	U	O4'-C1'-N1	5.42	112.53	108.20
2	2	2886	U	N1-C2-O2	5.42	126.59	122.80
2	2	985	C	N3-C2-O2	-5.41	118.11	121.90
2	2	4603	C	C5-C6-N1	5.41	123.71	121.00
2	2	1204	C	C6-N1-C2	-5.41	118.14	120.30
2	2	1901	C	N1-C2-O2	5.41	122.15	118.90
2	2	2017	A	N7-C8-N9	5.41	116.51	113.80
2	2	2553	A	C4-C5-C6	-5.41	114.29	117.00
2	2	3692	A	C2-N3-C4	5.41	113.31	110.60
34	a	38	ARG	C-N-CA	5.41	135.23	121.70
2	2	1702	C	C6-N1-C1'	-5.41	114.31	120.80
2	2	3638	G	C2-N3-C4	5.41	114.60	111.90
2	2	3594	C	N3-C2-O2	-5.41	118.11	121.90
2	2	3830	A	C4-C5-C6	-5.41	114.30	117.00
2	2	328	A	C4-C5-C6	-5.41	114.30	117.00
2	2	1429	C	N1-C2-O2	5.41	122.14	118.90
2	2	2396	A	C2-N3-C4	5.41	113.30	110.60
2	2	2423	A	N1-C2-N3	-5.41	126.60	129.30
2	2	4372	U	N1-C2-O2	5.41	126.58	122.80
2	2	4748	U	N1-C2-O2	5.41	126.58	122.80
7	7	7	TYR	C-N-CA	5.41	135.22	121.70
2	2	2026	A	N1-C2-N3	-5.40	126.60	129.30
2	2	3632	C	C5-C6-N1	5.40	123.70	121.00
2	2	1275	G	N9-C4-C5	5.40	107.56	105.40
2	2	4723	A	C2-N3-C4	5.40	113.30	110.60
2	2	4945	G	C8-N9-C1'	-5.40	119.98	127.00
2	2	220	C	C2-N3-C4	5.40	122.60	119.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	944	A	C4-C5-C6	-5.40	114.30	117.00
2	2	977	C	C5-C6-N1	5.40	123.70	121.00
2	2	1339	U	C6-N1-C2	-5.40	117.76	121.00
2	2	4717	A	C2-N3-C4	5.40	113.30	110.60
2	2	4493	U	C6-N1-C2	-5.40	117.76	121.00
5	5	30	C	C5-C6-N1	5.40	123.70	121.00
2	2	25	A	N1-C2-N3	-5.40	126.60	129.30
2	2	390	C	N1-C2-O2	5.40	122.14	118.90
2	2	4144	C	N1-C2-O2	5.40	122.14	118.90
2	2	4566	U	N3-C2-O2	-5.40	118.42	122.20
5	5	2	U	N1-C2-O2	5.40	126.58	122.80
8	8	27	U	N3-C2-O2	-5.40	118.42	122.20
2	2	77	U	C2-N1-C1'	5.40	124.18	117.70
2	2	3745	U	N1-C2-O2	5.40	126.58	122.80
2	2	205	C	N1-C2-O2	5.39	122.14	118.90
2	2	242	U	C2-N1-C1'	5.39	124.17	117.70
2	2	1473	U	N1-C2-O2	5.39	126.58	122.80
2	2	1936	C	C5-C6-N1	5.39	123.70	121.00
2	2	2419	C	N1-C2-O2	5.39	122.14	118.90
2	2	2731	C	C6-N1-C2	-5.39	118.14	120.30
2	2	3696	C	C5-C6-N1	5.39	123.70	121.00
2	2	3923	A	C2-N3-C4	5.39	113.30	110.60
2	2	4981	G	N3-C4-N9	5.39	129.24	126.00
2	2	5060	A	C2-N3-C4	5.39	113.30	110.60
2	2	1720	C	C2-N1-C1'	5.39	124.73	118.80
8	8	71	A	C4-C5-C6	-5.39	114.30	117.00
2	2	1610	C	N1-C2-O2	5.39	122.14	118.90
2	2	1907	A	C4-C5-C6	-5.39	114.30	117.00
2	2	4360	U	C6-N1-C2	-5.39	117.77	121.00
2	2	965	G	N3-C4-C5	-5.39	125.91	128.60
2	2	2497	C	C5-C6-N1	5.39	123.69	121.00
2	2	2630	U	N1-C2-O2	5.39	126.57	122.80
2	2	4722	G	C8-N9-C1'	-5.39	119.99	127.00
2	2	180	C	C4-C5-C6	-5.39	114.71	117.40
2	2	317	A	C4-C5-N7	5.39	113.39	110.70
2	2	4254	G	C8-N9-C1'	-5.39	120.00	127.00
2	2	205	C	N3-C2-O2	-5.39	118.13	121.90
2	2	975	C	N3-C2-O2	-5.39	118.13	121.90
2	2	1727	U	N1-C2-O2	5.39	126.57	122.80
2	2	2095	A	C2-N3-C4	5.39	113.29	110.60
2	2	2511	A	C2-N3-C4	5.39	113.29	110.60
2	2	4730	C	C6-N1-C1'	5.39	127.26	120.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	4958	C	C2-N3-C4	5.39	122.59	119.90
2	2	5058	A	N1-C2-N3	-5.39	126.61	129.30
2	2	4226	G	C2-N3-C4	5.38	114.59	111.90
2	2	4626	A	O4'-C1'-N9	5.38	112.51	108.20
2	2	2264	C	N3-C2-O2	-5.38	118.13	121.90
2	2	429	A	C2-N3-C4	5.38	113.29	110.60
2	2	1954	U	N3-C2-O2	-5.38	118.43	122.20
2	2	4549	G	N3-C4-N9	5.38	129.23	126.00
2	2	4969	C	N3-C2-O2	-5.38	118.13	121.90
2	2	3853	U	N1-C2-O2	5.38	126.57	122.80
2	2	986	C	C6-N1-C2	-5.38	118.15	120.30
2	2	1879	C	N1-C2-O2	5.38	122.13	118.90
2	2	2659	A	N1-C2-N3	-5.38	126.61	129.30
2	2	3594	C	C6-N1-C2	-5.38	118.15	120.30
2	2	4375	C	OP1-P-O3'	5.38	117.03	105.20
11	B	67	VAL	CA-CB-CG1	5.38	118.97	110.90
2	2	1337	A	C4-C5-C6	-5.38	114.31	117.00
2	2	513	U	N3-C2-O2	-5.38	118.44	122.20
2	2	350	C	N3-C2-O2	-5.37	118.14	121.90
5	5	36	C	C5-C6-N1	5.37	123.69	121.00
8	8	64	U	C6-N1-C2	-5.37	117.78	121.00
2	2	2512	A	C4-C5-C6	-5.37	114.31	117.00
2	2	4329	G	C4-N9-C1'	5.37	133.48	126.50
2	2	4569	U	C6-N1-C2	-5.37	117.78	121.00
2	2	1810	G	N3-C4-N9	5.37	129.22	126.00
2	2	2447	U	C5-C6-N1	5.37	125.38	122.70
2	2	2651	C	C6-N1-C2	-5.37	118.15	120.30
2	2	3823	G	C4-N9-C1'	5.37	133.48	126.50
2	2	3930	U	N3-C2-O2	-5.37	118.44	122.20
2	2	4420	U	C2-N1-C1'	5.37	124.14	117.70
2	2	3854	C	N1-C2-O2	5.37	122.12	118.90
2	2	492	U	N1-C2-O2	5.37	126.56	122.80
2	2	1202	C	C6-N1-C2	-5.37	118.15	120.30
2	2	1637	A	C4-C5-C6	-5.37	114.32	117.00
2	2	2595	C	C5-C6-N1	5.37	123.68	121.00
2	2	4333	C	C5-C6-N1	5.37	123.68	121.00
2	2	4885	U	C6-N1-C2	-5.37	117.78	121.00
2	2	415	G	N3-C4-N9	5.36	129.22	126.00
2	2	1418	C	N1-C2-O2	5.36	122.12	118.90
2	2	4973	U	N1-C2-O2	5.36	126.55	122.80
2	2	736	C	C6-N1-C2	-5.36	118.16	120.30
2	2	4376	A	C4-C5-C6	-5.36	114.32	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1404	G	C2-N3-C4	5.36	114.58	111.90
2	2	1714	C	C5-C6-N1	5.36	123.68	121.00
2	2	2748	C	C5-C6-N1	5.36	123.68	121.00
2	2	4199	C	C5-C6-N1	5.36	123.68	121.00
2	2	2667	C	C5-C6-N1	5.36	123.68	121.00
2	2	2827	G	C4-N9-C1'	5.36	133.47	126.50
2	2	3682	A	C4-C5-C6	-5.36	114.32	117.00
2	2	4883	C	C5-C6-N1	5.36	123.68	121.00
2	2	907	C	C6-N1-C2	-5.36	118.16	120.30
2	2	2356	U	N1-C2-O2	5.36	126.55	122.80
2	2	2672	C	C6-N1-C2	-5.36	118.16	120.30
2	2	249	C	C6-N1-C2	-5.35	118.16	120.30
2	2	1264	C	C6-N1-C2	-5.35	118.16	120.30
2	2	181	C	N1-C2-O2	5.35	122.11	118.90
2	2	2041	A	C4-C5-C6	-5.35	114.32	117.00
2	2	2319	C	C6-N1-C2	-5.35	118.16	120.30
2	2	2583	C	N1-C2-O2	5.35	122.11	118.90
5	5	80	U	N1-C2-O2	5.35	126.55	122.80
2	2	4074	C	C5-C6-N1	5.35	123.67	121.00
2	2	4893	A	C2-N3-C4	5.35	113.28	110.60
2	2	304	C	N3-C2-O2	-5.35	118.16	121.90
2	2	353	A	C4-C5-C6	-5.35	114.33	117.00
2	2	3686	G	N1-C6-O6	-5.35	116.69	119.90
2	2	1298	C	N1-C2-O2	5.35	122.11	118.90
2	2	1497	A	C4-C5-C6	-5.35	114.33	117.00
2	2	1707	C	C5-C6-N1	5.35	123.67	121.00
2	2	2100	A	C2-N3-C4	5.35	113.27	110.60
2	2	4389	C	N1-C2-O2	5.35	122.11	118.90
5	5	17	C	C6-N1-C2	-5.35	118.16	120.30
2	2	74	G	N3-C4-N9	5.34	129.21	126.00
2	2	1262	G	N3-C4-N9	5.34	129.21	126.00
2	2	2409	U	C4-C5-C6	5.34	122.91	119.70
2	2	2859	G	C8-N9-C4	-5.34	104.26	106.40
2	2	3688	U	C6-N1-C2	-5.34	117.79	121.00
2	2	87	A	C4-C5-C6	-5.34	114.33	117.00
2	2	914	U	C5-C4-O4	-5.34	122.69	125.90
2	2	5016	A	C5-N7-C8	-5.34	101.23	103.90
5	5	104	C	C6-N1-C2	-5.34	118.16	120.30
2	2	454	U	C5-C6-N1	5.34	125.37	122.70
2	2	1537	A	C2-N3-C4	5.34	113.27	110.60
2	2	2061	U	N3-C2-O2	-5.34	118.46	122.20
2	2	4379	A	C4-C5-C6	-5.34	114.33	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	4610	A	C4-N9-C1'	5.34	135.91	126.30
2	2	711	A	C2-N3-C4	5.34	113.27	110.60
2	2	4206	C	N3-C2-O2	-5.34	118.16	121.90
2	2	4596	C	N3-C2-O2	-5.34	118.16	121.90
2	2	76	A	C2-N3-C4	5.34	113.27	110.60
2	2	499	G	C8-N9-C4	-5.34	104.27	106.40
2	2	2713	C	N1-C2-O2	5.34	122.10	118.90
2	2	4611	A	C2-N3-C4	5.34	113.27	110.60
2	2	4717	A	C4-C5-C6	-5.34	114.33	117.00
2	2	4722	G	C2-N3-C4	5.34	114.57	111.90
2	2	692	A	C4-C5-C6	-5.33	114.33	117.00
2	2	1664	U	N3-C2-O2	-5.33	118.47	122.20
2	2	1796	U	C6-N1-C2	-5.33	117.80	121.00
2	2	2019	C	C6-N1-C1'	5.33	127.20	120.80
2	2	4865	C	C6-N1-C2	-5.33	118.17	120.30
2	2	1281	G	N3-C4-N9	5.33	129.20	126.00
2	2	2036	C	C5-C6-N1	5.33	123.67	121.00
2	2	3903	A	C4-C5-C6	-5.33	114.33	117.00
2	2	4521	U	N3-C2-O2	-5.33	118.47	122.20
2	2	4712	C	N3-C2-O2	-5.33	118.17	121.90
2	2	196	C	C5-C6-N1	5.33	123.66	121.00
2	2	344	A	C2-N3-C4	5.33	113.26	110.60
2	2	2563	C	C5-C6-N1	5.33	123.66	121.00
2	2	1477	C	C2-N1-C1'	5.33	124.66	118.80
2	2	1610	C	C5-C6-N1	5.33	123.66	121.00
8	8	32	C	C2-N1-C1'	5.33	124.66	118.80
2	2	1632	A	N7-C8-N9	5.32	116.46	113.80
2	2	1908	A	C4-C5-C6	-5.32	114.34	117.00
2	2	2325	C	N3-C2-O2	-5.32	118.17	121.90
2	2	3920	U	N1-C2-O2	5.32	126.53	122.80
2	2	4256	A	N1-C2-N3	-5.32	126.64	129.30
2	2	5050	C	N1-C2-O2	5.32	122.09	118.90
2	2	1254	A	C8-N9-C1'	-5.32	118.12	127.70
2	2	2107	C	C5-C6-N1	5.32	123.66	121.00
2	2	4517	A	C2-N3-C4	5.32	113.26	110.60
8	8	137	A	C2-N3-C4	5.32	113.26	110.60
2	2	3651	A	C4-C5-C6	-5.32	114.34	117.00
2	2	440	U	C2-N1-C1'	5.32	124.08	117.70
2	2	2607	C	C6-N1-C2	-5.32	118.17	120.30
2	2	4892	A	C2-N3-C4	5.32	113.26	110.60
2	2	3849	A	C4-C5-C6	-5.32	114.34	117.00
2	2	4295	U	C6-N1-C2	-5.32	117.81	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	4299	U	C6-N1-C2	-5.32	117.81	121.00
10	A	81	ASP	CB-CG-OD1	5.32	123.08	118.30
2	2	343	C	C6-N1-C2	-5.31	118.17	120.30
2	2	4162	C	N3-C2-O2	-5.31	118.18	121.90
2	2	147	A	C2-N3-C4	5.31	113.26	110.60
2	2	1702	C	C5-C6-N1	5.31	123.66	121.00
5	5	94	C	C6-N1-C2	-5.31	118.17	120.30
2	2	4640	C	N3-C2-O2	-5.31	118.18	121.90
2	2	368	C	C5-C6-N1	5.31	123.66	121.00
2	2	400	A	C4-C5-C6	-5.31	114.35	117.00
2	2	477	C	C5-C6-N1	5.31	123.65	121.00
2	2	1520	C	C5-C6-N1	5.31	123.66	121.00
2	2	2844	A	C4-C5-C6	-5.31	114.35	117.00
19	K	73	ILE	CG1-CB-CG2	-5.31	99.72	111.40
2	2	450	G	N3-C4-C5	-5.31	125.95	128.60
2	2	2598	A	C5-C6-N1	5.31	120.35	117.70
2	2	3663	A	C4-C5-C6	-5.31	114.35	117.00
2	2	3831	U	N1-C2-O2	5.31	126.52	122.80
8	8	45	C	C5-C6-N1	5.31	123.65	121.00
2	2	4544	A	C4-C5-C6	-5.30	114.35	117.00
2	2	4926	C	C6-N1-C1'	-5.30	114.44	120.80
2	2	1838	A	C4-C5-C6	-5.30	114.35	117.00
2	2	2335	C	C5-C6-N1	5.30	123.65	121.00
2	2	3876	A	C4-C5-C6	-5.30	114.35	117.00
2	2	1600	A	C4-C5-C6	-5.30	114.35	117.00
2	2	1725	U	N3-C2-O2	-5.30	118.49	122.20
2	2	1726	U	C5-C6-N1	5.30	125.35	122.70
2	2	4568	A	C4-C5-C6	-5.30	114.35	117.00
2	2	1557	C	C6-N1-C2	-5.30	118.18	120.30
2	2	2835	A	C4-C5-C6	-5.30	114.35	117.00
2	2	4522	G	C4-N9-C1'	5.30	133.38	126.50
2	2	4565	C	C2-N3-C4	5.30	122.55	119.90
2	2	4588	U	N1-C2-O2	5.30	126.51	122.80
2	2	1638	A	C4-C5-C6	-5.29	114.35	117.00
2	2	1603	C	N1-C2-O2	5.29	122.08	118.90
2	2	3704	U	N3-C2-O2	-5.29	118.50	122.20
2	2	3826	C	N3-C2-O2	-5.29	118.19	121.90
2	2	3828	A	C4-C5-C6	-5.29	114.35	117.00
2	2	4639	G	C8-N9-C1'	-5.29	120.12	127.00
2	2	1302	U	C6-N1-C2	-5.29	117.83	121.00
2	2	1808	C	C5-C6-N1	5.29	123.65	121.00
2	2	2332	A	C5-C6-N1	5.29	120.35	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1858	A	C2-N3-C4	5.29	113.25	110.60
2	2	4713	G	C4-N9-C1'	5.29	133.38	126.50
2	2	465	G	N3-C4-N9	5.29	129.17	126.00
2	2	1197	C	N1-C2-O2	5.29	122.07	118.90
2	2	82	U	N3-C2-O2	-5.29	118.50	122.20
2	2	3587	C	C5-C6-N1	5.28	123.64	121.00
2	2	3747	A	C4-C5-C6	-5.28	114.36	117.00
2	2	1825	A	C4-C5-C6	-5.28	114.36	117.00
2	2	3666	C	C6-N1-C2	-5.28	118.19	120.30
2	2	3844	U	C5-C6-N1	5.28	125.34	122.70
2	2	4350	C	C2-N1-C1'	5.28	124.61	118.80
2	2	4539	U	N3-C2-O2	-5.28	118.50	122.20
2	2	204	U	C6-N1-C2	-5.28	117.83	121.00
2	2	1437	C	C5-C6-N1	5.28	123.64	121.00
2	2	3839	G	O4'-C1'-N9	-5.28	103.98	108.20
2	2	4280	A	C6-N1-C2	5.28	121.77	118.60
2	2	2814	C	C6-N1-C2	-5.27	118.19	120.30
2	2	4629	U	N3-C2-O2	-5.27	118.51	122.20
2	2	4975	G	O4'-C1'-N9	5.27	112.42	108.20
2	2	4922	C	C6-N1-C2	-5.27	118.19	120.30
2	2	239	C	C5-C6-N1	5.27	123.64	121.00
2	2	1630	A	C4-C5-C6	-5.27	114.37	117.00
2	2	1682	A	C4-C5-C6	-5.27	114.37	117.00
2	2	2669	C	C5-C6-N1	5.27	123.63	121.00
2	2	1609	U	N1-C2-O2	5.26	126.48	122.80
2	2	4770	U	C2-N1-C1'	5.26	124.02	117.70
2	2	1915	C	C6-N1-C2	-5.26	118.19	120.30
2	2	1929	A	N7-C8-N9	5.26	116.43	113.80
2	2	360	A	C2-N3-C4	5.26	113.23	110.60
2	2	2262	G	C2-N3-C4	5.26	114.53	111.90
5	5	79	U	N1-C2-O2	5.26	126.48	122.80
2	2	1297	U	C6-N1-C2	-5.26	117.84	121.00
2	2	3630	A	C4-C5-C6	-5.26	114.37	117.00
2	2	4646	U	N3-C2-O2	-5.26	118.52	122.20
2	2	4311	A	N1-C2-N3	-5.26	126.67	129.30
2	2	4968	A	N1-C2-N3	-5.26	126.67	129.30
2	2	171	U	C5-C6-N1	5.26	125.33	122.70
2	2	417	G	N1-C6-O6	-5.26	116.75	119.90
2	2	1533	A	C4-C5-C6	-5.26	114.37	117.00
2	2	2528	G	N7-C8-N9	5.26	115.73	113.10
2	2	1178	G	C8-N9-C1'	-5.25	120.17	127.00
2	2	2867	C	N3-C2-O2	-5.25	118.22	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	358	C	N3-C2-O2	-5.25	118.22	121.90
2	2	2257	C	C5-C6-N1	5.25	123.63	121.00
2	2	2633	U	N3-C2-O2	-5.25	118.52	122.20
2	2	4386	C	C6-N1-C2	-5.25	118.20	120.30
2	2	37	U	N3-C2-O2	-5.25	118.52	122.20
2	2	2507	A	C2-N3-C4	5.25	113.22	110.60
2	2	3779	A	N7-C8-N9	5.25	116.43	113.80
2	2	4178	A	C2-N3-C4	5.25	113.23	110.60
8	8	93	C	C5-C6-N1	5.25	123.63	121.00
2	2	446	C	N1-C2-O2	5.25	122.05	118.90
2	2	1644	C	N1-C2-O2	5.25	122.05	118.90
2	2	2899	C	C6-N1-C2	-5.25	118.20	120.30
2	2	4183	G	C4-N9-C1'	5.25	133.32	126.50
2	2	2021	G	C8-N9-C1'	-5.25	120.18	127.00
2	2	2634	C	N1-C2-O2	5.25	122.05	118.90
2	2	3631	U	N1-C2-O2	5.25	126.47	122.80
2	2	4120	U	N3-C2-O2	-5.25	118.53	122.20
8	8	103	A	C4-C5-C6	-5.25	114.38	117.00
2	2	3854	C	C6-N1-C2	-5.25	118.20	120.30
2	2	262	G	N3-C2-N2	5.24	123.57	119.90
2	2	415	G	N3-C4-C5	-5.24	125.98	128.60
2	2	713	C	C5-C6-N1	5.24	123.62	121.00
2	2	718	C	C6-N1-C2	-5.24	118.20	120.30
2	2	1591	U	N3-C2-O2	-5.24	118.53	122.20
2	2	5030	U	C2-N1-C1'	5.24	123.99	117.70
2	2	1478	C	N1-C2-O2	5.24	122.04	118.90
2	2	1671	U	N1-C2-O2	5.24	126.47	122.80
2	2	2460	A	C2-N3-C4	5.24	113.22	110.60
2	2	759	G	C4-N9-C1'	5.24	133.31	126.50
2	2	4610	A	N7-C8-N9	5.24	116.42	113.80
8	8	103	A	C5-C6-N1	5.24	120.32	117.70
2	2	2787	A	C2-N3-C4	5.24	113.22	110.60
2	2	4996	C	C2-N1-C1'	5.24	124.56	118.80
2	2	166	C	C5-C6-N1	5.24	123.62	121.00
2	2	455	C	C2-N1-C1'	5.24	124.56	118.80
2	2	1430	C	N1-C2-O2	5.24	122.04	118.90
2	2	1491	A	C4-C5-C6	-5.24	114.38	117.00
2	2	2026	A	C4-C5-C6	-5.24	114.38	117.00
2	2	2632	U	N3-C2-O2	-5.24	118.53	122.20
2	2	3919	C	N3-C2-O2	-5.24	118.23	121.90
2	2	5004	C	C4-C5-C6	-5.24	114.78	117.40
2	2	678	C	C6-N1-C2	-5.23	118.21	120.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1650	A	C4-C5-N7	5.23	113.32	110.70
2	2	3833	C	N1-C2-O2	5.23	122.04	118.90
4	4	269	LEU	CA-CB-CG	5.23	127.34	115.30
2	2	1498	G	N3-C4-C5	-5.23	125.98	128.60
2	2	2250	C	C6-N1-C2	-5.23	118.21	120.30
2	2	3617	G	C8-N9-C4	-5.23	104.31	106.40
2	2	4363	A	C4-C5-C6	-5.23	114.38	117.00
2	2	1520	C	C6-N1-C2	-5.23	118.21	120.30
2	2	2292	C	N1-C2-O2	5.23	122.04	118.90
2	2	4701	A	C4-C5-C6	-5.23	114.39	117.00
8	8	98	C	C5-C6-N1	5.23	123.61	121.00
2	2	244	G	C8-N9-C4	-5.23	104.31	106.40
2	2	1716	G	N3-C4-N9	5.23	129.14	126.00
2	2	248	C	C6-N1-C2	-5.23	118.21	120.30
2	2	709	C	N3-C2-O2	-5.23	118.24	121.90
2	2	1929	A	C5-C6-N1	5.23	120.31	117.70
2	2	2634	C	C5-C6-N1	5.23	123.61	121.00
2	2	3717	A	C4-C5-C6	-5.23	114.39	117.00
2	2	3605	C	C5-C6-N1	5.23	123.61	121.00
2	2	984	C	C2-N1-C1'	5.22	124.55	118.80
2	2	2087	C	C6-N1-C2	-5.22	118.21	120.30
2	2	1906	U	C5-C6-N1	5.22	125.31	122.70
2	2	3836	A	N7-C8-N9	5.22	116.41	113.80
2	2	2402	G	C2-N3-C4	5.22	114.51	111.90
2	2	2581	A	C4-C5-C6	-5.22	114.39	117.00
2	2	4619	U	N3-C2-O2	-5.22	118.55	122.20
8	8	84	A	C4-C5-C6	-5.22	114.39	117.00
2	2	343	C	C5-C6-N1	5.22	123.61	121.00
2	2	724	C	N1-C2-O2	5.22	122.03	118.90
2	2	1703	C	C6-N1-C1'	-5.22	114.54	120.80
2	2	2767	U	N1-C2-O2	5.22	126.45	122.80
2	2	3726	A	C4-C5-C6	-5.22	114.39	117.00
2	2	923	C	O4'-C1'-N1	5.21	112.37	108.20
2	2	1466	G	N1-C6-O6	-5.21	116.77	119.90
2	2	4188	U	C6-N1-C2	-5.21	117.87	121.00
2	2	4906	C	C5-C6-N1	5.21	123.61	121.00
5	5	76	U	C5-C6-N1	5.21	125.31	122.70
2	2	4584	A	C2-N3-C4	5.21	113.21	110.60
2	2	189	G	N7-C8-N9	5.21	115.71	113.10
2	2	2783	A	C4-C5-N7	5.21	113.31	110.70
2	2	4340	U	C5-C6-N1	5.21	125.31	122.70
2	2	2035	C	N1-C2-O2	5.21	122.03	118.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	2096	G	C2-N3-C4	5.21	114.50	111.90
2	2	3841	C	C6-N1-C2	-5.21	118.22	120.30
2	2	329	A	C4-C5-C6	-5.21	114.40	117.00
2	2	415	G	C2-N3-C4	5.21	114.50	111.90
2	2	4123	C	C5-C6-N1	5.21	123.60	121.00
2	2	4896	G	N3-C4-N9	5.20	129.12	126.00
5	5	20	U	N1-C2-O2	5.20	126.44	122.80
2	2	1536	U	C5-C6-N1	5.20	125.30	122.70
2	2	1877	G	C8-N9-C4	-5.20	104.32	106.40
2	2	2783	A	C4-C5-C6	-5.20	114.40	117.00
39	g	116	LEU	CA-CB-CG	5.20	127.26	115.30
2	2	1293	G	C8-N9-C1'	-5.20	120.24	127.00
2	2	1428	U	N1-C2-O2	5.20	126.44	122.80
2	2	2884	G	C2-N3-C4	5.20	114.50	111.90
5	5	83	A	C4-C5-C6	-5.20	114.40	117.00
2	2	2708	U	N3-C2-O2	-5.20	118.56	122.20
2	2	2849	A	N1-C2-N3	-5.20	126.70	129.30
2	2	3895	G	N1-C6-O6	-5.20	116.78	119.90
2	2	4591	U	N3-C2-O2	-5.20	118.56	122.20
2	2	4590	A	C4-C5-C6	-5.20	114.40	117.00
2	2	4462	C	C6-N1-C2	-5.20	118.22	120.30
5	5	66	G	C4-N9-C1'	5.20	133.25	126.50
2	2	2733	C	N1-C2-O2	5.19	122.02	118.90
2	2	1292	C	C6-N1-C2	-5.19	118.22	120.30
8	8	35	C	N1-C2-O2	5.19	122.02	118.90
2	2	201	C	C5-C6-N1	5.19	123.59	121.00
2	2	1650	A	N9-C4-C5	-5.19	103.72	105.80
2	2	2403	A	C2-N3-C4	5.19	113.20	110.60
2	2	3834	C	C5-C6-N1	5.19	123.60	121.00
2	2	2484	A	C8-N9-C1'	-5.19	118.36	127.70
2	2	23	C	N3-C2-O2	-5.19	118.27	121.90
2	2	372	A	C2-N3-C4	5.19	113.19	110.60
2	2	1437	C	C6-N1-C1'	5.19	127.03	120.80
2	2	1575	A	C4-C5-C6	-5.19	114.41	117.00
2	2	4340	U	C2-N1-C1'	5.19	123.92	117.70
2	2	4928	C	O4'-C1'-N1	5.19	112.35	108.20
2	2	738	C	C2-N3-C4	5.19	122.49	119.90
2	2	3858	C	N3-C2-O2	-5.19	118.27	121.90
2	2	1669	A	C5-C6-N1	5.18	120.29	117.70
2	2	3833	C	C5-C6-N1	5.18	123.59	121.00
2	2	3890	A	C4-C5-C6	-5.18	114.41	117.00
2	2	2042	A	C2-N3-C4	5.18	113.19	110.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	4385	A	N9-C4-C5	-5.18	103.73	105.80
2	2	5023	C	C5-C6-N1	5.18	123.59	121.00
2	2	100	C	C5-C6-N1	5.18	123.59	121.00
2	2	175	C	C5-C6-N1	5.18	123.59	121.00
2	2	317	A	N7-C8-N9	5.18	116.39	113.80
2	2	2702	C	C6-N1-C2	-5.18	118.23	120.30
2	2	3693	U	C2-N1-C1'	5.18	123.91	117.70
2	2	256	G	C8-N9-C4	-5.18	104.33	106.40
2	2	1613	A	N1-C6-N6	-5.18	115.49	118.60
2	2	62	A	C4-C5-C6	-5.17	114.41	117.00
2	2	940	C	C6-N1-C2	-5.17	118.23	120.30
2	2	1414	C	N3-C2-O2	-5.17	118.28	121.90
2	2	4930	C	C5-C6-N1	5.17	123.59	121.00
8	8	27	U	C6-N1-C2	-5.17	117.89	121.00
2	2	940	C	C5-C6-N1	5.17	123.59	121.00
2	2	1216	C	O4'-C1'-N1	5.17	112.34	108.20
2	2	414	C	C5-C6-N1	5.17	123.59	121.00
2	2	757	G	C2-N3-C4	5.17	114.48	111.90
2	2	1077	C	N1-C2-O2	5.17	122.00	118.90
2	2	1623	A	C4-C5-C6	-5.17	114.41	117.00
2	2	2806	A	C4-C5-C6	-5.17	114.42	117.00
2	2	4673	U	C6-N1-C2	-5.17	117.90	121.00
2	2	4891	G	C4-N9-C1'	5.17	133.22	126.50
2	2	4967	A	C2-N3-C4	5.17	113.18	110.60
2	2	303	C	N1-C2-O2	5.17	122.00	118.90
2	2	2860	C	C2-N3-C4	5.17	122.48	119.90
2	2	3749	C	N1-C2-O2	5.17	122.00	118.90
2	2	3667	C	N1-C2-O2	5.17	122.00	118.90
2	2	1282	G	C2-N3-C4	5.16	114.48	111.90
2	2	2069	A	C4-C5-C6	-5.16	114.42	117.00
2	2	2780	C	N1-C2-O2	5.16	122.00	118.90
2	2	4346	U	N1-C2-O2	5.16	126.42	122.80
2	2	112	C	N3-C2-O2	-5.16	118.29	121.90
2	2	2067	C	N1-C2-O2	5.16	122.00	118.90
2	2	262	G	N1-C6-O6	-5.16	116.80	119.90
2	2	518	G	C8-N9-C1'	-5.16	120.30	127.00
2	2	4682	U	C6-N1-C2	-5.16	117.91	121.00
5	5	5	A	C2-N3-C4	5.16	113.18	110.60
2	2	954	C	C6-N1-C2	-5.16	118.24	120.30
2	2	2738	C	O4'-C1'-N1	5.16	112.33	108.20
2	2	4456	C	N1-C2-O2	5.16	121.99	118.90
2	2	362	A	C4-C5-C6	-5.16	114.42	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	3667	C	N3-C2-O2	-5.16	118.29	121.90
2	2	3895	G	C2-N3-C4	5.16	114.48	111.90
2	2	4123	C	N1-C2-O2	5.16	121.99	118.90
2	2	5001	U	N1-C2-O2	5.16	126.41	122.80
2	2	1298	C	N3-C2-O2	-5.15	118.29	121.90
2	2	1632	A	N3-C4-N9	5.15	131.52	127.40
2	2	4138	C	N3-C2-O2	-5.15	118.29	121.90
2	2	4891	G	N3-C4-C5	-5.15	126.02	128.60
2	2	1810	G	C4-N9-C1'	5.15	133.20	126.50
2	2	1729	A	C5-C6-N1	5.15	120.28	117.70
2	2	2101	C	N1-C2-O2	5.15	121.99	118.90
5	5	58	A	C2-N3-C4	5.15	113.18	110.60
2	2	2460	A	C4-C5-C6	-5.15	114.43	117.00
2	2	2030	A	C2-N3-C4	5.15	113.17	110.60
2	2	1343	A	C4-C5-C6	-5.15	114.43	117.00
2	2	2341	A	C4-C5-C6	-5.15	114.43	117.00
2	2	2517	A	C4-C5-C6	-5.15	114.43	117.00
2	2	5025	C	N3-C2-O2	-5.15	118.30	121.90
2	2	18	C	N1-C2-O2	5.14	121.99	118.90
2	2	358	C	C5-C6-N1	5.14	123.57	121.00
2	2	385	A	C2-N3-C4	5.14	113.17	110.60
2	2	669	C	N1-C2-O2	5.14	121.99	118.90
2	2	1344	C	N3-C2-O2	-5.14	118.30	121.90
2	2	2774	C	N3-C2-O2	-5.14	118.30	121.90
2	2	2899	C	C5-C6-N1	5.14	123.57	121.00
2	2	3601	C	C6-N1-C2	-5.14	118.24	120.30
3	3	328	LYS	C-N-CA	5.14	134.56	121.70
2	2	4162	C	C6-N1-C1'	-5.14	114.63	120.80
2	2	5035	U	C6-N1-C2	-5.14	117.91	121.00
2	2	2255	C	C2-N3-C4	5.14	122.47	119.90
2	2	2258	C	C6-N1-C2	-5.14	118.24	120.30
2	2	906	C	C6-N1-C2	-5.14	118.25	120.30
2	2	1278	C	C6-N1-C2	-5.14	118.24	120.30
2	2	719	C	N1-C2-O2	5.14	121.98	118.90
2	2	215	C	C6-N1-C2	-5.14	118.25	120.30
2	2	2791	C	N3-C2-O2	-5.14	118.30	121.90
2	2	4073	A	C2-N3-C4	5.14	113.17	110.60
2	2	422	C	N1-C2-O2	5.13	121.98	118.90
2	2	485	C	C2-N3-C4	5.13	122.47	119.90
2	2	2262	G	N7-C8-N9	5.13	115.67	113.10
2	2	1809	C	N3-C2-O2	-5.13	118.31	121.90
2	2	2835	A	C2-N3-C4	5.13	113.17	110.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	3931	C	N1-C2-O2	5.13	121.98	118.90
2	2	1527	A	C2-N3-C4	5.13	113.17	110.60
2	2	3781	C	N1-C2-O2	5.13	121.98	118.90
2	2	1254	A	N3-C4-C5	-5.13	123.21	126.80
2	2	1279	A	C4-C5-C6	-5.13	114.44	117.00
2	2	1318	C	C5-C6-N1	5.13	123.56	121.00
2	2	2429	A	C2-N3-C4	5.13	113.16	110.60
5	5	69	U	N1-C2-O2	5.13	126.39	122.80
8	8	96	C	C5-C6-N1	5.13	123.56	121.00
2	2	1178	G	N3-C4-C5	-5.12	126.04	128.60
2	2	1968	G	N3-C4-N9	5.12	129.07	126.00
2	2	2678	A	C2-N3-C4	5.12	113.16	110.60
2	2	2764	A	C2-N3-C4	5.12	113.16	110.60
2	2	4519	C	N1-C2-O2	5.12	121.97	118.90
2	2	1462	A	C2-N3-C4	5.12	113.16	110.60
2	2	1558	A	C4-C5-C6	-5.12	114.44	117.00
2	2	2573	A	C4-C5-C6	-5.12	114.44	117.00
5	5	52	C	C5-C6-N1	5.12	123.56	121.00
2	2	1535	C	N1-C2-O2	5.12	121.97	118.90
2	2	1705	G	N3-C4-C5	-5.12	126.04	128.60
2	2	2485	U	N3-C2-O2	-5.12	118.62	122.20
2	2	4414	A	N1-C2-N3	-5.12	126.74	129.30
2	2	4641	U	N1-C2-O2	5.12	126.38	122.80
2	2	4651	A	C2-N3-C4	5.12	113.16	110.60
2	2	120	A	C4-C5-C6	-5.12	114.44	117.00
2	2	2302	C	C2-N1-C1'	5.12	124.43	118.80
2	2	27	C	N1-C2-O2	5.11	121.97	118.90
2	2	440	U	C6-N1-C2	-5.11	117.93	121.00
2	2	1692	C	N1-C2-O2	5.11	121.97	118.90
2	2	4260	U	N3-C2-O2	-5.11	118.62	122.20
2	2	300	A	C2-N3-C4	5.11	113.16	110.60
2	2	935	A	C6-C5-N7	5.11	135.88	132.30
2	2	1367	C	C6-N1-C1'	-5.11	114.67	120.80
2	2	4304	A	C4-C5-C6	-5.11	114.44	117.00
2	2	304	C	C5-C6-N1	5.11	123.56	121.00
2	2	1498	G	C2-N3-C4	5.11	114.45	111.90
2	2	2472	A	C2-N3-C4	5.11	113.16	110.60
5	5	46	C	C5-C6-N1	5.11	123.56	121.00
2	2	4337	C	N1-C2-O2	5.11	121.97	118.90
8	8	37	A	C2-N3-C4	5.11	113.15	110.60
2	2	56	A	C2-N3-C4	5.11	113.15	110.60
2	2	663	G	N3-C2-N2	5.11	123.47	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1592	G	N3-C4-C5	-5.11	126.05	128.60
2	2	1848	C	N1-C2-O2	5.11	121.96	118.90
2	2	2263	A	C2-N3-C4	5.11	113.15	110.60
2	2	2430	C	N1-C2-O2	5.11	121.96	118.90
2	2	2431	A	C4-C5-C6	-5.11	114.45	117.00
2	2	3925	U	N3-C2-O2	-5.11	118.63	122.20
2	2	4764	A	N3-C4-C5	5.11	130.37	126.80
8	8	98	C	N1-C2-O2	5.11	121.96	118.90
2	2	757	G	C8-N9-C1'	-5.10	120.37	127.00
2	2	3911	C	N1-C2-O2	5.10	121.96	118.90
2	2	4426	C	C2-N1-C1'	5.10	124.41	118.80
8	8	79	G	N7-C8-N9	5.10	115.65	113.10
2	2	2021	G	N3-C4-N9	5.10	129.06	126.00
2	2	2419	C	N3-C2-O2	-5.10	118.33	121.90
5	5	4	U	C6-N1-C2	-5.10	117.94	121.00
2	2	257	C	N1-C2-O2	5.10	121.96	118.90
2	2	1715	C	C6-N1-C2	-5.10	118.26	120.30
2	2	1849	U	N1-C2-O2	5.10	126.37	122.80
2	2	2310	C	N1-C2-O2	5.10	121.96	118.90
5	5	11	A	C4-C5-C6	-5.10	114.45	117.00
8	8	82	A	N3-C4-N9	5.10	131.48	127.40
2	2	195	C	N1-C2-O2	5.10	121.96	118.90
2	2	3652	A	C2-N3-C4	5.10	113.15	110.60
2	2	3732	A	C2-N3-C4	5.10	113.15	110.60
2	2	4713	G	N3-C4-N9	5.10	129.06	126.00
2	2	2028	C	C6-N1-C2	-5.10	118.26	120.30
2	2	3658	C	C5-C6-N1	5.10	123.55	121.00
2	2	5046	U	C5-C6-N1	5.10	125.25	122.70
2	2	1463	C	C6-N1-C2	-5.09	118.26	120.30
2	2	2071	A	C5-C6-N1	5.09	120.25	117.70
2	2	5007	A	C2-N3-C4	5.09	113.15	110.60
2	2	906	C	C5-C6-N1	5.09	123.55	121.00
2	2	2277	C	N1-C2-O2	5.09	121.96	118.90
2	2	2532	C	N3-C2-O2	-5.09	118.33	121.90
2	2	4244	A	C4-C5-C6	-5.09	114.45	117.00
2	2	4696	C	C5-C6-N1	5.09	123.55	121.00
2	2	1791	U	C6-N1-C2	-5.09	117.95	121.00
2	2	2393	C	N1-C2-O2	5.09	121.95	118.90
2	2	4689	U	C6-N1-C2	-5.09	117.95	121.00
2	2	4758	U	O4'-C1'-N1	5.09	112.27	108.20
2	2	4970	C	N3-C2-O2	-5.09	118.34	121.90
2	2	518	G	C2-N3-C4	5.09	114.44	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1086	C	N1-C2-O2	5.09	121.95	118.90
2	2	1312	A	C4-C5-C6	-5.09	114.45	117.00
2	2	1597	G	O4'-C1'-N9	5.09	112.27	108.20
2	2	2362	U	C5-C6-N1	5.09	125.24	122.70
2	2	4520	G	N3-C4-N9	5.09	129.05	126.00
2	2	1094	G	C8-N9-C4	-5.09	104.37	106.40
2	2	2094	G	N7-C8-N9	5.09	115.64	113.10
2	2	3706	C	C6-N1-C2	-5.09	118.27	120.30
2	2	667	A	C2-N3-C4	5.08	113.14	110.60
2	2	3694	U	N1-C2-O2	5.08	126.36	122.80
2	2	4378	A	C4-C5-C6	-5.08	114.46	117.00
2	2	4602	A	C2-N3-C4	5.08	113.14	110.60
2	2	452	A	C4-C5-C6	-5.08	114.46	117.00
2	2	1049	C	C5-C6-N1	5.08	123.54	121.00
2	2	1282	G	C4-N9-C1'	5.08	133.11	126.50
2	2	2454	U	N3-C2-O2	-5.08	118.64	122.20
4	4	303	ASP	CB-CG-OD1	5.08	122.88	118.30
2	2	49	U	C2-N1-C1'	5.08	123.80	117.70
2	2	108	A	C2-N3-C4	5.08	113.14	110.60
2	2	1635	C	N1-C2-O2	5.08	121.95	118.90
2	2	2772	C	C5-C6-N1	5.08	123.54	121.00
2	2	4585	U	C5-C6-N1	5.08	125.24	122.70
5	5	76	U	C6-N1-C2	-5.08	117.95	121.00
2	2	1910	G	C4-N9-C1'	5.08	133.10	126.50
45	m	55	GLY	C-N-CA	5.08	134.40	121.70
2	2	426	A	C4-C5-C6	-5.08	114.46	117.00
2	2	3590	G	C2-N3-C4	5.08	114.44	111.90
2	2	32	G	C8-N9-C4	-5.08	104.37	106.40
2	2	4310	A	C2-N3-C4	5.08	113.14	110.60
8	8	62	A	C2-N3-C4	5.08	113.14	110.60
2	2	988	C	C2-N3-C4	5.08	122.44	119.90
2	2	1832	C	C2-N1-C1'	5.08	124.38	118.80
2	2	1970	A	C4-C5-C6	-5.08	114.46	117.00
2	2	2465	C	C4-C5-C6	-5.08	114.86	117.40
2	2	4902	C	C6-N1-C2	-5.08	118.27	120.30
2	2	1094	G	N7-C8-N9	5.07	115.64	113.10
2	2	1275	G	C8-N9-C1'	5.07	133.59	127.00
2	2	4467	A	C2-N3-C4	5.07	113.14	110.60
2	2	4614	G	N1-C6-O6	-5.07	116.86	119.90
2	2	1321	G	C8-N9-C4	-5.07	104.37	106.40
2	2	1343	A	C5-C6-N1	5.07	120.24	117.70
2	2	2258	C	C5-C6-N1	5.07	123.54	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	4684	A	C2-N3-C4	5.07	113.14	110.60
27	S	127	VAL	CG1-CB-CG2	-5.07	102.78	110.90
2	2	920	C	C6-N1-C2	-5.07	118.27	120.30
2	2	1076	C	N1-C2-O2	5.07	121.94	118.90
2	2	1857	C	C5-C6-N1	5.07	123.53	121.00
2	2	4493	U	C5-C6-N1	5.07	125.24	122.70
2	2	366	A	C2-N3-C4	5.07	113.14	110.60
2	2	1478	C	C2-N1-C1'	5.07	124.38	118.80
2	2	2651	C	C5-C6-N1	5.07	123.53	121.00
2	2	467	U	C5-C6-N1	5.07	125.23	122.70
2	2	2285	A	C2-N3-C4	5.07	113.13	110.60
2	2	2371	U	C5-C6-N1	5.07	125.23	122.70
2	2	3930	U	C6-N1-C2	-5.07	117.96	121.00
2	2	4982	A	C2-N3-C4	5.07	113.13	110.60
2	2	2047	A	C4-C5-C6	-5.07	114.47	117.00
2	2	4739	C	C6-N1-C2	-5.07	118.27	120.30
2	2	278	G	O4'-C1'-N9	-5.06	104.15	108.20
2	2	422	C	C6-N1-C2	-5.06	118.28	120.30
2	2	1816	C	N1-C2-O2	5.06	121.94	118.90
2	2	4460	U	N3-C2-O2	-5.06	118.66	122.20
5	5	17	C	C5-C6-N1	5.06	123.53	121.00
2	2	495	C	N1-C2-O2	5.06	121.94	118.90
2	2	1637	A	C2-N3-C4	5.06	113.13	110.60
2	2	2279	A	C2-N3-C4	5.06	113.13	110.60
2	2	419	A	C2-N3-C4	5.06	113.13	110.60
2	2	2374	A	C2-N3-C4	5.06	113.13	110.60
2	2	3917	A	C4-C5-C6	-5.06	114.47	117.00
2	2	4267	G	N3-C4-C5	-5.06	126.07	128.60
2	2	4994	G	N3-C4-C5	-5.06	126.07	128.60
2	2	504	G	N7-C8-N9	5.06	115.63	113.10
2	2	1243	C	N3-C2-O2	-5.06	118.36	121.90
2	2	4616	A	C4-C5-C6	-5.06	114.47	117.00
2	2	941	C	N1-C2-O2	5.06	121.93	118.90
2	2	31	U	N1-C2-O2	5.05	126.34	122.80
2	2	1429	C	C2-N1-C1'	5.05	124.36	118.80
2	2	3623	C	N1-C2-O2	5.05	121.93	118.90
2	2	4911	A	C4-C5-C6	-5.05	114.47	117.00
2	2	1827	C	C5-C6-N1	5.05	123.53	121.00
2	2	3737	A	C4-C5-C6	-5.05	114.47	117.00
2	2	4319	C	N3-C2-O2	-5.05	118.36	121.90
2	2	4477	A	C2-N3-C4	5.05	113.13	110.60
2	2	4739	C	C5-C6-N1	5.05	123.53	121.00

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	5019	A	N1-C2-N3	-5.05	126.77	129.30
2	2	1807	C	N1-C2-O2	5.05	121.93	118.90
2	2	2853	C	C5-C6-N1	5.05	123.53	121.00
11	B	261	ARG	NE-CZ-NH1	5.05	122.83	120.30
2	2	1087	A	C2-N3-C4	5.05	113.12	110.60
2	2	1567	U	N1-C2-O2	5.05	126.33	122.80
2	2	1628	C	N3-C2-O2	-5.05	118.37	121.90
2	2	3877	A	C2-N3-C4	5.05	113.12	110.60
2	2	4987	C	N3-C2-O2	-5.05	118.37	121.90
2	2	2628	U	N1-C2-O2	5.04	126.33	122.80
2	2	4476	C	C6-N1-C2	-5.04	118.28	120.30
2	2	2568	C	C6-N1-C2	-5.04	118.28	120.30
2	2	2647	A	C2-N3-C4	5.04	113.12	110.60
2	2	3930	U	C5-C6-N1	5.04	125.22	122.70
2	2	4383	U	N3-C2-O2	-5.04	118.67	122.20
2	2	4926	C	N3-C2-O2	-5.04	118.37	121.90
2	2	3851	U	C2-N1-C1'	5.04	123.75	117.70
2	2	4387	C	C2-N1-C1'	5.04	124.34	118.80
2	2	178	C	N3-C2-O2	-5.04	118.37	121.90
2	2	659	G	C4-N9-C1'	5.04	133.05	126.50
2	2	1078	A	O4'-C1'-N9	5.04	112.23	108.20
2	2	2083	C	C5-C6-N1	5.04	123.52	121.00
2	2	519	C	C6-N1-C2	-5.04	118.28	120.30
2	2	4193	C	C6-N1-C2	-5.04	118.28	120.30
2	2	4455	G	N3-C4-N9	5.04	129.02	126.00
2	2	4481	U	N3-C2-O2	-5.04	118.67	122.20
2	2	4507	A	C5-C6-N1	5.04	120.22	117.70
2	2	365	U	C6-N1-C2	-5.04	117.98	121.00
2	2	2334	C	N1-C2-O2	5.04	121.92	118.90
8	8	145	C	C6-N1-C2	-5.04	118.28	120.30
2	2	262	G	N3-C4-N9	5.04	129.02	126.00
2	2	3708	C	C5-C6-N1	5.04	123.52	121.00
2	2	110	C	N3-C2-O2	-5.03	118.38	121.90
2	2	414	C	C6-N1-C2	-5.03	118.29	120.30
2	2	1466	G	C2-N3-C4	5.03	114.42	111.90
2	2	1518	A	C2-N3-C4	5.03	113.12	110.60
2	2	2438	A	C4-C5-C6	-5.03	114.48	117.00
2	2	1405	C	N3-C2-O2	-5.03	118.38	121.90
2	2	3894	A	C2-N3-C4	5.03	113.11	110.60
2	2	1276	C	N1-C2-O2	5.03	121.92	118.90
2	2	1373	A	C2-N3-C4	5.03	113.11	110.60
2	2	1634	A	C4-C5-C6	-5.03	114.49	117.00

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1736	A	C2-N3-C4	5.03	113.11	110.60
2	2	2697	A	C4-C5-C6	-5.03	114.49	117.00
2	2	3692	A	C4-C5-C6	-5.03	114.49	117.00
2	2	4237	C	C2-N1-C1'	5.03	124.33	118.80
13	D	318	PRO	C-N-CA	5.03	134.27	121.70
2	2	222	C	C5-C6-N1	5.03	123.51	121.00
2	2	1810	G	N3-C4-C5	-5.03	126.09	128.60
2	2	1906	U	C2-N1-C1'	5.03	123.73	117.70
2	2	2078	C	N3-C2-O2	-5.03	118.38	121.90
2	2	2727	C	C5-C6-N1	5.03	123.51	121.00
5	5	14	C	C2-N1-C1'	5.02	124.33	118.80
2	2	125	C	C2-N1-C1'	5.02	124.32	118.80
2	2	440	U	N1-C2-O2	5.02	126.31	122.80
2	2	971	U	N1-C2-O2	5.02	126.31	122.80
2	2	1653	A	C4-C5-C6	-5.02	114.49	117.00
2	2	2755	A	C4-C5-C6	-5.02	114.49	117.00
5	5	66	G	N3-C4-C5	-5.02	126.09	128.60
2	2	2033	A	C2-N3-C4	5.02	113.11	110.60
2	2	3853	U	C6-N1-C2	-5.02	117.99	121.00
8	8	108	A	C2-N3-C4	5.02	113.11	110.60
2	2	59	A	C4-C5-C6	-5.02	114.49	117.00
2	2	1334	A	C4-C5-C6	-5.01	114.49	117.00
2	2	2077	C	N1-C2-O2	5.01	121.91	118.90
2	2	4958	C	N3-C2-O2	-5.01	118.39	121.90
2	2	2665	U	N3-C2-O2	-5.01	118.69	122.20
2	2	302	C	C6-N1-C2	-5.01	118.30	120.30
2	2	345	C	C2-N1-C1'	5.01	124.31	118.80
2	2	2534	C	N1-C2-O2	5.01	121.91	118.90
2	2	2670	C	C2-N1-C1'	5.01	124.31	118.80
2	2	3728	A	C4-C5-C6	-5.01	114.50	117.00
2	2	4506	C	C5-C6-N1	5.01	123.50	121.00
2	2	4895	C	C6-N1-C1'	-5.01	114.79	120.80
2	2	2397	G	O4'-C1'-N9	5.01	112.20	108.20
2	2	2548	C	C5-C6-N1	5.01	123.50	121.00
2	2	4766	C	N3-C2-O2	-5.00	118.40	121.90
2	2	1474	C	N1-C2-O2	5.00	121.90	118.90
2	2	1888	A	C2-N3-C4	5.00	113.10	110.60
2	2	4072	C	N1-C2-O2	5.00	121.90	118.90
2	2	4553	A	C2-N3-C4	5.00	113.10	110.60
2	2	1372	A	C2-N3-C4	5.00	113.10	110.60
2	2	1957	U	C6-N1-C2	-5.00	118.00	121.00
8	8	28	C	N3-C2-O2	-5.00	118.40	121.90

There are no chirality outliers.

All (29) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	3	225	ARG	Peptide
3	3	328	LYS	Peptide
4	4	176	TYR	Peptide
4	4	198	TYR	Peptide
4	4	294	LYS	Peptide
4	4	299	LEU	Peptide
4	4	300	SER	Peptide
4	4	542	GLN	Peptide
6	6	7	PHE	Peptide
10	A	100	VAL	Peptide
10	A	159	MET	Peptide
10	A	160	LYS	Peptide
10	A	169	VAL	Mainchain
10	A	213	PRO	Peptide
10	A	46	ASP	Peptide
10	A	61	PRO	Peptide
11	B	16	PHE	Peptide
11	B	304	SER	Peptide
18	I	49	GLY	Peptide
22	N	94	LEU	Peptide
25	Q	154	VAL	Peptide
26	R	163	ALA	Peptide
27	S	31	ILE	Peptide
30	W	58	LYS	Peptide
41	i	124	THR	Peptide
45	m	54	ARG	Peptide
46	n	3	GLY	Peptide
47	o	176	THR	Peptide
47	o	203	ILE	Peptide

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1	17/731 (2%)	17 (100%)	0	0	100	100
3	3	237/503 (47%)	211 (89%)	25 (10%)	1 (0%)	30	60
4	4	601/634 (95%)	539 (90%)	59 (10%)	3 (0%)	25	55
6	6	242/245 (99%)	225 (93%)	17 (7%)	0	100	100
7	7	133/163 (82%)	126 (95%)	7 (5%)	0	100	100
9	9	82/134 (61%)	71 (87%)	9 (11%)	2 (2%)	5	20
10	A	210/217 (97%)	176 (84%)	32 (15%)	2 (1%)	13	40
11	B	399/403 (99%)	373 (94%)	24 (6%)	2 (0%)	25	55
12	C	86/159 (54%)	82 (95%)	4 (5%)	0	100	100
13	D	355/427 (83%)	333 (94%)	22 (6%)	0	100	100
14	E	92/115 (80%)	88 (96%)	4 (4%)	0	100	100
15	F	107/117 (92%)	104 (97%)	3 (3%)	0	100	100
16	G	240/266 (90%)	224 (93%)	16 (7%)	0	100	100
17	H	120/123 (98%)	116 (97%)	4 (3%)	0	100	100
18	I	188/192 (98%)	175 (93%)	13 (7%)	0	100	100
19	K	95/105 (90%)	90 (95%)	5 (5%)	0	100	100
20	L	145/148 (98%)	132 (91%)	13 (9%)	0	100	100
21	M	84/97 (87%)	76 (90%)	8 (10%)	0	100	100
22	N	163/178 (92%)	145 (89%)	18 (11%)	0	100	100
23	O	67/70 (96%)	62 (92%)	5 (8%)	0	100	100
24	P	48/51 (94%)	45 (94%)	3 (6%)	0	100	100
25	Q	208/211 (99%)	189 (91%)	18 (9%)	1 (0%)	25	55
26	R	148/203 (73%)	137 (93%)	9 (6%)	2 (1%)	9	32
27	S	133/215 (62%)	124 (93%)	9 (7%)	0	100	100
28	U	201/204 (98%)	190 (94%)	10 (5%)	1 (0%)	25	55

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
29	V	199/203 (98%)	192 (96%)	7 (4%)	0	100	100
30	W	101/106 (95%)	93 (92%)	8 (8%)	0	100	100
31	X	88/92 (96%)	84 (96%)	4 (4%)	0	100	100
32	Y	151/184 (82%)	143 (95%)	8 (5%)	0	100	100
33	Z	185/188 (98%)	176 (95%)	9 (5%)	0	100	100
34	a	146/196 (74%)	139 (95%)	7 (5%)	0	100	100
35	b	174/176 (99%)	165 (95%)	9 (5%)	0	100	100
36	c	153/160 (96%)	148 (97%)	5 (3%)	0	100	100
37	d	99/128 (77%)	92 (93%)	7 (7%)	0	100	100
38	e	129/140 (92%)	117 (91%)	12 (9%)	0	100	100
39	g	116/156 (74%)	114 (98%)	2 (2%)	0	100	100
40	h	132/145 (91%)	126 (96%)	6 (4%)	0	100	100
41	i	133/136 (98%)	123 (92%)	10 (8%)	0	100	100
42	j	105/125 (84%)	93 (89%)	12 (11%)	0	100	100
43	k	126/135 (93%)	114 (90%)	12 (10%)	0	100	100
44	l	123/137 (90%)	112 (91%)	11 (9%)	0	100	100
45	m	246/257 (96%)	221 (90%)	24 (10%)	1 (0%)	30	60
46	n	107/110 (97%)	100 (94%)	7 (6%)	0	100	100
47	o	212/288 (74%)	189 (89%)	21 (10%)	2 (1%)	14	43
48	p	224/248 (90%)	211 (94%)	13 (6%)	0	100	100
49	r	291/297 (98%)	268 (92%)	23 (8%)	0	100	100
50	z	32/129 (25%)	30 (94%)	2 (6%)	0	100	100
All	All	7673/9647 (80%)	7100 (92%)	556 (7%)	17 (0%)	45	72

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
9	9	5	ARG
9	9	99	GLN
47	o	96	VAL
11	B	304	SER
11	B	305	THR
26	R	164	ASN
4	4	301	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
10	A	160	LYS
10	A	169	VAL
4	4	396	LYS
26	R	18	HIS
47	o	101	ASN
3	3	192	HIS
45	m	55	GLY
4	4	34	ILE
25	Q	47	ALA
28	U	83	LYS

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1	17/654 (3%)	17 (100%)	0	100	100
3	3	223/457 (49%)	218 (98%)	5 (2%)	47	69
4	4	548/574 (96%)	541 (99%)	7 (1%)	65	80
6	6	212/213 (100%)	207 (98%)	5 (2%)	44	67
7	7	126/149 (85%)	126 (100%)	0	100	100
9	9	74/114 (65%)	73 (99%)	1 (1%)	62	79
10	A	191/196 (97%)	187 (98%)	4 (2%)	48	70
11	B	349/349 (100%)	347 (99%)	2 (1%)	84	91
12	C	76/126 (60%)	75 (99%)	1 (1%)	65	80
13	D	298/348 (86%)	294 (99%)	4 (1%)	65	80
14	E	79/97 (81%)	79 (100%)	0	100	100
15	F	94/100 (94%)	93 (99%)	1 (1%)	70	83
16	G	206/223 (92%)	206 (100%)	0	100	100
17	H	109/110 (99%)	107 (98%)	2 (2%)	54	74
18	I	169/171 (99%)	167 (99%)	2 (1%)	67	81
19	K	84/89 (94%)	83 (99%)	1 (1%)	67	81

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
20	L	120/121 (99%)	120 (100%)	0	100	100
21	M	73/80 (91%)	73 (100%)	0	100	100
22	N	138/149 (93%)	137 (99%)	1 (1%)	81	89
23	O	64/65 (98%)	64 (100%)	0	100	100
24	P	47/48 (98%)	46 (98%)	1 (2%)	48	70
25	Q	176/177 (99%)	170 (97%)	6 (3%)	32	59
26	R	138/184 (75%)	136 (99%)	2 (1%)	62	79
27	S	115/161 (71%)	113 (98%)	2 (2%)	56	75
28	U	171/172 (99%)	168 (98%)	3 (2%)	54	74
29	V	173/174 (99%)	172 (99%)	1 (1%)	84	91
30	W	91/94 (97%)	90 (99%)	1 (1%)	70	83
31	X	73/75 (97%)	71 (97%)	2 (3%)	40	64
32	Y	134/163 (82%)	131 (98%)	3 (2%)	47	69
33	Z	164/165 (99%)	162 (99%)	2 (1%)	67	81
34	a	133/175 (76%)	132 (99%)	1 (1%)	79	88
35	b	157/157 (100%)	156 (99%)	1 (1%)	84	91
36	c	136/140 (97%)	132 (97%)	4 (3%)	37	62
37	d	91/115 (79%)	90 (99%)	1 (1%)	70	83
38	e	101/107 (94%)	100 (99%)	1 (1%)	73	85
39	g	106/133 (80%)	106 (100%)	0	100	100
40	h	124/135 (92%)	120 (97%)	4 (3%)	34	60
41	i	117/118 (99%)	115 (98%)	2 (2%)	56	75
42	j	98/110 (89%)	98 (100%)	0	100	100
43	k	114/121 (94%)	114 (100%)	0	100	100
44	l	109/121 (90%)	109 (100%)	0	100	100
45	m	190/199 (96%)	190 (100%)	0	100	100
46	n	88/89 (99%)	88 (100%)	0	100	100
47	o	192/252 (76%)	189 (98%)	3 (2%)	58	77
48	p	195/215 (91%)	195 (100%)	0	100	100
49	r	247/250 (99%)	246 (100%)	1 (0%)	89	94
50	z	30/115 (26%)	30 (100%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	6760/8350 (81%)	6683 (99%)	77 (1%)	69 83

All (77) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	3	290	GLN
3	3	298	THR
3	3	355	THR
3	3	375	VAL
3	3	404	ILE
4	4	125	ARG
4	4	195	VAL
4	4	207	VAL
4	4	346	THR
4	4	382	VAL
4	4	394	ARG
4	4	541	VAL
6	6	58	ILE
6	6	107	VAL
6	6	109	THR
6	6	153	VAL
6	6	161	VAL
9	9	55	LEU
10	A	25	ARG
10	A	54	ARG
10	A	154	THR
10	A	171	HIS
11	B	341[A]	LYS
11	B	341[B]	LYS
12	C	117	ARG
13	D	100	ARG
13	D	170	LEU
13	D	171	LEU
13	D	352	ASP
15	F	54	ARG
17	H	37	THR
17	H	82	ASP
18	I	64	ARG
18	I	84	VAL
19	K	29	ARG
22	N	57	VAL
24	P	21	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
25	Q	63	THR
25	Q	67	HIS
25	Q	70	VAL
25	Q	97	SER
25	Q	197	LYS
25	Q	210	LYS
26	R	18	HIS
26	R	63	ASP
27	S	38	VAL
27	S	43	THR
28	U	80	THR
28	U	114	ARG
28	U	204	ARG
29	V	117	ARG
30	W	10	THR
31	X	45	THR
31	X	63	THR
32	Y	24	VAL
32	Y	30	ARG
32	Y	151	THR
33	Z	28	LEU
33	Z	42	THR
34	a	84	THR
35	b	169	THR
36	c	4	THR
36	c	68	THR
36	c	76	VAL
36	c	136	ARG
37	d	72	VAL
38	e	48	ARG
40	h	55	VAL
40	h	74	TYR
40	h	78	TYR
40	h	79	VAL
41	i	52	LYS
41	i	108	ARG
47	o	96	VAL
47	o	100	LYS
47	o	194	VAL
49	r	215	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (62) such sidechains are listed below:



Mol	Chain	Res	Type
3	3	161	GLN
3	3	174	GLN
3	3	192	HIS
3	3	206	GLN
3	3	224	GLN
3	3	391	ASN
4	4	128	GLN
4	4	209	HIS
4	4	218	GLN
4	4	239	GLN
4	4	281	ASN
4	4	437	ASN
4	4	601	ASN
6	6	21	ASN
6	6	75	ASN
6	6	170	GLN
7	7	87	ASN
7	7	104	GLN
7	7	115	ASN
9	9	75	ASN
10	A	40	ASN
10	A	184	HIS
11	B	213	GLN
12	C	12	GLN
12	C	19	ASN
13	D	38	ASN
13	D	50	GLN
13	D	119	GLN
13	D	178	ASN
14	E	19	GLN
16	G	43	GLN
16	G	225	ASN
18	I	42	ASN
18	I	163	GLN
20	L	66	ASN
20	L	85	GLN
23	O	28	ASN
25	Q	111	GLN
25	Q	149	GLN
26	R	42	ASN
26	R	102	GLN
28	U	196	ASN
30	W	45	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
31	X	56	HIS
32	Y	21	ASN
32	Y	80	GLN
36	c	127	GLN
37	d	38	ASN
37	d	116	GLN
38	e	27	ASN
39	g	93	ASN
39	g	111	GLN
40	h	14	ASN
40	h	20	ASN
42	j	69	ASN
43	k	117	GLN
44	l	100	ASN
45	m	132	ASN
46	n	80	ASN
48	p	39	GLN
48	p	63	GLN
49	r	195	HIS

### 5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	2	3431/5070 (67%)	904 (26%)	25 (0%)
5	5	119/120 (99%)	24 (20%)	0
8	8	155/156 (99%)	39 (25%)	0
All	All	3705/5346 (69%)	967 (26%)	25 (0%)

All (967) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	2	17	A
2	2	20	U
2	2	25	A
2	2	36	U
2	2	39	A
2	2	42	A
2	2	48	G
2	2	56	A
2	2	59	A
2	2	64	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	2	65	A
2	2	66	A
2	2	69	A
2	2	73	A
2	2	74	G
2	2	84	A
2	2	91	G
2	2	98	A
2	2	104	G
2	2	108	A
2	2	109	G
2	2	110	C
2	2	119	G
2	2	120	A
2	2	121	A
2	2	127	G
2	2	128	C
2	2	133	C
2	2	134	G
2	2	135	G
2	2	136	C
2	2	137	G
2	2	141	C
2	2	143	C
2	2	151	G
2	2	152	U
2	2	157	U
2	2	159	C
2	2	169	G
2	2	170	C
2	2	172	C
2	2	173	C
2	2	176	G
2	2	178	C
2	2	181	C
2	2	182	G
2	2	183	C
2	2	184	U
2	2	185	C
2	2	188	G
2	2	197	A
2	2	200	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	2	207	G
2	2	209	U
2	2	216	C
2	2	218	A
2	2	220	C
2	2	225	G
2	2	234	G
2	2	254	G
2	2	255	C
2	2	256	G
2	2	259	C
2	2	260	C
2	2	262	G
2	2	264	C
2	2	265	C
2	2	266	C
2	2	267	G
2	2	279	A
2	2	280	G
2	2	297	U
2	2	306	A
2	2	315	G
2	2	316	U
2	2	326	C
2	2	340	C
2	2	345	C
2	2	347	A
2	2	349	A
2	2	353	A
2	2	370	U
2	2	379	G
2	2	387	G
2	2	395	A
2	2	406	C
2	2	407	A
2	2	408	A
2	2	409	G
2	2	410	A
2	2	411	G
2	2	412	G
2	2	413	G
2	2	433	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	2	440	U
2	2	444	G
2	2	449	C
2	2	450	G
2	2	452	A
2	2	453	G
2	2	454	U
2	2	456	C
2	2	457	G
2	2	464	G
2	2	465	G
2	2	467	U
2	2	483	G
2	2	484	U
2	2	485	C
2	2	486	C
2	2	489	C
2	2	490	C
2	2	491	G
2	2	493	G
2	2	494	U
2	2	496	G
2	2	497	G
2	2	498	C
2	2	499	G
2	2	500	G
2	2	502	C
2	2	503	C
2	2	504	G
2	2	505	G
2	2	509	A
2	2	510	U
2	2	512	U
2	2	513	U
2	2	514	U
2	2	517	C
2	2	518	G
2	2	643	C
2	2	644	G
2	2	647	G
2	2	656	C
2	2	657	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	2	658	C
2	2	667	A
2	2	668	C
2	2	670	G
2	2	673	C
2	2	685	C
2	2	686	A
2	2	687	U
2	2	692	A
2	2	696	C
2	2	697	G
2	2	699	C
2	2	700	G
2	2	704	C
2	2	705	G
2	2	708	G
2	2	730	G
2	2	731	G
2	2	738	C
2	2	739	G
2	2	740	G
2	2	742	G
2	2	904	C
2	2	905	C
2	2	906	C
2	2	910	G
2	2	913	U
2	2	914	U
2	2	915	A
2	2	916	C
2	2	917	A
2	2	918	G
2	2	924	C
2	2	925	C
2	2	926	G
2	2	932	A
2	2	933	G
2	2	934	C
2	2	935	A
2	2	936	C
2	2	941	C
2	2	943	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	2	944	A
2	2	945	U
2	2	956	A
2	2	959	G
2	2	960	A
2	2	961	G
2	2	962	C
2	2	965	G
2	2	966	A
2	2	967	C
2	2	969	C
2	2	970	G
2	2	972	C
2	2	982	U
2	2	985	C
2	2	989	U
2	2	990	C
2	2	991	C
2	2	992	C
2	2	993	G
2	2	994	G
2	2	995	C
2	2	1048	G
2	2	1049	C
2	2	1051	G
2	2	1066	G
2	2	1067	G
2	2	1070	G
2	2	1071	C
2	2	1072	C
2	2	1074	G
2	2	1082	C
2	2	1083	U
2	2	1094	G
2	2	1095	A
2	2	1097	C
2	2	1098	G
2	2	1100	U
2	2	1173	G
2	2	1178	G
2	2	1179	U
2	2	1180	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	2	1181	C
2	2	1183	C
2	2	1193	C
2	2	1194	G
2	2	1195	G
2	2	1197	C
2	2	1198	G
2	2	1199	G
2	2	1200	G
2	2	1202	C
2	2	1203	G
2	2	1211	G
2	2	1215	C
2	2	1216	C
2	2	1218	G
2	2	1220	G
2	2	1221	G
2	2	1222	A
2	2	1240	G
2	2	1241	C
2	2	1245	C
2	2	1251	C
2	2	1254	A
2	2	1255	A
2	2	1257	A
2	2	1259	G
2	2	1260	G
2	2	1262	G
2	2	1266	G
2	2	1271	G
2	2	1272	C
2	2	1273	G
2	2	1274	A
2	2	1275	G
2	2	1280	C
2	2	1283	G
2	2	1284	G
2	2	1287	G
2	2	1294	A
2	2	1296	G
2	2	1301	C
2	2	1303	A

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
2	2	1314	C
2	2	1321	G
2	2	1324	A
2	2	1325	C
2	2	1326	A2M
2	2	1327	C
2	2	1337	A
2	2	1354	A
2	2	1358	G
2	2	1359	G
2	2	1365	C
2	2	1366	G
2	2	1367	C
2	2	1370	G
2	2	1377	G
2	2	1378	C
2	2	1379	C
2	2	1387	A
2	2	1394	G
2	2	1397	A
2	2	1398	A
2	2	1401	C
2	2	1402	C
2	2	1404	G
2	2	1405	C
2	2	1407	C
2	2	1409	C
2	2	1410	U
2	2	1412	G
2	2	1414	C
2	2	1417	C
2	2	1419	G
2	2	1439	C
2	2	1441	C
2	2	1443	A
2	2	1446	C
2	2	1447	C
2	2	1448	G
2	2	1476	C
2	2	1482	G
2	2	1483	C
2	2	1486	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	2	1493	G
2	2	1497	A
2	2	1498	G
2	2	1501	C
2	2	1502	G
2	2	1503	A
2	2	1518	A
2	2	1525	A
2	2	1534	A2M
2	2	1543	G
2	2	1547	A
2	2	1566	C
2	2	1578	U
2	2	1582	PSU
2	2	1583	A
2	2	1592	G
2	2	1596	U
2	2	1612	G
2	2	1613	A
2	2	1614	C
2	2	1624	G
2	2	1625	OMG
2	2	1626	G
2	2	1631	A
2	2	1632	A
2	2	1633	G
2	2	1634	A
2	2	1637	A
2	2	1638	A
2	2	1640	C
2	2	1641	G
2	2	1642	A
2	2	1654	G
2	2	1661	C
2	2	1676	C
2	2	1677	PSU
2	2	1678	C
2	2	1691	G
2	2	1694	C
2	2	1697	G
2	2	1699	A
2	2	1700	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	2	1701	A
2	2	1703	C
2	2	1704	C
2	2	1705	G
2	2	1708	G
2	2	1715	C
2	2	1717	C
2	2	1718	C
2	2	1719	A
2	2	1724	G
2	2	1726	U
2	2	1734	G
2	2	1803	G
2	2	1804	A
2	2	1810	G
2	2	1815	G
2	2	1821	G
2	2	1822	U
2	2	1834	U
2	2	1836	G
2	2	1837	A
2	2	1842	G
2	2	1854	G
2	2	1855	G
2	2	1856	C
2	2	1859	C
2	2	1861	U
2	2	1866	UR3
2	2	1867	A
2	2	1868	A
2	2	1871	A2M
2	2	1881	C
2	2	1882	U
2	2	1883	OMG
2	2	1897	A
2	2	1916	G
2	2	1917	A
2	2	1918	U
2	2	1919	G
2	2	1920	C
2	2	1921	C
2	2	1922	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	2	1930	U
2	2	1931	C
2	2	1932	A
2	2	1935	C
2	2	1939	A
2	2	1940	G
2	2	1941	A
2	2	1947	U
2	2	1948	G
2	2	1951	G
2	2	1961	G
2	2	1962	A
2	2	1967	A
2	2	1968	G
2	2	2016	C
2	2	2018	C
2	2	2024	G
2	2	2025	A
2	2	2026	A
2	2	2033	A
2	2	2034	G
2	2	2040	A
2	2	2042	A
2	2	2043	A
2	2	2044	U
2	2	2046	G
2	2	2048	U
2	2	2055	G
2	2	2056	G
2	2	2062	C
2	2	2068	C
2	2	2069	A
2	2	2071	A
2	2	2084	C
2	2	2085	G
2	2	2090	U
2	2	2091	C
2	2	2092	G
2	2	2093	A
2	2	2095	A
2	2	2096	G
2	2	2097	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	2	2098	G
2	2	2100	A
2	2	2102	G
2	2	2104	G
2	2	2105	A
2	2	2106	G
2	2	2108	G
2	2	2110	C
2	2	2111	G
2	2	2112	G
2	2	2113	C
2	2	2251	G
2	2	2252	G
2	2	2253	A
2	2	2256	C
2	2	2258	C
2	2	2259	G
2	2	2260	C
2	2	2262	G
2	2	2263	A
2	2	2266	C
2	2	2268	A
2	2	2280	G
2	2	2289	C
2	2	2300	A
2	2	2301	G
2	2	2306	G
2	2	2313	A
2	2	2314	G
2	2	2316	G
2	2	2331	G
2	2	2333	G
2	2	2348	G
2	2	2351	C
2	2	2360	A
2	2	2364	OMG
2	2	2369	U
2	2	2381	A
2	2	2389	A
2	2	2395	A
2	2	2402	G
2	2	2416	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	2	2417	A
2	2	2422	OMC
2	2	2425	U
2	2	2436	U
2	2	2437	C
2	2	2441	C
2	2	2447	U
2	2	2450	G
2	2	2453	A
2	2	2461	G
2	2	2465	C
2	2	2471	G
2	2	2475	G
2	2	2483	G
2	2	2484	A
2	2	2485	U
2	2	2489	C
2	2	2490	U
2	2	2491	C
2	2	2492	C
2	2	2493	G
2	2	2494	U
2	2	2495	U
2	2	2497	C
2	2	2502	G
2	2	2503	G
2	2	2504	C
2	2	2505	C
2	2	2512	A
2	2	2513	A
2	2	2519	U
2	2	2520	C
2	2	2521	G
2	2	2529	A
2	2	2543	A
2	2	2544	G
2	2	2545	U
2	2	2546	G
2	2	2547	G
2	2	2553	A
2	2	2554	U
2	2	2560	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	2	2561	C
2	2	2563	C
2	2	2564	G
2	2	2565	A
2	2	2566	G
2	2	2573	A
2	2	2583	C
2	2	2586	G
2	2	2587	A
2	2	2601	A
2	2	2611	A
2	2	2618	G
2	2	2627	C
2	2	2638	G
2	2	2639	U
2	2	2653	C
2	2	2659	A
2	2	2661	U
2	2	2662	G
2	2	2669	C
2	2	2670	C
2	2	2675	G
2	2	2687	U
2	2	2694	G
2	2	2695	A
2	2	2696	A
2	2	2703	G
2	2	2707	U
2	2	2708	U
2	2	2709	C
2	2	2710	C
2	2	2711	G
2	2	2723	U
2	2	2724	G
2	2	2726	G
2	2	2739	C
2	2	2742	G
2	2	2743	A
2	2	2756	G
2	2	2761	U
2	2	2763	U
2	2	2765	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	2	2769	U
2	2	2770	C
2	2	2772	C
2	2	2788	U
2	2	2790	U
2	2	2795	A
2	2	2799	G
2	2	2814	C
2	2	2815	A
2	2	2826	U
2	2	2827	G
2	2	2829	U
2	2	2835	A
2	2	2842	G
2	2	2848	G
2	2	2855	G
2	2	2856	C
2	2	2867	C
2	2	2877	G
2	2	2882	A
2	2	2901	G
2	2	2902	G
2	2	2903	G
2	2	2904	U
2	2	2905	C
2	2	2906	G
2	2	2907	G
2	2	2908	U
2	2	2909	C
2	2	3585	G
2	2	3587	C
2	2	3590	G
2	2	3591	C
2	2	3592	G
2	2	3593	C
2	2	3594	C
2	2	3595	U
2	2	3596	A
2	2	3597	G
2	2	3599	A
2	2	3604	A
2	2	3605	C

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
2	2	3606	U
2	2	3615	G
2	2	3616	U
2	2	3619	G
2	2	3620	G
2	2	3626	G
2	2	3635	A
2	2	3644	U
2	2	3646	A
2	2	3648	A
2	2	3649	A
2	2	3650	C
2	2	3662	A
2	2	3664	G
2	2	3672	G
2	2	3673	C
2	2	3674	G
2	2	3675	G
2	2	3678	G
2	2	3679	U
2	2	3680	U
2	2	3691	G
2	2	3709	U
2	2	3710	G
2	2	3711	A
2	2	3713	U
2	2	3714	G
2	2	3728	A
2	2	3729	PSU
2	2	3734	U
2	2	3735	G
2	2	3736	A
2	2	3747	A
2	2	3748	A
2	2	3750	G
2	2	3776	G
2	2	3777	G
2	2	3779	A
2	2	3823	G
2	2	3830	A
2	2	3832	U
2	2	3838	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	2	3840	U
2	2	3843	C
2	2	3867	A2M
2	2	3868	G
2	2	3875	G
2	2	3877	A
2	2	3878	C
2	2	3879	G
2	2	3898	G
2	2	3902	A
2	2	3903	A
2	2	3904	G
2	2	3905	A
2	2	3906	A
2	2	3907	G
2	2	3915	U
2	2	3916	G
2	2	3922	G
2	2	3923	A
2	2	3938	G
2	2	3939	G
2	2	3943	A
2	2	4076	G
2	2	4084	G
2	2	4095	G
2	2	4097	G
2	2	4099	G
2	2	4100	C
2	2	4101	C
2	2	4102	C
2	2	4104	G
2	2	4110	C
2	2	4111	U
2	2	4112	C
2	2	4114	C
2	2	4115	G
2	2	4116	C
2	2	4117	U
2	2	4119	C
2	2	4122	G
2	2	4137	C
2	2	4139	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	2	4140	C
2	2	4141	G
2	2	4143	G
2	2	4144	C
2	2	4145	C
2	2	4146	G
2	2	4162	C
2	2	4163	U
2	2	4170	A
2	2	4183	G
2	2	4184	G
2	2	4191	G
2	2	4195	G
2	2	4196	OMG
2	2	4203	A
2	2	4204	C
2	2	4205	A
2	2	4212	A
2	2	4225	G
2	2	4229	U
2	2	4233	A
2	2	4234	A
2	2	4243	C
2	2	4249	G
2	2	4252	C
2	2	4254	G
2	2	4265	U
2	2	4268	A
2	2	4271	A
2	2	4273	A
2	2	4281	A
2	2	4282	A
2	2	4283	G
2	2	4291	G
2	2	4293	PSU
2	2	4295	U
2	2	4297	G
2	2	4303	C
2	2	4304	A
2	2	4305	G
2	2	4312	U
2	2	4314	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	2	4319	C
2	2	4326	G
2	2	4329	G
2	2	4330	G
2	2	4332	C
2	2	4338	G
2	2	4339	A
2	2	4349	C
2	2	4350	C
2	2	4354	U
2	2	4364	G
2	2	4372	U
2	2	4373	G
2	2	4376	A
2	2	4377	G
2	2	4378	A
2	2	4379	A
2	2	4380	A
2	2	4381	A
2	2	4387	C
2	2	4395	U
2	2	4396	A
2	2	4405	G
2	2	4414	A
2	2	4415	1MA
2	2	4418	G
2	2	4420	U
2	2	4422	A
2	2	4424	A
2	2	4428	A
2	2	4451	G
2	2	4452	U
2	2	4453	C
2	2	4464	A
2	2	4466	C
2	2	4475	G
2	2	4476	C
2	2	4480	A
2	2	4484	A
2	2	4488	A
2	2	4499	G
2	2	4500	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	2	4502	C
2	2	4512	U
2	2	4513	A
2	2	4518	A
2	2	4519	C
2	2	4523	A2M
2	2	4524	G
2	2	4527	G
2	2	4530	UR3
2	2	4545	G
2	2	4548	A
2	2	4549	G
2	2	4554	G
2	2	4555	U
2	2	4556	U
2	2	4557	U
2	2	4558	U
2	2	4560	C
2	2	4567	G
2	2	4569	U
2	2	4570	G
2	2	4573	G
2	2	4575	G
2	2	4589	A
2	2	4590	A
2	2	4597	UR3
2	2	4600	G
2	2	4601	U
2	2	4606	G
2	2	4607	A
2	2	4608	G
2	2	4626	A
2	2	4632	U
2	2	4636	PSU
2	2	4637	OMG
2	2	4652	G
2	2	4656	A
2	2	4658	G
2	2	4664	A
2	2	4670	C
2	2	4678	G
2	2	4684	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	2	4695	C
2	2	4699	U
2	2	4703	U
2	2	4708	A
2	2	4709	U
2	2	4719	G
2	2	4720	C
2	2	4721	G
2	2	4730	C
2	2	4732	G
2	2	4733	C
2	2	4734	A
2	2	4735	G
2	2	4740	G
2	2	4741	C
2	2	4742	G
2	2	4745	G
2	2	4750	G
2	2	4751	G
2	2	4754	G
2	2	4757	C
2	2	4759	C
2	2	4761	G
2	2	4765	G
2	2	4771	C
2	2	4775	C
2	2	4776	G
2	2	4859	C
2	2	4870	OMG
2	2	4871	C
2	2	4872	2MG
2	2	4874	A
2	2	4875	G
2	2	4876	U
2	2	4877	G
2	2	4880	C
2	2	4882	U
2	2	4883	C
2	2	4887	C
2	2	4888	U
2	2	4889	G
2	2	4894	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	2	4895	C
2	2	4896	G
2	2	4899	G
2	2	4900	C
2	2	4901	G
2	2	4907	G
2	2	4910	G
2	2	4912	G
2	2	4914	C
2	2	4915	G
2	2	4923	C
2	2	4924	C
2	2	4925	U
2	2	4926	C
2	2	4927	G
2	2	4928	C
2	2	4935	C
2	2	4937	C
2	2	4938	A
2	2	4940	C
2	2	4941	G
2	2	4943	A
2	2	4947	U
2	2	4955	A
2	2	4966	A
2	2	4976	U
2	2	4985	U
2	2	4989	U
2	2	4990	C
2	2	4991	U
2	2	4995	U
2	2	5013	C
2	2	5014	A
2	2	5016	A
2	2	5017	G
2	2	5022	U
2	2	5024	C
2	2	5025	C
2	2	5026	U
2	2	5027	C
2	2	5028	G
2	2	5030	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	2	5031	G
2	2	5034	A
2	2	5041	G
2	2	5047	C
2	2	5050	C
2	2	5053	U
2	2	5054	C
2	2	5055	G
2	2	5060	A
2	2	5061	A
2	2	5062	G
2	2	5069	U
5	5	5	A
5	5	11	A
5	5	22	A
5	5	24	C
5	5	29	C
5	5	33	U
5	5	37	G
5	5	38	U
5	5	41	G
5	5	50	A
5	5	52	C
5	5	53	U
5	5	54	A
5	5	63	C
5	5	64	G
5	5	70	G
5	5	71	G
5	5	74	A
5	5	88	A
5	5	97	G
5	5	100	A
5	5	108	G
5	5	110	G
5	5	118	C
8	8	24	G
8	8	25	G
8	8	34	U
8	8	35	C
8	8	38	U
8	8	39	G

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
8	8	48	A
8	8	49	G
8	8	52	A
8	8	59	A
8	8	62	A
8	8	63	U
8	8	75	G
8	8	80	A
8	8	81	C
8	8	82	A
8	8	84	A
8	8	85	U
8	8	86	U
8	8	87	G
8	8	94	G
8	8	95	A
8	8	103	A
8	8	104	A
8	8	105	C
8	8	110	U
8	8	114	G
8	8	123	U
8	8	124	U
8	8	125	C
8	8	126	C
8	8	127	U
8	8	129	C
8	8	143	G
8	8	150	C
8	8	151	G
8	8	153	C
8	8	155	C
8	8	156	U

All (25) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	2	406	C
2	2	484	U
2	2	914	U
2	2	955	G
2	2	1302	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	2	1322	1MA
2	2	1376	C
2	2	1613	A
2	2	1625	OMG
2	2	1633	G
2	2	1867	A
2	2	2033	A
2	2	2529	A
2	2	2760	G
2	2	3596	A
2	2	3673	C
2	2	3905	A
2	2	4136	G
2	2	4196	OMG
2	2	4378	A
2	2	4395	U
2	2	4498	U
2	2	4529	B8W
2	2	4555	U
2	2	4913	G

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

92 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	7MG	2	4550	2	22,26,27	3.50	10 (45%)	29,39,42	2.08	10 (34%)
2	I4U	2	4194	2	21,24,25	4.72	15 (71%)	27,34,37	1.33	2 (7%)
2	UR3	2	4597	2	19,22,23	2.69	7 (36%)	26,32,35	2.45	6 (23%)
2	B8T	2	4671	2	19,22,23	3.30	8 (42%)	26,31,34	1.04	1 (3%)
2	A2M	2	3825	2	18,25,26	4.21	7 (38%)	18,36,39	3.34	3 (16%)
2	B8W	2	4529	2,51	18,26,27	6.27	7 (38%)	21,38,41	2.85	10 (47%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	MHG	2	4371	2	29,32,33	3.94	12 (41%)	34,46,49	2.61	10 (29%)
2	A2M	2	3718	2	18,25,26	4.20	7 (38%)	18,36,39	3.12	3 (16%)
2	PSU	2	4293	2,30	18,21,22	0.97	1 (5%)	22,30,33	1.78	5 (22%)
2	BGH	2	3899	2	25,29,30	4.24	17 (68%)	31,43,46	2.46	11 (35%)
2	B8H	2	1860	2	19,22,23	6.76	6 (31%)	22,32,35	2.21	5 (22%)
2	2MG	2	1517	2	18,26,27	2.33	7 (38%)	16,38,41	1.98	5 (31%)
2	OMG	2	1883	2	18,26,27	2.34	6 (33%)	19,38,41	1.92	4 (21%)
2	A2M	2	4571	2	18,25,26	4.26	7 (38%)	18,36,39	3.17	3 (16%)
2	2MG	2	4872	2	18,26,27	2.25	7 (38%)	16,38,41	1.58	4 (25%)
2	B9B	2	237	2	21,28,29	5.70	9 (42%)	23,40,43	2.62	6 (26%)
2	OMC	2	3701	2,51	19,22,23	2.78	8 (42%)	26,31,34	0.93	0
2	PSU	2	4628	2	18,21,22	1.06	1 (5%)	22,30,33	1.76	4 (18%)
2	OMG	2	1522	2	18,26,27	2.30	7 (38%)	19,38,41	1.51	4 (21%)
2	2MG	2	729	2	18,26,27	2.30	7 (38%)	16,38,41	1.43	4 (25%)
2	B8T	2	4483	2	19,22,23	3.49	8 (42%)	26,31,34	1.06	3 (11%)
2	OMG	2	2050	2	18,26,27	2.26	7 (38%)	19,38,41	1.61	4 (21%)
2	OMG	2	4870	2	18,26,27	2.40	8 (44%)	19,38,41	1.58	4 (21%)
2	PSU	2	4403	2	18,21,22	1.00	1 (5%)	22,30,33	1.70	5 (22%)
2	M7A	2	4564	2	20,25,26	1.94	3 (15%)	28,37,40	3.99	6 (21%)
2	B8W	2	2380	2	18,26,27	6.12	7 (38%)	21,38,41	2.43	6 (28%)
2	OMG	2	4623	2	18,26,27	2.28	8 (44%)	19,38,41	1.57	5 (26%)
2	PSU	2	1683	2	18,21,22	1.15	1 (5%)	22,30,33	1.90	5 (22%)
2	B9B	2	2754	2	21,28,29	5.50	8 (38%)	23,40,43	2.39	7 (30%)
2	A2M	2	1534	2,51	18,25,26	4.17	7 (38%)	18,36,39	3.43	4 (22%)
2	I4U	2	1659	2,51	21,24,25	4.63	15 (71%)	27,34,37	1.65	4 (14%)
2	OMG	2	2424	2	18,26,27	2.33	7 (38%)	19,38,41	1.56	3 (15%)
2	7MG	2	2522	2	22,26,27	3.44	10 (45%)	29,39,42	2.11	10 (34%)
2	OMU	2	4620	2	19,22,23	2.63	7 (36%)	26,31,34	1.75	5 (19%)
2	UR3	2	1866	2	19,22,23	1.04	2 (10%)	26,32,35	1.62	2 (7%)
2	P7G	2	1909	2	24,28,29	4.57	11 (45%)	27,41,44	1.82	5 (18%)
2	OMG	2	373	2	18,26,27	2.27	7 (38%)	19,38,41	1.70	5 (26%)
2	A2M	2	4523	2	18,25,26	4.24	7 (38%)	18,36,39	3.23	3 (16%)
2	PSU	2	2508	2	18,21,22	1.01	1 (5%)	22,30,33	1.66	4 (18%)
2	B8W	2	4129	2	18,26,27	6.08	6 (33%)	21,38,41	2.83	8 (38%)
2	A2M	2	3867	2	18,25,26	4.13	7 (38%)	18,36,39	3.16	4 (22%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	PSU	2	4636	2	18,21,22	1.12	1 (5%)	22,30,33	1.79	3 (13%)
2	B8K	2	3897	2	24,28,29	4.33	16 (66%)	30,42,45	2.60	13 (43%)
2	2MG	2	978	2	18,26,27	2.41	7 (38%)	16,38,41	1.60	4 (25%)
2	5MU	2	4083	2	19,22,23	4.66	7 (36%)	28,32,35	3.87	10 (35%)
2	OMC	2	2365	2,51	19,22,23	2.76	7 (36%)	26,31,34	0.97	1 (3%)
2	OMC	2	3869	2	19,22,23	2.80	7 (36%)	26,31,34	2.17	6 (23%)
2	OMG	2	4637	2	18,26,27	2.38	6 (33%)	19,38,41	1.66	4 (21%)
2	A2M	2	1326	2,51	18,25,26	4.00	6 (33%)	18,36,39	3.29	4 (22%)
2	OMC	2	2804	2	19,22,23	2.63	7 (36%)	26,31,34	1.26	3 (11%)
2	OMC	2	3887	2	19,22,23	2.95	7 (36%)	26,31,34	1.31	4 (15%)
2	OMU	2	4306	2	19,22,23	2.68	7 (36%)	26,31,34	1.78	5 (19%)
2	PSU	2	3729	2	18,21,22	0.99	1 (5%)	22,30,33	1.68	4 (18%)
2	A2M	2	1871	2	18,25,26	4.31	7 (38%)	18,36,39	3.09	3 (16%)
2	E7G	2	2297	2	24,27,28	3.74	11 (45%)	30,40,43	2.27	10 (33%)
2	OMG	2	2364	2	18,26,27	2.27	7 (38%)	19,38,41	1.61	4 (21%)
2	OMG	2	1625	2	18,26,27	2.32	7 (38%)	19,38,41	1.58	4 (21%)
2	B8K	2	4690	2	24,28,29	4.45	16 (66%)	30,42,45	2.72	12 (40%)
2	6MZ	2	4220	2	18,25,26	1.88	3 (16%)	16,36,39	3.77	4 (25%)
2	B8Q	2	1456	2	17,22,23	2.90	4 (23%)	22,32,35	2.63	6 (27%)
2	PSU	2	1677	2	18,21,22	1.31	3 (16%)	22,30,33	1.82	5 (22%)
8	OMU	8	14	8,2	19,22,23	2.58	6 (31%)	26,31,34	1.97	5 (19%)
2	P7G	2	3880	2	24,28,29	4.67	11 (45%)	27,41,44	1.58	3 (11%)
2	B9H	2	2786	2	20,25,26	2.95	5 (25%)	22,35,38	3.29	7 (31%)
2	A2M	2	2363	2,51	18,25,26	4.14	7 (38%)	18,36,39	3.27	3 (16%)
2	7MG	2	1605	2	22,26,27	3.19	10 (45%)	29,39,42	2.18	10 (34%)
2	B9B	2	1574	2	21,28,29	5.64	8 (38%)	23,40,43	2.45	6 (26%)
2	1MA	2	1322	2,51	16,25,26	3.95	4 (25%)	18,37,40	1.63	3 (16%)
2	PSU	2	1582	2	18,21,22	1.07	1 (5%)	22,30,33	1.76	5 (22%)
2	OMG	2	4370	2	18,26,27	2.40	8 (44%)	19,38,41	1.56	4 (21%)
2	A2M	2	398	2	18,25,26	4.23	6 (33%)	18,36,39	3.13	3 (16%)
2	OMC	2	2861	2	19,22,23	2.85	8 (42%)	26,31,34	1.06	2 (7%)
2	A2M	2	3723	2	18,25,26	4.29	7 (38%)	18,36,39	3.06	3 (16%)
2	UR3	2	4530	2	19,22,23	2.66	6 (31%)	26,32,35	1.37	3 (11%)
2	OMC	2	2422	32,2,51	19,22,23	2.76	7 (36%)	26,31,34	1.39	3 (11%)
2	P4U	2	1348	2	21,24,25	3.51	7 (33%)	27,33,36	1.38	4 (14%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	A2M	2	1524	2	18,25,26	4.07	7 (38%)	18,36,39	3.20	4 (22%)
2	B8W	2	4472	2	18,26,27	6.09	7 (38%)	21,38,41	2.62	7 (33%)
2	E6G	2	4355	2	20,27,28	5.74	9 (45%)	22,39,42	3.05	8 (36%)
2	E7G	2	1797	2	24,27,28	3.81	11 (45%)	30,40,43	2.26	10 (33%)
2	OMG	2	4196	2,3,51	18,26,27	2.57	8 (44%)	19,38,41	1.93	6 (31%)
2	B8W	2	4185	2	18,26,27	6.16	7 (38%)	21,38,41	2.63	6 (28%)
2	PSU	2	3715	2	18,21,22	1.10	1 (5%)	22,30,33	1.68	4 (18%)
2	OMC	2	4536	2	19,22,23	2.78	7 (36%)	26,31,34	1.03	2 (7%)
2	B8H	2	4296	2	19,22,23	6.87	6 (31%)	22,32,35	2.47	5 (22%)
2	A2M	2	2401	2	18,25,26	4.12	6 (33%)	18,36,39	3.28	3 (16%)
2	OMG	2	1316	2,51	18,26,27	2.35	8 (44%)	19,38,41	1.77	5 (26%)
2	OMG	2	4494	2	18,26,27	2.39	8 (44%)	19,38,41	1.62	4 (21%)
2	OMG	2	2773	2	18,26,27	2.37	8 (44%)	19,38,41	1.61	5 (26%)
2	OMC	2	3909	2	19,22,23	2.98	8 (42%)	26,31,34	2.61	6 (23%)
2	5MC	2	4335	2	18,22,23	3.34	7 (38%)	26,32,35	1.14	2 (7%)
2	1MA	2	4415	2	16,25,26	3.95	4 (25%)	18,37,40	1.64	3 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	7MG	2	4550	2	-	0/7/37/38	0/3/3/3
2	I4U	2	4194	2	-	4/9/29/30	0/2/2/2
2	UR3	2	4597	2	-	2/7/25/26	0/2/2/2
2	B8T	2	4671	2	-	0/7/27/28	0/2/2/2
2	A2M	2	3825	2	-	0/5/27/28	0/3/3/3
2	B8W	2	4529	2,51	-	4/5/27/28	0/3/3/3
2	MHG	2	4371	2	-	7/16/46/47	0/3/3/3
2	A2M	2	3718	2	-	1/5/27/28	0/3/3/3
2	PSU	2	4293	2,30	-	2/7/25/26	0/2/2/2
2	BGH	2	3899	2	-	0/13/43/44	0/3/3/3
2	B8H	2	1860	2	-	0/7/25/26	0/2/2/2
2	2MG	2	1517	2	-	0/5/27/28	0/3/3/3
2	OMG	2	1883	2	-	2/5/27/28	0/3/3/3
2	A2M	2	4571	2	-	0/5/27/28	0/3/3/3

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	2MG	2	4872	2	-	2/5/27/28	0/3/3/3
2	B9B	2	237	2	-	6/7/29/30	0/3/3/3
2	OMC	2	3701	2,51	-	4/9/27/28	0/2/2/2
2	PSU	2	4628	2	-	0/7/25/26	0/2/2/2
2	OMG	2	1522	2	-	0/5/27/28	0/3/3/3
2	2MG	2	729	2	-	1/5/27/28	0/3/3/3
2	B8T	2	4483	2	-	0/7/27/28	0/2/2/2
2	OMG	2	2050	2	-	0/5/27/28	0/3/3/3
2	OMG	2	4870	2	-	3/5/27/28	0/3/3/3
2	PSU	2	4403	2	-	2/7/25/26	0/2/2/2
2	M7A	2	4564	2	-	0/7/37/38	0/3/3/3
2	B8W	2	2380	2	-	4/5/27/28	0/3/3/3
2	OMG	2	4623	2	-	0/5/27/28	0/3/3/3
2	PSU	2	1683	2	-	0/7/25/26	0/2/2/2
2	B9B	2	2754	2	-	2/7/29/30	0/3/3/3
2	A2M	2	1534	2,51	-	2/5/27/28	0/3/3/3
2	I4U	2	1659	2,51	-	2/9/29/30	0/2/2/2
2	OMG	2	2424	2	-	2/5/27/28	0/3/3/3
2	7MG	2	2522	2	-	0/7/37/38	0/3/3/3
2	OMU	2	4620	2	-	0/9/27/28	0/2/2/2
2	UR3	2	1866	2	-	3/7/25/26	0/2/2/2
2	P7G	2	1909	2	-	1/10/40/41	0/3/3/3
2	OMG	2	373	2	-	1/5/27/28	0/3/3/3
2	A2M	2	4523	2	-	4/5/27/28	0/3/3/3
2	PSU	2	2508	2	-	0/7/25/26	0/2/2/2
2	B8W	2	4129	2	-	2/5/27/28	0/3/3/3
2	A2M	2	3867	2	-	2/5/27/28	0/3/3/3
2	PSU	2	4636	2	-	3/7/25/26	0/2/2/2
2	B8K	2	3897	2	-	3/11/41/42	0/3/3/3
2	2MG	2	978	2	-	0/5/27/28	0/3/3/3
2	5MU	2	4083	2	-	0/7/25/26	0/2/2/2
2	OMC	2	2365	2,51	-	0/9/27/28	0/2/2/2
2	OMC	2	3869	2	-	3/9/27/28	0/2/2/2
2	OMG	2	4637	2	-	2/5/27/28	0/3/3/3
2	A2M	2	1326	2,51	-	1/5/27/28	0/3/3/3
2	OMC	2	2804	2	-	0/9/27/28	0/2/2/2
2	OMC	2	3887	2	-	1/9/27/28	0/2/2/2
2	OMU	2	4306	2	-	0/9/27/28	0/2/2/2

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PSU	2	3729	2	-	2/7/25/26	0/2/2/2
2	A2M	2	1871	2	-	3/5/27/28	0/3/3/3
2	E7G	2	2297	2	-	1/9/39/40	0/3/3/3
2	OMG	2	2364	2	-	2/5/27/28	0/3/3/3
2	OMG	2	1625	2	-	2/5/27/28	0/3/3/3
2	B8K	2	4690	2	-	0/11/41/42	0/3/3/3
2	6MZ	2	4220	2	-	2/5/27/28	0/3/3/3
2	B8Q	2	1456	2	-	0/7/42/43	0/2/2/2
2	PSU	2	1677	2	-	3/7/25/26	0/2/2/2
8	OMU	8	14	8,2	-	1/9/27/28	0/2/2/2
2	P7G	2	3880	2	-	1/10/40/41	0/3/3/3
2	B9H	2	2786	2	-	0/12/47/48	0/2/2/2
2	A2M	2	2363	2,51	-	1/5/27/28	0/3/3/3
2	7MG	2	1605	2	-	1/7/37/38	0/3/3/3
2	B9B	2	1574	2	-	3/7/29/30	0/3/3/3
2	1MA	2	1322	2,51	-	0/3/25/26	0/3/3/3
2	PSU	2	1582	2	-	2/7/25/26	0/2/2/2
2	OMG	2	4370	2	-	0/5/27/28	0/3/3/3
2	A2M	2	398	2	-	2/5/27/28	0/3/3/3
2	OMC	2	2861	2	-	0/9/27/28	0/2/2/2
2	A2M	2	3723	2	-	0/5/27/28	0/3/3/3
2	UR3	2	4530	2	-	0/7/25/26	0/2/2/2
2	OMC	2	2422	32,2,51	-	1/9/27/28	0/2/2/2
2	P4U	2	1348	2	-	1/10/29/30	0/2/2/2
2	A2M	2	1524	2	-	0/5/27/28	0/3/3/3
2	B8W	2	4472	2	-	2/5/27/28	0/3/3/3
2	E6G	2	4355	2	-	3/6/28/29	0/3/3/3
2	E7G	2	1797	2	-	2/9/39/40	0/3/3/3
2	OMG	2	4196	2,3,51	-	3/5/27/28	0/3/3/3
2	B8W	2	4185	2	-	3/5/27/28	0/3/3/3
2	PSU	2	3715	2	-	0/7/25/26	0/2/2/2
2	OMC	2	4536	2	-	0/9/27/28	0/2/2/2
2	B8H	2	4296	2	-	2/7/25/26	0/2/2/2
2	A2M	2	2401	2	-	1/5/27/28	0/3/3/3
2	OMG	2	1316	2,51	-	0/5/27/28	0/3/3/3
2	OMG	2	4494	2	-	0/5/27/28	0/3/3/3
2	OMG	2	2773	2	-	0/5/27/28	0/3/3/3
2	OMC	2	3909	2	-	0/9/27/28	0/2/2/2
2	5MC	2	4335	2	-	0/7/25/26	0/2/2/2

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	1MA	2	4415	2	-	2/3/25/26	0/3/3/3

All (644) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	2	4529	B8W	O4'-C1'	18.29	1.66	1.41
2	2	4472	B8W	O4'-C1'	17.88	1.66	1.41
2	2	2380	B8W	O4'-C1'	17.65	1.65	1.41
2	2	4185	B8W	O4'-C1'	17.55	1.65	1.41
2	2	4129	B8W	O4'-C1'	17.42	1.65	1.41
2	2	4296	B8H	C6-C5	-17.22	1.10	1.34
2	2	237	B9B	C2'-C1'	-16.59	1.28	1.53
2	2	1860	B8H	C6-C5	-16.35	1.12	1.34
2	2	4296	B8H	C4-N3	-16.35	1.08	1.38
2	2	1574	B9B	C2'-C1'	-16.08	1.29	1.53
2	2	4355	E6G	C2'-C1'	-15.85	1.29	1.53
2	2	1860	B8H	C4-N3	-15.83	1.09	1.38
2	2	1871	A2M	O4'-C1'	15.61	1.62	1.41
2	2	2754	B9B	C2'-C1'	-15.60	1.30	1.53
2	2	4185	B8W	C2'-C1'	-15.42	1.30	1.53
2	2	3723	A2M	O4'-C1'	15.26	1.62	1.41
2	2	4523	A2M	O4'-C1'	15.21	1.62	1.41
2	2	4529	B8W	C2'-C1'	-15.20	1.30	1.53
2	2	2380	B8W	C2'-C1'	-15.18	1.30	1.53
2	2	398	A2M	O4'-C1'	15.14	1.62	1.41
2	2	4129	B8W	C2'-C1'	-15.02	1.31	1.53
2	2	4355	E6G	O4'-C1'	15.00	1.62	1.41
2	2	3825	A2M	O4'-C1'	14.94	1.61	1.41
2	2	4571	A2M	O4'-C1'	14.92	1.61	1.41
2	2	1574	B9B	O4'-C1'	14.86	1.61	1.41
2	2	237	B9B	O4'-C1'	14.79	1.61	1.41
2	2	3718	A2M	O4'-C1'	14.76	1.61	1.41
2	2	1534	A2M	O4'-C1'	14.76	1.61	1.41
2	2	2754	B9B	O4'-C1'	14.75	1.61	1.41
2	2	2401	A2M	O4'-C1'	14.73	1.61	1.41
2	2	3867	A2M	O4'-C1'	14.49	1.61	1.41
2	2	4472	B8W	C2'-C1'	-14.42	1.31	1.53
2	2	1322	1MA	C2-N3	14.36	1.46	1.29
2	2	2363	A2M	O4'-C1'	14.33	1.61	1.41
2	2	4415	1MA	C2-N3	14.32	1.46	1.29
2	2	3880	P7G	C8-N9	14.23	1.53	1.46
2	2	1524	A2M	O4'-C1'	14.16	1.60	1.41

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	2	1326	A2M	O4'-C1'	14.05	1.60	1.41
2	2	1909	P7G	C8-N9	13.96	1.53	1.46
2	2	1860	B8H	C4-C5	13.19	1.81	1.44
2	2	4296	B8H	C4-C5	12.88	1.80	1.44
2	2	1860	B8H	C6-N1	12.10	1.66	1.36
2	2	4296	B8H	C6-N1	11.80	1.65	1.36
2	2	4083	5MU	C6-N1	11.00	1.56	1.38
2	2	4194	I4U	C3'-C2'	-10.56	1.24	1.53
2	2	1659	I4U	C3'-C2'	-10.55	1.24	1.53
2	2	3880	P7G	C5-N7	10.44	1.47	1.35
2	2	4690	B8K	C3'-C4'	-10.27	1.26	1.53
2	2	4083	5MU	C2-N1	10.21	1.54	1.38
2	2	3897	B8K	C3'-C4'	-9.98	1.27	1.53
2	2	1909	P7G	C5-N7	9.97	1.46	1.35
2	2	3899	BGH	C3'-C4'	-9.96	1.27	1.53
2	2	4690	B8K	O4'-C4'	9.90	1.67	1.45
2	2	1348	P4U	C4-N3	9.89	1.44	1.31
2	2	3897	B8K	O4'-C4'	9.81	1.66	1.45
2	2	4371	MHG	C8-N9	9.56	1.51	1.46
2	2	4371	MHG	C5-N7	9.48	1.46	1.35
2	2	3899	BGH	O4'-C4'	9.46	1.66	1.45
2	2	4194	I4U	C4-N3	9.31	1.43	1.31
2	2	1659	I4U	C4-N3	9.27	1.43	1.31
2	2	1797	E7G	C8-N9	9.22	1.51	1.46
2	2	2297	E7G	C8-N9	9.19	1.51	1.46
2	2	2297	E7G	C5-N7	9.17	1.45	1.35
2	2	1797	E7G	C5-N7	9.17	1.45	1.35
2	2	2786	B9H	C2-N3	8.94	1.48	1.37
2	2	4335	5MC	C6-C5	8.64	1.48	1.34
2	2	2522	7MG	C5-N7	8.47	1.45	1.35
2	2	4083	5MU	C4-C5	8.39	1.58	1.44
2	2	4550	7MG	C8-N9	8.35	1.50	1.46
2	2	1574	B9B	O4'-C4'	-8.31	1.26	1.45
2	2	4529	B8W	C2-N2	8.29	1.50	1.33
2	2	237	B9B	O4'-C4'	-8.25	1.26	1.45
2	2	4355	E6G	O4'-C4'	-8.13	1.26	1.45
2	2	4472	B8W	C2-N2	8.10	1.50	1.33
2	2	4129	B8W	C2-N2	8.09	1.50	1.33
2	2	4083	5MU	C4-N3	-8.02	1.23	1.38
2	2	2754	B9B	O4'-C4'	-7.97	1.27	1.45
2	2	1456	B8Q	C6-C5	7.95	1.51	1.33
2	2	4185	B8W	C2-N2	7.92	1.49	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	2	4550	7MG	C5-N7	7.88	1.44	1.35
2	2	2380	B8W	C2-N2	7.84	1.49	1.33
2	2	1605	7MG	C5-N7	7.71	1.44	1.35
2	2	2522	7MG	C8-N9	7.47	1.50	1.46
2	2	1659	I4U	O4'-C4'	-7.47	1.28	1.45
2	2	4194	I4U	O4'-C4'	-7.46	1.28	1.45
2	2	4371	MHG	C2-N3	7.28	1.45	1.31
2	2	4483	B8T	C2-N3	7.13	1.50	1.36
2	2	3909	OMC	C6-C5	7.06	1.51	1.35
2	2	2363	A2M	O4'-C4'	-6.97	1.29	1.45
2	2	4371	MHG	C8-N7	6.94	1.52	1.45
2	2	1524	A2M	O4'-C4'	-6.89	1.29	1.45
2	2	1456	B8Q	C2-N3	6.86	1.47	1.35
2	2	4571	A2M	O4'-C4'	-6.85	1.29	1.45
2	2	1534	A2M	O4'-C4'	-6.82	1.29	1.45
2	2	3718	A2M	O4'-C4'	-6.70	1.30	1.45
2	2	4483	B8T	C4-N3	6.68	1.44	1.32
2	2	237	B9B	O6-C6	6.68	1.40	1.35
2	2	3867	A2M	O4'-C4'	-6.68	1.30	1.45
2	2	4671	B8T	C2-N3	6.65	1.49	1.36
2	2	1909	P7G	C4-N3	6.64	1.49	1.37
2	2	1605	7MG	C8-N9	6.58	1.49	1.46
2	2	3825	A2M	O4'-C4'	-6.58	1.30	1.45
2	2	3880	P7G	C4-N3	6.55	1.49	1.37
2	2	1348	P4U	C2-N3	6.53	1.49	1.36
2	2	4530	UR3	C6-C5	6.50	1.50	1.35
2	2	3723	A2M	O4'-C4'	-6.49	1.30	1.45
2	2	4483	B8T	C6-C5	6.49	1.50	1.35
2	2	1326	A2M	O4'-C4'	-6.46	1.30	1.45
2	2	4355	E6G	O6-C6	6.45	1.40	1.35
2	2	4671	B8T	C6-C5	6.42	1.50	1.35
2	2	4194	I4U	C6-C5	6.41	1.50	1.35
2	2	4220	6MZ	C6-N6	6.40	1.45	1.35
2	2	398	A2M	O4'-C4'	-6.39	1.30	1.45
2	2	1574	B9B	O6-C6	6.36	1.40	1.35
2	2	4483	B8T	C4-N4	6.35	1.48	1.35
2	2	4371	MHG	C2-N2	6.30	1.47	1.33
2	2	4597	UR3	C6-C5	6.25	1.49	1.35
2	2	2754	B9B	O6-C6	6.24	1.40	1.35
2	2	3887	OMC	C2-N3	6.22	1.49	1.36
2	2	2401	A2M	O4'-C4'	-6.20	1.31	1.45
2	2	4597	UR3	C2-N3	6.18	1.51	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	2	4671	B8T	C4-N3	6.17	1.43	1.32
2	2	4523	A2M	O4'-C4'	-6.17	1.31	1.45
2	2	3897	B8K	O4'-C1'	-6.16	1.27	1.42
2	2	1348	P4U	C6-C5	6.08	1.49	1.35
2	2	4690	B8K	C8-N9	6.06	1.49	1.46
2	2	4335	5MC	C4-N3	6.06	1.44	1.34
2	2	3909	OMC	C4-N4	6.05	1.48	1.33
2	2	1871	A2M	O4'-C4'	-6.04	1.31	1.45
2	2	4690	B8K	C2-N3	6.01	1.47	1.33
2	2	2861	OMC	C2-N3	6.00	1.48	1.36
8	8	14	OMU	C2-N1	5.97	1.48	1.38
2	2	4536	OMC	C2-N3	5.96	1.48	1.36
2	2	3701	OMC	C6-C5	5.96	1.48	1.35
2	2	4620	OMU	C2-N3	5.92	1.48	1.38
2	2	4196	OMG	C2-N3	5.91	1.47	1.33
2	2	2786	B9H	C2-N1	5.89	1.47	1.38
2	2	1659	I4U	C6-C5	5.87	1.48	1.35
2	2	4306	OMU	C2-N1	5.86	1.47	1.38
2	2	3869	OMC	C2-N3	5.86	1.48	1.36
2	2	1909	P7G	C2-N2	5.84	1.48	1.34
2	2	4306	OMU	C2-N3	5.83	1.48	1.38
2	2	2786	B9H	C6-C5	5.83	1.46	1.33
2	2	1659	I4U	C2-N3	5.82	1.48	1.36
2	2	4671	B8T	C4-N4	5.82	1.47	1.35
2	2	4530	UR3	C2-N1	5.81	1.46	1.38
2	2	2861	OMC	C6-C5	5.81	1.48	1.35
2	2	3887	OMC	C6-C5	5.75	1.48	1.35
2	2	2365	OMC	C2-N3	5.72	1.47	1.36
2	2	3701	OMC	C2-N3	5.67	1.47	1.36
2	2	3880	P7G	C2-N2	5.66	1.47	1.34
2	2	4371	MHG	C2-N1	5.65	1.45	1.36
2	2	2422	OMC	C2-N3	5.62	1.47	1.36
2	2	4536	OMC	C6-C5	5.59	1.48	1.35
2	2	4597	UR3	C2-N1	5.59	1.46	1.38
2	2	4335	5MC	C2-N3	5.57	1.47	1.36
2	2	237	B9B	C2-N2	5.56	1.45	1.33
2	2	2422	OMC	C6-C5	5.56	1.48	1.35
2	2	2365	OMC	C6-C5	5.55	1.48	1.35
2	2	4194	I4U	C2-N3	5.54	1.47	1.36
8	8	14	OMU	C2-N3	5.53	1.47	1.38
2	2	4690	B8K	O4'-C1'	-5.51	1.28	1.42
2	2	4355	E6G	C2-N2	5.48	1.44	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	2	2804	OMC	C6-C5	5.45	1.47	1.35
2	2	4530	UR3	C2-N3	5.43	1.49	1.39
2	2	3899	BGH	C8-N9	5.41	1.49	1.46
2	2	2297	E7G	C8-N7	5.40	1.50	1.45
2	2	4129	B8W	O4'-C4'	-5.39	1.33	1.45
2	2	4550	7MG	C2-N3	5.36	1.46	1.33
2	2	4185	B8W	O4'-C4'	-5.36	1.33	1.45
2	2	1574	B9B	C2-N2	5.36	1.44	1.33
2	2	1797	E7G	C4-N3	5.36	1.47	1.34
2	2	3869	OMC	C6-C5	5.36	1.47	1.35
2	2	4637	OMG	C2-N3	5.34	1.46	1.33
2	2	3897	B8K	C2-N3	5.34	1.46	1.33
2	2	2380	B8W	O4'-C4'	-5.34	1.33	1.45
2	2	4494	OMG	C2-N3	5.32	1.46	1.33
2	2	2804	OMC	C2-N3	5.32	1.47	1.36
2	2	4620	OMU	C2-N1	5.31	1.47	1.38
2	2	4550	7MG	C4-N3	5.28	1.46	1.34
2	2	3899	BGH	C4-N3	5.28	1.46	1.34
2	2	4371	MHG	C4-N3	5.27	1.46	1.34
2	2	1797	E7G	C4-N9	5.26	1.43	1.37
2	2	4529	B8W	O4'-C4'	-5.26	1.33	1.45
2	2	4306	OMU	C6-C5	5.25	1.47	1.35
2	2	3869	OMC	C2-N1	5.25	1.51	1.40
2	2	2754	B9B	C2-N2	5.22	1.44	1.33
2	2	1797	E7G	C2-N3	5.21	1.45	1.33
2	2	4472	B8W	O4'-C4'	-5.20	1.33	1.45
2	2	4620	OMU	C6-C5	5.19	1.47	1.35
2	2	2297	E7G	C4-N3	5.18	1.46	1.34
2	2	2522	7MG	C2-N3	5.18	1.45	1.33
2	2	4870	OMG	C2-N3	5.16	1.45	1.33
2	2	4083	5MU	C6-C5	5.16	1.43	1.34
2	2	3880	P7G	C2-N1	5.16	1.45	1.33
2	2	4370	OMG	C2-N3	5.15	1.45	1.33
2	2	2522	7MG	C4-N3	5.15	1.46	1.34
2	2	1909	P7G	C2-N1	5.14	1.45	1.33
2	2	3899	BGH	C2-N3	5.12	1.45	1.33
2	2	2424	OMG	C2-N3	5.11	1.45	1.33
2	2	978	2MG	C2-N2	5.10	1.44	1.33
2	2	1625	OMG	C2-N3	5.07	1.45	1.33
2	2	4371	MHG	C4-N9	5.06	1.43	1.37
2	2	4196	OMG	C4-N3	5.05	1.49	1.37
2	2	4690	B8K	O2'-C2'	-5.05	1.31	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	2	1517	2MG	C2-N2	5.04	1.44	1.33
2	2	3897	B8K	C8-N9	5.03	1.48	1.46
2	2	4690	B8K	C4-N3	5.02	1.46	1.34
2	2	2297	E7G	C2-N3	5.02	1.45	1.33
2	2	4194	I4U	C3'-C4'	5.01	1.65	1.53
2	2	1797	E7G	C8-N7	5.00	1.50	1.45
2	2	729	2MG	C4-N3	4.98	1.49	1.37
2	2	4194	I4U	C1'-N1	-4.96	1.33	1.47
2	2	1605	7MG	C2-N3	4.93	1.45	1.33
2	2	4564	M7A	C6-N6	4.93	1.46	1.34
2	2	4185	B8W	O3'-C3'	-4.93	1.31	1.43
2	2	1797	E7G	C2-N2	4.92	1.45	1.34
2	2	3899	BGH	O4'-C1'	-4.90	1.30	1.42
2	2	3880	P7G	C4-N9	4.90	1.42	1.35
2	2	1517	2MG	C4-N3	4.89	1.49	1.37
2	2	3887	OMC	C2-N1	4.86	1.50	1.40
2	2	1316	OMG	C2-N3	4.86	1.45	1.33
2	2	2050	OMG	C2-N3	4.85	1.45	1.33
2	2	4564	M7A	C4-N9	4.85	1.47	1.38
2	2	3880	P7G	C8-N7	4.83	1.50	1.45
2	2	2297	E7G	C2-N2	4.82	1.45	1.34
2	2	2861	OMC	C4-N4	4.82	1.45	1.33
2	2	2364	OMG	C2-N3	4.81	1.44	1.33
2	2	4623	OMG	C2-N3	4.78	1.44	1.33
2	2	3887	OMC	C4-N4	4.78	1.45	1.33
2	2	4872	2MG	C2-N2	4.77	1.44	1.33
2	2	2773	OMG	C2-N3	4.77	1.44	1.33
2	2	1522	OMG	C2-N3	4.75	1.44	1.33
2	2	3897	B8K	C4-N3	4.75	1.45	1.34
2	2	4472	B8W	O3'-C3'	-4.74	1.31	1.43
2	2	4637	OMG	C4-N3	4.74	1.48	1.37
2	2	978	2MG	C4-N3	4.73	1.48	1.37
2	2	2422	OMC	C2-N1	4.73	1.50	1.40
2	2	1883	OMG	C4-N3	4.73	1.48	1.37
2	2	1605	7MG	C4-N3	4.72	1.45	1.34
2	2	2365	OMC	C4-N4	4.71	1.45	1.33
2	2	4536	OMC	C4-N4	4.70	1.45	1.33
2	2	3887	OMC	C4-N3	4.70	1.44	1.34
2	2	3897	B8K	C4-N9	4.70	1.43	1.37
2	2	729	2MG	C2-N2	4.70	1.43	1.33
2	2	1883	OMG	C2-N3	4.67	1.44	1.33
2	2	3869	OMC	C4-N4	4.63	1.44	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	2	4370	OMG	C4-N3	4.61	1.48	1.37
2	2	2422	OMC	C4-N4	4.61	1.44	1.33
2	2	1348	P4U	C5-C4	4.60	1.49	1.43
2	2	4415	1MA	C2-N1	4.59	1.44	1.35
2	2	3701	OMC	C4-N4	4.59	1.44	1.33
2	2	4494	OMG	C4-N3	4.59	1.48	1.37
2	2	4550	7MG	C2-N2	4.59	1.45	1.34
2	2	373	OMG	C2-N3	4.57	1.44	1.33
8	8	14	OMU	C6-C5	4.56	1.45	1.35
2	2	3899	BGH	C2-N2	4.56	1.45	1.34
2	2	3897	B8K	O2'-C2'	-4.55	1.32	1.43
2	2	1605	7MG	C2-N2	4.55	1.45	1.34
2	2	2522	7MG	C2-N2	4.54	1.45	1.34
2	2	3909	OMC	C2-N1	4.53	1.49	1.40
2	2	4870	OMG	C4-N3	4.50	1.48	1.37
2	2	978	2MG	C2-N1	4.49	1.43	1.36
2	2	1659	I4U	C2-N1	4.49	1.49	1.40
2	2	1522	OMG	C4-N3	4.48	1.48	1.37
2	2	2804	OMC	C4-N4	4.47	1.44	1.33
2	2	1909	P7G	C4-N9	4.46	1.41	1.35
2	2	3899	BGH	C71-N7	4.44	1.49	1.39
2	2	4529	B8W	O3'-C3'	-4.44	1.32	1.43
2	2	1322	1MA	C2-N1	4.44	1.44	1.35
2	2	4129	B8W	O3'-C3'	-4.42	1.32	1.43
2	2	1625	OMG	C4-N3	4.41	1.48	1.37
2	2	373	OMG	C4-N3	4.40	1.48	1.37
2	2	1348	P4U	O4-C4	4.39	1.40	1.35
2	2	3701	OMC	C4-N3	4.38	1.43	1.34
2	2	2365	OMC	C4-N3	4.37	1.43	1.34
2	2	4690	B8K	C5-N7	4.35	1.47	1.39
2	2	4690	B8K	C4-N9	4.32	1.42	1.37
2	2	4483	B8T	C2-N1	4.31	1.49	1.40
2	2	4550	7MG	C4-N9	4.31	1.42	1.37
2	2	1909	P7G	C6-N1	4.30	1.45	1.38
2	2	2424	OMG	C4-N3	4.29	1.47	1.37
2	2	2861	OMC	C4-N3	4.29	1.43	1.34
2	2	3897	B8K	C5-N7	4.28	1.47	1.39
2	2	2050	OMG	C4-N3	4.28	1.47	1.37
2	2	2804	OMC	C2-N1	4.28	1.49	1.40
2	2	1316	OMG	C4-N3	4.28	1.47	1.37
2	2	2773	OMG	C4-N3	4.28	1.47	1.37
2	2	2861	OMC	C2-N1	4.26	1.49	1.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	2	2522	7MG	C4-N9	4.26	1.42	1.37
2	2	3880	P7G	C6-N1	4.24	1.45	1.38
2	2	2364	OMG	C4-N3	4.24	1.47	1.37
2	2	1456	B8Q	C2-N1	4.23	1.44	1.38
2	2	1909	P7G	O6-C6	-4.22	1.17	1.23
2	2	2297	E7G	C4-N9	4.22	1.42	1.37
2	2	1860	B8H	C2-N3	4.21	1.45	1.38
2	2	4872	2MG	C4-N3	4.21	1.47	1.37
2	2	4536	OMC	C4-N3	4.19	1.43	1.34
2	2	4872	2MG	C2-N1	4.18	1.43	1.36
2	2	4194	I4U	C5-C4	4.17	1.48	1.43
2	2	3899	BGH	C4-N9	4.14	1.42	1.37
2	2	4671	B8T	C2-N1	4.13	1.48	1.40
2	2	4623	OMG	C4-N3	4.11	1.47	1.37
2	2	1659	I4U	O4'-C1'	4.11	1.51	1.42
2	2	3899	BGH	O2'-C2'	-4.10	1.32	1.42
2	2	1348	P4U	C6-N1	4.09	1.47	1.38
2	2	4335	5MC	C4-N4	4.09	1.44	1.34
2	2	4536	OMC	C2-N1	4.09	1.48	1.40
2	2	2422	OMC	C4-N3	4.09	1.42	1.34
2	2	3909	OMC	C2-N3	4.08	1.44	1.36
2	2	729	2MG	C2-N1	4.05	1.43	1.36
2	2	4690	B8K	O6-C6	-4.05	1.15	1.23
2	2	1659	I4U	C1'-N1	-4.04	1.35	1.47
2	2	2380	B8W	O3'-C3'	-4.02	1.33	1.43
2	2	1348	P4U	C2-N1	3.99	1.48	1.40
2	2	4196	OMG	C2-N2	3.93	1.43	1.34
2	2	2804	OMC	C4-N3	3.92	1.42	1.34
2	2	1605	7MG	C4-N9	3.91	1.42	1.37
2	2	4415	1MA	C4-N3	3.89	1.49	1.37
2	2	4564	M7A	C5-N7	3.88	1.48	1.39
2	2	3869	OMC	C4-N3	3.87	1.42	1.34
2	2	4371	MHG	C5-C6	3.87	1.53	1.43
2	2	2365	OMC	C2-N1	3.86	1.48	1.40
2	2	3899	BGH	C5-N7	3.84	1.46	1.39
2	2	1517	2MG	C2-N1	3.83	1.42	1.36
2	2	1659	I4U	C3'-C4'	3.83	1.62	1.53
2	2	3897	B8K	C5-C6	3.82	1.53	1.43
2	2	4494	OMG	C2-N2	3.82	1.43	1.34
2	2	4870	OMG	C2-N2	3.82	1.43	1.34
2	2	4196	OMG	C6-N1	3.81	1.43	1.37
2	2	3701	OMC	C2-N1	3.79	1.48	1.40

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	2	4335	5MC	C6-N1	3.79	1.44	1.38
2	2	4690	B8K	C2-N2	3.78	1.43	1.34
2	2	1909	P7G	C2-N3	3.77	1.47	1.37
2	2	1316	OMG	C2-N2	3.76	1.43	1.34
2	2	3880	P7G	C5-C4	3.76	1.44	1.37
2	2	3909	OMC	C6-N1	3.76	1.47	1.38
2	2	1909	P7G	C5-C4	3.76	1.44	1.37
2	2	3880	P7G	O6-C6	-3.75	1.17	1.23
2	2	2773	OMG	C6-N1	3.75	1.43	1.37
2	2	1322	1MA	C4-N3	3.75	1.49	1.37
2	2	4083	5MU	O4-C4	-3.74	1.16	1.23
2	2	2424	OMG	C2-N2	3.72	1.43	1.34
2	2	4370	OMG	C2-N2	3.70	1.43	1.34
2	2	1797	E7G	C2-N1	3.70	1.46	1.37
2	2	3897	B8K	C2-N2	3.66	1.42	1.34
2	2	2773	OMG	C2-N2	3.65	1.42	1.34
2	2	3880	P7G	C2-N3	3.65	1.46	1.37
2	2	3909	OMC	C4-N3	3.65	1.41	1.34
2	2	4623	OMG	C2-N2	3.64	1.42	1.34
2	2	1677	PSU	C6-C5	3.63	1.39	1.35
2	2	4690	B8K	C5-C6	3.63	1.52	1.43
2	2	4671	B8T	C5-C4	3.61	1.48	1.40
2	2	4194	I4U	O4'-C1'	3.60	1.50	1.42
2	2	1625	OMG	C2-N2	3.59	1.42	1.34
2	2	1909	P7G	C8-N7	3.58	1.49	1.45
2	2	3715	PSU	C6-C5	3.58	1.39	1.35
2	2	4194	I4U	C2-N1	3.57	1.47	1.40
2	2	4296	B8H	C2-N3	3.57	1.44	1.38
2	2	2754	B9B	O2'-C2'	3.56	1.51	1.43
2	2	237	B9B	O3'-C3'	-3.56	1.34	1.43
2	2	3899	BGH	C5-C6	3.54	1.52	1.43
2	2	4620	OMU	O4-C4	-3.53	1.17	1.24
2	2	2364	OMG	C2-N2	3.53	1.42	1.34
2	2	978	2MG	C6-N1	3.51	1.43	1.37
2	2	1659	I4U	O2-C2	-3.51	1.17	1.23
2	2	1883	OMG	C2-N2	3.51	1.42	1.34
2	2	2050	OMG	C2-N2	3.49	1.42	1.34
2	2	4335	5MC	C2-N1	3.48	1.47	1.40
2	2	373	OMG	C5-C4	-3.47	1.34	1.43
2	2	373	OMG	C2-N2	3.46	1.42	1.34
2	2	3899	BGH	C2-N1	3.46	1.46	1.37
2	2	4194	I4U	O2-C2	-3.45	1.17	1.23

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	2	4483	B8T	C6-N1	3.45	1.46	1.38
2	2	1797	E7G	C5-C6	3.44	1.52	1.43
2	2	4571	A2M	O3'-C3'	-3.44	1.34	1.43
2	2	4637	OMG	C2-N2	3.44	1.42	1.34
2	2	4370	OMG	C6-N1	3.39	1.42	1.37
2	2	1871	A2M	O3'-C3'	-3.38	1.35	1.43
2	2	1522	OMG	C5-C4	-3.38	1.34	1.43
2	2	1659	I4U	C5-C4	3.38	1.47	1.43
2	2	1582	PSU	C6-C5	3.36	1.39	1.35
2	2	1522	OMG	C2-N2	3.36	1.42	1.34
2	2	4870	OMG	C6-N1	3.36	1.42	1.37
2	2	1883	OMG	C5-C4	-3.35	1.34	1.43
2	2	2297	E7G	C2-N1	3.35	1.46	1.37
2	2	1574	B9B	O2'-C2'	3.34	1.50	1.43
2	2	1883	OMG	O6-C6	-3.33	1.16	1.23
2	2	1683	PSU	C6-C5	3.33	1.39	1.35
2	2	1574	B9B	O3'-C3'	-3.32	1.35	1.43
2	2	4550	7MG	C5-C6	3.32	1.52	1.43
8	8	14	OMU	O4-C4	-3.31	1.18	1.24
2	2	4483	B8T	C5-C4	3.31	1.47	1.40
2	2	4306	OMU	C4-N3	3.30	1.44	1.38
2	2	1524	A2M	O3'-C3'	-3.29	1.35	1.43
2	2	4335	5MC	O2-C2	-3.29	1.17	1.23
2	2	3723	A2M	O3'-C3'	-3.29	1.35	1.43
2	2	3899	BGH	C6-N1	3.29	1.44	1.38
2	2	1316	OMG	C5-C4	-3.28	1.34	1.43
2	2	4494	OMG	C6-N1	3.28	1.42	1.37
2	2	4671	B8T	O2-C2	-3.28	1.17	1.23
2	2	4637	OMG	C5-C4	-3.28	1.34	1.43
2	2	2522	7MG	C5-C6	3.27	1.52	1.43
2	2	2363	A2M	C5-C4	-3.27	1.32	1.40
2	2	1574	B9B	C5-C4	-3.26	1.32	1.40
2	2	1605	7MG	C5-C6	3.25	1.51	1.43
2	2	3869	OMC	O2-C2	-3.25	1.17	1.23
2	2	4355	E6G	O2'-C2'	3.25	1.50	1.43
2	2	4623	OMG	C5-C4	-3.24	1.34	1.43
2	2	2364	OMG	C5-C4	-3.24	1.34	1.43
2	2	4306	OMU	O4-C4	-3.24	1.18	1.24
2	2	3897	B8K	C2-N1	3.24	1.45	1.37
2	2	2050	OMG	C5-C4	-3.23	1.34	1.43
2	2	2365	OMC	O2-C2	-3.22	1.17	1.23
2	2	2297	E7G	C5-C6	3.22	1.51	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	2	4370	OMG	C5-C4	-3.20	1.34	1.43
8	8	14	OMU	C4-N3	3.19	1.44	1.38
2	2	1326	A2M	C6-N6	3.19	1.45	1.34
2	2	398	A2M	O3'-C3'	-3.17	1.35	1.43
2	2	2522	7MG	C2-N1	3.17	1.45	1.37
2	2	1883	OMG	C6-N1	3.17	1.42	1.37
2	2	2424	OMG	C5-C4	-3.16	1.35	1.43
2	2	3899	BGH	O6-C6	-3.16	1.17	1.23
2	2	1625	OMG	C5-C4	-3.15	1.35	1.43
2	2	3825	A2M	O3'-C3'	-3.15	1.35	1.43
2	2	4623	OMG	C6-N1	3.15	1.42	1.37
2	2	4636	PSU	C6-C5	3.15	1.39	1.35
2	2	3723	A2M	O2'-C2'	3.14	1.50	1.42
2	2	3897	B8K	O6-C6	-3.14	1.17	1.23
2	2	1659	I4U	O4-C4	3.14	1.41	1.35
2	2	2363	A2M	O3'-C3'	-3.13	1.35	1.43
2	2	1625	OMG	C6-N1	3.13	1.42	1.37
2	2	2773	OMG	C5-C4	-3.13	1.35	1.43
2	2	4494	OMG	C5-C4	-3.12	1.35	1.43
2	2	4571	A2M	C5-C4	-3.12	1.32	1.40
2	2	3887	OMC	C6-N1	3.12	1.45	1.38
2	2	2424	OMG	C6-N1	3.11	1.42	1.37
2	2	373	OMG	C6-N1	3.11	1.42	1.37
2	2	2754	B9B	O3'-C3'	-3.10	1.35	1.43
2	2	4355	E6G	O3'-C3'	-3.10	1.35	1.43
2	2	1522	OMG	C6-N1	3.09	1.42	1.37
2	2	4620	OMU	C4-N3	3.09	1.44	1.38
2	2	1316	OMG	C6-N1	3.08	1.42	1.37
2	2	4371	MHG	C6-N1	3.06	1.44	1.38
2	2	4536	OMC	C6-N1	3.06	1.45	1.38
2	2	237	B9B	O2'-C2'	3.06	1.50	1.43
2	2	3701	OMC	C6-N1	3.05	1.45	1.38
2	2	4483	B8T	O2-C2	-3.04	1.18	1.23
2	2	4194	I4U	O2'-C2'	3.03	1.50	1.43
2	2	1605	7MG	C2-N1	3.02	1.45	1.37
2	2	2861	OMC	C6-N1	3.02	1.45	1.38
2	2	3718	A2M	O3'-C3'	-3.02	1.35	1.43
2	2	4550	7MG	C2-N1	3.02	1.45	1.37
2	2	4870	OMG	C5-C4	-3.02	1.35	1.43
2	2	4872	2MG	C6-N1	3.01	1.42	1.37
2	2	2401	A2M	C5-C4	-3.01	1.33	1.40
2	2	2364	OMG	O6-C6	-3.01	1.17	1.23

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	2	4637	OMG	O6-C6	-3.00	1.17	1.23
2	2	4196	OMG	C5-C6	3.00	1.53	1.47
2	2	4220	6MZ	C5-C4	-3.00	1.33	1.40
2	2	1517	2MG	C5-C4	-3.00	1.35	1.43
2	2	4523	A2M	C6-N6	2.99	1.45	1.34
2	2	3867	A2M	C6-N6	2.99	1.44	1.34
2	2	3897	B8K	C6-N1	2.98	1.44	1.38
2	2	1524	A2M	C6-N6	2.98	1.44	1.34
2	2	4690	B8K	C2-N1	2.98	1.45	1.37
2	2	2365	OMC	C6-N1	2.98	1.45	1.38
2	2	4571	A2M	C6-N6	2.98	1.44	1.34
2	2	3867	A2M	O3'-C3'	-2.98	1.36	1.43
2	2	4523	A2M	O3'-C3'	-2.97	1.36	1.43
2	2	1871	A2M	C6-N6	2.96	1.44	1.34
2	2	2522	7MG	O6-C6	-2.96	1.17	1.23
2	2	2786	B9H	C6-N1	2.96	1.45	1.38
2	2	1534	A2M	C5-C4	-2.95	1.33	1.40
2	2	4194	I4U	O4-C4	2.95	1.41	1.35
2	2	1316	OMG	O6-C6	-2.94	1.17	1.23
2	2	4523	A2M	C5-C4	-2.93	1.33	1.40
2	2	4637	OMG	C6-N1	2.93	1.42	1.37
2	2	4083	5MU	O2-C2	-2.93	1.17	1.23
2	2	2424	OMG	O6-C6	-2.92	1.17	1.23
2	2	3718	A2M	C6-N6	2.92	1.44	1.34
2	2	2050	OMG	C6-N1	2.92	1.42	1.37
2	2	398	A2M	C6-N6	2.92	1.44	1.34
2	2	1517	2MG	C6-N1	2.91	1.42	1.37
2	2	2401	A2M	C6-N6	2.91	1.44	1.34
2	2	3825	A2M	C5-C4	-2.91	1.33	1.40
2	2	1522	OMG	O6-C6	-2.91	1.17	1.23
2	2	4620	OMU	O2-C2	-2.90	1.17	1.23
2	2	3701	OMC	O2-C2	-2.90	1.18	1.23
2	2	398	A2M	C5-C4	-2.90	1.33	1.40
2	2	3718	A2M	C5-C4	-2.90	1.33	1.40
2	2	3825	A2M	C6-N6	2.89	1.44	1.34
2	2	4628	PSU	C6-C5	2.89	1.38	1.35
2	2	3723	A2M	C6-N6	2.89	1.44	1.34
2	2	3867	A2M	C5-C4	-2.89	1.33	1.40
2	2	978	2MG	C5-C4	-2.89	1.35	1.43
2	2	4355	E6G	C5-C4	-2.88	1.33	1.40
2	2	1517	2MG	O6-C6	-2.88	1.17	1.23
2	2	2363	A2M	C6-N6	2.87	1.44	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	2	2401	A2M	O3'-C3'	-2.87	1.36	1.43
2	2	2422	OMC	O2-C2	-2.87	1.18	1.23
2	2	1524	A2M	C5-C4	-2.86	1.33	1.40
2	2	237	B9B	C5-C4	-2.86	1.33	1.40
2	2	4536	OMC	O2-C2	-2.86	1.18	1.23
2	2	4623	OMG	O6-C6	-2.85	1.17	1.23
2	2	1326	A2M	C5-C4	-2.85	1.33	1.40
2	2	3729	PSU	C6-C5	2.85	1.38	1.35
2	2	3897	B8K	O3'-C3'	2.85	1.49	1.43
2	2	2297	E7G	C6-N1	2.84	1.44	1.38
2	2	3718	A2M	O2'-C2'	2.84	1.49	1.42
2	2	2754	B9B	C5-C4	-2.84	1.33	1.40
2	2	4306	OMU	O2-C2	-2.84	1.17	1.23
2	2	4550	7MG	C6-N1	2.84	1.44	1.38
2	2	2861	OMC	O2-C2	-2.83	1.18	1.23
2	2	4530	UR3	C6-N1	2.83	1.44	1.38
2	2	1659	I4U	C6-N1	2.82	1.44	1.38
2	2	2773	OMG	C5-C6	2.82	1.53	1.47
2	2	2422	OMC	C6-N1	2.82	1.44	1.38
2	2	1534	A2M	C6-N6	2.82	1.44	1.34
2	2	3909	OMC	O2-C2	-2.81	1.18	1.23
2	2	729	2MG	C6-N1	2.81	1.42	1.37
2	2	1605	7MG	O6-C6	-2.80	1.18	1.23
2	2	2804	OMC	C6-N1	2.80	1.44	1.38
2	2	373	OMG	O6-C6	-2.80	1.17	1.23
8	8	14	OMU	O2-C2	-2.79	1.18	1.23
2	2	4550	7MG	O6-C6	-2.77	1.18	1.23
2	2	2297	E7G	O6-C6	-2.77	1.18	1.23
2	2	4872	2MG	C5-C6	2.77	1.53	1.47
2	2	4370	OMG	O6-C6	-2.75	1.17	1.23
2	2	4529	B8W	O2'-C2'	2.75	1.49	1.43
2	2	2804	OMC	O2-C2	-2.74	1.18	1.23
2	2	1797	E7G	C6-N1	2.74	1.43	1.38
2	2	4870	OMG	C5-C6	2.73	1.53	1.47
2	2	1797	E7G	O6-C6	-2.73	1.18	1.23
2	2	729	2MG	C5-C6	2.72	1.52	1.47
2	2	2786	B9H	O2-C2	-2.72	1.17	1.22
2	2	3723	A2M	C5-C4	-2.72	1.33	1.40
2	2	4872	2MG	C5-C4	-2.70	1.36	1.43
2	2	1871	A2M	C5-C4	-2.70	1.33	1.40
2	2	1871	A2M	O2'-C2'	2.69	1.49	1.42
2	2	2364	OMG	C6-N1	2.68	1.41	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	2	1456	B8Q	C6-N1	2.67	1.44	1.38
2	2	4371	MHG	C72-C71	2.67	1.58	1.52
2	2	4494	OMG	O6-C6	-2.66	1.17	1.23
2	2	1326	A2M	O2'-C2'	2.66	1.49	1.42
2	2	2050	OMG	O6-C6	-2.65	1.17	1.23
2	2	4690	B8K	C71-N7	2.65	1.45	1.39
2	2	4129	B8W	O2'-C2'	2.63	1.49	1.43
2	2	4472	B8W	O2'-C2'	2.63	1.49	1.43
2	2	4870	OMG	O6-C6	-2.62	1.18	1.23
2	2	4403	PSU	C6-C5	2.62	1.38	1.35
2	2	1625	OMG	O6-C6	-2.60	1.18	1.23
2	2	398	A2M	O2'-C2'	2.60	1.49	1.42
2	2	3825	A2M	O2'-C2'	2.60	1.49	1.42
2	2	2508	PSU	C6-C5	2.60	1.38	1.35
2	2	4690	B8K	O3'-C3'	2.60	1.49	1.43
2	2	4671	B8T	C6-N1	2.60	1.44	1.38
2	2	729	2MG	C5-C4	-2.59	1.36	1.43
2	2	2522	7MG	C6-N1	2.59	1.43	1.38
2	2	1322	1MA	C5-C4	-2.58	1.36	1.43
2	2	1534	A2M	O3'-C3'	-2.58	1.36	1.43
2	2	3887	OMC	O2-C2	-2.58	1.18	1.23
2	2	4196	OMG	C2-N1	2.57	1.44	1.37
2	2	3867	A2M	O2'-C2'	2.57	1.49	1.42
2	2	4293	PSU	C6-C5	2.57	1.38	1.35
2	2	4690	B8K	C6-N1	2.56	1.43	1.38
2	2	4571	A2M	O2'-C2'	2.56	1.49	1.42
2	2	1659	I4U	O2'-C2'	2.55	1.49	1.43
2	2	3897	B8K	C71-N7	2.53	1.45	1.39
2	2	2773	OMG	O6-C6	-2.52	1.18	1.23
2	2	2380	B8W	O2'-C2'	2.52	1.48	1.43
2	2	3909	OMC	C5-C4	2.51	1.48	1.42
2	2	4597	UR3	C6-N1	2.50	1.44	1.38
2	2	2401	A2M	O2'-C2'	2.50	1.49	1.42
2	2	2380	B8W	C5-C4	-2.50	1.34	1.40
2	2	4185	B8W	C5-C4	-2.50	1.34	1.40
2	2	978	2MG	C5-C6	2.48	1.52	1.47
2	2	2050	OMG	C5-C6	2.48	1.52	1.47
2	2	4523	A2M	C2-N3	2.46	1.36	1.32
2	2	2363	A2M	O2'-C2'	2.46	1.48	1.42
2	2	4597	UR3	O2-C2	-2.46	1.18	1.22
2	2	4523	A2M	O2'-C2'	2.44	1.48	1.42
2	2	2364	OMG	C5-C6	2.44	1.52	1.47

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	2	1316	OMG	C5-C6	2.44	1.52	1.47
2	2	978	2MG	O6-C6	-2.44	1.18	1.23
2	2	1625	OMG	C5-C6	2.44	1.52	1.47
2	2	4196	OMG	O6-C6	-2.43	1.18	1.23
2	2	4415	1MA	C5-C4	-2.43	1.36	1.43
2	2	4371	MHG	O6-C6	-2.42	1.19	1.23
2	2	4571	A2M	C2-N3	2.42	1.36	1.32
2	2	1605	7MG	C6-N1	2.41	1.43	1.38
2	2	4296	B8H	O4-C4	-2.40	1.19	1.23
2	2	4194	I4U	C6-N1	2.40	1.43	1.38
2	2	3723	A2M	C2-N3	2.39	1.35	1.32
2	2	4355	E6G	O5'-C5'	-2.37	1.39	1.44
2	2	1677	PSU	O4'-C1'	-2.37	1.40	1.43
2	2	3869	OMC	C6-N1	2.36	1.43	1.38
2	2	729	2MG	O6-C6	-2.34	1.18	1.23
2	2	4870	OMG	C2-N1	2.33	1.43	1.37
2	2	1326	A2M	O3'-C3'	-2.33	1.37	1.43
2	2	2773	OMG	C2-N1	2.32	1.43	1.37
2	2	4370	OMG	C5-C6	2.32	1.52	1.47
2	2	4872	2MG	O6-C6	-2.32	1.18	1.23
2	2	1534	A2M	O5'-C5'	-2.31	1.39	1.44
2	2	3867	A2M	C2-N3	2.31	1.35	1.32
2	2	4530	UR3	C4-N3	2.31	1.45	1.40
2	2	373	OMG	C5-C6	2.30	1.52	1.47
2	2	4530	UR3	O2-C2	-2.30	1.18	1.22
2	2	237	B9B	O5'-C5'	-2.30	1.39	1.44
2	2	4620	OMU	C6-N1	2.30	1.43	1.38
2	2	1677	PSU	C4-C5	-2.30	1.37	1.44
2	2	3701	OMC	C5-C4	2.30	1.48	1.42
2	2	4472	B8W	C5-C4	-2.29	1.34	1.40
2	2	4529	B8W	C5-C4	-2.29	1.34	1.40
2	2	4196	OMG	C5-C4	-2.25	1.37	1.43
2	2	4220	6MZ	C2-N3	2.24	1.35	1.32
2	2	3825	A2M	O5'-C5'	-2.24	1.39	1.44
2	2	1659	I4U	O5'-C5'	-2.24	1.39	1.44
2	2	4370	OMG	C2-N1	2.23	1.43	1.37
2	2	4185	B8W	O2'-C2'	2.20	1.48	1.43
2	2	2363	A2M	O5'-C5'	-2.19	1.39	1.44
2	2	4306	OMU	C6-N1	2.18	1.43	1.38
2	2	4597	UR3	C4-N3	2.18	1.45	1.40
2	2	3899	BGH	C3'-C2'	2.18	1.57	1.52
2	2	4494	OMG	C5-C6	2.16	1.51	1.47

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	2	4623	OMG	C2-N1	2.16	1.43	1.37
2	2	1524	A2M	O5'-C5'	-2.16	1.39	1.44
2	2	1517	2MG	C5-C6	2.15	1.51	1.47
2	2	2424	OMG	C2-N1	2.14	1.43	1.37
2	2	1871	A2M	C2-N3	2.13	1.35	1.32
2	2	3899	BGH	O5'-C5'	-2.12	1.39	1.44
2	2	2861	OMC	C5-C4	2.10	1.47	1.42
2	2	1534	A2M	C2-N3	2.10	1.35	1.32
2	2	1860	B8H	O4-C4	-2.06	1.19	1.23
2	2	1316	OMG	C2-N1	2.06	1.42	1.37
2	2	1866	UR3	C6-C5	2.05	1.39	1.35
2	2	3718	A2M	O5'-C5'	-2.04	1.39	1.44
2	2	1524	A2M	O2'-C2'	2.03	1.47	1.42
2	2	1522	OMG	C5-C6	2.03	1.51	1.47
2	2	1866	UR3	C2-N1	2.03	1.41	1.38
2	2	4623	OMG	C5-C6	2.02	1.51	1.47
2	2	4597	UR3	C5-C4	2.02	1.49	1.43
2	2	4194	I4U	O5'-C5'	-2.02	1.39	1.44
2	2	4494	OMG	C2-N1	2.01	1.42	1.37

All (455) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	4564	M7A	C5-C6-N6	13.77	147.26	123.74
2	2	4083	5MU	C5-C4-N3	13.36	126.71	115.31
2	2	4220	6MZ	C1'-N9-C4	-12.25	105.12	126.64
2	2	4564	M7A	N6-C6-N1	-11.95	92.17	118.35
2	2	2786	B9H	C6-N1-C2	-10.19	112.66	121.79
2	2	4597	UR3	C4-N3-C2	-9.93	115.21	124.56
2	2	1534	A2M	C5-C6-N6	9.77	135.21	120.35
2	2	3825	A2M	C5-C6-N6	9.52	134.82	120.35
2	2	1326	A2M	C5-C6-N6	9.47	134.74	120.35
2	2	2401	A2M	C5-C6-N6	9.17	134.29	120.35
2	2	4083	5MU	C5-C6-N1	-9.13	113.95	123.34
2	2	2363	A2M	C5-C6-N6	9.08	134.15	120.35
2	2	3718	A2M	C5-C6-N6	9.02	134.05	120.35
2	2	4571	A2M	C5-C6-N6	8.83	133.78	120.35
2	2	4523	A2M	C5-C6-N6	8.79	133.71	120.35
2	2	3867	A2M	C5-C6-N6	8.71	133.59	120.35
2	2	1524	A2M	C5-C6-N6	8.69	133.56	120.35
2	2	3723	A2M	C5-C6-N6	8.60	133.42	120.35
2	2	1871	A2M	C5-C6-N6	8.46	133.21	120.35

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	398	A2M	C5-C6-N6	8.46	133.21	120.35
2	2	4371	MHG	C72-C71-N7	7.73	120.02	112.41
2	2	2786	B9H	C31-N3-C2	7.41	126.47	117.21
2	2	2401	A2M	N3-C2-N1	-7.40	117.12	128.68
2	2	1534	A2M	N6-C6-N1	-7.34	103.34	118.57
2	2	2363	A2M	N3-C2-N1	-7.33	117.22	128.68
2	2	398	A2M	N3-C2-N1	-7.26	117.34	128.68
2	2	4523	A2M	N3-C2-N1	-7.24	117.37	128.68
2	2	4296	B8H	C4-N3-C2	-7.19	118.05	127.35
2	2	4220	6MZ	N3-C2-N1	-7.13	117.54	128.68
2	2	3825	A2M	N6-C6-N1	-7.11	103.82	118.57
2	2	1326	A2M	N3-C2-N1	-7.06	117.64	128.68
2	2	4690	B8K	C72-C71-N7	7.05	129.47	118.86
2	2	1534	A2M	N3-C2-N1	-7.00	117.74	128.68
2	2	1871	A2M	N3-C2-N1	-6.99	117.75	128.68
2	2	4083	5MU	O4-C4-C5	-6.98	116.82	124.90
2	2	1524	A2M	N3-C2-N1	-6.96	117.81	128.68
2	2	2363	A2M	N6-C6-N1	-6.95	104.16	118.57
2	2	4571	A2M	N3-C2-N1	-6.94	117.83	128.68
2	2	237	B9B	O6-C6-N1	-6.93	114.14	120.12
2	2	3825	A2M	N3-C2-N1	-6.91	117.88	128.68
2	2	4371	MHG	C2-N3-C4	6.88	120.57	112.04
2	2	4564	M7A	N3-C2-N1	-6.86	117.87	128.60
2	2	3867	A2M	N3-C2-N1	-6.85	117.97	128.68
2	2	3723	A2M	N3-C2-N1	-6.77	118.10	128.68
2	2	3718	A2M	N3-C2-N1	-6.74	118.15	128.68
2	2	2401	A2M	N6-C6-N1	-6.70	104.67	118.57
2	2	4571	A2M	N6-C6-N1	-6.69	104.68	118.57
2	2	4523	A2M	N6-C6-N1	-6.69	104.69	118.57
2	2	3867	A2M	N6-C6-N1	-6.60	104.87	118.57
2	2	3909	OMC	O2-C2-N3	-6.54	111.69	122.33
2	2	3897	B8K	C72-C71-N7	6.52	128.67	118.86
2	2	1524	A2M	N6-C6-N1	-6.52	105.03	118.57
2	2	1326	A2M	N6-C6-N1	-6.52	105.04	118.57
2	2	3723	A2M	N6-C6-N1	-6.42	105.25	118.57
2	2	4690	B8K	C5-C6-N1	6.41	122.28	110.99
2	2	4129	B8W	N3-C2-N1	-6.38	118.71	127.22
2	2	4355	E6G	N2-C2-N3	6.33	128.10	117.79
2	2	1860	B8H	C4-N3-C2	-6.29	119.21	127.35
2	2	1909	P7G	C4-C5-N7	6.27	109.98	106.67
2	2	1871	A2M	N6-C6-N1	-6.24	105.63	118.57
2	2	3718	A2M	N6-C6-N1	-6.23	105.63	118.57

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	3909	OMC	C5-C4-N4	6.22	130.36	120.57
2	2	4355	E6G	O6-C6-N1	6.21	125.49	120.12
2	2	398	A2M	N6-C6-N1	-6.21	105.68	118.57
2	2	237	B9B	N3-C2-N1	-6.20	118.95	127.22
2	2	4355	E6G	N3-C2-N1	-6.17	118.99	127.22
8	8	14	OMU	C4-N3-C2	-6.14	118.48	126.58
2	2	4185	B8W	N3-C2-N1	-6.12	119.05	127.22
2	2	2754	B9B	O6-C6-N1	-6.12	114.84	120.12
2	2	1456	B8Q	O2-C2-N3	-6.12	113.97	122.95
2	2	1574	B9B	N3-C2-N1	-6.07	119.12	127.22
2	2	1574	B9B	O6-C6-N1	-6.05	114.90	120.12
2	2	1866	UR3	C4-N3-C2	-6.05	118.87	124.56
2	2	4472	B8W	N3-C2-N1	-5.93	119.31	127.22
2	2	3899	BGH	C72-C71-N7	5.90	127.74	118.86
2	2	4529	B8W	O6-C6-N1	5.90	127.21	119.03
2	2	1456	B8Q	C31-N3-C4	5.86	123.08	114.25
2	2	3880	P7G	C4-C5-N7	5.83	109.75	106.67
2	2	3869	OMC	O2-C2-N3	-5.77	112.95	122.33
2	2	2754	B9B	N3-C2-N1	-5.74	119.57	127.22
2	2	4296	B8H	N3-C2-N1	5.71	121.31	115.14
2	2	4185	B8W	C2-N3-C4	5.69	121.85	115.36
2	2	237	B9B	C2-N3-C4	5.64	121.80	115.36
2	2	3897	B8K	C5-C6-N1	5.56	120.78	110.99
2	2	2297	E7G	C5-C6-N1	5.53	120.73	110.99
2	2	4529	B8W	N3-C2-N1	-5.52	119.86	127.22
2	2	3869	OMC	C1'-N1-C2	5.50	130.68	118.42
2	2	4306	OMU	C4-N3-C2	-5.49	119.33	126.58
2	2	1605	7MG	C5-C6-N1	5.41	120.52	110.99
2	2	2380	B8W	N3-C2-N1	-5.41	120.01	127.22
2	2	4083	5MU	C4-N3-C2	-5.38	120.39	127.35
2	2	2522	7MG	C5-C6-N1	5.36	120.44	110.99
2	2	3899	BGH	C5-C6-N1	5.31	120.36	110.99
2	2	3909	OMC	C4-N3-C2	5.31	128.83	120.25
2	2	4472	B8W	C2-N3-C4	5.30	121.41	115.36
2	2	4564	M7A	N3-C4-N9	5.29	133.55	126.87
2	2	3909	OMC	O2-C2-N1	5.23	129.68	118.89
2	2	1797	E7G	C5-C6-N1	5.22	120.19	110.99
2	2	2297	E7G	C4-C5-N7	5.21	109.55	104.91
2	2	1456	B8Q	N3-C2-N1	5.21	123.25	117.13
2	2	1860	B8H	N3-C2-N1	5.19	120.75	115.14
2	2	4355	E6G	C2-N3-C4	5.16	121.25	115.36
2	2	4550	7MG	C5-C6-N1	5.12	120.01	110.99

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	4371	MHG	C5-C6-N1	5.10	119.98	110.99
2	2	4129	B8W	O6-C6-C5	5.10	123.30	116.01
2	2	4636	PSU	C4-N3-C2	-5.06	119.05	126.34
2	2	1797	E7G	C2-N3-C4	5.05	121.30	112.30
2	2	2297	E7G	C2-N3-C4	5.01	121.23	112.30
2	2	2786	B9H	C32-C31-N3	4.97	122.85	112.47
2	2	4690	B8K	C4-C5-N7	4.97	109.33	104.91
2	2	4530	UR3	C4-N3-C2	-4.95	119.91	124.56
2	2	4529	B8W	C2-N3-C4	4.91	120.96	115.36
2	2	4083	5MU	N3-C2-N1	4.90	121.39	114.89
2	2	1605	7MG	C2-N3-C4	4.86	120.96	112.30
2	2	4415	1MA	N1-C2-N3	-4.84	120.38	126.02
2	2	4129	B8W	C2-N3-C4	4.83	120.88	115.36
2	2	2754	B9B	C2-N3-C4	4.81	120.85	115.36
2	2	4472	B8W	O6-C6-N1	4.80	125.69	119.03
2	2	1683	PSU	N1-C2-N3	4.80	120.57	115.13
2	2	1517	2MG	C5-C6-N1	4.80	122.42	113.95
2	2	4620	OMU	C4-N3-C2	-4.78	120.27	126.58
2	2	4529	B8W	N2-C2-N3	4.75	125.53	117.79
2	2	2380	B8W	O6-C6-N1	4.73	125.59	119.03
2	2	1797	E7G	C4-C5-N7	4.68	109.08	104.91
2	2	3899	BGH	C2-N3-C4	4.68	120.64	112.30
2	2	4185	B8W	N2-C2-N3	4.67	125.40	117.79
2	2	4196	OMG	CM2-O2'-C2'	4.67	126.77	114.52
2	2	1677	PSU	N1-C2-N3	4.66	120.41	115.13
2	2	4628	PSU	N1-C2-N3	4.63	120.38	115.13
2	2	1456	B8Q	C6-N1-C2	-4.62	117.65	121.79
2	2	3899	BGH	C4-C5-N7	4.60	109.00	104.91
2	2	3897	B8K	C2-N3-C4	4.53	120.37	112.30
2	2	4550	7MG	C2-N3-C4	4.52	120.36	112.30
2	2	4220	6MZ	C2-N1-C6	4.51	120.46	116.59
2	2	4371	MHG	C4-C5-N7	4.49	108.90	104.91
2	2	2380	B8W	C2-N3-C4	4.48	120.47	115.36
2	2	2522	7MG	C2-N3-C4	4.47	120.27	112.30
2	2	1883	OMG	C5-C6-N1	4.47	121.84	113.95
8	8	14	OMU	C5-C4-N3	4.46	121.50	114.84
2	2	2508	PSU	N1-C2-N3	4.44	120.16	115.13
2	2	1883	OMG	O6-C6-C5	-4.40	115.78	124.37
2	2	4636	PSU	N1-C2-N3	4.39	120.10	115.13
2	2	2786	B9H	O3'-C3'-C2'	4.37	123.59	111.17
2	2	1574	B9B	C2-N3-C4	4.37	120.34	115.36
2	2	4129	B8W	N2-C2-N3	4.33	124.85	117.79

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	3715	PSU	N1-C2-N3	4.33	120.04	115.13
2	2	4472	B8W	N2-C2-N3	4.32	124.83	117.79
2	2	4129	B8W	C2-N1-C6	4.31	123.00	116.08
2	2	3899	BGH	N9-C8-N7	4.31	109.12	103.33
2	2	4403	PSU	N1-C2-N3	4.31	120.01	115.13
2	2	4690	B8K	C2-N3-C4	4.30	119.95	112.30
2	2	1797	E7G	C5-C4-N3	-4.29	119.95	128.13
2	2	1677	PSU	C4-N3-C2	-4.28	120.17	126.34
2	2	1683	PSU	C4-N3-C2	-4.25	120.22	126.34
2	2	1322	1MA	N1-C2-N3	-4.20	121.12	126.02
2	2	4306	OMU	N3-C2-N1	4.20	120.47	114.89
2	2	1456	B8Q	C1'-N1-C2	4.19	124.07	116.99
2	2	1659	I4U	C5-C4-N3	-4.17	118.56	124.91
2	2	2422	OMC	O2-C2-N3	-4.16	115.56	122.33
2	2	4293	PSU	N1-C2-N3	4.16	119.85	115.13
2	2	1322	1MA	C5-C6-N1	4.15	120.09	113.90
2	2	4403	PSU	C4-N3-C2	-4.14	120.38	126.34
2	2	4194	I4U	C5-C4-N3	-4.14	118.62	124.91
2	2	3909	OMC	C5-C4-N3	-4.10	114.34	121.33
2	2	2380	B8W	N2-C2-N3	4.08	124.44	117.79
2	2	4415	1MA	C5-C6-N1	4.07	119.97	113.90
2	2	2508	PSU	C4-N3-C2	-4.05	120.50	126.34
2	2	3897	B8K	C5-C4-N9	4.04	111.60	106.35
2	2	1574	B9B	C1'-N9-C4	-4.04	119.55	126.64
2	2	3729	PSU	N1-C2-N3	4.03	119.70	115.13
2	2	4185	B8W	O6-C6-N1	4.01	124.59	119.03
2	2	1605	7MG	C5-C4-N9	4.01	111.56	106.35
2	2	1348	P4U	C5-C4-N3	-4.00	118.82	124.91
2	2	4550	7MG	C5-C4-N9	3.99	111.53	106.35
2	2	4371	MHG	C5-C4-N9	3.97	111.51	106.35
2	2	3897	B8K	C4-C5-N7	3.93	108.41	104.91
2	2	4529	B8W	O4'-C4'-C3'	-3.92	97.35	105.11
2	2	1517	2MG	O6-C6-C5	-3.91	116.74	124.37
2	2	4296	B8H	C5-C4-N3	3.88	125.36	116.58
2	2	4637	OMG	C5-C6-N1	3.87	120.79	113.95
2	2	4628	PSU	C4-N3-C2	-3.86	120.78	126.34
2	2	4494	OMG	C5-C6-N1	3.85	120.75	113.95
2	2	4620	OMU	N3-C2-N1	3.84	119.99	114.89
2	2	1582	PSU	N1-C2-N3	3.84	119.48	115.13
2	2	3869	OMC	C1'-N1-C6	-3.81	112.53	120.84
2	2	1316	OMG	C5-C6-N1	3.79	120.65	113.95
2	2	4872	2MG	CM2-N2-C2	-3.79	115.48	123.86

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	4564	M7A	C2-N3-C4	3.78	120.68	111.75
2	2	1605	7MG	C5-C4-N3	-3.78	120.94	128.13
2	2	2297	E7G	C5-C4-N3	-3.77	120.95	128.13
2	2	978	2MG	C5-C6-N1	3.77	120.60	113.95
2	2	2380	B8W	C3'-C2'-C1'	3.76	106.64	100.98
2	2	3729	PSU	C4-N3-C2	-3.75	120.94	126.34
2	2	2804	OMC	O2-C2-N3	-3.74	116.24	122.33
2	2	373	OMG	C5-C6-N1	3.74	120.56	113.95
2	2	1625	OMG	C5-C6-N1	3.70	120.48	113.95
2	2	3715	PSU	C4-N3-C2	-3.69	121.03	126.34
2	2	2364	OMG	C5-C6-N1	3.69	120.46	113.95
2	2	1909	P7G	N9-C8-N7	3.67	108.63	103.38
2	2	2424	OMG	C5-C6-N1	3.66	120.42	113.95
2	2	1797	E7G	C5-C4-N9	3.65	111.08	106.35
2	2	237	B9B	C3'-C2'-C1'	3.63	106.45	100.98
2	2	1582	PSU	O4-C4-N3	-3.63	113.15	120.12
2	2	2050	OMG	C5-C6-N1	3.62	120.34	113.95
2	2	4083	5MU	C5M-C5-C4	3.61	122.74	118.77
8	8	14	OMU	O4-C4-C5	-3.58	118.86	125.16
2	2	2522	7MG	C5-C4-N9	3.57	110.98	106.35
2	2	4690	B8K	C5-C4-N9	3.56	110.97	106.35
2	2	1909	P7G	C71-N7-C5	3.55	132.94	124.52
2	2	1522	OMG	C5-C6-N1	3.55	120.22	113.95
2	2	3897	B8K	N9-C8-N7	3.54	108.09	103.33
2	2	4690	B8K	C6-C5-C4	-3.54	115.32	122.62
2	2	1582	PSU	C4-N3-C2	-3.54	121.24	126.34
2	2	1860	B8H	C5-C4-N3	3.54	124.58	116.58
2	2	2050	OMG	C2-N1-C6	-3.50	118.66	125.10
2	2	1883	OMG	C2-N1-C6	-3.49	118.68	125.10
2	2	4355	E6G	O4'-C1'-C2'	-3.48	101.84	106.93
2	2	4690	B8K	N9-C8-N7	3.48	108.00	103.33
2	2	729	2MG	C5-C6-N1	3.46	120.06	113.95
2	2	4870	OMG	C5-C6-N1	3.46	120.06	113.95
2	2	4620	OMU	C5-C4-N3	3.45	120.00	114.84
2	2	2754	B9B	C3'-C2'-C1'	3.44	106.15	100.98
2	2	4550	7MG	C5-C4-N3	-3.43	121.58	128.13
2	2	4597	UR3	O2-C2-N3	-3.42	116.52	121.34
2	2	4129	B8W	C4-C5-N7	-3.42	105.84	109.40
2	2	2297	E7G	C5-C4-N9	3.41	110.78	106.35
8	8	14	OMU	N3-C2-N1	3.41	119.42	114.89
2	2	2773	OMG	C5-C6-N1	3.40	119.96	113.95
2	2	2522	7MG	C5-C4-N3	-3.40	121.66	128.13

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	4293	PSU	C6-N1-C2	-3.39	119.21	122.68
2	2	3899	BGH	C5-C4-N9	3.39	110.75	106.35
2	2	2424	OMG	C2-N1-C6	-3.38	118.88	125.10
2	2	1625	OMG	C2-N1-C6	-3.37	118.90	125.10
2	2	4083	5MU	C5M-C5-C6	-3.37	118.35	122.85
2	2	3887	OMC	O2-C2-N3	-3.36	116.87	122.33
2	2	4637	OMG	C2-N1-C6	-3.36	118.92	125.10
2	2	4196	OMG	C5-C6-N1	3.35	119.86	113.95
2	2	3715	PSU	C6-N1-C2	-3.33	119.28	122.68
2	2	4293	PSU	C4-N3-C2	-3.31	121.57	126.34
2	2	4355	E6G	O4'-C4'-C3'	-3.31	98.56	105.11
2	2	4370	OMG	C5-C6-N1	3.31	119.79	113.95
2	2	4872	2MG	C5-C6-N1	3.30	119.78	113.95
2	2	1605	7MG	N9-C8-N7	3.30	108.09	103.38
2	2	3897	B8K	C6-C5-C4	-3.29	115.84	122.62
2	2	3869	OMC	C6-C5-C4	3.28	122.80	117.50
2	2	4494	OMG	C2-N1-C6	-3.28	119.06	125.10
2	2	4306	OMU	C5-C4-N3	3.27	119.73	114.84
2	2	4083	5MU	O2-C2-N1	-3.27	118.44	122.79
2	2	4628	PSU	C6-N1-C2	-3.27	119.34	122.68
2	2	4371	MHG	C5-C4-N3	-3.26	121.92	128.13
2	2	1348	P4U	O2-C2-N3	-3.25	117.05	122.33
2	2	4623	OMG	C5-C6-N1	3.25	119.69	113.95
2	2	3869	OMC	O2-C2-N1	3.24	125.58	118.89
2	2	1677	PSU	C6-N1-C2	-3.23	119.38	122.68
2	2	1659	I4U	O2-C2-N3	-3.20	117.12	122.33
2	2	4129	B8W	C3'-C2'-C1'	3.19	105.79	100.98
2	2	4597	UR3	C6-N1-C2	-3.17	118.95	121.79
2	2	2364	OMG	C2-N1-C6	-3.16	119.27	125.10
2	2	2773	OMG	C2-N1-C6	-3.16	119.28	125.10
2	2	4335	5MC	CM5-C5-C6	-3.14	118.66	122.85
2	2	4371	MHG	N1-C2-N3	-3.12	119.13	123.95
2	2	4597	UR3	C3U-N3-C2	3.12	122.78	117.31
2	2	1316	OMG	C2-N1-C6	-3.10	119.40	125.10
2	2	4870	OMG	C2-N1-C6	-3.09	119.41	125.10
2	2	3909	OMC	C6-N1-C2	-3.08	115.14	120.49
2	2	4335	5MC	C5-C6-N1	-3.07	120.18	123.34
2	2	4529	B8W	C2'-C3'-C4'	-3.06	96.69	102.64
2	2	4196	OMG	C2-N1-C6	-3.06	119.47	125.10
2	2	4371	MHG	C2-N1-C6	-3.06	120.96	124.48
2	2	2786	B9H	C1'-N1-C6	3.05	127.50	120.84
2	2	2754	B9B	C1'-N9-C4	-3.05	121.28	126.64

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	4628	PSU	O2-C2-N1	-3.04	119.44	122.79
2	2	4550	7MG	N9-C8-N7	3.03	107.71	103.38
2	2	2422	OMC	C1'-N1-C2	3.03	125.18	118.42
2	2	1522	OMG	C2-N1-C6	-3.02	119.55	125.10
2	2	2522	7MG	N9-C8-N7	3.00	107.67	103.38
2	2	4355	E6G	C2-N1-C6	3.00	120.90	116.08
2	2	1683	PSU	O2-C2-N1	-3.00	119.49	122.79
2	2	3899	BGH	C5-C4-N3	-2.99	122.43	128.13
2	2	978	2MG	CM2-N2-C2	-2.99	117.25	123.86
2	2	2786	B9H	O3'-C3'-C4'	2.99	119.70	111.05
2	2	4671	B8T	C6-C5-C4	2.98	120.61	116.96
2	2	4370	OMG	C2-N1-C6	-2.98	119.61	125.10
2	2	3729	PSU	C6-N1-C2	-2.98	119.64	122.68
2	2	3899	BGH	C6-C5-C4	-2.97	116.50	122.62
2	2	373	OMG	C2-N1-C6	-2.96	119.64	125.10
2	2	4129	B8W	C5-C6-N1	-2.96	117.63	123.26
2	2	2861	OMC	O2-C2-N3	-2.95	117.54	122.33
2	2	1683	PSU	C6-N1-C2	-2.94	119.68	122.68
2	2	4637	OMG	O6-C6-C5	-2.93	118.64	124.37
2	2	1524	A2M	O4'-C4'-C3'	-2.93	99.31	105.11
2	2	4472	B8W	O4'-C1'-C2'	-2.91	102.67	106.93
2	2	4623	OMG	C2-N1-C6	-2.90	119.75	125.10
2	2	2773	OMG	C8-N7-C5	2.90	108.52	102.99
2	2	4370	OMG	C8-N7-C5	2.89	108.50	102.99
2	2	978	2MG	O6-C6-C5	-2.89	118.73	124.37
2	2	4597	UR3	C3U-N3-C4	2.89	122.01	117.89
2	2	1797	E7G	N9-C8-N7	2.88	107.50	103.38
2	2	1517	2MG	CM2-N2-C2	-2.87	117.53	123.86
2	2	4637	OMG	C8-N7-C5	2.86	108.44	102.99
2	2	2364	OMG	C8-N7-C5	2.85	108.41	102.99
2	2	4870	OMG	C8-N7-C5	2.84	108.41	102.99
2	2	1456	B8Q	C31-N3-C2	2.84	121.91	117.79
2	2	3729	PSU	O2-C2-N1	-2.84	119.67	122.79
2	2	2522	7MG	C4-C5-N7	2.83	109.47	105.53
2	2	373	OMG	C8-N7-C5	2.83	108.38	102.99
2	2	4296	B8H	O4-C4-N3	-2.80	114.76	120.12
2	2	4494	OMG	O6-C6-C5	-2.80	118.91	124.37
2	2	4355	E6G	N2-C2-N1	-2.79	112.91	117.25
2	2	4472	B8W	C2-N1-C6	2.79	120.57	116.08
2	2	1677	PSU	O2-C2-N1	-2.78	119.73	122.79
2	2	4306	OMU	O4-C4-C5	-2.76	120.30	125.16
2	2	2804	OMC	O2-C2-N1	2.76	124.59	118.89

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1316	OMG	C8-N7-C5	2.76	108.25	102.99
2	2	1659	I4U	O4'-C1'-C2'	-2.75	100.65	106.64
2	2	4293	PSU	O4-C4-N3	-2.74	114.87	120.12
2	2	1582	PSU	C6-C5-C4	-2.73	116.29	118.20
2	2	4690	B8K	C5-C4-N3	-2.72	122.94	128.13
2	2	4620	OMU	O2-C2-N1	-2.71	119.18	122.79
2	2	1605	7MG	C2-N1-C6	-2.71	120.15	125.10
2	2	2050	OMG	C8-N7-C5	2.71	108.15	102.99
2	2	4185	B8W	C2-N1-C6	2.70	120.42	116.08
2	2	1605	7MG	C4-C5-N7	2.70	109.28	105.53
2	2	1322	1MA	C8-N7-C5	2.70	108.13	102.99
2	2	1860	B8H	O2-C2-N1	-2.69	119.84	122.87
2	2	1797	E7G	C2-N1-C6	-2.68	120.21	125.10
2	2	3897	B8K	C5-C4-N3	-2.67	123.04	128.13
2	2	1316	OMG	N2-C2-N1	2.67	122.40	116.71
2	2	1625	OMG	C8-N7-C5	2.65	108.04	102.99
2	2	4620	OMU	O4-C4-C5	-2.65	120.50	125.16
2	2	4690	B8K	C2-N1-C6	-2.63	120.30	125.10
2	2	4550	7MG	C4-C5-N7	2.63	109.18	105.53
2	2	4623	OMG	C8-N7-C5	2.63	108.00	102.99
2	2	3867	A2M	C3'-C2'-C1'	2.63	107.83	102.89
2	2	978	2MG	C8-N7-C5	2.62	107.98	102.99
2	2	4083	5MU	C6-N1-C2	-2.62	118.64	121.30
2	2	2297	E7G	C2-N1-C6	-2.61	120.35	125.10
2	2	1860	B8H	O4-C4-N3	-2.60	115.14	120.12
2	2	1534	A2M	O4'-C1'-C2'	-2.58	102.11	106.59
2	2	3887	OMC	C1'-N1-C2	2.58	124.18	118.42
2	2	4185	B8W	O4'-C1'-C2'	-2.58	103.16	106.93
2	2	1522	OMG	C8-N7-C5	2.55	107.84	102.99
2	2	2422	OMC	O2-C2-N1	2.53	124.12	118.89
2	2	1625	OMG	O6-C6-C5	-2.53	119.43	124.37
2	2	4370	OMG	O6-C6-C5	-2.53	119.44	124.37
2	2	1517	2MG	C3'-C2'-C1'	2.52	104.77	100.98
2	2	4371	MHG	C6-C5-C4	-2.51	117.44	122.62
2	2	1574	B9B	C2-N1-C6	2.51	120.11	116.08
2	2	2424	OMG	O6-C6-C5	-2.51	119.47	124.37
2	2	3899	BGH	N1-C2-N3	-2.50	118.65	123.32
2	2	1582	PSU	C6-N1-C2	-2.50	120.13	122.68
2	2	4529	B8W	O6-C6-C5	-2.49	112.45	116.01
2	2	4623	OMG	O6-C6-C5	-2.48	119.52	124.37
2	2	2522	7MG	C6-C5-C4	-2.48	117.51	122.62
2	2	1659	I4U	C6-N1-C2	-2.47	116.21	120.49

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	4296	B8H	O2-C2-N1	-2.46	120.10	122.87
2	2	3880	P7G	C71-N7-C5	2.45	130.32	124.52
2	2	2297	E7G	N9-C8-N7	2.45	106.88	103.38
2	2	1574	B9B	C3'-C2'-C1'	2.43	104.64	100.98
2	2	4550	7MG	C6-C5-C4	-2.43	117.61	122.62
2	2	4472	B8W	C3'-C2'-C1'	2.43	104.63	100.98
2	2	237	B9B	C2-N1-C6	2.42	119.97	116.08
2	2	4494	OMG	C8-N7-C5	2.41	107.59	102.99
2	2	4690	B8K	O6-C6-N1	-2.41	115.51	120.12
2	2	4403	PSU	O4'-C1'-C2'	2.40	108.53	105.14
2	2	2508	PSU	C6-N1-C2	-2.40	120.23	122.68
2	2	2522	7MG	C2-N1-C6	-2.39	120.73	125.10
2	2	4530	UR3	C6-N1-C2	-2.39	119.65	121.79
2	2	3880	P7G	N9-C8-N7	2.39	106.79	103.38
2	2	2297	E7G	C6-C5-C4	-2.39	117.70	122.62
2	2	4536	OMC	O2-C2-N3	-2.39	118.45	122.33
2	2	4872	2MG	C8-N7-C5	2.39	107.54	102.99
2	2	3897	B8K	N2-C2-N1	2.39	121.80	116.71
2	2	2773	OMG	N2-C2-N1	2.39	121.79	116.71
2	2	1522	OMG	O6-C6-C5	-2.38	119.72	124.37
2	2	4403	PSU	C6-N1-C2	-2.36	120.27	122.68
2	2	4415	1MA	C8-N7-C5	2.36	107.49	102.99
2	2	4196	OMG	O6-C6-C5	-2.36	119.76	124.37
2	2	729	2MG	CM2-N2-C2	-2.35	118.66	123.86
2	2	729	2MG	C8-N7-C5	2.35	107.47	102.99
2	2	4564	M7A	C5-C4-N3	-2.35	121.12	126.62
2	2	4194	I4U	O4'-C1'-C2'	-2.34	101.53	106.64
2	2	1797	E7G	N9-C4-N3	2.34	128.97	125.47
2	2	3887	OMC	CM2-O2'-C2'	-2.34	108.39	114.52
2	2	3897	B8K	N1-C2-N3	-2.33	118.97	123.32
2	2	4872	2MG	O6-C6-C5	-2.33	119.82	124.37
2	2	2364	OMG	O6-C6-C5	-2.32	119.83	124.37
2	2	1883	OMG	N2-C2-N1	2.32	121.65	116.71
2	2	2297	E7G	N1-C2-N3	-2.31	119.02	123.32
2	2	1517	2MG	C8-N7-C5	2.29	107.36	102.99
2	2	1605	7MG	C6-C5-C4	-2.29	117.89	122.62
2	2	4550	7MG	N1-C2-N3	-2.29	119.05	123.32
2	2	4196	OMG	O2'-C2'-C1'	2.28	113.62	109.09
2	2	4196	OMG	C8-N7-C5	2.28	107.33	102.99
2	2	4597	UR3	C1'-N1-C2	2.27	120.83	116.99
2	2	4306	OMU	O2-C2-N1	-2.27	119.77	122.79
2	2	2365	OMC	O2-C2-N3	-2.27	118.64	122.33

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	3897	B8K	C2-N1-C6	-2.25	121.00	125.10
2	2	3887	OMC	O2-C2-N1	2.25	123.54	118.89
2	2	2050	OMG	O6-C6-C5	-2.25	119.98	124.37
2	2	4870	OMG	O6-C6-C5	-2.24	120.00	124.37
2	2	2773	OMG	O6-C6-C5	-2.23	120.01	124.37
2	2	1326	A2M	C3'-C2'-C1'	2.22	107.06	102.89
2	2	2754	B9B	N2-C2-N3	2.22	121.40	117.79
2	2	1909	P7G	N3-C2-N1	-2.21	119.20	123.32
2	2	2522	7MG	O6-C6-C5	-2.21	122.13	127.54
2	2	4690	B8K	N1-C2-N3	-2.21	119.20	123.32
2	2	3897	B8K	O3'-C3'-C2'	-2.20	104.70	111.82
2	2	4529	B8W	O4'-C4'-C5'	2.20	116.61	109.37
2	2	2861	OMC	C1'-N1-C2	2.20	123.32	118.42
2	2	3715	PSU	O2-C2-N1	-2.19	120.38	122.79
2	2	373	OMG	N1-C2-N3	-2.18	119.25	123.32
2	2	4690	B8K	O6-C6-C5	-2.17	122.21	127.54
2	2	4529	B8W	C2-N1-C6	2.17	119.56	116.08
2	2	4483	B8T	C5-C4-N3	-2.17	119.11	122.59
2	2	4083	5MU	C1'-N1-C6	2.16	124.72	121.12
2	2	4530	UR3	C3U-N3-C4	2.16	120.97	117.89
2	2	1348	P4U	C2-N3-C4	2.15	122.58	117.44
2	2	3869	OMC	C6-N1-C2	-2.15	116.77	120.49
2	2	4403	PSU	O2-C2-N1	-2.14	120.43	122.79
2	2	3897	B8K	O4'-C1'-C2'	-2.14	101.98	106.64
2	2	4483	B8T	O3'-C3'-C2'	2.13	118.72	111.82
2	2	4293	PSU	O2'-C2'-C1'	-2.13	106.15	111.23
2	2	4536	OMC	C6-N1-C2	-2.13	116.81	120.49
2	2	1348	P4U	C6-N1-C2	-2.12	116.81	120.49
2	2	2786	B9H	O2-C2-N1	-2.12	117.77	122.72
2	2	2522	7MG	N1-C2-N3	-2.11	119.38	123.32
2	2	237	B9B	N2-C2-N1	2.11	120.54	117.25
2	2	2380	B8W	C2-N1-C6	2.10	119.45	116.08
2	2	4623	OMG	N2-C2-N1	2.10	121.18	116.71
2	2	1683	PSU	O4-C4-N3	-2.09	116.10	120.12
2	2	729	2MG	O6-C6-C5	-2.09	120.28	124.37
2	2	4220	6MZ	C9-N6-C6	2.09	124.67	122.87
2	2	1797	E7G	O6-C6-C5	-2.09	122.42	127.54
2	2	4636	PSU	O2-C2-N1	-2.08	120.50	122.79
2	2	4529	B8W	O5'-C5'-C4'	2.07	116.05	108.99
2	2	1797	E7G	N1-C2-N3	-2.07	119.46	123.32
2	2	2804	OMC	C1'-N1-C2	2.06	123.02	118.42
2	2	2754	B9B	C2-N1-C6	2.05	119.38	116.08

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	4550	7MG	O6-C6-C5	-2.05	122.50	127.54
2	2	2508	PSU	O4-C4-N3	-2.04	116.20	120.12
2	2	1909	P7G	N2-C2-N3	2.04	121.05	116.71
8	8	14	OMU	CM2-O2'-C2'	2.04	119.87	114.52
2	2	3899	BGH	O6-C6-N1	-2.04	116.22	120.12
2	2	1316	OMG	N1-C2-N3	-2.03	119.52	123.32
2	2	4483	B8T	C6-C5-C4	2.03	119.45	116.96
2	2	4371	MHG	O6-C6-N1	-2.03	116.23	120.12
2	2	4550	7MG	C2-N1-C6	-2.03	121.40	125.10
2	2	1605	7MG	N1-C2-N3	-2.03	119.54	123.32
2	2	1866	UR3	O4'-C1'-N1	2.03	113.00	108.36
2	2	2297	E7G	O6-C6-C5	-2.02	122.58	127.54
2	2	3899	BGH	C2-N1-C6	-2.02	121.42	125.10
2	2	373	OMG	O6-C6-C5	-2.02	120.43	124.37
2	2	1677	PSU	O4'-C1'-C2'	2.02	107.99	105.14
2	2	1605	7MG	N2-C2-N1	2.01	120.99	116.71

There are no chirality outliers.

All (124) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	8	14	OMU	C1'-C2'-O2'-CM2
2	2	237	B9B	C5-C6-O6-C61
2	2	237	B9B	N1-C6-O6-C61
2	2	237	B9B	C3'-C4'-C5'-O5'
2	2	237	B9B	C62-C61-O6-C6
2	2	1348	P4U	N3-C4-O4-C41
2	2	1574	B9B	C5-C6-O6-C61
2	2	1574	B9B	N1-C6-O6-C61
2	2	1582	PSU	C3'-C4'-C5'-O5'
2	2	1582	PSU	O4'-C4'-C5'-O5'
2	2	1797	E7G	O4'-C4'-C5'-O5'
2	2	1866	UR3	C3'-C4'-C5'-O5'
2	2	1871	A2M	O4'-C4'-C5'-O5'
2	2	1871	A2M	C3'-C4'-C5'-O5'
2	2	1883	OMG	C3'-C4'-C5'-O5'
2	2	2380	B8W	C5-C6-O6-C61
2	2	2754	B9B	C5-C6-O6-C61
2	2	2754	B9B	N1-C6-O6-C61
2	2	3701	OMC	C2'-C1'-N1-C2
2	2	3701	OMC	C2'-C1'-N1-C6
2	2	4129	B8W	C5-C6-O6-C61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	2	4129	B8W	N1-C6-O6-C61
2	2	4185	B8W	C5-C6-O6-C61
2	2	4185	B8W	N1-C6-O6-C61
2	2	4196	OMG	C1'-C2'-O2'-CM2
2	2	4293	PSU	O4'-C4'-C5'-O5'
2	2	4355	E6G	C5-C6-O6-C61
2	2	4355	E6G	N1-C6-O6-C61
2	2	4403	PSU	O4'-C1'-C5-C6
2	2	4415	1MA	O4'-C4'-C5'-O5'
2	2	4472	B8W	C5-C6-O6-C61
2	2	4472	B8W	N1-C6-O6-C61
2	2	4529	B8W	C5-C6-O6-C61
2	2	4529	B8W	N1-C6-O6-C61
2	2	4529	B8W	O4'-C4'-C5'-O5'
2	2	4597	UR3	O4'-C4'-C5'-O5'
2	2	4597	UR3	C3'-C4'-C5'-O5'
2	2	4636	PSU	C3'-C4'-C5'-O5'
2	2	4637	OMG	O4'-C4'-C5'-O5'
2	2	4637	OMG	C3'-C4'-C5'-O5'
2	2	4870	OMG	O4'-C4'-C5'-O5'
2	2	4870	OMG	C3'-C4'-C5'-O5'
2	2	4872	2MG	O4'-C4'-C5'-O5'
2	2	4872	2MG	C3'-C4'-C5'-O5'
2	2	237	B9B	O4'-C4'-C5'-O5'
2	2	398	A2M	O4'-C4'-C5'-O5'
2	2	1797	E7G	C3'-C4'-C5'-O5'
2	2	1866	UR3	O4'-C4'-C5'-O5'
2	2	1883	OMG	O4'-C4'-C5'-O5'
2	2	2364	OMG	O4'-C4'-C5'-O5'
2	2	2380	B8W	O4'-C4'-C5'-O5'
2	2	3729	PSU	C3'-C4'-C5'-O5'
2	2	3729	PSU	O4'-C4'-C5'-O5'
2	2	3897	B8K	C3'-C4'-C5'-O5'
2	2	3897	B8K	O4'-C4'-C5'-O5'
2	2	4293	PSU	C3'-C4'-C5'-O5'
2	2	4371	MHG	O4'-C4'-C5'-O5'
2	2	4415	1MA	C3'-C4'-C5'-O5'
2	2	4636	PSU	O4'-C4'-C5'-O5'
2	2	237	B9B	O6-C61-C62-C63
2	2	1677	PSU	O4'-C4'-C5'-O5'
2	2	2364	OMG	C3'-C4'-C5'-O5'
2	2	4185	B8W	O4'-C4'-C5'-O5'

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	2	4196	OMG	O4'-C4'-C5'-O5'
2	2	4196	OMG	C3'-C4'-C5'-O5'
2	2	4220	6MZ	O4'-C4'-C5'-O5'
2	2	4220	6MZ	C3'-C4'-C5'-O5'
2	2	4371	MHG	C3'-C4'-C5'-O5'
2	2	4523	A2M	O4'-C4'-C5'-O5'
2	2	4523	A2M	C3'-C4'-C5'-O5'
2	2	4529	B8W	C3'-C4'-C5'-O5'
2	2	2380	B8W	N1-C6-O6-C61
2	2	2380	B8W	C3'-C4'-C5'-O5'
2	2	1677	PSU	C3'-C4'-C5'-O5'
2	2	4194	I4U	O4'-C4'-C5'-O5'
2	2	4371	MHG	C75-C73-C74-C76
2	2	4194	I4U	C3'-C4'-C5'-O5'
2	2	1326	A2M	C4'-C5'-O5'-P
2	2	1625	OMG	C3'-C4'-C5'-O5'
2	2	3869	OMC	O4'-C1'-N1-C2
2	2	2422	OMC	O4'-C4'-C5'-O5'
2	2	4355	E6G	O4'-C4'-C5'-O5'
2	2	3869	OMC	O4'-C1'-N1-C6
2	2	4371	MHG	C72-C73-C74-C76
2	2	2297	E7G	C72-C71-N7-C8
2	2	373	OMG	C4'-C5'-O5'-P
2	2	3867	A2M	C4'-C5'-O5'-P
2	2	4371	MHG	C2'-C1'-N9-C8
2	2	1871	A2M	C3'-C2'-O2'-CM'
2	2	4523	A2M	C3'-C2'-O2'-CM'
2	2	4523	A2M	C4'-C5'-O5'-P
2	2	2424	OMG	C3'-C4'-C5'-O5'
2	2	3701	OMC	O4'-C1'-N1-C6
2	2	1534	A2M	C4'-C5'-O5'-P
2	2	3897	B8K	C4'-C5'-O5'-P
2	2	1605	7MG	O4'-C4'-C5'-O5'
2	2	2363	A2M	O4'-C4'-C5'-O5'
2	2	4296	B8H	C3'-C4'-C5'-O5'
2	2	4296	B8H	O4'-C4'-C5'-O5'
2	2	1909	P7G	C72-C71-N7-C8
2	2	3887	OMC	C4'-C5'-O5'-P
2	2	4870	OMG	C4'-C5'-O5'-P
2	2	2401	A2M	C3'-C2'-O2'-CM'
2	2	3701	OMC	O4'-C1'-N1-C2
2	2	3867	A2M	C3'-C4'-C5'-O5'

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	2	1659	I4U	C42-C41-O4-C4
2	2	4194	I4U	C43-C41-O4-C4
2	2	1574	B9B	C62-C61-O6-C6
2	2	4403	PSU	O4'-C1'-C5-C4
2	2	1659	I4U	O4'-C4'-C5'-O5'
2	2	3718	A2M	O4'-C4'-C5'-O5'
2	2	398	A2M	C3'-C4'-C5'-O5'
2	2	3880	P7G	O4'-C4'-C5'-O5'
2	2	4371	MHG	O4'-C1'-N9-C8
2	2	1625	OMG	O4'-C4'-C5'-O5'
2	2	1677	PSU	O4'-C1'-C5-C6
2	2	4636	PSU	O4'-C1'-C5-C6
2	2	1866	UR3	C2'-C1'-N1-C2
2	2	729	2MG	O4'-C4'-C5'-O5'
2	2	1534	A2M	O4'-C4'-C5'-O5'
2	2	4371	MHG	C72-C71-N7-C8
2	2	4194	I4U	C42-C41-O4-C4
2	2	2424	OMG	O4'-C4'-C5'-O5'
2	2	3869	OMC	C4'-C5'-O5'-P

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 247 ligands modelled in this entry, 247 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-0978. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 256



Y Index: 203




Z Index: 255


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.07. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1075 nm<sup>3</sup>; this corresponds to an approximate mass of 971 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ



\*Reported resolution corresponds to spatial frequency of 0.319 Å<sup>-1</sup>


## 8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-0978 and PDB model 6LU8. Per-residue inclusion information can be found in section 3 on page 14.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.07 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.07).

## 9.4 Atom inclusion ⓘ









































































At the recommended contour level, 83% of all backbone atoms, 84% of all non-hydrogen atoms, are inside the map.



## 9.5 Map-model fit summary

































The table lists the average atom inclusion at the recommended contour level (0.07) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8420	 0.5400
1	 0.2520	 0.3670
2	 0.8670	 0.5310
3	 0.7710	 0.5010
4	 0.6460	 0.4800
5	 0.9340	 0.5570
6	 0.7360	 0.5280
7	 0.8130	 0.5550
8	 0.9230	 0.5670
9	 0.7570	 0.5340
A	 0.4020	 0.3520
B	 0.8820	 0.5790
C	 0.8070	 0.5320
D	 0.8990	 0.5870
E	 0.7900	 0.5490
F	 0.9010	 0.5820
G	 0.7430	 0.5350
H	 0.8620	 0.5730
I	 0.7760	 0.5400
K	 0.8340	 0.5530
L	 0.9280	 0.6040
M	 0.9420	 0.5900
N	 0.6440	 0.4660
O	 0.7380	 0.5460
P	 0.9340	 0.5880
Q	 0.8320	 0.5600
R	 0.3800	 0.4050
S	 0.8720	 0.5680
U	 0.9610	 0.6110
V	 0.8900	 0.5840
W	 0.8520	 0.5700
X	 0.8610	 0.5670
Y	 0.9040	 0.5890
Z	 0.9370	 0.6030
a	 0.8860	 0.5840



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
b	 0.9300	 0.5950
c	 0.9030	 0.5780
d	 0.7690	 0.5410
e	 0.8670	 0.5670
g	 0.8700	 0.5750
h	 0.8650	 0.5780
i	 0.8280	 0.5600
j	 0.8390	 0.5660
k	 0.9270	 0.5940
l	 0.8780	 0.5830
m	 0.9160	 0.5920
n	 0.9420	 0.6070
o	 0.8140	 0.5460
p	 0.8930	 0.5790
r	 0.7250	 0.5170
z	 0.7330	 0.5280