



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 16, 2024 – 07:33 AM EDT

PDB ID : 5B61  
Title : Extra-superfolder GFP  
Authors : Park, H.H.; Jang, T.-H.; Choi, J.Y.  
Deposited on : 2016-05-24  
Resolution : 3.12 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.12 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1292 (3.14-3.10)
Clashscore	141614	1389 (3.14-3.10)
Ramachandran outliers	138981	1337 (3.14-3.10)
Sidechain outliers	138945	1337 (3.14-3.10)
RSRZ outliers	127900	1260 (3.14-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	238	<div> <div>66%</div> <div>27%</div> <div>7%</div> </div>
1	B	238	<div> <div>78%</div> <div>14%</div> <div>• 6%</div> </div>
1	C	238	<div> <div>73%</div> <div>21%</div> <div>5%</div> </div>
1	D	238	<div> <div>74%</div> <div>21%</div> <div>• 5%</div> </div>
1	E	238	<div> <div>%</div> <div>76%</div> <div>17%</div> <div>• 5%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	238	<div><div></div><div>74%</div><div>18%</div><div>• 6%</div></div>

## 2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 10663 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Green fluorescent protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	222	Total	C	N	O	S	0	0	0
			1757	1112	308	331	6			
1	B	224	Total	C	N	O	S	0	0	0
			1770	1120	310	334	6			
1	C	226	Total	C	N	O	S	0	0	0
			1787	1130	312	339	6			
1	D	227	Total	C	N	O	S	0	0	0
			1794	1134	313	341	6			
1	E	227	Total	C	N	O	S	0	0	0
			1792	1132	313	341	6			
1	F	223	Total	C	N	O	S	0	0	0
			1763	1113	309	335	6			


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Green fluorescent protein



- Molecule 1: Green fluorescent protein




- Molecule 1: Green fluorescent protein





- Molecule 1: Green fluorescent protein






- Molecule 1: Green fluorescent protein



- Molecule 1: Green fluorescent protein



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	59.30Å 98.76Å 263.80Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.38 – 3.12 49.38 – 3.11	Depositor EDS
% Data completeness (in resolution range)	97.0 (49.38-3.12) 97.0 (49.38-3.11)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	7.31 (at 3.12Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, $R_{free}$	0.185 , 0.259 0.189 , 0.260	Depositor DCC
$R_{free}$ test set	1401 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	32.4	Xtriage
Anisotropy	0.110	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 22.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	10663	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.22% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.45	0/1797	0.66	0/2428
1	B	0.52	0/1809	0.70	1/2444 (0.0%)
1	C	0.45	0/1827	0.66	0/2468
1	D	0.52	0/1834	0.69	0/2478
1	E	0.51	0/1831	0.70	3/2473 (0.1%)
1	F	0.48	0/1802	0.68	1/2434 (0.0%)
All	All	0.49	0/10900	0.68	5/14725 (0.0%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	66	TYR	N-CA-C	-7.93	89.58	111.00
1	E	66	TYR	N-CA-C	-6.67	93.00	111.00
1	F	178	LEU	CA-CB-CG	5.93	128.94	115.30
1	E	65	GLY	N-CA-C	-5.45	99.49	113.10
1	E	67	GLY	N-CA-C	-5.23	100.02	113.10

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1757	0	1725	42	0
1	B	1770	0	1737	21	2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	1787	0	1751	35	0
1	D	1794	0	1758	36	0
1	E	1792	0	1752	27	2
1	F	1763	0	1725	36	0
All	All	10663	0	10448	193	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (193) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:65:GLY:O	1:E:66:TYR:HB2	1.63	0.98
1:F:66:TYR:N	1:F:67:GLY:HA3	1.80	0.97
1:B:62:THR:O	1:B:66:TYR:O	1.89	0.91
1:A:62:THR:HG21	1:A:167:ILE:HD11	1.64	0.79
1:A:45:LYS:HE2	1:A:47:ILE:HD11	1.64	0.79
1:F:65:GLY:O	1:F:68:VAL:HG22	1.83	0.78
1:A:62:THR:HG21	1:A:167:ILE:CD1	2.15	0.77
1:F:66:TYR:H	1:F:67:GLY:HA3	1.47	0.77
1:A:68:VAL:O	1:A:68:VAL:HG23	1.86	0.76
1:E:65:GLY:O	1:E:66:TYR:CB	2.33	0.75
1:D:65:GLY:HA2	1:D:68:VAL:HG22	1.69	0.75
1:A:206:VAL:HG22	1:A:221:HIS:HB2	1.69	0.73
1:E:65:GLY:C	1:E:67:GLY:N	2.41	0.73
1:D:65:GLY:C	1:D:67:GLY:H	1.88	0.73
1:C:148:HIS:HE1	1:C:168:ARG:H	1.38	0.72
1:D:94:GLN:HE21	1:D:185:ASN:HD21	1.34	0.71
1:A:167:ILE:HD12	1:A:181:HIS:CE1	2.26	0.71
1:E:62:THR:HG21	1:E:181:HIS:NE2	2.06	0.70
1:F:101:LYS:HE2	1:F:178:LEU:H	1.54	0.70
1:A:79:LYS:O	1:A:194:ARG:NH2	2.24	0.70
1:F:66:TYR:N	1:F:67:GLY:CA	2.54	0.69
1:A:21:ASP:OD2	1:A:26:LYS:NZ	2.26	0.68
1:A:21:ASP:HB3	1:A:26:LYS:HG2	1.74	0.68
1:B:65:GLY:O	1:B:66:TYR:C	2.29	0.67
1:D:65:GLY:O	1:D:66:TYR:CB	2.44	0.66
1:C:65:GLY:C	1:C:67:GLY:H	1.97	0.66
1:C:43:THR:HG23	1:C:221:HIS:CE1	2.31	0.66
1:F:167:ILE:HD13	1:F:181:HIS:CE1	2.31	0.65
1:A:31:GLY:HA3	1:A:46:LEU:HD23	1.78	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:148:HIS:CE1	1:C:167:ILE:HA	2.32	0.65
1:B:65:GLY:O	1:B:68:VAL:N	2.30	0.65
1:C:206:VAL:HG22	1:C:221:HIS:HB2	1.78	0.65
1:C:128:ILE:O	1:C:129:ASP:HB2	1.97	0.65
1:D:56:PRO:O	1:D:59:THR:OG1	2.12	0.64
1:E:190:ASP:OD2	1:E:190:ASP:N	2.30	0.64
1:E:65:GLY:C	1:E:67:GLY:H	1.96	0.63
1:C:115:GLU:OE2	1:C:122:ARG:NH1	2.29	0.63
1:F:66:TYR:CB	1:F:222:GLU:OE2	2.48	0.62
1:A:98:ILE:HG12	1:A:181:HIS:CD2	2.34	0.62
1:C:65:GLY:C	1:C:67:GLY:N	2.50	0.61
1:E:153:THR:HG23	1:E:198:ASN:OD1	2.01	0.61
1:A:62:THR:HG22	1:A:66:TYR:CD2	2.36	0.61
1:A:163:ALA:HB3	1:A:183:GLN:HB3	1.82	0.61
1:A:42:ILE:HB	1:A:222:GLU:HB2	1.84	0.59
1:E:16:VAL:HG22	1:E:121:ASN:HB3	1.84	0.59
1:C:115:GLU:CD	1:C:122:ARG:HH12	2.05	0.59
1:A:53:LEU:HD22	1:A:57:TRP:CE2	2.37	0.59
1:A:134:GLY:O	1:A:140:LYS:NZ	2.28	0.59
1:C:62:THR:O	1:C:96:ARG:NH1	2.35	0.59
1:F:110:ALA:HB2	1:F:123:ILE:HG23	1.85	0.59
1:B:58:PRO:HA	1:B:61:VAL:HG23	1.84	0.58
1:E:63:THR:HG22	1:E:123:ILE:HD13	1.84	0.58
1:F:65:GLY:C	1:F:68:VAL:HG22	2.23	0.58
1:E:42:ILE:HB	1:E:222:GLU:HB2	1.83	0.58
1:C:187:PRO:HG3	1:C:193:VAL:HG21	1.87	0.57
1:F:23:ASN:ND2	1:F:130:PHE:HB2	2.20	0.57
1:B:67:GLY:HA2	1:B:94:GLN:OE1	2.05	0.57
1:B:98:ILE:HB	1:B:106:PHE:HB2	1.88	0.56
1:C:148:HIS:CE1	1:C:168:ARG:H	2.20	0.56
1:D:65:GLY:C	1:D:67:GLY:N	2.57	0.56
1:D:65:GLY:CA	1:D:67:GLY:H	2.18	0.56
1:E:166:LYS:HG2	1:E:178:LEU:HD22	1.88	0.55
1:B:31:GLY:HA3	1:B:46:LEU:HD23	1.88	0.55
1:D:65:GLY:O	1:D:66:TYR:HB2	2.07	0.55
1:B:167:ILE:HG13	1:B:181:HIS:CE1	2.42	0.55
1:A:156:LYS:HD2	1:A:156:LYS:H	1.71	0.55
1:D:63:THR:HG22	1:D:123:ILE:HD13	1.88	0.55
1:D:150:VAL:HA	1:D:165:PHE:HB3	1.90	0.54
1:A:56:PRO:HG2	1:A:141:LEU:HD12	1.89	0.54
1:E:61:VAL:HG12	1:E:61:VAL:O	2.08	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:110:ALA:HB2	1:D:123:ILE:HG23	1.89	0.54
1:D:148:HIS:CE1	1:D:167:ILE:HD13	2.42	0.53
1:D:31:GLY:HA3	1:D:46:LEU:HD23	1.91	0.53
1:A:94:GLN:HG3	1:A:185:ASN:HD21	1.72	0.53
1:A:159:ASN:HA	1:A:195:LEU:HD21	1.91	0.53
1:E:166:LYS:HE2	1:E:180:ASP:OD1	2.09	0.52
1:B:147:SER:O	1:B:168:ARG:NH2	2.42	0.52
1:F:65:GLY:O	1:F:68:VAL:CG2	2.54	0.52
1:E:22:VAL:HG12	1:E:27:PHE:HE1	1.74	0.52
1:A:68:VAL:O	1:A:68:VAL:CG2	2.57	0.52
1:A:65:GLY:O	1:A:222:GLU:OE2	2.28	0.51
1:F:83:PHE:CE1	1:F:193:VAL:HG11	2.45	0.51
1:C:98:ILE:HB	1:C:106:PHE:HB2	1.93	0.51
1:A:150:VAL:HG13	1:A:165:PHE:CD1	2.46	0.51
1:C:83:PHE:CE1	1:C:193:VAL:HG11	2.45	0.51
1:D:42:ILE:HD11	1:D:71:PHE:HB2	1.93	0.51
1:C:157:GLN:HG3	1:C:158:LYS:HG3	1.92	0.50
1:A:62:THR:HG22	1:A:66:TYR:CG	2.47	0.50
1:C:31:GLY:HA3	1:C:46:LEU:HD23	1.92	0.50
1:B:55:VAL:HB	1:B:59:THR:HG21	1.93	0.50
1:E:128:ILE:O	1:E:129:ASP:HB2	2.11	0.50
1:D:66:TYR:HB2	1:D:222:GLU:OE2	2.12	0.49
1:F:58:PRO:HA	1:F:61:VAL:HG23	1.95	0.49
1:A:157:GLN:H	1:A:157:GLN:CD	2.16	0.49
1:F:33:GLY:HA3	1:F:43:THR:O	2.13	0.49
1:F:206:VAL:HG22	1:F:221:HIS:HB2	1.93	0.49
1:A:72:ALA:HA	1:A:224:VAL:HG13	1.95	0.49
1:F:62:THR:HG21	1:F:181:HIS:NE2	2.28	0.49
1:C:163:ALA:HB3	1:C:183:GLN:HB3	1.93	0.49
1:D:166:LYS:HD3	1:D:178:LEU:HD21	1.94	0.48
1:E:35:GLY:HA3	1:E:71:PHE:CE1	2.49	0.48
1:C:148:HIS:CE1	1:C:167:ILE:HD13	2.49	0.48
1:F:42:ILE:HB	1:F:222:GLU:HB2	1.96	0.48
1:A:98:ILE:HB	1:A:106:PHE:HB2	1.96	0.48
1:D:143:TYR:CE2	1:D:207:ILE:HG22	2.49	0.48
1:F:76:ASP:O	1:F:79:LYS:HG3	2.14	0.47
1:C:137:LEU:HD23	1:C:137:LEU:HA	1.74	0.47
1:D:68:VAL:O	1:D:68:VAL:HG23	2.14	0.47
1:F:65:GLY:CA	1:F:68:VAL:HG22	2.45	0.47
1:B:110:ALA:HB2	1:B:123:ILE:HG23	1.96	0.47
1:E:25:HIS:CE1	1:F:215:ARG:CZ	2.98	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:110:ALA:HB2	1:E:123:ILE:HG23	1.96	0.47
1:F:54:PRO:O	1:F:139:HIS:NE2	2.48	0.47
1:A:21:ASP:HA	1:A:25:HIS:O	2.15	0.47
1:D:206:VAL:HG22	1:D:221:HIS:HB2	1.97	0.47
1:A:187:PRO:HG3	1:A:193:VAL:HG21	1.96	0.47
1:F:44:LEU:HD11	1:F:65:GLY:HA3	1.97	0.47
1:A:66:TYR:O	1:A:69:GLN:NE2	2.48	0.47
1:E:167:ILE:HD12	1:E:181:HIS:CE1	2.50	0.47
1:F:92:TYR:HA	1:F:188:ILE:HG13	1.96	0.47
1:A:102:ASP:O	1:A:131:LYS:HE2	2.15	0.46
1:C:27:PHE:CD2	1:C:54:PRO:HG2	2.50	0.46
1:E:58:PRO:HA	1:E:61:VAL:HG23	1.97	0.46
1:E:78:MET:HE1	1:E:229:ILE:H	1.81	0.46
1:D:167:ILE:HG13	1:D:181:HIS:CE1	2.50	0.46
1:E:67:GLY:HA2	1:E:94:GLN:HE22	1.80	0.46
1:F:147:SER:O	1:F:168:ARG:NH2	2.48	0.46
1:D:53:LEU:HD22	1:D:57:TRP:CD2	2.49	0.46
1:F:101:LYS:HD3	1:F:178:LEU:HG	1.97	0.46
1:A:58:PRO:HA	1:A:61:VAL:HG23	1.98	0.46
1:C:45:LYS:HE2	1:C:47:ILE:HD11	1.98	0.46
1:C:144:ASN:HD22	1:D:147:SER:HB3	1.80	0.46
1:E:93:VAL:O	1:E:185:ASN:HA	2.16	0.46
1:F:18:LEU:HD13	1:F:123:ILE:HB	1.98	0.46
1:D:193:VAL:HG12	1:D:194:ARG:N	2.31	0.46
1:A:73:ARG:CZ	1:F:211:PRO:HB3	2.45	0.45
1:F:92:TYR:CA	1:F:188:ILE:HG13	2.46	0.45
1:C:104:GLY:HA3	1:C:130:PHE:CG	2.52	0.45
1:B:206:VAL:HG22	1:B:221:HIS:HB2	1.98	0.45
1:E:66:TYR:O	1:E:96:ARG:NH2	2.50	0.45
1:D:21:ASP:HA	1:D:25:HIS:O	2.16	0.45
1:A:103:ASP:OD1	1:A:130:PHE:HA	2.17	0.44
1:B:203:THR:HG22	1:B:224:VAL:HG13	1.99	0.44
1:C:63:THR:HG22	1:C:123:ILE:HD13	1.99	0.44
1:D:102:ASP:O	1:D:131:LYS:HE2	2.18	0.44
1:C:53:LEU:HA	1:C:54:PRO:HD3	1.73	0.44
1:D:148:HIS:ND1	1:D:167:ILE:HD13	2.32	0.44
1:E:53:LEU:HD21	1:E:60:LEU:HD12	1.99	0.44
1:C:112:VAL:HA	1:C:120:VAL:O	2.17	0.44
1:B:56:PRO:HD2	1:B:136:ILE:HG23	2.00	0.44
1:C:65:GLY:O	1:C:67:GLY:N	2.51	0.44
1:F:150:VAL:HG13	1:F:165:PHE:CD1	2.53	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:69:GLN:HE22	1:A:183:GLN:HE22	1.67	0.43
1:C:104:GLY:HA3	1:C:130:PHE:CD1	2.54	0.43
1:F:98:ILE:HG12	1:F:181:HIS:CD2	2.54	0.43
1:C:148:HIS:HE1	1:C:168:ARG:N	2.11	0.43
1:D:53:LEU:HA	1:D:54:PRO:HD3	1.86	0.43
1:A:73:ARG:NH2	1:F:211:PRO:HB3	2.33	0.43
1:A:95:GLU:HB2	1:A:184:GLN:HG3	2.01	0.43
1:C:83:PHE:CE1	1:C:160:GLY:HA2	2.53	0.43
1:D:93:VAL:O	1:D:185:ASN:HA	2.19	0.43
1:A:17:GLU:HG2	1:A:30:ARG:HD2	2.01	0.42
1:B:26:LYS:HB2	1:B:26:LYS:HE3	1.80	0.42
1:D:27:PHE:HA	1:D:50:THR:HG21	2.01	0.42
1:A:143:TYR:CE2	1:A:207:ILE:HG22	2.54	0.42
1:B:13:PRO:HB2	1:B:118:THR:HG22	2.00	0.42
1:B:143:TYR:CE2	1:B:207:ILE:HG22	2.54	0.42
1:E:206:VAL:HG22	1:E:221:HIS:HB2	2.01	0.42
1:D:150:VAL:HB	1:D:201:LEU:HB2	2.01	0.42
1:E:105:THR:O	1:E:127:GLY:HA2	2.19	0.42
1:C:96:ARG:O	1:C:107:LYS:HD2	2.19	0.42
1:A:14:ILE:HG13	1:A:34:GLU:HA	2.02	0.42
1:B:158:LYS:HE2	1:B:184:GLN:NE2	2.35	0.42
1:F:76:ASP:HA	1:F:79:LYS:HG3	2.02	0.42
1:B:65:GLY:O	1:B:67:GLY:N	2.53	0.41
1:C:12:VAL:HB	1:C:71:PHE:HE1	1.86	0.41
1:C:53:LEU:HD22	1:C:57:TRP:CZ2	2.55	0.41
1:C:110:ALA:HB2	1:C:123:ILE:HG23	2.02	0.41
1:D:12:VAL:HA	1:D:13:PRO:HD3	1.92	0.41
1:D:76:ASP:O	1:D:79:LYS:HG3	2.20	0.41
1:F:80:ARG:O	1:F:194:ARG:HD2	2.21	0.41
1:A:208:LEU:HD12	1:A:221:HIS:CE1	2.56	0.41
1:C:29:VAL:O	1:C:30:ARG:NH1	2.53	0.41
1:A:105:THR:O	1:A:127:GLY:HA2	2.20	0.41
1:B:60:LEU:O	1:B:63:THR:N	2.46	0.41
1:B:137:LEU:HD23	1:B:137:LEU:HA	1.86	0.41
1:D:56:PRO:HD3	1:D:136:ILE:O	2.20	0.41
1:F:65:GLY:HA2	1:F:68:VAL:HG22	2.02	0.40
1:F:148:HIS:CD2	1:F:167:ILE:HG13	2.56	0.40
1:D:65:GLY:O	1:D:66:TYR:HB3	2.20	0.40
1:D:58:PRO:HA	1:D:61:VAL:HG23	2.04	0.40
1:D:80:ARG:O	1:D:194:ARG:HD3	2.22	0.40
1:F:146:ASN:HB3	1:F:168:ARG:NH1	2.37	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:162:LYS:CD	1:E:191:GLY:O[3_655]	1.59	0.61
1:B:162:LYS:CE	1:E:191:GLY:O[3_655]	1.86	0.34

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	220/238 (92%)	216 (98%)	4 (2%)	0	100	100
1	B	222/238 (93%)	216 (97%)	6 (3%)	0	100	100
1	C	224/238 (94%)	217 (97%)	7 (3%)	0	100	100
1	D	225/238 (94%)	219 (97%)	6 (3%)	0	100	100
1	E	225/238 (94%)	217 (96%)	7 (3%)	1 (0%)	34	68
1	F	221/238 (93%)	216 (98%)	5 (2%)	0	100	100
All	All	1337/1428 (94%)	1301 (97%)	35 (3%)	1 (0%)	51	83

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	192	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	192/206 (93%)	186 (97%)	6 (3%)	40	69
1	B	193/206 (94%)	189 (98%)	4 (2%)	53	78
1	C	195/206 (95%)	188 (96%)	7 (4%)	35	66
1	D	196/206 (95%)	192 (98%)	4 (2%)	55	79
1	E	195/206 (95%)	189 (97%)	6 (3%)	40	69
1	F	193/206 (94%)	186 (96%)	7 (4%)	35	66
All	All	1164/1236 (94%)	1130 (97%)	34 (3%)	42	71

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	64	CYS
1	A	70	CYS
1	A	119	ILE
1	A	128	ILE
1	A	140	LYS
1	A	213	GLU
1	B	59	THR
1	B	68	VAL
1	B	118	THR
1	B	153	THR
1	C	52	LYS
1	C	69	GLN
1	C	70	CYS
1	C	119	ILE
1	C	128	ILE
1	C	178	LEU
1	C	205	SER
1	D	66	TYR
1	D	119	ILE
1	D	123	ILE
1	D	128	ILE
1	E	66	TYR
1	E	70	CYS
1	E	119	ILE
1	E	153	THR
1	E	190	ASP
1	E	195	LEU
1	F	34	GLU
1	F	70	CYS
1	F	79	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	F	101	LYS
1	F	119	ILE
1	F	133	ASP
1	F	168	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	94	GLN
1	A	183	GLN
1	A	185	ASN
1	A	221	HIS
1	C	148	HIS
1	D	25	HIS
1	D	94	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	222/238 (93%)	-0.42	0	100 100	14, 37, 56, 82	0
1	B	224/238 (94%)	-0.62	0	100 100	8, 17, 36, 62	0
1	C	226/238 (94%)	-0.56	0	100 100	10, 25, 42, 57	0
1	D	227/238 (95%)	-0.56	0	100 100	8, 18, 33, 49	0
1	E	227/238 (95%)	-0.55	3 (1%)	77 60	8, 16, 29, 87	0
1	F	223/238 (93%)	-0.35	1 (0%)	92 85	11, 24, 43, 68	0
All	All	1349/1428 (94%)	-0.51	4 (0%)	94 89	8, 22, 46, 87	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	191	GLY	5.0
1	E	192	PRO	3.6
1	E	194	ARG	2.6
1	F	133	ASP	2.2

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.