



Full wwPDB EM Validation Report ⓘ

Oct 13, 2024 – 01:46 am BST

PDB ID : 8BEH
EMDB ID : EMD-16003
Title : Cryo-EM structure of the Arabidopsis thaliana I+III₂ supercomplex (CI membrane tip)
Authors : Klusch, N.; Kuehlbrandt, W.
Deposited on : 2022-10-21
Resolution : 2.29 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.29 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	L	669	
2	M	495	
3	T	122	
4	c	88	
5	g	114	
6	i	98	
7	j	69	
8	k	72	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	l	125	<div><div></div><div>58%</div><div></div><div>41%</div></div>
10	m	71	<div><div></div><div>99%</div><div></div></div>
11	n	117	<div><div></div><div>91%</div><div></div><div>7%</div></div>
12	o	103	<div><div>9%</div><div></div><div>77%</div><div></div><div>22%</div></div>
13	p	106	<div><div></div><div>84%</div><div></div><div>15%</div></div>

2 Entry composition

There are 19 unique types of molecules in this entry. The entry contains 13555 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NADH-ubiquinone oxidoreductase chain 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	L	589	Total	C	N	O	S	0	0
			4599	3058	711	794	36		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
L	91	PHE	SER	variant	UNP P29388
L	288	PHE	SER	variant	UNP P29388
L	537	LEU	PRO	variant	UNP P29388

- Molecule 2 is a protein called NADH-ubiquinone oxidoreductase chain 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	M	225	Total	C	N	O	S	0	0
			1761	1170	282	297	12		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
M	146	PHE	PRO	variant	UNP P93313
M	326	LEU	PRO	variant	UNP P93313
M	383	PHE	SER	variant	UNP P93313

- Molecule 3 is a protein called Acyl carrier protein 1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	T	83	Total	C	N	O	S	0	0
			659	417	104	135	3		

- Molecule 4 is a protein called Transmembrane protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	c	76	Total	C	N	O	S	0	0
			617	396	115	100	6		

- Molecule 5 is a protein called ESSS subunit of NADH:ubiquinone oxidoreductase (Complex I) protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	g	79	Total	C	N	O	S	0	0
			641	412	111	115	3		

- Molecule 6 is a protein called At1g67350.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	i	15	Total	C	N	O	S	0	0
			123	82	19	20	2		

- Molecule 7 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	j	51	Total	C	N	O	S	0	0
			415	275	73	64	3		

- Molecule 8 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 3-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	k	48	Total	C	N	O	S	0	0
			382	244	72	63	3		

- Molecule 9 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	l	74	Total	C	N	O	S	0	0
			562	367	91	103	1		

- Molecule 10 is a protein called AT2G31490 protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	m	70	Total	C	N	O	S	0	0
			577	370	107	98	2		

- Molecule 11 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 9.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	n	109	Total	C	N	O	S	0	0
			911	580	170	160	1		


- Molecule 12 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	o	80	Total	C	N	O	S	0	0
			657	413	115	119	10		

- Molecule 13 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 10-B.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	p	90	Total	C	N	O	S	0	0
			757	479	141	133	4		

- Molecule 14 is 1,2-DIACYL-GLYCEROL-3-SN-PHOSPHATE (three-letter code: 3PH) (formula: $C_{39}H_{77}O_8P$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
14	L	1	Total	C	O	P	0
			37	28	8	1	
14	M	1	Total	C	O	P	0
			41	32	8	1	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf
14	1	1	Total	C	O	P	0
			37	28	8	1	

- Molecule 15 is (1S)-2-{{[(2R)-2,3-DIHYDROXYPROPYL]OXY}(HYDROXY)PHOSPHORYL]OXY}-1-[(PALMITOYLOXY)METHYL]ETHYL STEARATE (three-letter code: PGT) (formula: C₄₀H₇₉O₁₀P) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
15	L	1	Total	C	O	P	0
			45	34	10	1	

- Molecule 16 is PHOSPHATIDYLETHANOLAMINE (three-letter code: PTY) (formula: C₄₀H₈₀NO₈P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
16	L	1	Total	C	N	O	P	0
			42	32	1	8	1	


- Molecule 17 is (7S)-4-HYDROXY-N,N,N-TRIMETHYL-9-OXO-7-[(PALMITOYLOXY)METHYL]-3,5,8-TRIOXA-4-PHOSPHAHEXACOSAN-1-AMINIUM 4-OXIDE (three-letter code: PC7) (formula: C₄₂H₈₅NO₈P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
17	L	1	Total	C	N	O	P	0
			40	30	1	8	1	

- Molecule 18 is S-[2-({N-[(2R)-2-hydroxy-3,3-dimethyl-4-(phosphonooxy)butanoyl]-beta

-alanyl}amino)ethyl] dodecanethioate (three-letter code: 8Q1) (formula: C₂₃H₄₅N₂O₈PS) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf	
18	T	1	Total	C	N	O	P	S	0
			35	23	2	8	1	1	


- Molecule 19 is water.

Mol	Chain	Residues	Atoms		AltConf
19	L	199	Total	O	0
			199	199	
19	M	116	Total	O	0
			116	116	
19	T	13	Total	O	0
			13	13	
19	c	31	Total	O	0
			31	31	
19	g	30	Total	O	0
			30	30	
19	i	6	Total	O	0
			6	6	
19	j	3	Total	O	0
			3	3	
19	k	10	Total	O	0
			10	10	
19	l	25	Total	O	0
			25	25	


Continued on next page...

Continued from previous page...



Mol	Chain	Residues	Atoms		AltConf
19	m	29	Total 29	O 29	0
19	n	48	Total 48	O 48	0
19	o	50	Total 50	O 50	0
19	p	57	Total 57	O 57	0




- Molecule 3: Acyl carrier protein 1, mitochondrial




- Molecule 4: Transmembrane protein




- Molecule 5: ESSS subunit of NADH:ubiquinone oxidoreductase (Complex I) protein



- Molecule 6: At1g67350




- Molecule 7: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 2




- Molecule 8: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 3-A






- Molecule 9: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial





- Molecule 10: AT2G31490 protein





- Molecule 11: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 9



- Molecule 12: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 7



- Molecule 13: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 10-B



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	213993	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	215000	Depositor
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	5.588	Depositor
Minimum map value	-3.808	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.329	Depositor
Recommended contour level	0.6	Depositor
Map size (Å)	126.633, 139.812, 140.38501	wwPDB
Map dimensions	245, 244, 221	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.573, 0.573, 0.573	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: PGT, PC7, 3PH, 8Q1, PTY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	L	0.53	0/4726	0.72	2/6421 (0.0%)
2	M	0.49	0/1807	0.65	0/2452
3	T	0.57	1/671 (0.1%)	0.74	1/911 (0.1%)
4	c	0.40	0/637	0.58	0/860
5	g	0.35	0/661	0.66	2/899 (0.2%)
6	i	0.45	0/124	0.82	0/164
7	j	0.42	0/433	0.63	0/592
8	k	0.46	0/392	0.81	2/526 (0.4%)
9	l	0.41	0/575	0.63	1/781 (0.1%)
10	m	0.45	0/592	0.67	0/793
11	n	0.67	2/938 (0.2%)	0.83	0/1273
12	o	0.56	0/666	0.82	1/886 (0.1%)
13	p	0.64	1/777 (0.1%)	0.84	0/1043
All	All	0.52	4/12999 (0.0%)	0.72	9/17601 (0.1%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	n	51	LYS	C-O	10.09	1.42	1.23
3	T	42	SER	CA-CB	-5.56	1.44	1.52
13	p	13	SER	CA-CB	-5.36	1.45	1.52
11	n	48	LEU	C-O	5.20	1.33	1.23

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	L	70	PHE	CB-CA-C	7.74	125.89	110.40
5	g	50	PRO	N-CD-CG	-7.55	91.88	103.20
5	g	50	PRO	CA-CB-CG	-6.48	91.69	104.00
1	L	540	ASP	CB-CA-C	5.74	121.88	110.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	l	116	ASN	CB-CA-C	5.64	121.69	110.40
12	o	78	GLU	CB-CA-C	-5.52	99.35	110.40
8	k	4	PRO	N-CA-CB	5.12	109.44	103.30
3	T	49	ARG	CB-CG-CD	-5.03	98.51	111.60
8	k	4	PRO	N-CA-C	-5.02	99.04	112.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	4599	0	4633	75	0
2	M	1761	0	1809	38	0
3	T	659	0	644	34	0
4	c	617	0	619	0	0
5	g	641	0	632	0	0
6	i	123	0	127	0	0
7	j	415	0	406	0	0
8	k	382	0	380	0	0
9	l	562	0	567	0	0
10	m	577	0	564	0	0
11	n	911	0	879	0	0
12	o	657	0	669	0	0
13	p	757	0	745	0	0
14	L	37	0	47	3	0
14	M	41	0	58	7	0
14	l	37	0	47	0	0
15	L	45	0	63	4	0
16	L	42	0	60	2	0
17	L	40	0	54	6	0
18	T	35	0	0	0	0
19	L	199	0	0	16	0
19	M	116	0	0	14	0
19	T	13	0	0	1	0
19	c	31	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
19	g	30	0	0	0	0
19	i	6	0	0	0	0
19	j	3	0	0	0	0
19	k	10	0	0	0	0
19	l	25	0	0	0	0
19	m	29	0	0	0	0
19	n	48	0	0	0	0
19	o	50	0	0	0	0
19	p	57	0	0	0	0
All	All	13555	0	13003	151	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (151) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:243:PRO:O	1:L:309:ARG:NH1	1.56	1.34
1:L:262:VAL:HB	19:L:947:HOH:O	1.30	1.29
1:L:451:ARG:NH2	19:L:801:HOH:O	1.69	1.26
3:T:41:LEU:CD1	3:T:49:ARG:HH21	1.65	1.10
2:M:400:GLU:HG3	19:M:677:HOH:O	1.54	1.07
1:L:182:ILE:HA	19:L:953:HOH:O	1.59	1.01
2:M:493:LYS:HE3	19:M:665:HOH:O	1.60	1.00
2:M:490:GLN:HA	19:M:651:HOH:O	1.59	1.00
3:T:106:ASP:OD1	3:T:110:LEU:CD1	2.12	0.97
2:M:367:TYR:HB2	19:M:636:HOH:O	1.63	0.96
3:T:41:LEU:HD21	3:T:45:ALA:CB	1.95	0.95
1:L:232:LYS:HE2	19:L:984:HOH:O	1.65	0.95
3:T:41:LEU:CD2	3:T:45:ALA:HB3	1.98	0.93
1:L:543:GLN:OE1	17:L:704:PC7:H61	1.74	0.88
3:T:41:LEU:HD21	3:T:45:ALA:HB3	1.55	0.87
3:T:106:ASP:OD1	3:T:110:LEU:HD12	1.73	0.86
3:T:41:LEU:CD1	3:T:49:ARG:NH2	2.42	0.83
1:L:261:MET:HE1	19:L:951:HOH:O	1.80	0.82
3:T:95:LEU:HD22	3:T:118:HIS:HD2	1.44	0.81
2:M:322:GLY:HA2	19:M:630:HOH:O	1.81	0.81
1:L:355:VAL:HG12	19:L:952:HOH:O	1.80	0.81
1:L:483:ASP:HB2	19:L:991:HOH:O	1.84	0.77
3:T:41:LEU:HD11	3:T:49:ARG:HH21	1.51	0.76
1:L:243:PRO:C	1:L:309:ARG:NH1	2.40	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:T:41:LEU:HD22	3:T:46:VAL:HG23	1.69	0.74
1:L:158:LEU:HD12	1:L:161:ASP:OD2	1.87	0.72
1:L:182:ILE:HG12	19:L:953:HOH:O	1.89	0.71
2:M:308:ILE:HD13	2:M:348:LEU:HB3	1.73	0.71
2:M:304:LEU:HD23	2:M:432:LEU:HD11	1.72	0.71
1:L:262:VAL:CB	19:L:947:HOH:O	2.08	0.71
1:L:261:MET:CE	19:L:951:HOH:O	2.35	0.70
14:L:701:3PH:H322	14:L:701:3PH:H221	1.74	0.68
1:L:29:ALA:HB1	1:L:101:ILE:HG12	1.75	0.68
2:M:400:GLU:HA	19:M:697:HOH:O	1.93	0.67
3:T:41:LEU:HD21	3:T:45:ALA:HB1	1.77	0.65
1:L:543:GLN:OE1	17:L:704:PC7:C6	2.44	0.65
3:T:41:LEU:HD22	3:T:46:VAL:CG2	2.26	0.65
1:L:166:LYS:NZ	1:L:566:ASP:OD1	2.27	0.64
2:M:425:GLY:HA2	2:M:428:TYR:CE2	2.33	0.64
3:T:41:LEU:HD13	3:T:49:ARG:NH2	2.13	0.64
1:L:303:LEU:HD11	17:L:704:PC7:H341	1.80	0.63
3:T:41:LEU:CD2	3:T:46:VAL:HG23	2.29	0.62
1:L:430:THR:HA	1:L:433:TYR:CE2	2.35	0.61
3:T:41:LEU:CD2	3:T:45:ALA:CB	2.65	0.60
2:M:362:ARG:NH1	19:M:604:HOH:O	2.33	0.60
2:M:334:SER:HA	2:M:403:ILE:HD11	1.81	0.60
1:L:393:PRO:HA	1:L:398:PHE:CD2	2.37	0.60
2:M:376:ASN:ND2	19:M:605:HOH:O	2.34	0.59
3:T:41:LEU:HD23	3:T:45:ALA:HB3	1.80	0.59
1:L:316:CYS:HA	1:L:319:LEU:HD12	1.85	0.59
2:M:344:VAL:HG22	2:M:467:LEU:HD21	1.83	0.59
1:L:161:ASP:OD1	1:L:162:LYS:N	2.35	0.58
1:L:426:SER:O	1:L:430:THR:HG22	2.04	0.58
2:M:410:ARG:NH1	19:M:601:HOH:O	2.37	0.57
3:T:106:ASP:OD1	3:T:110:LEU:HD11	2.04	0.57
1:L:17:GLY:HA3	15:L:702:PGT:H352	1.87	0.56
3:T:107:SER:OG	3:T:110:LEU:HG	2.06	0.54
3:T:51:LEU:HG	3:T:65:VAL:HG12	1.90	0.54
2:M:305:LYS:HG3	2:M:352:VAL:HG11	1.90	0.53
1:L:262:VAL:CA	19:L:947:HOH:O	2.51	0.52
3:T:41:LEU:HD23	3:T:42:SER:O	2.09	0.52
1:L:148:TYR:HB2	1:L:168:MET:HG2	1.91	0.51
1:L:375:PHE:CE2	1:L:456:CYS:HB3	2.46	0.51
3:T:118:HIS:ND1	3:T:119:PRO:HD2	2.26	0.51
3:T:80:LEU:HG	19:T:306:HOH:O	2.09	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:M:493:LYS:HD2	19:M:651:HOH:O	2.10	0.50
2:M:298:THR:OG1	2:M:310:TYR:HB3	2.11	0.50
3:T:95:LEU:HD22	3:T:118:HIS:CD2	2.34	0.50
1:L:170:VAL:CG1	1:L:238:LEU:HB3	2.42	0.50
1:L:488:LEU:HD22	1:L:510:GLU:OE2	2.12	0.50
1:L:309:ARG:NH2	19:L:817:HOH:O	2.44	0.50
2:M:465:VAL:HG11	14:M:501:3PH:H291	1.93	0.50
1:L:115:CYS:SG	15:L:702:PGT:H371	2.51	0.49
3:T:55:LYS:HG2	3:T:62:PRO:HB3	1.94	0.49
3:T:97:ILE:HG12	3:T:114:TYR:CE1	2.46	0.49
1:L:112:ARG:HD3	15:L:702:PGT:O1P	2.13	0.49
1:L:64:TRP:H	1:L:73:SER:HA	1.78	0.49
2:M:436:VAL:HA	19:M:636:HOH:O	2.10	0.49
2:M:469:TRP:CD1	14:M:501:3PH:H351	2.49	0.48
1:L:226:PHE:CD1	1:L:286:ILE:HG12	2.47	0.48
2:M:284:TYR:CD2	2:M:414:VAL:HG11	2.49	0.48
2:M:458:PHE:HA	2:M:461:ILE:HD12	1.94	0.48
1:L:342:ALA:HA	19:L:940:HOH:O	2.13	0.48
1:L:120:PHE:CE1	1:L:256:ILE:HG13	2.49	0.48
1:L:230:VAL:HG13	1:L:235:GLN:HB2	1.95	0.48
2:M:345:SER:HB2	19:M:614:HOH:O	2.13	0.47
2:M:395:SER:HB3	2:M:470:MET:HB3	1.95	0.46
1:L:60:ARG:HH12	1:L:63:PRO:HD3	1.80	0.46
1:L:519:LEU:O	1:L:522:ILE:HG12	2.15	0.46
1:L:439:PHE:CD1	1:L:443:LEU:HD12	2.50	0.46
1:L:242:LEU:HD11	1:L:257:HIS:HB3	1.97	0.46
2:M:403:ILE:HD12	19:M:697:HOH:O	2.15	0.46
3:T:41:LEU:HD21	3:T:46:VAL:N	2.31	0.45
1:L:137:PHE:O	1:L:141:GLU:HG2	2.17	0.45
2:M:304:LEU:HD21	2:M:436:VAL:HG21	1.98	0.45
1:L:488:LEU:HD12	1:L:506:LEU:HD23	1.98	0.45
3:T:41:LEU:CD2	3:T:46:VAL:N	2.80	0.45
3:T:41:LEU:HD12	3:T:49:ARG:HH21	1.68	0.45
3:T:72:GLN:HG2	3:T:77:LEU:O	2.17	0.45
1:L:461:ILE:HD13	14:L:701:3PH:O12	2.18	0.44
1:L:555:LEU:HD21	17:L:704:PC7:H361	2.00	0.44
1:L:10:LEU:HD11	15:L:702:PGT:H411	2.00	0.44
1:L:322:MET:HG3	1:L:337:HIS:HD2	1.83	0.44
1:L:377:LEU:HD11	1:L:468:ILE:HD11	2.00	0.44
17:L:704:PC7:H63	17:L:704:PC7:H41	1.66	0.44
3:T:41:LEU:HD21	3:T:45:ALA:C	2.38	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:M:326:LEU:HA	2:M:331:ILE:HD11	1.99	0.43
1:L:96:VAL:HG21	1:L:255:LEU:HB2	2.00	0.43
1:L:133:PHE:HB3	1:L:182:ILE:HD13	1.99	0.43
2:M:384:PHE:CE1	2:M:467:LEU:HD22	2.53	0.43
1:L:226:PHE:CE1	1:L:286:ILE:HG12	2.53	0.43
1:L:262:VAL:CG2	1:L:319:LEU:HD11	2.48	0.43
1:L:296:LEU:HD12	1:L:563:TRP:CE2	2.54	0.43
1:L:318:GLN:HE22	1:L:401:LYS:NZ	2.16	0.43
3:T:120:MET:HE2	3:T:120:MET:HB3	1.92	0.43
1:L:422:LEU:HD23	1:L:422:LEU:HA	1.83	0.42
2:M:465:VAL:HG13	14:M:501:3PH:H382	2.02	0.42
1:L:57:CYS:HB3	1:L:78:PHE:HB2	2.01	0.42
17:L:704:PC7:H332	17:L:704:PC7:H362	1.63	0.42
2:M:476:VAL:CG1	14:M:501:3PH:H31	2.50	0.42
2:M:303:ASP:HB3	2:M:306:LYS:HB2	2.01	0.42
1:L:412:TYR:HB2	19:L:992:HOH:O	2.19	0.42
1:L:550:THR:O	1:L:554:ARG:HG2	2.20	0.42
19:L:969:HOH:O	2:M:434:ASN:HB3	2.19	0.42
14:M:501:3PH:H262	14:M:501:3PH:H231	1.74	0.42
1:L:306:ASP:HB3	1:L:309:ARG:CG	2.50	0.41
1:L:321:TYR:HA	1:L:324:PHE:CE2	2.55	0.41
2:M:322:GLY:HA3	2:M:403:ILE:HG12	2.02	0.41
1:L:351:SER:O	1:L:355:VAL:HG23	2.20	0.41
2:M:469:TRP:HB2	14:M:501:3PH:H371	2.01	0.41
1:L:51:ALA:HB1	1:L:492:PHE:CE1	2.55	0.41
1:L:311:ILE:HG22	1:L:349:PHE:CE2	2.56	0.41
1:L:459:ALA:HA	1:L:460:PRO:HD2	1.92	0.41
1:L:461:ILE:N	14:L:701:3PH:O14	2.45	0.41
1:L:148:TYR:HB2	1:L:168:MET:CG	2.50	0.41
3:T:90:GLU:OE1	3:T:95:LEU:HB2	2.20	0.41
1:L:405:LEU:HD23	1:L:405:LEU:HA	1.91	0.41
16:L:703:PTY:H371	16:L:703:PTY:H401	1.67	0.41
1:L:219:SER:HA	1:L:279:SER:OG	2.21	0.41
3:T:50:VAL:O	3:T:54:VAL:HG23	2.20	0.41
1:L:169:LEU:HD21	2:M:427:ALA:HA	2.02	0.41
16:L:703:PTY:H162	16:L:703:PTY:H192	1.76	0.41
3:T:79:SER:O	3:T:83:VAL:HG23	2.21	0.41
2:M:325:SER:HA	19:M:601:HOH:O	2.21	0.40
1:L:140:TRP:CE2	1:L:232:LYS:HG3	2.55	0.40
1:L:236:ILE:O	1:L:239:HIS:ND1	2.54	0.40
1:L:371:LEU:HG	1:L:375:PHE:CE1	2.56	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:M:476:VAL:HG11	14:M:501:3PH:H31	2.03	0.40
1:L:141:GLU:HG3	2:M:392:PRO:HG2	2.02	0.40
1:L:101:ILE:HA	19:L:989:HOH:O	2.22	0.40
1:L:328:ILE:HB	1:L:411:LYS:HD3	2.01	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	587/669 (88%)	567 (97%)	20 (3%)	0	100	100
2	M	223/495 (45%)	222 (100%)	1 (0%)	0	100	100
3	T	81/122 (66%)	78 (96%)	3 (4%)	0	100	100
4	c	74/88 (84%)	74 (100%)	0	0	100	100
5	g	77/114 (68%)	77 (100%)	0	0	100	100
6	i	13/98 (13%)	13 (100%)	0	0	100	100
7	j	49/69 (71%)	47 (96%)	2 (4%)	0	100	100
8	k	46/72 (64%)	45 (98%)	1 (2%)	0	100	100
9	l	70/125 (56%)	69 (99%)	1 (1%)	0	100	100
10	m	68/71 (96%)	67 (98%)	1 (2%)	0	100	100
11	n	107/117 (92%)	106 (99%)	1 (1%)	0	100	100
12	o	78/103 (76%)	75 (96%)	3 (4%)	0	100	100
13	p	88/106 (83%)	86 (98%)	2 (2%)	0	100	100
All	All	1561/2249 (69%)	1526 (98%)	35 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	497/568 (88%)	497 (100%)	0	100	100
2	M	194/434 (45%)	194 (100%)	0	100	100
3	T	78/112 (70%)	78 (100%)	0	100	100
4	c	66/71 (93%)	66 (100%)	0	100	100
5	g	68/96 (71%)	68 (100%)	0	100	100
6	i	13/90 (14%)	13 (100%)	0	100	100
7	j	42/51 (82%)	42 (100%)	0	100	100
8	k	39/60 (65%)	39 (100%)	0	100	100
9	l	60/97 (62%)	60 (100%)	0	100	100
10	m	58/59 (98%)	58 (100%)	0	100	100
11	n	92/99 (93%)	92 (100%)	0	100	100
12	o	70/87 (80%)	70 (100%)	0	100	100
13	p	80/93 (86%)	80 (100%)	0	100	100
All	All	1357/1917 (71%)	1357 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	L	318	GLN
2	M	341	HIS
3	T	118	HIS
11	n	39	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
16	PTY	L	703	-	41,41,49	0.96	4 (9%)	44,46,54	1.07	2 (4%)
18	8Q1	T	200	-	31,34,34	0.38	0	40,43,43	1.14	3 (7%)
14	3PH	M	501	-	40,40,47	0.70	1 (2%)	44,45,52	0.66	1 (2%)
14	3PH	L	701	-	36,36,47	0.55	0	40,41,52	0.73	2 (5%)
14	3PH	l	201	-	36,36,47	0.71	1 (2%)	40,41,52	0.71	1 (2%)
15	PGT	L	702	-	44,44,50	1.13	4 (9%)	47,50,56	1.06	2 (4%)
17	PC7	L	704	-	39,39,51	1.08	3 (7%)	45,47,59	1.10	3 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
16	PTY	L	703	-	-	20/45/45/53	-
18	8Q1	T	200	-	-	24/41/41/41	-
14	3PH	M	501	-	-	19/42/42/49	-
14	3PH	L	701	-	-	14/38/38/49	-
14	3PH	l	201	-	-	11/38/38/49	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	PGT	L	702	-	-	29/49/49/55	-
17	PC7	L	704	-	-	17/43/43/55	-

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	M	501	3PH	P-O11	3.29	1.70	1.60
14	l	201	3PH	P-O11	3.23	1.70	1.60
15	L	702	PGT	O3-C11	3.09	1.42	1.33
15	L	702	PGT	O2-C31	2.70	1.41	1.34
17	L	704	PC7	O2-C2	-2.63	1.40	1.46
16	L	703	PTY	O7-C6	-2.57	1.40	1.46
16	L	703	PTY	O4-C30	2.47	1.40	1.33
17	L	704	PC7	O3-C11	2.41	1.40	1.33
16	L	703	PTY	O4-C1	-2.27	1.40	1.45
15	L	702	PGT	P-O3P	2.23	1.68	1.59
15	L	702	PGT	O2-C2	-2.18	1.41	1.46
16	L	703	PTY	O7-C8	2.14	1.40	1.34
17	L	704	PC7	O3-C3	-2.10	1.40	1.45

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
18	T	200	8Q1	C37-C38-C39	-4.18	105.40	112.36
15	L	702	PGT	O2-C31-C32	3.93	119.98	111.50
16	L	703	PTY	O7-C8-C11	3.85	119.79	111.50
17	L	704	PC7	O2-C31-C32	3.55	119.16	111.50
17	L	704	PC7	O3-C11-C12	2.92	121.08	111.91
15	L	702	PGT	O3-C11-C12	2.43	119.52	111.91
14	l	201	3PH	O13-P-O11	-2.33	100.54	106.73
16	L	703	PTY	O4-C30-C31	2.29	119.10	111.91
14	L	701	3PH	O21-C21-C22	-2.29	106.57	111.50
14	M	501	3PH	O13-P-O11	-2.29	100.64	106.73
17	L	704	PC7	C2-O2-C31	-2.28	112.19	117.79
14	L	701	3PH	C3-C2-C1	2.19	116.96	111.79
18	T	200	8Q1	C42-N41-C39	2.05	126.64	122.84
18	T	200	8Q1	C37-N36-C34	2.04	126.22	122.59

There are no chirality outliers.

All (134) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
14	L	701	3PH	O22-C21-O21-C2
14	L	701	3PH	C22-C21-O21-C2
14	l	201	3PH	O22-C21-O21-C2
14	l	201	3PH	C22-C21-O21-C2
15	L	702	PGT	C32-C31-O2-C2
15	L	702	PGT	O2-C2-C3-O3
15	L	702	PGT	C1-O3P-P-O1P
16	L	703	PTY	N1-C2-C3-O11
16	L	703	PTY	C2-C3-O11-P1
17	L	704	PC7	C32-C31-O2-C2
17	L	704	PC7	O31-C31-O2-C2
17	L	704	PC7	C4-O4P-P-O2P
17	L	704	PC7	O4P-C4-C5-N
18	T	200	8Q1	C28-C29-C32-C34
18	T	200	8Q1	C30-C29-C32-C34
18	T	200	8Q1	C30-C29-C32-O33
18	T	200	8Q1	C31-C29-C32-C34
18	T	200	8Q1	C32-C34-N36-C37
18	T	200	8Q1	O35-C34-N36-C37
18	T	200	8Q1	C38-C39-N41-C42
18	T	200	8Q1	O40-C39-N41-C42
18	T	200	8Q1	N41-C42-C43-S44
18	T	200	8Q1	C28-O27-P24-O2
18	T	200	8Q1	C28-O27-P24-O1
15	L	702	PGT	O31-C31-O2-C2
14	L	701	3PH	C22-C23-C24-C25
14	L	701	3PH	C32-C31-O31-C3
14	L	701	3PH	O32-C31-O31-C3
15	L	702	PGT	C31-C32-C33-C34
14	L	701	3PH	C21-C22-C23-C24
15	L	702	PGT	O4P-C4-C5-O5
16	L	703	PTY	C16-C17-C18-C19
17	L	704	PC7	C4-O4P-P-O3P
14	M	501	3PH	C31-C32-C33-C34
15	L	702	PGT	O4P-C4-C5-C6
14	M	501	3PH	C21-C22-C23-C24
14	M	501	3PH	C36-C37-C38-C39
15	L	702	PGT	C15-C16-C17-C18
16	L	703	PTY	C35-C36-C37-C38
16	L	703	PTY	C33-C34-C35-C36
17	L	704	PC7	C31-C32-C33-C34
17	L	704	PC7	C39-C40-C41-C42
17	L	704	PC7	C11-C12-C13-C14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	L	702	PGT	C18-C19-C20-C21
15	L	702	PGT	C4-C5-C6-O6
14	M	501	3PH	C22-C21-O21-C2
15	L	702	PGT	C33-C34-C35-C36
15	L	702	PGT	C20-C21-C22-C23
15	L	702	PGT	C17-C18-C19-C20
18	T	200	8Q1	C11-C10-C9-C8
16	L	703	PTY	C40-C41-C42-C43
16	L	703	PTY	C32-C33-C34-C35
15	L	702	PGT	C36-C37-C38-C39
14	M	501	3PH	C25-C26-C27-C28
14	M	501	3PH	C2C-C2D-C2E-C2F
15	L	702	PGT	C34-C35-C36-C37
14	M	501	3PH	O22-C21-O21-C2
17	L	704	PC7	C32-C33-C34-C35
18	T	200	8Q1	C12-C13-C14-C15
14	l	201	3PH	C32-C33-C34-C35
14	M	501	3PH	C32-C31-O31-C3
14	L	701	3PH	C2D-C2E-C2F-C2G
14	M	501	3PH	C27-C28-C29-C2A
14	L	701	3PH	C26-C27-C28-C29
18	T	200	8Q1	C11-C12-C13-C14
16	L	703	PTY	C31-C32-C33-C34
17	L	704	PC7	C33-C34-C35-C36
18	T	200	8Q1	C7-C8-C9-C10
14	l	201	3PH	O11-C1-C2-C3
17	L	704	PC7	O3P-C1-C2-C3
14	M	501	3PH	C22-C23-C24-C25
14	M	501	3PH	O32-C31-O31-C3
15	L	702	PGT	C1-C2-C3-O3
16	L	703	PTY	O4-C1-C6-C5
18	T	200	8Q1	C13-C14-C15-C16
14	l	201	3PH	C21-C22-C23-C24
18	T	200	8Q1	C6-C7-C8-C9
14	M	501	3PH	C23-C24-C25-C26
18	T	200	8Q1	C31-C29-C32-O33
14	M	501	3PH	C2D-C2E-C2F-C2G
14	L	701	3PH	O11-C1-C2-C3
14	l	201	3PH	C26-C27-C28-C29
16	L	703	PTY	C41-C42-C43-C44
15	L	702	PGT	C21-C22-C23-C24
14	M	501	3PH	C2A-C2B-C2C-C2D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	l	201	3PH	C1-C2-C3-O31
14	l	201	3PH	O11-C1-C2-O21
14	l	201	3PH	O21-C2-C3-O31
16	L	703	PTY	O4-C1-C6-O7
16	L	703	PTY	C15-C16-C17-C18
17	L	704	PC7	C13-C14-C15-C16
15	L	702	PGT	C22-C23-C24-C25
15	L	702	PGT	C5-C4-O4P-P
15	L	702	PGT	C37-C38-C39-C40
14	l	201	3PH	C32-C31-O31-C3
16	L	703	PTY	C14-C15-C16-C17
18	T	200	8Q1	N36-C37-C38-C39
14	L	701	3PH	O11-C1-C2-O21
16	L	703	PTY	C11-C12-C13-C14
15	L	702	PGT	C14-C15-C16-C17
15	L	702	PGT	C1-O3P-P-O4P
15	L	702	PGT	C2-C1-O3P-P
14	l	201	3PH	O32-C31-O31-C3
16	L	703	PTY	C3-O11-P1-O12
17	L	704	PC7	C4-O4P-P-O1P
14	M	501	3PH	O11-C1-C2-C3
14	L	701	3PH	C32-C33-C34-C35
14	M	501	3PH	O11-C1-C2-O21
17	L	704	PC7	O3P-C1-C2-O2
18	T	200	8Q1	C28-C29-C32-O33
14	M	501	3PH	C32-C33-C34-C35
17	L	704	PC7	C37-C38-C39-C40
16	L	703	PTY	C5-O14-P1-O11
15	L	702	PGT	O5-C5-C6-O6
16	L	703	PTY	C37-C38-C39-C40
18	T	200	8Q1	C42-C43-S44-C1
17	L	704	PC7	O3-C11-C12-C13
14	L	701	3PH	C1-O11-P-O14
16	L	703	PTY	O10-C8-O7-C6
15	L	702	PGT	C35-C36-C37-C38
18	T	200	8Q1	C28-O27-P24-O3
14	L	701	3PH	C23-C24-C25-C26
16	L	703	PTY	C17-C18-C19-C20
16	L	703	PTY	C11-C8-O7-C6
17	L	704	PC7	O11-C11-C12-C13
14	M	501	3PH	C2E-C2F-C2G-C2H
15	L	702	PGT	C4-O4P-P-O1P

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
18	T	200	8Q1	C37-C38-C39-N41
14	L	701	3PH	C2E-C2F-C2G-C2H
15	L	702	PGT	C11-C12-C13-C14
14	M	501	3PH	C28-C29-C2A-C2B
18	T	200	8Q1	C37-C38-C39-O40
15	L	702	PGT	O2-C31-C32-C33
15	L	702	PGT	O31-C31-C32-C33



There are no ring outliers.



5 monomers are involved in 22 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
16	L	703	PTY	2	0
14	M	501	3PH	7	0
14	L	701	3PH	3	0
15	L	702	PGT	4	0
17	L	704	PC7	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-16003. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 110




Y Index: 122




Z Index: 122


6.2.2 Raw map



X Index: 375



Y Index: 375




Z Index: 375


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 125




Y Index: 90




Z Index: 109


6.3.2 Raw map



X Index: 492



Y Index: 452




Z Index: 391


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.6. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

7.2 Volume estimate [i](#)



The volume at the recommended contour level is 65 nm³; this corresponds to an approximate mass of 59 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)

This section was not generated. The rotationally averaged power spectrum is only generated for cubic maps.


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-16003 and PDB model 8BEH. Per-residue inclusion information can be found in section 3 on page 11.


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.6 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.6).

9.4 Atom inclusion [i](#)



At the recommended contour level, 92% of all backbone atoms, 91% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.6) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div><div></div></div> 0.9110	<div><div></div></div> 0.7110
L	<div><div></div></div> 0.9630	<div><div></div></div> 0.7370
M	<div><div></div></div> 0.9880	<div><div></div></div> 0.7690
T	<div><div></div></div> 0.8240	<div><div></div></div> 0.6610
c	<div><div></div></div> 0.9320	<div><div></div></div> 0.7110
g	<div><div></div></div> 0.8020	<div><div></div></div> 0.6400
i	<div><div></div></div> 0.7850	<div><div></div></div> 0.6630
j	<div><div></div></div> 0.8590	<div><div></div></div> 0.6590
k	<div><div></div></div> 0.8220	<div><div></div></div> 0.6410
l	<div><div></div></div> 0.8100	<div><div></div></div> 0.6570
m	<div><div></div></div> 0.8880	<div><div></div></div> 0.6940
n	<div><div></div></div> 0.8890	<div><div></div></div> 0.6950
o	<div><div></div></div> 0.8370	<div><div></div></div> 0.6850
p	<div><div></div></div> 0.8570	<div><div></div></div> 0.6830

