



wwPDB EM Validation Summary Report ⓘ

Jun 3, 2025 – 01:57 PM EDT

PDB ID : 9BYR / pdb_00009byr
EMDB ID : EMD-45043
Title : Filamentous Epstein-Barr virus annealase BALF2 ssDNA-annealing complex
Authors : Nicholls, J.; Tolun, G.; Brewster, J.
Deposited on : 2024-05-24
Resolution : 7.75 Å (reported)
Based on initial model : .

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev118
MolProbity : 4-5-2 with Phenix2.0rc1
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.43.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 7.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1128	
1	B	1128	
1	C	1128	
1	D	1128	
1	E	1128	
1	F	1128	
1	G	1128	
1	H	1128	





Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	I	1128	
1	J	1128	
1	K	1128	
1	L	1128	
1	M	1128	
1	N	1128	
1	O	1128	
1	P	1128	
1	Q	1128	
1	R	1128	
1	S	1128	
1	T	1128	
1	U	1128	
1	V	1128	
1	W	1128	
1	X	1128	
2	n	12	
2	o	12	
2	p	12	
2	q	12	
2	r	12	
2	s	12	
2	t	12	
2	u	12	
2	v	12	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	w	12	 83%8%8%
2	x	12	 83%8%8%
3	b	12	 83%8%8%
3	c	12	 83%8%8%
3	d	12	 83%8%8%
3	e	12	 83%8%8%
3	f	12	 83%8%8%
3	g	12	 83%8%8%
3	h	12	 83%8%8%
3	i	12	 83%8%8%
3	j	12	 83%8%8%
3	k	12	 83%8%8%
3	l	12	 83%8%8%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 180785 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Major DNA-binding protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	N	1028	Total	C	N	O	S	2	0
			7974	5064	1369	1494	47		
1	M	94	Total	C	N	O	S	0	0
			712	444	113	151	4		
1	L	934	Total	C	N	O	S	2	0
			7262	4620	1256	1343	43		
1	O	1028	Total	C	N	O	S	2	0
			7974	5064	1369	1494	47		
1	K	1028	Total	C	N	O	S	2	0
			7974	5064	1369	1494	47		
1	P	1028	Total	C	N	O	S	2	0
			7974	5064	1369	1494	47		
1	J	1028	Total	C	N	O	S	2	0
			7974	5064	1369	1494	47		
1	Q	1028	Total	C	N	O	S	2	0
			7974	5064	1369	1494	47		
1	I	1028	Total	C	N	O	S	2	0
			7974	5064	1369	1494	47		
1	R	1028	Total	C	N	O	S	2	0
			7974	5064	1369	1494	47		
1	H	1028	Total	C	N	O	S	2	0
			7974	5064	1369	1494	47		
1	S	1028	Total	C	N	O	S	2	0
			7974	5064	1369	1494	47		
1	G	1028	Total	C	N	O	S	2	0
			7974	5064	1369	1494	47		
1	T	1028	Total	C	N	O	S	2	0
			7974	5064	1369	1494	47		
1	F	1028	Total	C	N	O	S	2	0
			7974	5064	1369	1494	47		
1	U	1028	Total	C	N	O	S	2	0
			7974	5064	1369	1494	47		
1	E	1028	Total	C	N	O	S	2	0
			7974	5064	1369	1494	47		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
1	V	1028	Total	C	N	O	S	2	0
			7974	5064	1369	1494	47		
1	D	1028	Total	C	N	O	S	2	0
			7974	5064	1369	1494	47		
1	W	1028	Total	C	N	O	S	2	0
			7974	5064	1369	1494	47		
1	C	1028	Total	C	N	O	S	2	0
			7974	5064	1369	1494	47		
1	X	934	Total	C	N	O	S	2	0
			7262	4620	1256	1343	43		
1	B	1028	Total	C	N	O	S	2	0
			7974	5064	1369	1494	47		
1	A	94	Total	C	N	O	S	0	0
			712	444	113	151	4		

- Molecule 2 is a DNA chain called DNA(5'-D(*GP*CP*AP*GP*AP*AP*TP*CP*GP*CP*CP*C)-3').

Mol	Chain	Residues	Atoms					AltConf	Trace
2	n	12	Total	C	N	O	P	0	0
			241	115	47	68	11		
2	o	12	Total	C	N	O	P	0	0
			241	115	47	68	11		
2	p	12	Total	C	N	O	P	0	0
			241	115	47	68	11		
2	q	12	Total	C	N	O	P	0	0
			241	115	47	68	11		
2	r	12	Total	C	N	O	P	0	0
			241	115	47	68	11		
2	s	12	Total	C	N	O	P	0	0
			241	115	47	68	11		
2	t	12	Total	C	N	O	P	0	0
			241	115	47	68	11		
2	u	12	Total	C	N	O	P	0	0
			241	115	47	68	11		
2	v	12	Total	C	N	O	P	0	0
			241	115	47	68	11		
2	w	12	Total	C	N	O	P	0	0
			241	115	47	68	11		
2	x	12	Total	C	N	O	P	0	0
			241	115	47	68	11		

- Molecule 3 is a DNA chain called DNA(5'-D(*AP*GP*CP*TP*CP*GP*AP*TP*TP*TP*

TP*T)-3').

Mol	Chain	Residues	Atoms					AltConf	Trace
3	l	12	Total 244	C 118	N 38	O 76	P 12	0	0
3	k	12	Total 244	C 118	N 38	O 76	P 12	0	0
3	j	12	Total 244	C 118	N 38	O 76	P 12	0	0
3	i	12	Total 244	C 118	N 38	O 76	P 12	0	0
3	h	12	Total 244	C 118	N 38	O 76	P 12	0	0
3	g	12	Total 244	C 118	N 38	O 76	P 12	0	0
3	f	12	Total 244	C 118	N 38	O 76	P 12	0	0
3	e	12	Total 244	C 118	N 38	O 76	P 12	0	0
3	d	12	Total 244	C 118	N 38	O 76	P 12	0	0
3	c	12	Total 244	C 118	N 38	O 76	P 12	0	0
3	b	12	Total 244	C 118	N 38	O 76	P 12	0	0


- Molecule 4 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
4	N	1	Total 1	Zn 1	0
4	L	1	Total 1	Zn 1	0
4	O	1	Total 1	Zn 1	0
4	K	1	Total 1	Zn 1	0
4	P	1	Total 1	Zn 1	0
4	J	1	Total 1	Zn 1	0
4	Q	1	Total 1	Zn 1	0
4	I	1	Total 1	Zn 1	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
4	R	1	Total 1	Zn 1	0
4	H	1	Total 1	Zn 1	0
4	S	1	Total 1	Zn 1	0
4	G	1	Total 1	Zn 1	0
4	T	1	Total 1	Zn 1	0
4	F	1	Total 1	Zn 1	0
4	U	1	Total 1	Zn 1	0
4	E	1	Total 1	Zn 1	0
4	V	1	Total 1	Zn 1	0
4	D	1	Total 1	Zn 1	0
4	W	1	Total 1	Zn 1	0
4	C	1	Total 1	Zn 1	0
4	X	1	Total 1	Zn 1	0
4	B	1	Total 1	Zn 1	0




- Molecule 1: Major DNA-binding protein

Chain K: 90% 9%




- Molecule 1: Major DNA-binding protein

Chain P: 90% 9%




- Molecule 1: Major DNA-binding protein


Chain J: 90% 9%




- Molecule 1: Major DNA-binding protein




- Molecule 1: Major DNA-binding protein




- Molecule 1: Major DNA-binding protein



- Molecule 1: Major DNA-binding protein




MET	GLN	GLY	GLN	ALA	GLN	THR	SER	GLU	D9	R88	P100	R228	Q334	S360	THR	GLY	GLY	LYS	E366	D377	P390	ASP	VAL	THR	G394	G397	S432	SER	LEU	PRO	THR	P40	V437	L472	R484	I510	ASP	GLY	GLU	ASP	ASP	ASP	GLY	GLN	ARG	PRO	ASP	ASP	THR	LEU
-----	-----	-----	-----	-----	-----	-----	-----	-----	----	-----	------	------	------	------	-----	-----	-----	-----	------	------	------	-----	-----	-----	------	------	------	-----	-----	-----	-----	-----	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----




- Molecule 1: Major DNA-binding protein

Chain U: 90% 9%




- Molecule 1: Major DNA-binding protein

Chain E: 90% 9%




- Molecule 1: Major DNA-binding protein

Chain V: 90% 9%




- Molecule 1: Major DNA-binding protein

Chain D: 90% 9%




- Molecule 1: Major DNA-binding protein

Chain W: 90% 9%




- Molecule 1: Major DNA-binding protein


Chain C: 90% 9%




- Molecule 1: Major DNA-binding protein

Chain X: 82% 17%






- Molecule 1: Major DNA-binding protein




- Molecule 1: Major DNA-binding protein







- Molecule 2: DNA(5'-D(*GP*CP*AP*GP*AP*AP*TP*CP*GP*CP*CP*C)-3')




- Molecule 2: DNA(5'-D(*GP*CP*AP*GP*AP*AP*TP*CP*GP*CP*CP*C)-3')




- Molecule 2: DNA(5'-D(*GP*CP*AP*GP*AP*AP*TP*CP*GP*CP*CP*C)-3')




- Molecule 2: DNA(5'-D(*GP*CP*AP*GP*AP*AP*TP*CP*GP*CP*CP*C)-3')




- Molecule 2: DNA(5'-D(*GP*CP*AP*GP*AP*AP*TP*CP*GP*CP*CP*C)-3')



- Molecule 2: DNA(5'-D(*GP*CP*AP*GP*AP*AP*TP*CP*GP*CP*CP*C)-3')





- Molecule 3: DNA(5'-D(*AP*GP*CP*TP*CP*GP*AP*TP*TP*TP*T)-3')









- Molecule 3: DNA(5'-D(*AP*GP*CP*TP*CP*GP*AP*TP*TP*TP*TP*T)-3')




- Molecule 3: DNA(5'-D(*AP*GP*CP*TP*CP*GP*AP*TP*TP*TP*TP*T)-3')





- Molecule 3: DNA(5'-D(*AP*GP*CP*TP*CP*GP*AP*TP*TP*TP*TP*T)-3')





- Molecule 3: DNA(5'-D(*AP*GP*CP*TP*CP*GP*AP*TP*TP*TP*TP*T)-3')




- Molecule 3: DNA(5'-D(*AP*GP*CP*TP*CP*GP*AP*TP*TP*TP*TP*T)-3')




- Molecule 3: DNA(5'-D(*AP*GP*CP*TP*CP*GP*AP*TP*TP*TP*TP*T)-3')





- Molecule 3: DNA(5'-D(*AP*GP*CP*TP*CP*GP*AP*TP*TP*TP*TP*T)-3')








- Molecule 3: DNA(5'-D(*AP*GP*CP*TP*CP*GP*AP*TP*TP*TP*TP*T)-3')



- Molecule 3: DNA(5'-D(*AP*GP*CP*TP*CP*GP*AP*TP*TP*TP*TP*T)-3')



- Molecule 3: DNA(5'-D(*AP*GP*CP*TP*CP*GP*AP*TP*TP*TP*TP*T)-3')



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	278657	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	65	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	1.090	Depositor
Minimum map value	-0.202	Depositor
Average map value	-0.001	Depositor
Map value standard deviation	0.024	Depositor
Recommended contour level	0.08	Depositor
Map size (Å)	1260.0, 1260.0, 1260.0	wwPDB
Map dimensions	768, 768, 768	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.640625, 1.640625, 1.640625	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.75	0/718	1.23	0/973
1	B	0.82	1/8169 (0.0%)	1.36	7/11098 (0.1%)
1	C	0.82	1/8169 (0.0%)	1.36	9/11098 (0.1%)
1	D	0.82	1/8169 (0.0%)	1.36	9/11098 (0.1%)
1	E	0.82	1/8169 (0.0%)	1.36	9/11098 (0.1%)
1	F	0.82	1/8169 (0.0%)	1.36	10/11098 (0.1%)
1	G	0.82	1/8169 (0.0%)	1.36	9/11098 (0.1%)
1	H	0.82	1/8169 (0.0%)	1.36	9/11098 (0.1%)
1	I	0.82	1/8169 (0.0%)	1.36	7/11098 (0.1%)
1	J	0.82	1/8169 (0.0%)	1.36	10/11098 (0.1%)
1	K	0.82	1/8169 (0.0%)	1.36	9/11098 (0.1%)
1	L	0.82	1/7451 (0.0%)	1.37	9/10125 (0.1%)
1	M	0.74	0/718	1.23	0/973
1	N	0.81	1/8169 (0.0%)	1.36	7/11098 (0.1%)
1	O	0.81	1/8169 (0.0%)	1.36	7/11098 (0.1%)
1	P	0.81	1/8169 (0.0%)	1.36	7/11098 (0.1%)
1	Q	0.81	1/8169 (0.0%)	1.36	7/11098 (0.1%)
1	R	0.81	1/8169 (0.0%)	1.36	9/11098 (0.1%)
1	S	0.81	1/8169 (0.0%)	1.36	7/11098 (0.1%)
1	T	0.81	1/8169 (0.0%)	1.36	9/11098 (0.1%)
1	U	0.81	1/8169 (0.0%)	1.35	7/11098 (0.1%)
1	V	0.81	1/8169 (0.0%)	1.36	7/11098 (0.1%)
1	W	0.81	1/8169 (0.0%)	1.36	7/11098 (0.1%)
1	X	0.82	1/7451 (0.0%)	1.37	7/10125 (0.1%)
2	n	0.68	0/270	1.28	0/414
2	o	0.68	0/270	1.28	0/414
2	p	0.68	0/270	1.28	0/414
2	q	0.68	0/270	1.28	0/414
2	r	0.68	0/270	1.28	0/414
2	s	0.68	0/270	1.28	0/414
2	t	0.68	0/270	1.28	0/414
2	u	0.68	0/270	1.28	0/414

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
2	v	0.68	0/270	1.28	0/414
2	w	0.68	0/270	1.28	0/414
2	x	0.68	0/270	1.28	0/414
3	b	0.67	0/271	1.37	0/416
3	c	0.67	0/271	1.37	0/416
3	d	0.67	0/271	1.37	0/416
3	e	0.67	0/271	1.37	0/416
3	f	0.67	0/271	1.37	0/416
3	g	0.67	0/271	1.37	0/416
3	h	0.67	0/271	1.37	0/416
3	i	0.67	0/271	1.37	0/416
3	j	0.67	0/271	1.36	0/416
3	k	0.67	0/271	1.37	0/416
3	l	0.67	0/271	1.37	0/416
All	All	0.81	22/185669 (0.0%)	1.36	178/253286 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	4
1	C	0	4
1	D	0	4
1	E	0	4
1	F	0	4
1	G	0	4
1	H	0	4
1	I	0	4
1	J	0	4
1	K	0	4
1	L	0	3
1	M	0	1
1	N	0	4
1	O	0	4
1	P	0	4
1	Q	0	4
1	R	0	4
1	S	0	4
1	T	0	4

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
1	U	0	4
1	V	0	4
1	W	0	4
1	X	0	3
2	n	0	1
2	o	0	1
2	p	0	1
2	q	0	1
2	r	0	1
2	s	0	1
2	t	0	1
2	u	0	1
2	v	0	1
2	w	0	1
2	x	0	1
3	b	0	2
3	c	0	2
3	d	0	2
3	e	0	2
3	f	0	2
3	g	0	2
3	h	0	2
3	i	0	2
3	j	0	2
3	k	0	2
3	l	0	2
All	All	0	121

The worst 5 of 22 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	O	100	PRO	CA-C	6.32	1.55	1.51
1	R	100	PRO	CA-C	6.27	1.55	1.51
1	X	100	PRO	CA-C	6.25	1.55	1.51
1	H	100	PRO	CA-C	6.23	1.55	1.51
1	L	100	PRO	CA-C	6.23	1.55	1.51

The worst 5 of 178 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	V	472	LEU	CA-C-N	6.46	129.26	120.54
1	V	472	LEU	C-N-CA	6.46	129.26	120.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	O	472	LEU	CA-C-N	6.44	129.24	120.54
1	O	472	LEU	C-N-CA	6.44	129.24	120.54
1	R	472	LEU	CA-C-N	6.43	129.22	120.54

There are no chirality outliers.

5 of 121 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	M	1031	ARG	Sidechain
1	N	1031	ARG	Sidechain
1	N	228	ARG	Sidechain
1	N	484	ARG	Sidechain
1	N	88	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	712	0	681	0	0
1	B	7974	0	7853	4	0
1	C	7974	0	7853	4	0
1	D	7974	0	7853	4	0
1	E	7974	0	7853	4	0
1	F	7974	0	7853	4	0
1	G	7974	0	7853	4	0
1	H	7974	0	7853	5	0
1	I	7974	0	7853	4	0
1	J	7974	0	7853	4	0
1	K	7974	0	7853	4	0
1	L	7262	0	7172	4	0
1	M	712	0	681	0	0
1	N	7974	0	7853	4	0
1	O	7974	0	7853	5	0
1	P	7974	0	7853	4	0
1	Q	7974	0	7853	5	0
1	R	7974	0	7853	5	0
1	S	7974	0	7853	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	T	7974	0	7853	4	0
1	U	7974	0	7853	5	0
1	V	7974	0	7853	5	0
1	W	7974	0	7853	5	0
1	X	7262	0	7172	4	0
2	n	241	0	135	3	0
2	o	241	0	135	3	0
2	p	241	0	135	3	0
2	q	241	0	135	3	0
2	r	241	0	135	3	0
2	s	241	0	135	3	0
2	t	241	0	135	3	0
2	u	241	0	135	3	0
2	v	241	0	135	3	0
2	w	241	0	135	3	0
2	x	241	0	135	3	0
3	b	244	0	139	1	0
3	c	244	0	139	1	0
3	d	244	0	139	1	0
3	e	244	0	139	1	0
3	f	244	0	139	1	0
3	g	244	0	139	1	0
3	h	244	0	139	2	0
3	i	244	0	139	1	0
3	j	244	0	139	1	0
3	k	244	0	139	1	0
3	l	244	0	139	1	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
4	G	1	0	0	0	0
4	H	1	0	0	0	0
4	I	1	0	0	0	0
4	J	1	0	0	0	0
4	K	1	0	0	0	0
4	L	1	0	0	0	0
4	N	1	0	0	0	0
4	O	1	0	0	0	0
4	P	1	0	0	0	0
4	Q	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	R	1	0	0	0	0
4	S	1	0	0	0	0
4	T	1	0	0	0	0
4	U	1	0	0	0	0
4	V	1	0	0	0	0
4	W	1	0	0	0	0
4	X	1	0	0	0	0
All	All	180785	0	175780	96	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

The worst 5 of 96 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:721[A]:LYS:NZ	3:b:8:DT:OP1	2.06	0.89
1:I:721[A]:LYS:NZ	3:i:8:DT:OP1	2.06	0.89
1:G:721[A]:LYS:NZ	3:g:8:DT:OP1	2.06	0.88
1:L:721[A]:LYS:NZ	3:l:8:DT:OP1	2.06	0.88
1:P:721[A]:LYS:NZ	2:p:8:DC:OP1	2.07	0.88

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	90/1128 (8%)	89 (99%)	1 (1%)	0	100	100
1	B	1015/1128 (90%)	998 (98%)	17 (2%)	0	100	100
1	C	1015/1128 (90%)	998 (98%)	17 (2%)	0	100	100
1	D	1015/1128 (90%)	998 (98%)	17 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	1015/1128 (90%)	998 (98%)	17 (2%)	0	100	100
1	F	1015/1128 (90%)	998 (98%)	17 (2%)	0	100	100
1	G	1015/1128 (90%)	998 (98%)	17 (2%)	0	100	100
1	H	1015/1128 (90%)	998 (98%)	17 (2%)	0	100	100
1	I	1015/1128 (90%)	998 (98%)	17 (2%)	0	100	100
1	J	1015/1128 (90%)	998 (98%)	17 (2%)	0	100	100
1	K	1015/1128 (90%)	998 (98%)	17 (2%)	0	100	100
1	L	925/1128 (82%)	909 (98%)	16 (2%)	0	100	100
1	M	90/1128 (8%)	90 (100%)	0	0	100	100
1	N	1015/1128 (90%)	996 (98%)	19 (2%)	0	100	100
1	O	1015/1128 (90%)	996 (98%)	19 (2%)	0	100	100
1	P	1015/1128 (90%)	996 (98%)	19 (2%)	0	100	100
1	Q	1015/1128 (90%)	997 (98%)	18 (2%)	0	100	100
1	R	1015/1128 (90%)	996 (98%)	19 (2%)	0	100	100
1	S	1015/1128 (90%)	996 (98%)	19 (2%)	0	100	100
1	T	1015/1128 (90%)	996 (98%)	19 (2%)	0	100	100
1	U	1015/1128 (90%)	996 (98%)	19 (2%)	0	100	100
1	V	1015/1128 (90%)	997 (98%)	18 (2%)	0	100	100
1	W	1015/1128 (90%)	997 (98%)	18 (2%)	0	100	100
1	X	925/1128 (82%)	906 (98%)	19 (2%)	0	100	100
All	All	22330/27072 (82%)	21937 (98%)	393 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	76/928 (8%)	76 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	863/928 (93%)	863 (100%)	0	100	100
1	C	863/928 (93%)	863 (100%)	0	100	100
1	D	863/928 (93%)	863 (100%)	0	100	100
1	E	863/928 (93%)	863 (100%)	0	100	100
1	F	863/928 (93%)	863 (100%)	0	100	100
1	G	863/928 (93%)	863 (100%)	0	100	100
1	H	863/928 (93%)	863 (100%)	0	100	100
1	I	863/928 (93%)	863 (100%)	0	100	100
1	J	863/928 (93%)	863 (100%)	0	100	100
1	K	863/928 (93%)	863 (100%)	0	100	100
1	L	787/928 (85%)	787 (100%)	0	100	100
1	M	76/928 (8%)	76 (100%)	0	100	100
1	N	863/928 (93%)	863 (100%)	0	100	100
1	O	863/928 (93%)	863 (100%)	0	100	100
1	P	863/928 (93%)	863 (100%)	0	100	100
1	Q	863/928 (93%)	863 (100%)	0	100	100
1	R	863/928 (93%)	863 (100%)	0	100	100
1	S	863/928 (93%)	863 (100%)	0	100	100
1	T	863/928 (93%)	863 (100%)	0	100	100
1	U	863/928 (93%)	863 (100%)	0	100	100
1	V	863/928 (93%)	863 (100%)	0	100	100
1	W	863/928 (93%)	863 (100%)	0	100	100
1	X	787/928 (85%)	787 (100%)	0	100	100
All	All	18986/22272 (85%)	18986 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 253 such sidechains are listed below:

Mol	Chain	Res	Type
1	H	1017	ASN
1	C	585	ASN
1	T	780	ASN
1	C	529	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	X	834	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 22 ligands modelled in this entry, 22 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-45043. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 384




Y Index: 384




Z Index: 384


6.2.2 Raw map



X Index: 384



Y Index: 384




Z Index: 384


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 368




Y Index: 399




Z Index: 402


6.3.2 Raw map



X Index: 368



Y Index: 399



Z Index: 403


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y



Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.08. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_45043_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 8668 nm³; this corresponds to an approximate mass of 7830 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.129 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.129 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	7.75	-	-
Author-provided FSC curve	7.75	9.19	7.82
Unmasked-calculated*	12.41	16.39	12.94

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 12.41 differs from the reported value 7.75 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-45043 and PDB model 9BYR. Per-residue inclusion information can be found in section [3](#) on page [9](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.08 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.08).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 100% of all backbone atoms, 100% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary





















The table lists the average atom inclusion at the recommended contour level (0.08) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9950	 0.0920
A	 0.9890	 0.0920
B	 0.9940	 0.0760
C	 0.9980	 0.0860
D	 0.9990	 0.0950
E	 0.9990	 0.1000
F	 0.9990	 0.1020
G	 0.9990	 0.1000
H	 0.9990	 0.0960
I	 0.9980	 0.0890
J	 0.9970	 0.0810
K	 0.9930	 0.0690
L	 0.9880	 0.0550
M	 0.9730	 0.0710
N	 0.9790	 0.0700
O	 0.9950	 0.0880
P	 0.9970	 0.0980
Q	 0.9990	 0.1050
R	 0.9990	 0.1090
S	 0.9990	 0.1100
T	 0.9990	 0.1080
U	 0.9980	 0.1030
V	 0.9960	 0.0940
W	 0.9870	 0.0820
X	 0.9860	 0.0720
b	 1.0000	 0.1570
c	 1.0000	 0.1680
d	 1.0000	 0.1680
e	 1.0000	 0.1640
f	 1.0000	 0.1620
g	 1.0000	 0.1530
h	 1.0000	 0.1470
i	 1.0000	 0.1350
j	 1.0000	 0.1230
k	 1.0000	 0.1000



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
l	 1.0000	 0.0680
n	 1.0000	 0.1640
o	 1.0000	 0.1750
p	 1.0000	 0.1730
q	 1.0000	 0.1630
r	 1.0000	 0.1550
s	 1.0000	 0.1530
t	 1.0000	 0.1420
u	 1.0000	 0.1470
v	 1.0000	 0.1480
w	 1.0000	 0.1470
x	 1.0000	 0.1450