



wwPDB EM Validation Summary Report ⓘ

Oct 6, 2024 – 01:58 AM JST

PDB ID : 7C2L
EMDB ID : EMD-30276
Title : S protein of SARS-CoV-2 in complex bound with 4A8
Authors : Yan, R.H.; Zhang, Y.Y.; Guo, Y.Y.; Li, Y.N.; Xia, L.; Zhou, Q.
Deposited on : 2020-05-08
Resolution : 3.10 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1283	<div><div>16%</div><div>75%</div><div>5%</div><div>20%</div></div>
1	B	1283	<div><div>10%</div><div>77%</div><div>•</div><div>18%</div></div>
1	C	1283	<div><div>8%</div><div>77%</div><div>•</div><div>18%</div></div>
2	H	458	<div><div>50%</div><div>44%</div><div>5%</div><div>50%</div></div>
2	I	458	<div><div>50%</div><div>44%</div><div>5%</div><div>50%</div></div>
2	J	458	<div><div>50%</div><div>44%</div><div>5%</div><div>50%</div></div>
3	L	219	<div><div>100%</div><div>83%</div><div>15%</div><div>•</div></div>
3	M	219	<div><div>100%</div><div>83%</div><div>15%</div><div>•</div></div>
3	N	219	<div><div>100%</div><div>83%</div><div>15%</div><div>•</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	3	100%
4	E	3	100%
4	S	3	67%
4	T	3	100%
4	c	3	100%
4	d	3	100%
5	F	2	50%
5	G	2	100%
5	K	2	50%
5	O	2	50%
5	P	2	50%
5	Q	2	50%
5	R	2	50%
5	U	2	100%
5	V	2	100%
5	W	2	50%
5	X	2	100%
5	Y	2	50%
5	Z	2	50%
5	a	2	100%
5	b	2	50%
5	e	2	100%
5	f	2	100%
5	g	2	50%
5	h	2	100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	i	2	<div><div></div><div>50%</div><div>50%</div></div>
5	j	2	<div><div></div><div>50%</div><div>50%</div></div>
5	k	2	<div><div></div><div>50%</div><div>50%</div></div>
5	l	2	<div><div></div><div>50%</div><div>100%</div></div>

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 35988 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1031	Total	C	N	O	S	0	0
			8064	5146	1346	1536	36		
1	B	1055	Total	C	N	O	S	0	0
			8269	5278	1380	1574	37		
1	C	1049	Total	C	N	O	S	0	0
			8227	5254	1374	1562	37		

There are 36 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	986	PRO	LYS	engineered mutation	UNP P0DTC2
A	987	PRO	VAL	engineered mutation	UNP P0DTC2
A	1274	LEU	-	expression tag	UNP P0DTC2
A	1275	GLU	-	expression tag	UNP P0DTC2
A	1276	ASP	-	expression tag	UNP P0DTC2
A	1277	TYR	-	expression tag	UNP P0DTC2
A	1278	LYS	-	expression tag	UNP P0DTC2
A	1279	ASP	-	expression tag	UNP P0DTC2
A	1280	ASP	-	expression tag	UNP P0DTC2
A	1281	ASP	-	expression tag	UNP P0DTC2
A	1282	ASP	-	expression tag	UNP P0DTC2
A	1283	LYS	-	expression tag	UNP P0DTC2
B	986	PRO	LYS	engineered mutation	UNP P0DTC2
B	987	PRO	VAL	engineered mutation	UNP P0DTC2
B	1274	LEU	-	expression tag	UNP P0DTC2
B	1275	GLU	-	expression tag	UNP P0DTC2
B	1276	ASP	-	expression tag	UNP P0DTC2
B	1277	TYR	-	expression tag	UNP P0DTC2
B	1278	LYS	-	expression tag	UNP P0DTC2
B	1279	ASP	-	expression tag	UNP P0DTC2
B	1280	ASP	-	expression tag	UNP P0DTC2
B	1281	ASP	-	expression tag	UNP P0DTC2
B	1282	ASP	-	expression tag	UNP P0DTC2
B	1283	LYS	-	expression tag	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	986	PRO	LYS	engineered mutation	UNP P0DTC2
C	987	PRO	VAL	engineered mutation	UNP P0DTC2
C	1274	LEU	-	expression tag	UNP P0DTC2
C	1275	GLU	-	expression tag	UNP P0DTC2
C	1276	ASP	-	expression tag	UNP P0DTC2
C	1277	TYR	-	expression tag	UNP P0DTC2
C	1278	LYS	-	expression tag	UNP P0DTC2
C	1279	ASP	-	expression tag	UNP P0DTC2
C	1280	ASP	-	expression tag	UNP P0DTC2
C	1281	ASP	-	expression tag	UNP P0DTC2
C	1282	ASP	-	expression tag	UNP P0DTC2
C	1283	LYS	-	expression tag	UNP P0DTC2

- Molecule 2 is a protein called heavy chain of 4A8.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	H	229	Total	C	N	O	S	0	0
			1706	1073	273	350	10		
2	I	229	Total	C	N	O	S	0	0
			1706	1073	273	350	10		
2	J	229	Total	C	N	O	S	0	0
			1706	1073	273	350	10		

- Molecule 3 is a protein called light chain of 4A8.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	L	219	Total	C	N	O	S	0	0
			1688	1056	288	338	6		
3	M	219	Total	C	N	O	S	0	0
			1688	1056	288	338	6		
3	N	219	Total	C	N	O	S	0	0
			1688	1056	288	338	6		

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
4	D	3	Total	C	N	O	0	0
			42	24	3	15		
4	E	3	Total	C	N	O	0	0
			42	24	3	15		
4	S	3	Total	C	N	O	0	0
			42	24	3	15		
4	T	3	Total	C	N	O	0	0
			42	24	3	15		
4	c	3	Total	C	N	O	0	0
			42	24	3	15		
4	d	3	Total	C	N	O	0	0
			42	24	3	15		

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
5	F	2	Total	C	N	O	0	0
			28	16	2	10		
5	G	2	Total	C	N	O	0	0
			28	16	2	10		
5	K	2	Total	C	N	O	0	0
			28	16	2	10		
5	O	2	Total	C	N	O	0	0
			28	16	2	10		
5	P	2	Total	C	N	O	0	0
			28	16	2	10		
5	Q	2	Total	C	N	O	0	0
			28	16	2	10		
5	R	2	Total	C	N	O	0	0
			28	16	2	10		
5	U	2	Total	C	N	O	0	0
			28	16	2	10		
5	V	2	Total	C	N	O	0	0
			28	16	2	10		
5	W	2	Total	C	N	O	0	0
			28	16	2	10		
5	X	2	Total	C	N	O	0	0
			28	16	2	10		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
5	Y	2	Total	C	N	O	0	0
			28	16	2	10		
5	Z	2	Total	C	N	O	0	0
			28	16	2	10		
5	a	2	Total	C	N	O	0	0
			28	16	2	10		
5	b	2	Total	C	N	O	0	0
			28	16	2	10		
5	e	2	Total	C	N	O	0	0
			28	16	2	10		
5	f	2	Total	C	N	O	0	0
			28	16	2	10		
5	g	2	Total	C	N	O	0	0
			28	16	2	10		
5	h	2	Total	C	N	O	0	0
			28	16	2	10		
5	i	2	Total	C	N	O	0	0
			28	16	2	10		
5	j	2	Total	C	N	O	0	0
			28	16	2	10		
5	k	2	Total	C	N	O	0	0
			28	16	2	10		
5	l	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms				AltConf
6	A	1	Total	C	N	O	0
			14	8	1	5	
6	A	1	Total	C	N	O	0
			14	8	1	5	
6	A	1	Total	C	N	O	0
			14	8	1	5	
6	A	1	Total	C	N	O	0
			14	8	1	5	
6	A	1	Total	C	N	O	0
			14	8	1	5	
6	A	1	Total	C	N	O	0
			14	8	1	5	
6	A	1	Total	C	N	O	0
			14	8	1	5	
6	A	1	Total	C	N	O	0
			14	8	1	5	
6	B	1	Total	C	N	O	0
			14	8	1	5	
6	B	1	Total	C	N	O	0
			14	8	1	5	
6	B	1	Total	C	N	O	0
			14	8	1	5	
6	B	1	Total	C	N	O	0
			14	8	1	5	
6	B	1	Total	C	N	O	0
			14	8	1	5	
6	B	1	Total	C	N	O	0
			14	8	1	5	
6	B	1	Total	C	N	O	0
			14	8	1	5	
6	C	1	Total	C	N	O	0
			14	8	1	5	
6	C	1	Total	C	N	O	0
			14	8	1	5	
6	C	1	Total	C	N	O	0
			14	8	1	5	
6	C	1	Total	C	N	O	0
			14	8	1	5	



Continued on next page...

Continued from previous page...



Mol	Chain	Residues	Atoms				AltConf
6	C	1	Total	C	N	O	0
			14	8	1	5	
6	C	1	Total	C	N	O	0
			14	8	1	5	
6	C	1	Total	C	N	O	0
			14	8	1	5	




• Molecule 1: Spike glycoprotein




- Molecule 2: heavy chain of 4A8





- Molecule 2: heavy chain of 4A8







• Molecule 2: heavy chain of 4A8





• Molecule 3: light chain of 4A8







• Molecule 3: light chain of 4A8



• Molecule 3: light chain of 4A8



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D: 



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E: 



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S: 



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T: 



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain c: 



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d: 



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  100% 100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  100% 50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  50% 50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:  100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain h:  100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain i:  50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain j:  50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain k:  50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain l:  50% 100%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	171673	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.144	Depositor
Minimum map value	-0.076	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.02	Depositor
Map size (Å)	313.056, 313.056, 313.056	wwPDB
Map dimensions	288, 288, 288	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.087, 1.087, 1.087	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.55	0/8249	0.61	0/11228
1	B	0.54	0/8458	0.60	0/11507
1	C	0.55	0/8417	0.59	0/11454
2	H	0.58	0/1746	0.66	0/2380
2	I	0.59	0/1746	0.65	0/2380
2	J	0.59	0/1746	0.66	0/2380
3	L	0.49	0/1725	0.61	0/2343
3	M	0.49	0/1725	0.61	0/2343
3	N	0.49	0/1725	0.61	0/2343
All	All	0.54	0/35537	0.61	0/48358

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1017/1283 (79%)	864 (85%)	121 (12%)	32 (3%)	3	19
1	B	1039/1283 (81%)	901 (87%)	110 (11%)	28 (3%)	4	21
1	C	1035/1283 (81%)	884 (85%)	125 (12%)	26 (2%)	4	22
2	H	227/458 (50%)	184 (81%)	29 (13%)	14 (6%)	1	7
2	I	227/458 (50%)	184 (81%)	29 (13%)	14 (6%)	1	7
2	J	227/458 (50%)	182 (80%)	31 (14%)	14 (6%)	1	7
3	L	217/219 (99%)	149 (69%)	46 (21%)	22 (10%)	0	3
3	M	217/219 (99%)	149 (69%)	46 (21%)	22 (10%)	0	3
3	N	217/219 (99%)	149 (69%)	46 (21%)	22 (10%)	0	3
All	All	4423/5880 (75%)	3646 (82%)	583 (13%)	194 (4%)	3	12

5 of 194 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	22	THR
1	A	23	GLN
1	A	76	THR
1	A	285	ILE
1	A	330	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	902/1122 (80%)	861 (96%)	41 (4%)	23	53
1	B	924/1122 (82%)	880 (95%)	44 (5%)	21	51
1	C	920/1122 (82%)	879 (96%)	41 (4%)	23	53
2	H	193/405 (48%)	177 (92%)	16 (8%)	9	33
2	I	193/405 (48%)	177 (92%)	16 (8%)	9	33

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	J	193/405 (48%)	177 (92%)	16 (8%)	9	33
3	L	194/194 (100%)	174 (90%)	20 (10%)	6	22
3	M	194/194 (100%)	174 (90%)	20 (10%)	6	22
3	N	194/194 (100%)	174 (90%)	20 (10%)	6	22
All	All	3907/5163 (76%)	3673 (94%)	234 (6%)	18	44

5 of 234 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	613	GLN
3	N	102	THR
3	L	9	LEU
3	N	98	GLN
2	J	55	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 66 such sidechains are listed below:

Mol	Chain	Res	Type
3	M	171	GLN
2	J	170	ASN
3	N	194	HIS
1	B	564	GLN
1	B	544	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

64 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	D	1	1,4	14,14,15	0.70	1 (7%)	17,19,21	0.72	0
4	NAG	D	2	4	14,14,15	0.35	0	17,19,21	0.88	1 (5%)
4	NAG	D	3	4	14,14,15	0.51	0	17,19,21	0.78	1 (5%)
4	NAG	E	1	1,4	14,14,15	0.79	1 (7%)	17,19,21	0.98	0
4	NAG	E	2	4	14,14,15	0.39	0	17,19,21	1.00	1 (5%)
4	NAG	E	3	4	14,14,15	0.34	0	17,19,21	0.51	0
5	NAG	F	1	1,5	14,14,15	0.83	1 (7%)	17,19,21	1.04	2 (11%)
5	NAG	F	2	5	14,14,15	0.70	1 (7%)	17,19,21	0.53	0
5	NAG	G	1	1,5	14,14,15	1.70	1 (7%)	17,19,21	2.60	4 (23%)
5	NAG	G	2	5	14,14,15	0.25	0	17,19,21	0.59	0
5	NAG	K	1	1,5	14,14,15	0.31	0	17,19,21	0.76	1 (5%)
5	NAG	K	2	5	14,14,15	0.22	0	17,19,21	0.46	0
5	NAG	O	1	1,5	14,14,15	0.40	0	17,19,21	1.16	2 (11%)
5	NAG	O	2	5	14,14,15	0.29	0	17,19,21	0.61	0
5	NAG	P	1	1,5	14,14,15	0.33	0	17,19,21	0.59	0
5	NAG	P	2	5	14,14,15	0.60	0	17,19,21	2.37	4 (23%)
5	NAG	Q	1	1,5	14,14,15	0.34	0	17,19,21	0.59	0
5	NAG	Q	2	5	14,14,15	0.37	0	17,19,21	0.95	1 (5%)
5	NAG	R	1	1,5	14,14,15	0.19	0	17,19,21	0.53	0
5	NAG	R	2	5	14,14,15	0.19	0	17,19,21	0.62	1 (5%)
4	NAG	S	1	1,4	14,14,15	0.71	1 (7%)	17,19,21	0.72	0
4	NAG	S	2	4	14,14,15	0.34	0	17,19,21	0.88	1 (5%)
4	NAG	S	3	4	14,14,15	0.51	0	17,19,21	0.78	1 (5%)
4	NAG	T	1	1,4	14,14,15	0.78	1 (7%)	17,19,21	0.98	0
4	NAG	T	2	4	14,14,15	0.39	0	17,19,21	1.00	1 (5%)
4	NAG	T	3	4	14,14,15	0.33	0	17,19,21	0.51	0
5	NAG	U	1	1,5	14,14,15	0.82	1 (7%)	17,19,21	1.04	2 (11%)
5	NAG	U	2	5	14,14,15	0.71	1 (7%)	17,19,21	0.53	0
5	NAG	V	1	5	14,14,15	1.69	1 (7%)	17,19,21	2.61	4 (23%)
5	NAG	V	2	5	14,14,15	0.25	0	17,19,21	0.60	0
5	NAG	W	1	1,5	14,14,15	0.31	0	17,19,21	0.38	0
5	NAG	W	2	5	14,14,15	0.32	0	17,19,21	0.61	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	X	1	1,5	14,14,15	0.20	0	17,19,21	1.25	2 (11%)
5	NAG	X	2	5	14,14,15	0.20	0	17,19,21	0.69	1 (5%)
5	NAG	Y	1	1,5	14,14,15	0.43	0	17,19,21	0.73	1 (5%)
5	NAG	Y	2	5	14,14,15	0.17	0	17,19,21	0.62	0
5	NAG	Z	1	1,5	14,14,15	0.28	0	17,19,21	0.53	0
5	NAG	Z	2	5	14,14,15	0.18	0	17,19,21	0.76	1 (5%)
5	NAG	a	1	1,5	14,14,15	0.41	0	17,19,21	0.84	1 (5%)
5	NAG	a	2	5	14,14,15	0.53	0	17,19,21	1.33	2 (11%)
5	NAG	b	1	1,5	14,14,15	0.35	0	17,19,21	0.90	1 (5%)
5	NAG	b	2	5	14,14,15	0.29	0	17,19,21	0.62	0
4	NAG	c	1	1,4	14,14,15	0.69	1 (7%)	17,19,21	0.72	0
4	NAG	c	2	4	14,14,15	0.35	0	17,19,21	0.88	1 (5%)
4	NAG	c	3	4	14,14,15	0.51	0	17,19,21	0.77	1 (5%)
4	NAG	d	1	1,4	14,14,15	0.79	1 (7%)	17,19,21	0.98	0
4	NAG	d	2	4	14,14,15	0.40	0	17,19,21	1.00	1 (5%)
4	NAG	d	3	4	14,14,15	0.34	0	17,19,21	0.51	0
5	NAG	e	1	1,5	14,14,15	0.83	1 (7%)	17,19,21	1.04	2 (11%)
5	NAG	e	2	5	14,14,15	0.71	1 (7%)	17,19,21	0.53	0
5	NAG	f	1	5	14,14,15	1.70	1 (7%)	17,19,21	2.60	4 (23%)
5	NAG	f	2	5	14,14,15	0.25	0	17,19,21	0.59	0
5	NAG	g	1	1,5	14,14,15	0.60	0	17,19,21	2.25	3 (17%)
5	NAG	g	2	5	14,14,15	0.32	0	17,19,21	0.60	1 (5%)
5	NAG	h	1	1,5	14,14,15	0.45	0	17,19,21	0.61	0
5	NAG	h	2	5	14,14,15	0.41	0	17,19,21	0.44	0
5	NAG	i	1	1,5	14,14,15	0.33	0	17,19,21	0.53	0
5	NAG	i	2	5	14,14,15	0.37	0	17,19,21	0.95	1 (5%)
5	NAG	j	1	1,5	14,14,15	0.35	0	17,19,21	0.64	0
5	NAG	j	2	5	14,14,15	0.86	1 (7%)	17,19,21	2.31	4 (23%)
5	NAG	k	1	1,5	14,14,15	0.46	0	17,19,21	0.58	0
5	NAG	k	2	5	14,14,15	0.81	1 (7%)	17,19,21	2.22	3 (17%)
5	NAG	l	1	1,5	14,14,15	0.24	0	17,19,21	0.72	1 (5%)
5	NAG	l	2	5	14,14,15	0.29	0	17,19,21	0.71	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	D	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	D	2	4	-	2/6/23/26	0/1/1/1
4	NAG	D	3	4	-	2/6/23/26	0/1/1/1
4	NAG	E	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	E	2	4	-	0/6/23/26	0/1/1/1
4	NAG	E	3	4	-	2/6/23/26	0/1/1/1
5	NAG	F	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	F	2	5	-	0/6/23/26	0/1/1/1
5	NAG	G	1	1,5	-	5/6/23/26	0/1/1/1
5	NAG	G	2	5	-	2/6/23/26	0/1/1/1
5	NAG	K	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	K	2	5	-	2/6/23/26	0/1/1/1
5	NAG	O	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	O	2	5	-	3/6/23/26	0/1/1/1
5	NAG	P	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	P	2	5	-	3/6/23/26	0/1/1/1
5	NAG	Q	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	Q	2	5	-	2/6/23/26	0/1/1/1
5	NAG	R	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	R	2	5	-	0/6/23/26	0/1/1/1
4	NAG	S	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	S	2	4	-	2/6/23/26	0/1/1/1
4	NAG	S	3	4	-	2/6/23/26	0/1/1/1
4	NAG	T	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	T	2	4	-	0/6/23/26	0/1/1/1
4	NAG	T	3	4	-	2/6/23/26	0/1/1/1
5	NAG	U	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	U	2	5	-	0/6/23/26	0/1/1/1
5	NAG	V	1	5	-	5/6/23/26	0/1/1/1
5	NAG	V	2	5	-	2/6/23/26	0/1/1/1
5	NAG	W	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	W	2	5	-	2/6/23/26	0/1/1/1
5	NAG	X	1	1,5	-	3/6/23/26	0/1/1/1
5	NAG	X	2	5	-	2/6/23/26	0/1/1/1
5	NAG	Y	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	Y	2	5	-	4/6/23/26	0/1/1/1
5	NAG	Z	1	1,5	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	Z	2	5	-	2/6/23/26	0/1/1/1
5	NAG	a	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	a	2	5	-	1/6/23/26	0/1/1/1
5	NAG	b	1	1,5	-	1/6/23/26	0/1/1/1
5	NAG	b	2	5	-	0/6/23/26	0/1/1/1
4	NAG	c	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	c	2	4	-	2/6/23/26	0/1/1/1
4	NAG	c	3	4	-	2/6/23/26	0/1/1/1
4	NAG	d	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	d	2	4	-	0/6/23/26	0/1/1/1
4	NAG	d	3	4	-	2/6/23/26	0/1/1/1
5	NAG	e	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	e	2	5	-	0/6/23/26	0/1/1/1
5	NAG	f	1	5	-	5/6/23/26	0/1/1/1
5	NAG	f	2	5	-	2/6/23/26	0/1/1/1
5	NAG	g	1	1,5	-	5/6/23/26	0/1/1/1
5	NAG	g	2	5	-	2/6/23/26	0/1/1/1
5	NAG	h	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	h	2	5	-	2/6/23/26	0/1/1/1
5	NAG	i	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	i	2	5	-	3/6/23/26	0/1/1/1
5	NAG	j	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	j	2	5	-	5/6/23/26	0/1/1/1
5	NAG	k	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	k	2	5	-	5/6/23/26	0/1/1/1
5	NAG	l	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	l	2	5	-	0/6/23/26	0/1/1/1

The worst 5 of 17 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	f	1	NAG	O5-C1	-5.98	1.34	1.43
5	G	1	NAG	O5-C1	-5.97	1.34	1.43
5	V	1	NAG	O5-C1	-5.95	1.34	1.43
4	E	1	NAG	O5-C1	-2.83	1.39	1.43
4	d	1	NAG	O5-C1	-2.82	1.39	1.43

The worst 5 of 60 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	V	1	NAG	C2-N2-C7	8.05	134.37	122.90
5	G	1	NAG	C2-N2-C7	8.04	134.35	122.90
5	f	1	NAG	C2-N2-C7	8.03	134.33	122.90
5	g	1	NAG	C2-N2-C7	7.97	134.26	122.90
5	j	2	NAG	C2-N2-C7	7.82	134.04	122.90

There are no chirality outliers.


5 of 118 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	O	2	NAG	C3-C2-N2-C7
5	O	2	NAG	C8-C7-N2-C2
5	O	2	NAG	O7-C7-N2-C2
5	f	2	NAG	O5-C5-C6-O6
5	G	2	NAG	O5-C5-C6-O6


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



















































































5.6 Ligand geometry [i](#)

25 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NAG	B	1414	1	14,14,15	0.51	0	17,19,21	0.54	0
6	NAG	C	1415	1	14,14,15	0.32	0	17,19,21	0.56	0
6	NAG	A	1419	1	14,14,15	0.20	0	17,19,21	0.51	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	NAG	C	1418	1	14,14,15	0.49	0	17,19,21	0.60	1 (5%)
6	NAG	B	1417	1	14,14,15	0.29	0	17,19,21	0.60	1 (5%)
6	NAG	A	1415	1	14,14,15	0.38	0	17,19,21	0.39	0
6	NAG	A	1401	1	14,14,15	0.41	0	17,19,21	1.16	2 (11%)
6	NAG	B	1415	1	14,14,15	0.44	0	17,19,21	1.04	1 (5%)
6	NAG	C	1401	1	14,14,15	0.40	0	17,19,21	1.17	2 (11%)
6	NAG	C	1417	1	14,14,15	0.53	0	17,19,21	1.06	2 (11%)
6	NAG	B	1401	1	14,14,15	0.41	0	17,19,21	1.16	2 (11%)
6	NAG	A	1418	1	14,14,15	0.86	1 (7%)	17,19,21	1.06	1 (5%)
6	NAG	B	1402	1	14,14,15	0.23	0	17,19,21	0.56	0
6	NAG	B	1406	1	14,14,15	0.36	0	17,19,21	0.52	0
6	NAG	A	1417	1	14,14,15	0.72	1 (7%)	17,19,21	0.70	1 (5%)
6	NAG	B	1416	1	14,14,15	0.56	0	17,19,21	1.08	2 (11%)
6	NAG	A	1406	1	14,14,15	0.36	0	17,19,21	0.52	0
6	NAG	B	1418	1	14,14,15	0.19	0	17,19,21	0.45	0
6	NAG	C	1416	1	14,14,15	0.27	0	17,19,21	0.65	0
6	NAG	C	1414	1	14,14,15	0.49	0	17,19,21	0.50	0
6	NAG	C	1402	1	14,14,15	0.22	0	17,19,21	0.55	0
6	NAG	A	1416	1	14,14,15	0.43	0	17,19,21	0.46	0
6	NAG	C	1406	1	14,14,15	0.36	0	17,19,21	0.53	0
6	NAG	A	1414	1	14,14,15	0.28	0	17,19,21	0.48	0
6	NAG	A	1402	1	14,14,15	0.22	0	17,19,21	0.55	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	B	1414	1	-	4/6/23/26	0/1/1/1
6	NAG	C	1415	1	-	0/6/23/26	0/1/1/1
6	NAG	A	1419	1	-	2/6/23/26	0/1/1/1
6	NAG	C	1418	1	-	2/6/23/26	0/1/1/1
6	NAG	B	1417	1	-	2/6/23/26	0/1/1/1
6	NAG	A	1415	1	-	2/6/23/26	0/1/1/1
6	NAG	A	1401	1	-	0/6/23/26	0/1/1/1
6	NAG	B	1415	1	-	3/6/23/26	0/1/1/1
6	NAG	C	1401	1	-	0/6/23/26	0/1/1/1
6	NAG	C	1417	1	-	3/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	B	1401	1	-	0/6/23/26	0/1/1/1
6	NAG	A	1418	1	-	2/6/23/26	0/1/1/1
6	NAG	B	1402	1	-	1/6/23/26	0/1/1/1
6	NAG	B	1406	1	-	2/6/23/26	0/1/1/1
6	NAG	A	1417	1	-	2/6/23/26	0/1/1/1
6	NAG	B	1416	1	-	3/6/23/26	0/1/1/1
6	NAG	A	1406	1	-	2/6/23/26	0/1/1/1
6	NAG	B	1418	1	-	0/6/23/26	0/1/1/1
6	NAG	C	1416	1	-	4/6/23/26	0/1/1/1
6	NAG	C	1414	1	-	1/6/23/26	0/1/1/1
6	NAG	C	1402	1	-	1/6/23/26	0/1/1/1
6	NAG	A	1416	1	-	2/6/23/26	0/1/1/1
6	NAG	C	1406	1	-	2/6/23/26	0/1/1/1
6	NAG	A	1414	1	-	1/6/23/26	0/1/1/1
6	NAG	A	1402	1	-	1/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	1418	NAG	C1-C2	2.42	1.56	1.52
6	A	1417	NAG	O5-C1	2.10	1.47	1.43

The worst 5 of 15 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	1418	NAG	C1-O5-C5	3.96	117.56	112.19
6	B	1416	NAG	C2-N2-C7	3.02	127.20	122.90
6	B	1415	NAG	C2-N2-C7	2.99	127.17	122.90
6	C	1417	NAG	C2-N2-C7	2.98	127.15	122.90
6	A	1417	NAG	C1-O5-C5	2.44	115.50	112.19

There are no chirality outliers.


5 of 42 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
6	B	1417	NAG	O5-C5-C6-O6
6	C	1417	NAG	C4-C5-C6-O6
6	A	1417	NAG	C4-C5-C6-O6
6	B	1416	NAG	O5-C5-C6-O6
6	C	1418	NAG	O5-C5-C6-O6

There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.








Ligand NAG C 1418




Ligand NAG B 1417







Ligand NAG B 1415




Ligand NAG C 1401





Ligand NAG C 1417




Ligand NAG B 1401







Ligand NAG B 1406




Ligand NAG A 1417





Ligand NAG B 1416




Ligand NAG A 1406







Ligand NAG C 1414




Ligand NAG C 1402




Ligand NAG A 1416




Ligand NAG C 1406



Ligand NAG A 1414



Ligand NAG A 1402



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-30276. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 144



Y Index: 144




Z Index: 144


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 131



Y Index: 141




Z Index: 165


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 150 nm³; this corresponds to an approximate mass of 135 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.323 \AA^{-1}


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-30276 and PDB model 7C2L. Per-residue inclusion information can be found in [section 3](#) on [page 11](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 59% of all backbone atoms, 52% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary









The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5250	 0.3620
A	 0.7010	 0.4840
B	 0.7510	 0.4970
C	 0.7690	 0.5040
D	 0.1670	 0.1760
E	 0.0480	 0.0460
F	 0.3570	 0.3390
G	 0.0710	 -0.0930
H	 0.0220	 0.0660
I	 0.0130	 0.0430
J	 0.0180	 0.0630
K	 0.8210	 0.5000
L	 0.0040	 0.0310
M	 0.0030	 0.0140
N	 0.0020	 0.0200
O	 0.6430	 0.4190
P	 0.5360	 0.4520
Q	 0.6790	 0.4500
R	 0.7140	 0.4960
S	 0.2380	 0.3140
T	 0.0000	 0.0360
U	 0.0000	 0.1590
V	 0.1070	 0.2230
W	 0.3210	 0.3320
X	 0.7500	 0.4970
Y	 0.6430	 0.4980
Z	 0.3930	 0.4150
a	 0.7860	 0.4630
b	 0.6070	 0.4720
c	 0.0950	 0.1920
d	 0.0000	 0.1420
e	 0.1430	 0.3100
f	 0.1790	 0.1020
g	 0.3930	 0.4640
h	 0.7860	 0.5370



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
i	 0.6430	 0.3860
j	 0.4290	 0.3970
k	 0.8210	 0.4770
l	 0.5710	 0.4660