



wwPDB EM Validation Summary Report ⓘ

Feb 10, 2025 – 06:20 PM EST

PDB ID : 6C4I
EMDB ID : EMD-7341
Title : Conformation of methylated GGQ in the peptidyl transferase center during translation termination
Authors : Zeng, F.; Jin, H.
Deposited on : 2018-01-12
Resolution : 3.24 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.40

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.24 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	2904	
2	B	120	
3	C	273	
4	D	209	
5	E	201	
6	F	177	
7	G	177	
8	H	149	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	I	165	
10	J	142	
11	K	142	
12	L	123	
13	M	144	
14	N	136	
15	O	127	
16	P	117	
17	Q	115	
18	R	118	
19	S	103	
20	T	110	
21	U	100	
22	V	104	
23	W	94	
24	X	85	
25	Y	78	
26	Z	63	
27	0	59	
28	1	70	
29	2	57	
30	3	52	
31	4	46	
32	5	65	
33	6	38	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	a	1534	
35	b	241	
36	c	233	
37	d	206	
38	e	167	
39	f	135	
40	g	179	
41	h	130	
42	i	130	
43	j	103	
44	k	129	
45	l	124	
46	m	118	
47	n	101	
48	o	89	
49	p	82	
50	q	84	
51	r	66	
52	s	92	
53	t	87	
54	u	71	
55	v	384	
56	w	57	
57	x	77	
57	y	77	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
58	z	18	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
45	0TD	1	89	-	X	-	-

2 Entry composition [i](#)

There are 61 unique types of molecules in this entry. The entry contains 151446 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	2904	Total	C	N	O	P	0	0
			62356	27825	11472	20155	2904		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	887	A	U	conflict	GB 687670942

- Molecule 2 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	120	Total	C	N	O	P	0	0
			2569	1144	468	837	120		

- Molecule 3 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 4 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 5 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 6 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	177	Total	C	N	O	S	0	0
			1410	899	249	256	6		

- Molecule 7 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	G	175	Total	C	N	O	S	0	0
			1313	826	241	244	2		

- Molecule 8 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 9 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	I	130	Total	C	N	O	S	0	0
			980	620	174	182	4		

- Molecule 10 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	J	135	Total	C	N	O	S	0	0
			984	622	171	185	6		

- Molecule 11 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	K	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 12 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	L	123	Total	C	N	O	S	0	0
			946	593	181	166	6		

- Molecule 13 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	M	144	Total	C	N	O	S	0	0
			1053	654	207	190	2		

- Molecule 14 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	N	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 15 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	O	119	Total	C	N	O	S	0	0
			951	588	195	163	5		

- Molecule 16 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	P	116	Total	C	N	O		0	0
			892	552	178	162			

- Molecule 17 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	Q	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 18 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	R	117	Total	C	N	O		0	0
			947	604	192	151			

- Molecule 19 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	S	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 20 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	T	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 21 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	U	94	Total	C	N	O	S	0	0
			746	470	140	134	2		

- Molecule 22 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	V	103	Total	C	N	O	S	0	0
			788	498	148	142			

- Molecule 23 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	W	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 24 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	X	76	Total	C	N	O	S	0	0
			582	360	117	104	1		

- Molecule 25 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	Y	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 26 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	Z	62	Total	C	N	O	S	0	0
			501	308	98	94	1		

- Molecule 27 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	0	58	Total	C	N	O	S	0	0
			448	281	87	78	2		

- Molecule 28 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	1	66	Total	C	N	O	S	0	0
			522	323	99	94	6		

- Molecule 29 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	2	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 30 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
30	3	52	Total	C	N	O	0	0
			426	275	78	73		

- Molecule 31 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	4	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 32 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	5	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 33 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	6	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 34 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	a	1534	Total	C	N	O	P	0	0
			32929	14693	6041	10661	1534		

- Molecule 35 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	b	225	Total	C	N	O	S	0	0
			1760	1113	316	323	8		

- Molecule 36 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	c	208	Total	C	N	O	S	0	0
			1636	1036	307	290	3		

- Molecule 37 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	d	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 38 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	e	156	Total	C	N	O	S	0	0
			1152	717	217	212	6		

- Molecule 39 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	f	104	Total	C	N	O	S	0	0
			848	536	153	152	7		

- Molecule 40 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	g	152	Total	C	N	O	S	0	0
			1191	741	230	216	4		

- Molecule 41 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	h	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 42 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	i	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 43 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	j	99	Total	C	N	O	S	0	0
			790	495	151	143	1		

- Molecule 44 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	k	117	Total	C	N	O	S	0	0
			877	540	174	160	3		

- Molecule 45 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	l	123	Total	C	N	O	S	0	0
			957	591	196	165	5		

- Molecule 46 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	m	116	Total	C	N	O	S	0	0
			900	558	181	158	3		

- Molecule 47 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	n	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 48 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	o	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 49 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	p	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 50 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	q	80	Total	C	N	O	S	0	0
			648	411	121	113	3		

- Molecule 51 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	r	66	Total	C	N	O	S	0	0
			544	344	102	97	1		

- Molecule 52 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	s	83	Total	C	N	O	S	0	0
			663	424	126	111	2		

- Molecule 53 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	t	86	Total	C	N	O	S	0	0
			669	414	138	114	3		

- Molecule 54 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	u	70	Total	C	N	O	S	0	0
			589	366	125	97	1		

- Molecule 55 is a protein called Peptide chain release factor 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	v	362	Total	C	N	O	S	0	0
			2869	1765	504	590	10		

There are 19 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
v	-18	ALA	-	expression tag	UNP P07012
v	-17	HIS	-	expression tag	UNP P07012
v	-16	HIS	-	expression tag	UNP P07012
v	-15	HIS	-	expression tag	UNP P07012
v	-14	HIS	-	expression tag	UNP P07012
v	-13	HIS	-	expression tag	UNP P07012
v	-12	HIS	-	expression tag	UNP P07012
v	-11	SER	-	expression tag	UNP P07012
v	-10	ALA	-	expression tag	UNP P07012
v	-9	ALA	-	expression tag	UNP P07012
v	-8	LEU	-	expression tag	UNP P07012
v	-7	GLU	-	expression tag	UNP P07012
v	-6	VAL	-	expression tag	UNP P07012
v	-5	LEU	-	expression tag	UNP P07012
v	-4	PHE	-	expression tag	UNP P07012
v	-3	GLN	-	expression tag	UNP P07012
v	-2	GLY	-	expression tag	UNP P07012
v	-1	PRO	-	expression tag	UNP P07012
v	0	GLY	-	expression tag	UNP P07012

- Molecule 56 is a protein called Alternative ribosome-rescue factor A.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	w	46	Total	C	N	O	S	0	0
			377	234	77	64	2		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
w	-1	GLY	-	expression tag	UNP P36675
w	0	SER	-	expression tag	UNP P36675

- Molecule 57 is a RNA chain called E-site or P-site tRNA fMet.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	x	77	Total	C	N	O	P	0	0
			1643	732	297	537	77		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
57	y	77	Total	C	N	O	P	0	0
			1640	732	297	535	76		

- Molecule 58 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	z	5	Total	C	N	O	P	0	0
			109	49	22	33	5		

- Molecule 59 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
59	A	230	Total	Mg	0
			230	230	
59	B	5	Total	Mg	0
			5	5	
59	C	1	Total	Mg	0
			1	1	
59	D	1	Total	Mg	0
			1	1	
59	O	2	Total	Mg	0
			2	2	
59	2	1	Total	Mg	0
			1	1	
59	a	71	Total	Mg	0
			71	71	
59	d	1	Total	Mg	0
			1	1	
59	n	1	Total	Mg	0
			1	1	
59	x	4	Total	Mg	0
			4	4	

- Molecule 60 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
60	1	1	Total	Zn	0
			1	1	
60	6	1	Total	Zn	0
			1	1	


- Molecule 61 is water.


Mol	Chain	Residues	Atoms		AltConf
61	C	2	Total 2	O 2	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 23S rRNA









• Molecule 3: 50S ribosomal protein L2





• Molecule 4: 50S ribosomal protein L3




• Molecule 5: 50S ribosomal protein L4




• Molecule 6: 50S ribosomal protein L5







• Molecule 7: 50S ribosomal protein L6




• Molecule 8: 50S ribosomal protein L9




• Molecule 9: 50S ribosomal protein L10




- Molecule 10: 50S ribosomal protein L11




- Molecule 11: 50S ribosomal protein L13




- Molecule 12: 50S ribosomal protein L14





- Molecule 13: 50S ribosomal protein L15





- Molecule 14: 50S ribosomal protein L16




- Molecule 15: 50S ribosomal protein L17





- Molecule 16: 50S ribosomal protein L18





- Molecule 17: 50S ribosomal protein L19




- Molecule 18: 50S ribosomal protein L20




- Molecule 19: 50S ribosomal protein L21




- Molecule 20: 50S ribosomal protein L22





- Molecule 21: 50S ribosomal protein L23








- Molecule 22: 50S ribosomal protein L24



- Molecule 23: 50S ribosomal protein L25




- Molecule 24: 50S ribosomal protein L27




- Molecule 25: 50S ribosomal protein L28




- Molecule 26: 50S ribosomal protein L29






- Molecule 27: 50S ribosomal protein L30








- Molecule 28: 50S ribosomal protein L31



- Molecule 29: 50S ribosomal protein L32




- Molecule 30: 50S ribosomal protein L33



- Molecule 31: 50S ribosomal protein L34




- Molecule 32: 50S ribosomal protein L35






- Molecule 33: 50S ribosomal protein L36






• Molecule 34: 16S rRNA








• Molecule 35: 30S ribosomal protein S2

Chain b:








• Molecule 37: 30S ribosomal protein S4




• Molecule 38: 30S ribosomal protein S5




- Molecule 39: 30S ribosomal protein S6




- Molecule 40: 30S ribosomal protein S7




- Molecule 41: 30S ribosomal protein S8






- Molecule 42: 30S ribosomal protein S9









• Molecule 43: 30S ribosomal protein S10



• Molecule 44: 30S ribosomal protein S11




• Molecule 45: 30S ribosomal protein S12





• Molecule 46: 30S ribosomal protein S13









- Molecule 47: 30S ribosomal protein S14





- Molecule 48: 30S ribosomal protein S15




- Molecule 49: 30S ribosomal protein S16





- Molecule 50: 30S ribosomal protein S17





- Molecule 51: 30S ribosomal protein S18





• Molecule 52: 30S ribosomal protein S19





• Molecule 53: 30S ribosomal protein S20




• Molecule 54: 30S ribosomal protein S21




• Molecule 55: Peptide chain release factor 2







- Molecule 56: Alternative ribosome-rescue factor A



- Molecule 57: E-site or P-site tRNA fMet



- Molecule 57: E-site or P-site tRNA fMet



- Molecule 58: mRNA



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	143372	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	JEOL 3200FS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	20	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	83822	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.448	Depositor
Minimum map value	-0.283	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.016	Depositor
Recommended contour level	0.06	Depositor
Map size (Å)	460.80002, 460.80002, 460.80002	wwPDB
Map dimensions	384, 384, 384	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.2, 1.2, 1.2	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 5MC, OMG, MEQ, 1MG, 5MU, OMC, MG, 2MG, 0TD, PSU, OMU, 3TD, 2MA, 6MZ, G7M, UR3, MA6, 4OC, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.28	0/69308	0.66	0/108121
2	B	0.23	0/2872	0.66	0/4478
3	C	0.37	0/2121	0.69	0/2852
4	D	0.38	0/1586	0.62	0/2134
5	E	0.38	0/1571	0.69	0/2113
6	F	0.39	0/1434	0.69	0/1926
7	G	0.37	0/1333	0.64	0/1805
8	H	0.39	0/1122	0.64	0/1515
9	I	0.44	0/993	0.72	0/1340
10	J	0.42	0/998	0.68	0/1348
11	K	0.40	0/1152	0.68	0/1551
12	L	0.36	0/955	0.68	0/1279
13	M	0.36	0/1062	0.71	0/1413
14	N	0.41	0/1093	0.71	0/1460
15	O	0.39	0/964	0.74	0/1289
16	P	0.36	0/902	0.70	0/1209
17	Q	0.36	0/929	0.66	0/1242
18	R	0.46	0/960	0.74	0/1278
19	S	0.39	0/829	0.61	0/1107
20	T	0.37	0/864	0.71	0/1156
21	U	0.34	0/752	0.63	0/1005
22	V	0.37	0/796	0.62	0/1062
23	W	0.37	0/766	0.59	0/1025
24	X	0.35	0/589	0.63	0/779
25	Y	0.37	0/635	0.62	0/848
26	Z	0.33	0/502	0.68	0/667
27	0	0.33	0/452	0.64	0/605
28	1	0.40	0/531	0.61	0/709
29	2	0.35	0/450	0.66	0/599
30	3	0.38	0/433	0.60	0/576
31	4	0.42	0/380	0.76	0/498

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	5	0.36	0/513	0.68	0/676
33	6	0.33	0/303	0.68	0/397
34	a	0.22	0/36590	0.65	0/57074
35	b	0.39	0/1791	0.67	0/2413
36	c	0.38	0/1663	0.65	0/2241
37	d	0.38	0/1665	0.69	0/2227
38	e	0.37	0/1165	0.70	0/1568
39	f	0.38	0/867	0.67	0/1171
40	g	0.39	0/1206	0.76	0/1617
41	h	0.38	0/989	0.68	0/1326
42	i	0.38	0/1034	0.70	0/1375
43	j	0.36	0/800	0.73	0/1082
44	k	0.36	0/893	0.66	0/1205
45	l	0.36	0/960	0.70	0/1286
46	m	0.36	0/909	0.72	0/1215
47	n	0.36	0/817	0.70	0/1088
48	o	0.39	0/722	0.75	0/964
49	p	0.38	0/659	0.66	0/884
50	q	0.38	0/657	0.64	0/881
51	r	0.38	0/553	0.65	0/743
52	s	0.38	0/680	0.60	0/915
53	t	0.37	0/675	0.69	0/895
54	u	0.38	0/597	0.77	0/792
55	v	0.38	0/2898	0.67	0/3904
56	w	0.43	0/383	0.58	0/504
57	x	0.23	0/1835	0.65	0/2859
57	y	0.22	0/1832	0.65	0/2855
58	z	0.20	0/122	0.62	0/188
All	All	0.30	0/163112	0.66	0/243334

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	C	269/273 (98%)	257 (96%)	11 (4%)	1 (0%)	30	62
4	D	207/209 (99%)	200 (97%)	5 (2%)	2 (1%)	13	44
5	E	199/201 (99%)	193 (97%)	6 (3%)	0	100	100
6	F	175/177 (99%)	165 (94%)	9 (5%)	1 (1%)	22	54
7	G	173/177 (98%)	164 (95%)	8 (5%)	1 (1%)	22	54
8	H	147/149 (99%)	134 (91%)	13 (9%)	0	100	100
9	I	128/165 (78%)	103 (80%)	21 (16%)	4 (3%)	3	20
10	J	133/142 (94%)	119 (90%)	12 (9%)	2 (2%)	8	35
11	K	140/142 (99%)	137 (98%)	3 (2%)	0	100	100
12	L	121/123 (98%)	115 (95%)	6 (5%)	0	100	100
13	M	142/144 (99%)	134 (94%)	7 (5%)	1 (1%)	19	51
14	N	134/136 (98%)	131 (98%)	3 (2%)	0	100	100
15	O	117/127 (92%)	106 (91%)	11 (9%)	0	100	100
16	P	114/117 (97%)	107 (94%)	7 (6%)	0	100	100
17	Q	112/115 (97%)	108 (96%)	4 (4%)	0	100	100
18	R	115/118 (98%)	111 (96%)	3 (3%)	1 (1%)	14	46
19	S	101/103 (98%)	99 (98%)	2 (2%)	0	100	100
20	T	108/110 (98%)	106 (98%)	2 (2%)	0	100	100
21	U	92/100 (92%)	92 (100%)	0	0	100	100
22	V	101/104 (97%)	95 (94%)	5 (5%)	1 (1%)	13	44
23	W	92/94 (98%)	90 (98%)	2 (2%)	0	100	100
24	X	74/85 (87%)	69 (93%)	5 (7%)	0	100	100
25	Y	75/78 (96%)	73 (97%)	2 (3%)	0	100	100
26	Z	60/63 (95%)	59 (98%)	1 (2%)	0	100	100
27	0	56/59 (95%)	52 (93%)	3 (5%)	1 (2%)	7	32

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
28	1	64/70 (91%)	61 (95%)	3 (5%)	0	100	100
29	2	54/57 (95%)	52 (96%)	2 (4%)	0	100	100
30	3	50/52 (96%)	50 (100%)	0	0	100	100
31	4	44/46 (96%)	42 (96%)	2 (4%)	0	100	100
32	5	62/65 (95%)	57 (92%)	5 (8%)	0	100	100
33	6	36/38 (95%)	36 (100%)	0	0	100	100
35	b	223/241 (92%)	213 (96%)	10 (4%)	0	100	100
36	c	206/233 (88%)	194 (94%)	10 (5%)	2 (1%)	13	44
37	d	203/206 (98%)	197 (97%)	6 (3%)	0	100	100
38	e	154/167 (92%)	145 (94%)	9 (6%)	0	100	100
39	f	102/135 (76%)	99 (97%)	2 (2%)	1 (1%)	13	44
40	g	150/179 (84%)	145 (97%)	3 (2%)	2 (1%)	10	38
41	h	127/130 (98%)	122 (96%)	5 (4%)	0	100	100
42	i	125/130 (96%)	118 (94%)	5 (4%)	2 (2%)	8	34
43	j	97/103 (94%)	93 (96%)	3 (3%)	1 (1%)	13	44
44	k	115/129 (89%)	106 (92%)	8 (7%)	1 (1%)	14	46
45	l	120/124 (97%)	115 (96%)	5 (4%)	0	100	100
46	m	114/118 (97%)	109 (96%)	5 (4%)	0	100	100
47	n	98/101 (97%)	97 (99%)	1 (1%)	0	100	100
48	o	86/89 (97%)	83 (96%)	3 (4%)	0	100	100
49	p	80/82 (98%)	78 (98%)	2 (2%)	0	100	100
50	q	78/84 (93%)	74 (95%)	4 (5%)	0	100	100
51	r	64/66 (97%)	63 (98%)	1 (2%)	0	100	100
52	s	81/92 (88%)	79 (98%)	2 (2%)	0	100	100
53	t	84/87 (97%)	84 (100%)	0	0	100	100
54	u	68/71 (96%)	67 (98%)	1 (2%)	0	100	100
55	v	359/384 (94%)	346 (96%)	11 (3%)	2 (1%)	22	54
56	w	44/57 (77%)	40 (91%)	4 (9%)	0	100	100
All	All	6273/6647 (94%)	5984 (95%)	263 (4%)	26 (0%)	32	62

5 of 26 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
18	R	3	ARG
42	i	56	ASP
43	j	57	VAL
4	D	149	ASN
6	F	62	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	C	216/218 (99%)	199 (92%)	17 (8%)	10	35
4	D	164/164 (100%)	153 (93%)	11 (7%)	13	41
5	E	165/165 (100%)	151 (92%)	14 (8%)	8	31
6	F	148/148 (100%)	129 (87%)	19 (13%)	3	16
7	G	136/138 (99%)	125 (92%)	11 (8%)	9	34
8	H	114/114 (100%)	98 (86%)	16 (14%)	3	13
9	I	99/123 (80%)	87 (88%)	12 (12%)	4	18
10	J	104/110 (94%)	91 (88%)	13 (12%)	3	17
11	K	116/116 (100%)	106 (91%)	10 (9%)	8	31
12	L	104/104 (100%)	94 (90%)	10 (10%)	7	26
13	M	103/103 (100%)	92 (89%)	11 (11%)	5	22
14	N	109/109 (100%)	99 (91%)	10 (9%)	7	27
15	O	99/103 (96%)	92 (93%)	7 (7%)	12	39
16	P	86/87 (99%)	79 (92%)	7 (8%)	9	34
17	Q	99/100 (99%)	89 (90%)	10 (10%)	6	24
18	R	89/90 (99%)	80 (90%)	9 (10%)	6	24
19	S	84/84 (100%)	78 (93%)	6 (7%)	12	39
20	T	93/93 (100%)	89 (96%)	4 (4%)	25	54
21	U	81/84 (96%)	75 (93%)	6 (7%)	11	37
22	V	84/85 (99%)	75 (89%)	9 (11%)	5	22

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
23	W	78/78 (100%)	74 (95%)	4 (5%)	20	50
24	X	58/63 (92%)	53 (91%)	5 (9%)	8	31
25	Y	67/68 (98%)	66 (98%)	1 (2%)	60	78
26	Z	54/55 (98%)	52 (96%)	2 (4%)	29	59
27	0	48/49 (98%)	45 (94%)	3 (6%)	15	44
28	1	59/62 (95%)	55 (93%)	4 (7%)	13	40
29	2	47/48 (98%)	46 (98%)	1 (2%)	48	72
30	3	47/47 (100%)	44 (94%)	3 (6%)	14	43
31	4	38/38 (100%)	36 (95%)	2 (5%)	19	49
32	5	51/52 (98%)	46 (90%)	5 (10%)	6	25
33	6	34/34 (100%)	32 (94%)	2 (6%)	16	45
35	b	187/199 (94%)	174 (93%)	13 (7%)	12	39
36	c	171/190 (90%)	162 (95%)	9 (5%)	19	49
37	d	172/173 (99%)	160 (93%)	12 (7%)	12	39
38	e	119/126 (94%)	106 (89%)	13 (11%)	5	21
39	f	91/116 (78%)	81 (89%)	10 (11%)	5	21
40	g	125/147 (85%)	110 (88%)	15 (12%)	4	18
41	h	104/105 (99%)	97 (93%)	7 (7%)	13	41
42	i	105/107 (98%)	95 (90%)	10 (10%)	7	26
43	j	86/90 (96%)	70 (81%)	16 (19%)	1	6
44	k	90/99 (91%)	83 (92%)	7 (8%)	10	35
45	l	102/103 (99%)	86 (84%)	16 (16%)	2	9
46	m	94/96 (98%)	86 (92%)	8 (8%)	8	31
47	n	83/84 (99%)	74 (89%)	9 (11%)	5	22
48	o	76/77 (99%)	62 (82%)	14 (18%)	1	6
49	p	65/65 (100%)	59 (91%)	6 (9%)	7	27
50	q	74/78 (95%)	66 (89%)	8 (11%)	5	22
51	r	57/57 (100%)	55 (96%)	2 (4%)	31	60
52	s	72/79 (91%)	66 (92%)	6 (8%)	9	33
53	t	65/66 (98%)	57 (88%)	8 (12%)	4	17
54	u	60/61 (98%)	52 (87%)	8 (13%)	3	14

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
55	v	307/324 (95%)	286 (93%)	21 (7%)	13	40
56	w	39/46 (85%)	37 (95%)	2 (5%)	20	50
All	All	5218/5420 (96%)	4754 (91%)	464 (9%)	10	29

5 of 464 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
29	2	40	ARG
55	v	107	GLU
38	e	120	VAL
54	u	34	ARG
48	o	70	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 18 such sidechains are listed below:

Mol	Chain	Res	Type
52	s	69	HIS
56	w	32	ASN
56	w	14	ASN
37	d	131	ASN
52	s	52	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	2899/2904 (99%)	552 (19%)	75 (2%)
2	B	119/120 (99%)	17 (14%)	1 (0%)
34	a	1528/1534 (99%)	288 (18%)	0
57	x	76/77 (98%)	20 (26%)	0
57	y	76/77 (98%)	18 (23%)	0
58	z	4/18 (22%)	1 (25%)	0
All	All	4702/4730 (99%)	896 (19%)	76 (1%)

5 of 896 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	10	A
1	A	14	A
1	A	15	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	23	G
1	A	34	U

5 of 76 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	A	1900	A
1	A	2797	U
1	A	2062	A
1	A	2225	A
2	B	87	U

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

35 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
45	0TD	l	89	45	8,9,10	8.17	6 (75%)	6,11,13	4.49	4 (66%)
1	5MU	A	747	1	19,22,23	1.48	6 (31%)	27,32,35	2.18	7 (25%)
1	PSU	A	2457	1	18,21,22	1.51	3 (16%)	21,30,33	2.15	5 (23%)
1	2MG	A	2445	1	18,26,27	1.12	2 (11%)	16,38,41	1.40	1 (6%)
1	OMC	A	2498	59,1	19,22,23	0.85	0	25,31,34	1.05	2 (8%)
1	PSU	A	955	1	18,21,22	1.51	2 (11%)	21,30,33	2.39	4 (19%)
1	PSU	A	2504	1	18,21,22	1.49	3 (16%)	21,30,33	2.01	4 (19%)
1	6MZ	A	2030	1	17,25,26	1.23	2 (11%)	15,36,39	2.27	4 (26%)
34	UR3	a	1498	34	19,22,23	1.19	1 (5%)	26,32,35	1.96	4 (15%)
1	OMU	A	2552	1	19,22,23	1.29	3 (15%)	25,31,34	2.02	6 (24%)
34	G7M	a	527	34	20,26,27	2.71	4 (20%)	16,39,42	1.66	2 (12%)
55	MEQ	v	252	55	8,9,10	0.45	0	5,10,12	0.42	0
1	2MA	A	2503	59,1	17,25,26	1.00	1 (5%)	16,37,40	1.66	3 (18%)
1	2MG	A	1835	1	18,26,27	1.03	2 (11%)	16,38,41	1.17	2 (12%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
34	4OC	a	1402	34	20,23,24	0.85	1 (5%)	25,32,35	1.36	5 (20%)
34	5MC	a	967	34	19,22,23	1.93	2 (10%)	26,32,35	1.36	4 (15%)
1	OMG	A	2251	57,1	19,26,27	1.06	2 (10%)	21,38,41	1.14	3 (14%)
34	MA6	a	1518	34	19,26,27	1.35	3 (15%)	18,38,41	2.50	5 (27%)
1	PSU	A	2605	1	18,21,22	1.47	3 (16%)	21,30,33	2.15	5 (23%)
1	G7M	A	2069	1	20,26,27	1.03	1 (5%)	16,39,42	3.41	5 (31%)
1	PSU	A	1911	1	18,21,22	1.40	2 (11%)	21,30,33	2.00	4 (19%)
1	1MG	A	745	1	19,26,27	0.96	1 (5%)	18,39,42	1.46	4 (22%)
34	PSU	a	516	34,59	18,21,22	1.41	2 (11%)	21,30,33	2.22	4 (19%)
34	MA6	a	1519	34	19,26,27	1.38	4 (21%)	18,38,41	2.26	5 (27%)
34	5MC	a	1407	34	19,22,23	1.63	2 (10%)	26,32,35	1.30	4 (15%)
1	5MC	A	1962	1	19,22,23	1.87	3 (15%)	26,32,35	1.39	4 (15%)
1	6MZ	A	1618	1	17,25,26	1.15	2 (11%)	15,36,39	1.81	3 (20%)
1	3TD	A	1915	1	19,22,23	2.31	5 (26%)	23,32,35	9.01	6 (26%)
1	PSU	A	746	59,1	18,21,22	1.40	3 (16%)	21,30,33	2.11	4 (19%)
1	PSU	A	1917	1	18,21,22	1.41	2 (11%)	21,30,33	2.16	4 (19%)
34	2MG	a	1207	34	18,26,27	1.00	1 (5%)	16,38,41	1.26	3 (18%)
1	PSU	A	2580	1	18,21,22	1.52	3 (16%)	21,30,33	2.19	6 (28%)
34	2MG	a	966	34	18,26,27	0.96	1 (5%)	16,38,41	1.26	2 (12%)
1	5MU	A	1939	59,1	19,22,23	1.53	6 (31%)	27,32,35	2.37	8 (29%)
34	2MG	a	1516	34	18,26,27	1.01	1 (5%)	16,38,41	1.28	2 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
45	0TD	l	89	45	-	3/7/12/14	-
1	5MU	A	747	1	-	0/7/25/26	0/2/2/2
1	PSU	A	2457	1	-	0/7/25/26	0/2/2/2
1	2MG	A	2445	1	-	2/5/27/28	0/3/3/3
1	OMC	A	2498	59,1	-	2/9/27/28	0/2/2/2
1	PSU	A	955	1	-	0/7/25/26	0/2/2/2
1	PSU	A	2504	1	-	2/7/25/26	0/2/2/2
1	6MZ	A	2030	1	-	2/5/27/28	0/3/3/3
34	UR3	a	1498	34	-	0/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	OMU	A	2552	1	-	0/9/27/28	0/2/2/2
34	G7M	a	527	34	-	1/3/25/26	0/3/3/3
55	MEQ	v	252	55	-	2/8/9/11	-
1	2MA	A	2503	59,1	-	0/3/25/26	0/3/3/3
1	2MG	A	1835	1	-	0/5/27/28	0/3/3/3
34	4OC	a	1402	34	-	1/9/29/30	0/2/2/2
34	5MC	a	967	34	-	0/7/25/26	0/2/2/2
1	OMG	A	2251	57,1	-	0/5/27/28	0/3/3/3
34	MA6	a	1518	34	-	1/7/29/30	0/3/3/3
1	PSU	A	2605	1	-	0/7/25/26	0/2/2/2
1	G7M	A	2069	1	-	2/3/25/26	0/3/3/3
1	PSU	A	1911	1	-	0/7/25/26	0/2/2/2
1	1MG	A	745	1	-	0/3/25/26	0/3/3/3
34	PSU	a	516	34,59	-	0/7/25/26	0/2/2/2
34	MA6	a	1519	34	-	5/7/29/30	0/3/3/3
34	5MC	a	1407	34	-	0/7/25/26	0/2/2/2
1	5MC	A	1962	1	-	0/7/25/26	0/2/2/2
1	6MZ	A	1618	1	-	4/5/27/28	0/3/3/3
1	3TD	A	1915	1	-	2/7/25/26	0/2/2/2
1	PSU	A	746	59,1	-	2/7/25/26	0/2/2/2
1	PSU	A	1917	1	-	0/7/25/26	0/2/2/2
34	2MG	a	1207	34	-	0/5/27/28	0/3/3/3
1	PSU	A	2580	1	-	0/7/25/26	0/2/2/2
34	2MG	a	966	34	-	0/5/27/28	0/3/3/3
1	5MU	A	1939	59,1	-	2/7/25/26	0/2/2/2
34	2MG	a	1516	34	-	0/5/27/28	0/3/3/3

The worst 5 of 85 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
45	l	89	0TD	CB-SB	-17.26	1.64	1.82
45	l	89	0TD	CB-CA	-14.22	1.50	1.54
34	a	527	G7M	C8-N9	7.74	1.47	1.33
1	A	1915	3TD	C6-C5	-7.14	1.27	1.35
34	a	527	G7M	C8-N7	7.08	1.46	1.33

The worst 5 of 138 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1915	3TD	C5-C6-N1	29.84	163.57	122.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1915	3TD	C6-C5-C4	-27.14	100.00	118.19
1	A	2069	G7M	C4'-O4'-C1'	-11.25	99.62	109.92
1	A	1915	3TD	C1'-C5-C4	9.78	132.45	117.61
1	A	1915	3TD	C6-N1-C2	-9.70	97.10	121.80

There are no chirality outliers.

5 of 33 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	1618	6MZ	C5-C6-N6-C9
1	A	1618	6MZ	N1-C6-N6-C9
1	A	1618	6MZ	O4'-C4'-C5'-O5'
1	A	1618	6MZ	C3'-C4'-C5'-O5'
1	A	1915	3TD	O4'-C1'-C5-C4

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 319 ligands modelled in this entry, 319 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-7341. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 192




Y Index: 192




Z Index: 192


6.2.2 Raw map



X Index: 192



Y Index: 192




Z Index: 192


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 198




Y Index: 158




Z Index: 176


6.3.2 Raw map



X Index: 198



Y Index: 177




Z Index: 176


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.06. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 487 nm³; this corresponds to an approximate mass of 440 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.309 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.309 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.24	-	-
Author-provided FSC curve	3.24	3.60	3.31
Unmasked-calculated*	3.89	5.03	3.96

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.89 differs from the reported value 3.24 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-7341 and PDB model 6C4I. Per-residue inclusion information can be found in section 3 on page 17.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.06 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.06).







































































9.4 Atom inclusion ⓘ



At the recommended contour level, 48% of all backbone atoms, 50% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ



















































The table lists the average atom inclusion at the recommended contour level (0.06) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5040	 0.4320
0	 0.6280	 0.4970
1	 0.0960	 0.2600
2	 0.6430	 0.5010
3	 0.5140	 0.4540
4	 0.6840	 0.5350
5	 0.6740	 0.5390
6	 0.6310	 0.5260
A	 0.6860	 0.4760
B	 0.5220	 0.4180
C	 0.6600	 0.5220
D	 0.6160	 0.5120
E	 0.4700	 0.4500
F	 0.2170	 0.3670
G	 0.3540	 0.3980
H	 0.1090	 0.2400
I	 0.0000	 0.0840
J	 0.0030	 0.0930
K	 0.6550	 0.5060
L	 0.5970	 0.5110
M	 0.5750	 0.4820
N	 0.6290	 0.5110
O	 0.6520	 0.5200
P	 0.3740	 0.4260
Q	 0.5730	 0.4910
R	 0.6870	 0.5210
S	 0.5870	 0.4950
T	 0.6160	 0.5060
U	 0.4860	 0.4570
V	 0.4200	 0.4400
W	 0.5540	 0.4630
X	 0.6240	 0.5130
Y	 0.5840	 0.4980
Z	 0.4190	 0.4260
a	 0.4220	 0.4130



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
b	 0.1020	 0.2890
c	 0.1420	 0.3450
d	 0.1090	 0.3380
e	 0.2470	 0.3960
f	 0.3010	 0.3780
g	 0.1670	 0.3090
h	 0.2600	 0.4010
i	 0.0950	 0.3210
j	 0.0560	 0.2800
k	 0.3810	 0.4260
l	 0.3740	 0.4500
m	 0.1510	 0.3300
n	 0.1030	 0.3430
o	 0.3940	 0.4060
p	 0.2310	 0.3920
q	 0.2550	 0.3990
r	 0.2870	 0.3540
s	 0.1240	 0.3480
t	 0.2690	 0.3820
u	 0.1750	 0.3240
v	 0.1910	 0.3170
w	 0.3920	 0.4690
x	 0.4230	 0.3990
y	 0.0290	 0.1220
z	 0.3670	 0.4340