



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 9, 2024 – 01:35 pm GMT

PDB ID : 5CHV
Title : Crystal structure of USP18-ISG15 complex
Authors : Fritz, G.; Basters, A.
Deposited on : 2015-07-10
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION





The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	2511 (3.00-3.00)
Clashscore	180529	2866 (3.00-3.00)
Ramachandran outliers	177936	2778 (3.00-3.00)
Sidechain outliers	177891	2781 (3.00-3.00)
RSRZ outliers	164620	2523 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	323	 81% 13% 6%
1	B	323	 78% 14% 7%
2	C	155	 68% 30% ..
2	D	155	 3% 55% 33% 8% ..

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 7358 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ubl carboxyl-terminal hydrolase 18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	304	Total	C	N	O	S	0	0	0
			2475	1583	430	440	22			
1	B	300	Total	C	N	O	S	0	0	0
			2446	1564	424	436	22			

- Molecule 2 is a protein called Ubiquitin-like protein ISG15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	154	Total	C	N	O	S	0	0	0
			1209	765	213	226	5			
2	D	154	Total	C	N	O	S	0	0	0
			1209	765	213	226	5			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	76	SER	CYS	engineered mutation	UNP Q64339
C	155	AYE	GLY	engineered mutation	UNP Q64339
D	76	SER	CYS	engineered mutation	UNP Q64339
D	155	AYE	GLY	engineered mutation	UNP Q64339

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Zn	0	0
			1	1		
3	B	1	Total	Zn	0	0
			1	1		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		




- Molecule 5 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Cl	0	0
			1	1		
5	B	1	Total	Cl	0	0
			1	1		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	O	0	0
			1	1		
6	C	1	Total	O	0	0
			1	1		
6	B	3	Total	O	0	0
			3	3		

- Molecule 1: Ubl carboxyl-terminal hydrolase 18





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	64.04Å 72.81Å 217.26Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	37.31 – 3.00 37.31 – 3.00	Depositor EDS
% Data completeness (in resolution range)	99.7 (37.31-3.00) 99.7 (37.31-3.00)	Depositor EDS
R_{merge}	0.63	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.06 (at 3.01Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.225 , 0.286 0.230 , 0.288	Depositor DCC
R_{free} test set	1022 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å ²)	56.6	Xtriage
Anisotropy	0.389	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 41.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	7358	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.90% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: AYE, ZN, CL, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.27	0/2532	0.50	0/3430
1	B	0.32	0/2502	0.54	2/3389 (0.1%)
2	C	0.35	0/1224	0.67	0/1651
2	D	0.68	2/1224 (0.2%)	1.22	15/1651 (0.9%)
All	All	0.39	2/7482 (0.0%)	0.71	17/10121 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	D	0	3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	12	GLY	CA-C	6.07	1.61	1.51
2	D	58	LEU	CG-CD2	-5.18	1.32	1.51

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	9	MET	CG-SD-CE	18.82	130.31	100.20
2	D	4	ASP	CB-CG-OD1	11.23	128.41	118.30
2	D	4	ASP	CB-CG-OD2	-9.97	109.33	118.30
2	D	9	MET	CB-CG-SD	9.45	140.76	112.40
2	D	14	ASP	CB-CA-C	-7.14	96.11	110.40
2	D	45	LEU	CB-CG-CD2	7.07	123.01	111.00
2	D	16	LEU	CB-CG-CD2	-7.05	99.01	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	8	LYS	CB-CG-CD	6.96	129.71	111.60
2	D	9	MET	CA-CB-CG	6.91	125.05	113.30
2	D	5	LEU	CB-CG-CD2	5.97	121.14	111.00
2	D	16	LEU	CA-CB-CG	5.87	128.79	115.30
2	D	6	LYS	CA-CB-CG	5.77	126.08	113.40
2	D	14	ASP	CB-CG-OD1	5.61	123.35	118.30
2	D	71	LEU	CA-CB-CG	5.61	128.21	115.30
2	D	45	LEU	CA-CB-CG	-5.55	102.53	115.30
1	B	258	ARG	CA-CB-CG	-5.42	101.48	113.40
1	B	276	ASP	CB-CG-OD2	-5.21	113.61	118.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	D	14	ASP	Mainchain
2	D	8	LYS	Peptide
2	D	9	MET	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2475	0	2483	30	0
1	B	2446	0	2453	33	0
2	C	1209	0	1241	41	0
2	D	1209	0	1241	111	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	5	0	0	0	0
4	B	5	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	1	0	0	0	0
6	B	3	0	0	1	0
6	C	1	0	0	0	0
All	All	7358	0	7418	195	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (195) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:8:LYS:HG3	2:D:14:ASP:HB2	1.17	1.12
2:D:7:VAL:HG22	2:D:69:VAL:HB	1.49	0.94
1:B:212:CYS:O	1:B:217:LYS:NZ	2.03	0.91
2:D:58:LEU:HG	2:D:59:SER:N	1.89	0.88
1:B:258:ARG:NH1	2:D:113:GLU:O	2.07	0.86
2:D:8:LYS:HG3	2:D:14:ASP:CB	2.05	0.85
1:B:225:CYS:SG	1:B:232:LYS:NZ	2.50	0.85
2:D:23:MET:HB3	2:D:58:LEU:HD22	1.58	0.84
2:D:25:VAL:HB	2:D:54:ASP:HA	1.60	0.83
2:D:58:LEU:HG	2:D:59:SER:H	1.42	0.82
1:B:257:ALA:O	1:B:258:ARG:HG2	1.80	0.81
2:D:23:MET:HB3	2:D:58:LEU:CD2	2.13	0.79
2:D:42:GLN:HG2	2:D:74:GLN:O	1.84	0.78
1:A:326:LYS:HD3	1:A:337:TRP:HE1	1.48	0.78
1:B:258:ARG:HH11	2:D:114:GLN:HB2	1.49	0.77
2:D:9:MET:HE3	2:D:13:ASN:HA	1.64	0.77
2:D:52:LEU:HD13	2:D:61:LEU:HD13	1.66	0.77
2:D:6:LYS:HB3	2:D:16:LEU:HB3	1.65	0.77
2:D:47:HIS:HB2	2:D:69:VAL:HA	1.66	0.77
2:C:27:GLU:HA	2:C:30:LYS:HG2	1.66	0.77
2:D:8:LYS:HE2	2:D:14:ASP:HB2	1.65	0.76
2:D:9:MET:HB3	2:D:13:ASN:N	2.00	0.76
1:B:187:LYS:HG2	2:D:125:GLU:HB3	1.66	0.76
1:B:273:GLN:OE1	1:B:320:ARG:NH1	2.18	0.75
2:D:45:LEU:HD11	2:D:52:LEU:H	1.52	0.75
2:D:21:ASN:HA	2:D:58:LEU:HD11	1.69	0.75
2:D:9:MET:HB2	2:D:12:GLY:H	1.52	0.74
2:D:52:LEU:HD22	2:D:61:LEU:HD22	1.70	0.73
2:C:10:LEU:HD11	2:C:70:MET:HB3	1.70	0.73
1:A:184:ARG:HH21	2:C:143:GLN:HB2	1.52	0.72
2:D:45:LEU:CD1	2:D:52:LEU:H	2.01	0.72
2:D:47:HIS:O	2:D:47:HIS:CG	2.43	0.72
2:D:118:ASP:O	2:D:151:ARG:NH1	2.22	0.72
2:D:39:PRO:HD2	2:D:42:GLN:OE1	1.91	0.70
1:B:231:GLU:OE1	1:B:231:GLU:N	2.25	0.70
2:D:26:SER:HB2	2:D:54:ASP:HB2	1.73	0.70
2:D:45:LEU:C	2:D:45:LEU:HD12	2.11	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:10:LEU:N	2:D:70:MET:HE1	2.09	0.68
2:D:9:MET:HB2	2:D:12:GLY:N	2.10	0.67
2:D:8:LYS:O	2:D:71:LEU:N	2.22	0.66
2:D:5:LEU:H	2:D:16:LEU:HD13	1.59	0.66
1:B:326:LYS:HE3	1:B:337:TRP:CE2	2.32	0.65
2:C:120:PHE:HB3	2:C:150:LEU:HD23	1.78	0.64
1:A:192:SER:O	2:C:85:ARG:NH2	2.29	0.64
1:A:255:PHE:CD1	2:C:150:LEU:HD12	2.32	0.64
2:D:7:VAL:HA	2:D:69:VAL:O	1.98	0.63
2:D:47:HIS:HB2	2:D:68:THR:O	1.98	0.63
2:C:3:TRP:CD2	2:C:65:PRO:HD3	2.34	0.63
2:D:23:MET:SD	2:D:28:LEU:HB2	2.39	0.62
1:A:255:PHE:HE1	2:C:87:GLU:HB3	1.64	0.62
1:A:224:MET:HG3	2:C:93:ILE:HG21	1.80	0.62
1:B:254:ARG:NH2	1:B:267:HIS:O	2.32	0.62
2:D:47:HIS:O	2:D:48:GLN:HB3	1.99	0.61
2:C:10:LEU:HD22	2:C:72:VAL:HG22	1.84	0.60
1:A:184:ARG:NH2	2:C:143:GLN:HB2	2.17	0.60
2:D:3:TRP:HH2	2:D:21:ASN:N	1.99	0.60
2:D:48:GLN:OE1	2:D:49:THR:N	2.35	0.60
2:D:3:TRP:HD1	2:D:4:ASP:O	1.84	0.60
2:D:58:LEU:CG	2:D:59:SER:N	2.65	0.60
1:A:62:CYS:H	2:C:155:AYE:H1	1.67	0.59
2:D:8:LYS:HG2	2:D:9:MET:HG2	1.83	0.59
2:D:52:LEU:HD22	2:D:61:LEU:CD2	2.32	0.59
1:A:184:ARG:NH2	2:C:142:PRO:O	2.35	0.59
2:C:57:THR:HG22	2:C:59:SER:N	2.18	0.58
1:B:261:ARG:HH22	1:B:263:GLU:HG3	1.66	0.58
2:D:31:GLN:O	2:D:35:LYS:HG2	2.04	0.58
1:A:211:ARG:HG2	1:A:280:VAL:HA	1.86	0.58
2:C:6:LYS:HA	2:C:16:LEU:HD23	1.85	0.57
2:D:30:LYS:O	2:D:34:GLN:HG3	2.04	0.57
1:B:258:ARG:NH1	2:D:114:GLN:HB2	2.19	0.57
2:D:52:LEU:HD13	2:D:61:LEU:CD1	2.34	0.57
2:D:57:THR:HG22	2:D:59:SER:H	1.69	0.57
2:D:38:VAL:HG11	2:D:73:VAL:HG22	1.86	0.56
1:B:258:ARG:NH1	2:D:113:GLU:C	2.58	0.56
2:D:9:MET:CB	2:D:13:ASN:N	2.66	0.56
1:B:178:CYS:HB3	1:B:229:CYS:HB3	1.88	0.56
2:D:3:TRP:CH2	2:D:21:ASN:N	2.74	0.56
2:D:44:ARG:HB3	2:D:72:VAL:HG22	1.87	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:25:VAL:HG11	2:D:45:LEU:HD22	1.88	0.55
2:C:39:PRO:O	2:C:42:GLN:HB2	2.06	0.55
2:D:23:MET:HG2	2:D:58:LEU:HB3	1.87	0.55
2:D:44:ARG:HD3	2:D:72:VAL:HG21	1.89	0.55
1:A:255:PHE:CD1	2:C:150:LEU:HB2	2.42	0.55
2:D:7:VAL:CG2	2:D:69:VAL:HB	2.30	0.54
1:B:86:PRO:HB3	1:B:91:GLU:HB3	1.88	0.54
2:D:25:VAL:HG11	2:D:45:LEU:CD2	2.37	0.54
2:D:47:HIS:O	2:D:47:HIS:ND1	2.40	0.54
2:D:78:GLU:HG3	2:D:79:PRO:HD2	1.89	0.54
1:A:87:ARG:O	1:A:92:ARG:NH2	2.42	0.53
2:D:70:MET:HE3	2:D:71:LEU:N	2.23	0.53
2:D:103:ASP:O	2:D:107:LYS:HG3	2.09	0.53
2:C:27:GLU:CA	2:C:30:LYS:HG2	2.38	0.53
2:D:44:ARG:HB2	2:D:74:GLN:HE21	1.73	0.53
2:C:3:TRP:CE3	2:C:65:PRO:HD3	2.45	0.52
2:D:24:THR:H	2:D:27:GLU:CD	2.13	0.52
1:A:255:PHE:HD1	2:C:150:LEU:HD12	1.74	0.52
2:D:47:HIS:CB	2:D:69:VAL:HG22	2.39	0.52
1:B:89:ALA:O	1:B:90:GLU:HB3	2.08	0.52
2:D:30:LYS:HG2	2:D:34:GLN:HE21	1.74	0.52
2:D:23:MET:CB	2:D:58:LEU:CD2	2.88	0.51
2:D:48:GLN:CD	2:D:50:ALA:H	2.10	0.51
2:C:10:LEU:CD1	2:C:70:MET:HB3	2.39	0.51
1:B:224:MET:HG3	2:D:93:ILE:HD13	1.93	0.51
1:A:156:ASP:OD1	1:A:157:LEU:N	2.44	0.51
2:D:44:ARG:HG2	2:D:45:LEU:N	2.25	0.51
2:C:30:LYS:O	2:C:34:GLN:HG3	2.12	0.50
1:A:111:ARG:O	1:A:111:ARG:HG3	2.12	0.50
2:C:3:TRP:HB2	2:C:65:PRO:HG3	1.92	0.50
2:C:10:LEU:HD13	2:C:71:LEU:O	2.11	0.49
1:B:149:LYS:NZ	6:B:501:HOH:O	2.45	0.49
1:A:210:LEU:HB3	1:A:280:VAL:HG11	1.94	0.49
1:B:106:LYS:HE3	1:B:115:VAL:HB	1.94	0.49
1:A:255:PHE:CE1	2:C:87:GLU:HB3	2.47	0.49
1:A:196:PHE:HE2	1:A:265:ILE:HD13	1.77	0.49
2:D:9:MET:HB3	2:D:13:ASN:H	1.75	0.49
2:D:10:LEU:HD23	2:D:70:MET:SD	2.52	0.49
1:B:315:TYR:OH	2:D:152:LEU:O	2.24	0.49
2:D:23:MET:O	2:D:57:THR:HA	2.13	0.49
2:D:21:ASN:C	2:D:58:LEU:HD21	2.32	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:47:HIS:O	2:D:48:GLN:CB	2.61	0.48
2:C:27:GLU:O	2:C:31:GLN:HG2	2.13	0.48
2:D:9:MET:HB2	2:D:12:GLY:CA	2.43	0.48
1:A:149:LYS:HD2	1:A:162:GLN:NE2	2.27	0.48
2:D:3:TRP:CH2	2:D:20:THR:C	2.87	0.48
1:B:253:MET:HG2	1:B:255:PHE:CZ	2.49	0.48
2:C:36:ILE:HG13	2:C:38:VAL:HG22	1.96	0.47
2:C:57:THR:HG22	2:C:60:SER:H	1.79	0.47
1:B:175:CYS:HB2	1:B:235:TRP:CZ3	2.50	0.47
2:D:3:TRP:N	2:D:3:TRP:CE3	2.83	0.47
2:C:107:LYS:O	2:C:111(A):GLN:HG3	2.14	0.47
2:D:47:HIS:HB3	2:D:69:VAL:HG22	1.97	0.46
2:D:44:ARG:NH1	2:D:72:VAL:HG11	2.31	0.46
2:C:101:THR:O	2:C:104:THR:OG1	2.30	0.46
1:B:196:PHE:HE2	1:B:265:ILE:HD13	1.80	0.46
2:D:20:THR:O	2:D:58:LEU:HD22	2.16	0.46
1:A:349:ASN:OD1	1:A:351:ARG:HG2	2.16	0.46
2:C:121:TRP:CE2	2:C:149:HIS:HB2	2.51	0.46
1:B:155:THR:HG22	1:B:159:GLU:OE1	2.16	0.45
2:D:45:LEU:HD13	2:D:52:LEU:HG	1.99	0.45
2:D:10:LEU:HG	2:D:70:MET:HE1	1.98	0.45
2:D:14:ASP:OD1	2:D:15:PHE:N	2.49	0.45
2:D:10:LEU:HG	2:D:70:MET:CE	2.47	0.45
1:A:365:LYS:O	1:A:366:THR:OG1	2.33	0.45
2:C:79:PRO:HB3	2:C:97:PHE:CE2	2.52	0.45
2:C:24:THR:OG1	2:C:27:GLU:OE1	2.35	0.45
1:B:297:HIS:HB2	1:B:366:THR:HB	1.98	0.45
2:D:9:MET:CE	2:D:13:ASN:HA	2.42	0.44
2:D:48:GLN:NE2	2:D:50:ALA:O	2.50	0.44
2:C:3:TRP:CZ3	2:C:5:LEU:HB2	2.53	0.44
2:C:29:LYS:HB3	2:C:40:ALA:HB1	2.00	0.44
2:C:21:ASN:O	2:C:57:THR:HG23	2.17	0.44
1:B:258:ARG:HD3	1:B:258:ARG:HA	1.77	0.44
2:D:8:LYS:HG2	2:D:9:MET:CG	2.46	0.44
2:D:10:LEU:H	2:D:70:MET:HE1	1.80	0.43
1:B:255:PHE:CD1	2:D:150:LEU:HB2	2.53	0.43
1:A:134:GLN:OE1	1:A:312:PHE:HA	2.18	0.43
1:A:79:ILE:HG13	1:A:160:ARG:NH2	2.34	0.43
2:D:87:GLU:HG2	2:D:88:ARG:HG2	2.00	0.43
1:B:131:LEU:HG	1:B:132:PHE:CD1	2.53	0.43
2:C:35:LYS:HB3	2:C:35:LYS:HE3	1.84	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:124:LEU:HB3	1:A:129:VAL:HG11	2.01	0.42
2:D:4:ASP:OD1	2:D:4:ASP:C	2.58	0.42
2:D:9:MET:HG3	2:D:12:GLY:H	1.83	0.42
2:D:20:THR:O	2:D:58:LEU:CD2	2.67	0.42
2:D:24:THR:O	2:D:27:GLU:HG3	2.19	0.42
1:A:315:TYR:OH	2:C:152:LEU:O	2.22	0.42
1:B:261:ARG:HH12	1:B:263:GLU:HB2	1.85	0.42
2:D:24:THR:OG1	2:D:27:GLU:HG2	2.20	0.42
2:D:44:ARG:CB	2:D:74:GLN:HE21	2.32	0.42
2:D:47:HIS:CB	2:D:69:VAL:HA	2.44	0.42
1:A:57:ILE:HD12	1:A:121:VAL:HG21	2.01	0.42
1:A:86:PRO:HB2	1:A:92:ARG:HG3	2.02	0.42
2:C:107:LYS:HG2	2:C:117:GLU:OE2	2.19	0.42
1:A:279:GLN:O	1:A:280:VAL:HB	2.20	0.42
2:D:57:THR:HG22	2:D:59:SER:N	2.35	0.42
1:B:57:ILE:HG22	1:B:131:LEU:HD21	2.02	0.41
2:D:8:LYS:HE2	2:D:14:ASP:CB	2.44	0.41
2:D:70:MET:HE2	2:D:70:MET:HB3	1.86	0.41
2:D:121:TRP:CE2	2:D:149:HIS:HB2	2.55	0.41
2:D:3:TRP:CH2	2:D:21:ASN:CG	2.93	0.41
2:D:41:PHE:CZ	2:D:136:GLY:HA3	2.55	0.41
1:B:245:PRO:O	1:B:298:TYR:OH	2.26	0.41
2:D:8:LYS:CE	2:D:9:MET:SD	3.09	0.41
1:A:185:ARG:HH21	1:A:242:THR:HG21	1.85	0.41
1:B:257:ALA:C	1:B:258:ARG:HG2	2.35	0.41
2:D:6:LYS:HE3	2:D:6:LYS:HB2	1.75	0.41
2:D:45:LEU:HD11	2:D:52:LEU:N	2.28	0.41
2:D:26:SER:CB	2:D:54:ASP:HB2	2.47	0.41
2:D:8:LYS:CD	2:D:9:MET:SD	3.09	0.41
2:C:140:LEU:C	2:C:141:LYS:HD2	2.41	0.40
1:A:178:CYS:HB3	1:A:229:CYS:HB3	2.03	0.40
2:D:19:VAL:HB	2:D:23:MET:CE	2.51	0.40
2:D:48:GLN:O	2:D:49:THR:OG1	2.30	0.40
1:B:80:LEU:HD21	1:B:100:LEU:HB3	2.04	0.40
2:C:8:LYS:O	2:C:71:LEU:N	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	300/323 (93%)	281 (94%)	17 (6%)	2 (1%)	19	54
1	B	296/323 (92%)	281 (95%)	12 (4%)	3 (1%)	13	46
2	C	151/155 (97%)	146 (97%)	4 (3%)	1 (1%)	19	54
2	D	151/155 (97%)	140 (93%)	6 (4%)	5 (3%)	3	18
All	All	898/956 (94%)	848 (94%)	39 (4%)	11 (1%)	11	41

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	48	GLN
1	A	311	ASP
1	B	58	GLY
1	B	324	ASP
2	D	46	ALA
2	D	76	SER
2	D	23	MET
2	C	49	THR
1	B	90	GLU
1	A	51	LEU
2	D	9	MET

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	280/297 (94%)	279 (100%)	1 (0%)	89	95
1	B	277/297 (93%)	275 (99%)	2 (1%)	81	91
2	C	137/138 (99%)	135 (98%)	2 (2%)	60	83
2	D	137/138 (99%)	127 (93%)	10 (7%)	11	39
All	All	831/870 (96%)	816 (98%)	15 (2%)	54	80

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	281	LEU
2	C	8	LYS
2	C	51	VAL
1	B	189	LEU
1	B	324	ASP
2	D	4	ASP
2	D	9	MET
2	D	16	LEU
2	D	27	GLU
2	D	36	ILE
2	D	47	HIS
2	D	48	GLN
2	D	54	ASP
2	D	70	MET
2	D	72	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	162	GLN
1	A	259	ASN
1	A	279	GLN
2	C	34	GLN
2	C	143	GLN
2	D	34	GLN
2	D	74	GLN
2	D	119	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	SO4	A	402	-	4,4,4	0.14	0	6,6,6	0.07	0
4	SO4	B	402	-	4,4,4	0.13	0	6,6,6	0.05	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	304/323 (94%)	-0.29	0 100 100	21, 48, 87, 114	0
1	B	300/323 (92%)	-0.23	1 (0%) 90 81	22, 47, 96, 141	0
2	C	153/155 (98%)	-0.08	0 100 100	26, 64, 98, 131	0
2	D	153/155 (98%)	0.17	5 (3%) 49 29	22, 70, 166, 189	0
All	All	910/956 (95%)	-0.16	6 (0%) 84 68	21, 51, 130, 189	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	60	SER	2.9
2	D	52	LEU	2.5
2	D	63	LEU	2.5
2	D	36	ILE	2.3
1	B	235	TRP	2.0
2	D	51	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	SO4	B	402	5/5	0.84	0.10	40,53,82,84	0
4	SO4	A	402	5/5	0.92	0.09	34,43,74,75	0
3	ZN	B	401	1/1	0.93	0.09	129,129,129,129	0
5	CL	B	403	1/1	0.94	0.06	65,65,65,65	0
3	ZN	A	401	1/1	0.96	0.04	57,57,57,57	0
5	CL	A	403	1/1	0.97	0.04	46,46,46,46	0

6.5 Other polymers [i](#)

There are no such residues in this entry.