



## wwPDB EM Validation Summary Report ⓘ

Apr 1, 2025 – 09:10 PM EDT

PDB ID : 8CXB / pdb\_00008cxb  
EMDB ID : EMD-24276  
Title : Human PA28-20S (PA28-4a3b)  
Authors : Zhao, J.; Makhija, S.; Huang, B.; Cheng, Y.  
Deposited on : 2022-05-20  
Resolution : 2.90 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev117  
MolProbity : 4.02b-467  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : **FAILED**  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.42


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Mol	Chain	Length	Quality of chain
1	c	239	85% 10%
1	e	239	84% 5% 11%
1	g	239	89% 10%
2	d	249	81% 15%
2	f	249	78% 18%
2	h	249	80% 5% 15%
2	i	249	78% 6% 15%
3	A	234	93% 5%
3	O	234	94% 5%
4	B	261	89% 7% 5%

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	P	261	 92% 5% .
5	C	248	 89% 6% 5%
5	Q	248	 90% 5% 5%
6	D	241	 95% 5%
6	R	241	 91% 7% .
7	E	263	 86% 5% 9%
7	S	263	 85% 5% 10%
8	F	255	 87% 7% 6%
8	T	255	 89% 5% 6%
9	G	246	 89% 8% .
9	U	246	 93% 6% .
10	H	277	 74% 5% 20%
10	V	277	 74% 6% 20%
11	I	205	 89% 10%
11	W	205	 93% 7%
12	J	201	 93% 5% .
12	X	201	 92% 5% .
13	K	263	 72% . 24%
13	Y	263	 70% 6% 24%
14	L	241	 83% 5% 12%
14	Z	241	 85% . 12%
15	M	264	 77% . 19%
15	a	264	 76% 6% 19%
16	N	239	 81% . 15%
16	b	239	 82% . 15%

## 2 Entry composition

There are 16 unique types of molecules in this entry. The entry contains 57967 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome activator complex subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	c	214	Total	C	N	O	S	0	0
			1666	1080	281	301	4		
1	e	213	Total	C	N	O	S	0	0
			1661	1077	280	300	4		
1	g	214	Total	C	N	O	S	0	0
			1666	1080	281	301	4		

- Molecule 2 is a protein called Proteasome activator complex subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	d	211	Total	C	N	O	S	0	0
			1634	1054	281	295	4		
2	f	204	Total	C	N	O	S	0	0
			1590	1025	274	287	4		
2	h	211	Total	C	N	O	S	0	0
			1636	1058	283	289	6		
2	i	211	Total	C	N	O	S	0	0
			1630	1053	282	289	6		

- Molecule 3 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	A	229	Total	C	N	O	S	0	0
			1696	1101	294	295	6		
3	O	229	Total	C	N	O	S	0	0
			1678	1089	290	293	6		

- Molecule 4 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	B	249	Total	C	N	O	S	0	0
			1793	1146	318	319	10		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf	Trace
4	P	251	Total	C	N	O	S	0	0
			1843	1174	328	331	10		

- Molecule 5 is a protein called Proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	C	235	Total	C	N	O	S	0	0
			1703	1082	314	302	5		
5	Q	236	Total	C	N	O	S	0	0
			1723	1095	320	303	5		

- Molecule 6 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	D	241	Total	C	N	O	S	0	0
			1751	1116	301	322	12		
6	R	235	Total	C	N	O	S	0	0
			1693	1076	292	314	11		

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	E	239	Total	C	N	O	S	0	0
			1810	1144	331	324	11		
7	S	237	Total	C	N	O	S	0	0
			1759	1119	329	301	10		

- Molecule 8 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	F	240	Total	C	N	O	S	0	0
			1785	1145	313	316	11		
8	T	239	Total	C	N	O	S	0	0
			1784	1143	314	317	10		

- Molecule 9 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	G	239	Total	C	N	O	S	0	0
			1769	1133	305	319	12		
9	U	242	Total	C	N	O	S	0	0
			1789	1146	307	323	13		

- Molecule 10 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	H	222	Total	C	N	O	S	0	0
			1609	1023	276	299	11		
10	V	222	Total	C	N	O	S	0	0
			1612	1023	274	304	11		

- Molecule 11 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	I	204	Total	C	N	O	S	0	0
			1564	1003	264	278	19		
11	W	204	Total	C	N	O	S	0	0
			1559	1000	264	277	18		

- Molecule 12 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	J	197	Total	C	N	O	S	0	0
			1544	998	265	272	9		
12	X	196	Total	C	N	O	S	0	0
			1535	990	264	273	8		

- Molecule 13 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	K	200	Total	C	N	O	S	0	0
			1525	968	273	275	9		
13	Y	200	Total	C	N	O	S	0	0
			1532	970	272	281	9		

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	L	213	Total	C	N	O	S	0	0
			1599	1022	279	288	10		
14	Z	213	Total	C	N	O	S	0	0
			1593	1022	281	280	10		

- Molecule 15 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	M	215	Total	C	N	O	S	0	0
			1643	1043	289	299	12		
15	a	215	Total	C	N	O	S	0	0
			1624	1034	288	290	12		



- Molecule 16 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	N	202	Total	C	N	O	S	0	0
			1491	939	258	282	12		
16	b	202	Total	C	N	O	S	0	0
			1478	934	258	274	12		







- Molecule 2: Proteasome activator complex subunit 1



- Molecule 2: Proteasome activator complex subunit 1




- Molecule 3: Proteasome subunit alpha type-2



- Molecule 3: Proteasome subunit alpha type-2



- Molecule 4: Proteasome subunit alpha type-4





- Molecule 4: Proteasome subunit alpha type-4






- Molecule 5: Proteasome subunit alpha type-7



- Molecule 5: Proteasome subunit alpha type-7




- Molecule 6: Proteasome subunit alpha type-5




- Molecule 6: Proteasome subunit alpha type-5




- Molecule 7: Proteasome subunit alpha type-1



- Molecule 7: Proteasome subunit alpha type-1



- Molecule 8: Proteasome subunit alpha type-3





- Molecule 8: Proteasome subunit alpha type-3

Chain T: 89% 5% 6%



- Molecule 9: Proteasome subunit alpha type-6

Chain G: 89% 8% .




- Molecule 9: Proteasome subunit alpha type-6

Chain U: 93% 6% .




- Molecule 10: Proteasome subunit beta type-7

Chain H: 74% 5% 20%



- Molecule 10: Proteasome subunit beta type-7

Chain V: 74% 6% 20%



- Molecule 11: Proteasome subunit beta type-3

Chain I: 89% 10%



- Molecule 11: Proteasome subunit beta type-3

Chain W: 93% 7%




- Molecule 12: Proteasome subunit beta type-2

Chain J: 93% 5% .




- Molecule 12: Proteasome subunit beta type-2

Chain X: 92% 5% .




- Molecule 13: Proteasome subunit beta type-5

Chain K: 72% . 24%




- Molecule 13: Proteasome subunit beta type-5

Chain Y: 70% 6% 24%





- Molecule 14: Proteasome subunit beta type-1

Chain L: 83% 5% 12%





- Molecule 14: Proteasome subunit beta type-1

Chain Z:  85% 12%




- Molecule 15: Proteasome subunit beta type-4

Chain M:  77% 19%





- Molecule 15: Proteasome subunit beta type-4

Chain a:  76% 6% 19%





- Molecule 16: Proteasome subunit beta type-6

Chain N:  81% 15%



- Molecule 16: Proteasome subunit beta type-6

Chain b:  82% 15%



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	135937	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI POLARA 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	43	Depositor
Minimum defocus (nm)	1300	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	c	0.54	0/1700	0.78	0/2310
1	e	0.54	0/1695	0.79	0/2303
1	g	0.54	0/1700	0.76	0/2310
2	d	0.52	0/1665	0.82	1/2258 (0.0%)
2	f	0.53	0/1620	0.80	0/2196
2	h	0.52	0/1667	0.79	0/2258
2	i	0.53	0/1661	0.78	0/2251
3	A	0.63	0/1735	0.86	1/2362 (0.0%)
3	O	0.61	0/1717	0.83	1/2339 (0.0%)
4	B	0.61	0/1821	0.87	1/2477 (0.0%)
4	P	0.59	0/1872	0.83	0/2541
5	C	0.61	0/1729	0.85	1/2356 (0.0%)
5	Q	0.59	0/1749	0.82	0/2380
6	D	0.65	0/1780	0.86	1/2417 (0.0%)
6	R	0.61	0/1720	0.79	0/2336
7	E	0.64	0/1845	0.84	0/2504
7	S	0.63	0/1794	0.86	0/2437
8	F	0.64	0/1820	0.82	0/2464
8	T	0.64	0/1819	0.81	1/2463 (0.0%)
9	G	0.62	0/1802	0.86	1/2449 (0.0%)
9	U	0.59	0/1823	0.82	0/2478
10	H	0.65	0/1636	0.91	2/2223 (0.1%)
10	V	0.64	0/1639	0.85	1/2228 (0.0%)
11	I	0.61	0/1593	0.87	0/2149
11	W	0.62	0/1588	0.88	0/2144
12	J	0.60	0/1577	0.86	0/2138
12	X	0.61	0/1567	0.84	0/2124
13	K	0.65	0/1556	0.86	0/2104
13	Y	0.63	0/1563	0.84	0/2115
14	L	0.66	0/1629	0.88	2/2201 (0.1%)
14	Z	0.65	0/1623	0.87	1/2192 (0.0%)
15	M	0.63	0/1676	0.87	0/2272
15	a	0.66	0/1657	0.86	1/2250 (0.0%)
16	N	0.67	0/1517	0.86	0/2056

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
16	b	0.65	0/1504	0.86	1/2038 (0.0%)
All	All	0.61	0/59059	0.84	16/80123 (0.0%)

There are no bond length outliers.

The worst 5 of 16 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	H	188	PRO	CA-N-CD	-7.59	100.87	111.50
14	Z	101	PHE	CB-CA-C	7.23	124.87	110.40
2	d	157	PHE	CB-CA-C	-6.87	96.67	110.40
5	C	12	PRO	N-CA-C	-6.79	94.46	112.10
10	H	188	PRO	N-CA-CB	-6.50	95.45	102.60

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	c	210/239 (88%)	209 (100%)	1 (0%)	0	100	100
1	e	209/239 (87%)	206 (99%)	2 (1%)	1 (0%)	25	56
1	g	210/239 (88%)	210 (100%)	0	0	100	100
2	d	207/249 (83%)	204 (99%)	3 (1%)	0	100	100
2	f	200/249 (80%)	197 (98%)	3 (2%)	0	100	100
2	h	207/249 (83%)	204 (99%)	2 (1%)	1 (0%)	25	56

*Continued on next page...*



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	i	207/249 (83%)	205 (99%)	2 (1%)	0	100	100
3	A	227/234 (97%)	224 (99%)	3 (1%)	0	100	100
3	O	227/234 (97%)	226 (100%)	1 (0%)	0	100	100
4	B	247/261 (95%)	241 (98%)	6 (2%)	0	100	100
4	P	249/261 (95%)	245 (98%)	3 (1%)	1 (0%)	30	60
5	C	233/248 (94%)	230 (99%)	3 (1%)	0	100	100
5	Q	234/248 (94%)	232 (99%)	2 (1%)	0	100	100
6	D	239/241 (99%)	231 (97%)	8 (3%)	0	100	100
6	R	233/241 (97%)	232 (100%)	1 (0%)	0	100	100
7	E	237/263 (90%)	233 (98%)	4 (2%)	0	100	100
7	S	235/263 (89%)	230 (98%)	5 (2%)	0	100	100
8	F	238/255 (93%)	238 (100%)	0	0	100	100
8	T	237/255 (93%)	236 (100%)	1 (0%)	0	100	100
9	G	237/246 (96%)	232 (98%)	4 (2%)	1 (0%)	30	60
9	U	240/246 (98%)	239 (100%)	1 (0%)	0	100	100
10	H	220/277 (79%)	215 (98%)	3 (1%)	2 (1%)	14	43
10	V	220/277 (79%)	217 (99%)	1 (0%)	2 (1%)	14	43
11	I	202/205 (98%)	197 (98%)	5 (2%)	0	100	100
11	W	202/205 (98%)	198 (98%)	3 (2%)	1 (0%)	25	56
12	J	195/201 (97%)	191 (98%)	3 (2%)	1 (0%)	25	56
12	X	194/201 (96%)	189 (97%)	4 (2%)	1 (0%)	25	56
13	K	198/263 (75%)	196 (99%)	2 (1%)	0	100	100
13	Y	198/263 (75%)	196 (99%)	2 (1%)	0	100	100
14	L	211/241 (88%)	209 (99%)	2 (1%)	0	100	100
14	Z	211/241 (88%)	208 (99%)	3 (1%)	0	100	100
15	M	213/264 (81%)	209 (98%)	3 (1%)	1 (0%)	25	56
15	a	213/264 (81%)	205 (96%)	7 (3%)	1 (0%)	25	56
16	N	200/239 (84%)	196 (98%)	4 (2%)	0	100	100
16	b	200/239 (84%)	197 (98%)	3 (2%)	0	100	100
All	All	7640/8589 (89%)	7527 (98%)	100 (1%)	13 (0%)	45	73

5 of 13 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	e	236	PRO
10	H	171	SER
10	H	188	PRO
10	V	171	SER
2	h	247	MET

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	c	172/212 (81%)	162 (94%)	10 (6%)	17	46
1	e	172/212 (81%)	161 (94%)	11 (6%)	14	41
1	g	172/212 (81%)	170 (99%)	2 (1%)	67	89
2	d	168/224 (75%)	160 (95%)	8 (5%)	21	54
2	f	166/224 (74%)	156 (94%)	10 (6%)	16	44
2	h	170/224 (76%)	158 (93%)	12 (7%)	12	36
2	i	168/224 (75%)	152 (90%)	16 (10%)	7	22
3	A	158/191 (83%)	147 (93%)	11 (7%)	12	36
3	O	155/191 (81%)	148 (96%)	7 (4%)	23	56
4	B	159/221 (72%)	142 (89%)	17 (11%)	5	17
4	P	171/221 (77%)	160 (94%)	11 (6%)	14	41
5	C	152/211 (72%)	139 (91%)	13 (9%)	8	27
5	Q	157/211 (74%)	145 (92%)	12 (8%)	11	32
6	D	173/203 (85%)	163 (94%)	10 (6%)	17	46
6	R	164/203 (81%)	148 (90%)	16 (10%)	6	21
7	E	181/224 (81%)	168 (93%)	13 (7%)	12	35
7	S	169/224 (75%)	156 (92%)	13 (8%)	10	31
8	F	167/212 (79%)	150 (90%)	17 (10%)	6	19
8	T	168/212 (79%)	157 (94%)	11 (6%)	14	40
9	G	175/210 (83%)	157 (90%)	18 (10%)	6	19

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
9	U	177/210 (84%)	163 (92%)	14 (8%)	10	30
10	H	165/228 (72%)	148 (90%)	17 (10%)	6	19
10	V	166/228 (73%)	152 (92%)	14 (8%)	9	28
11	I	164/174 (94%)	143 (87%)	21 (13%)	3	11
11	W	162/174 (93%)	149 (92%)	13 (8%)	10	30
12	J	156/171 (91%)	146 (94%)	10 (6%)	14	41
12	X	156/171 (91%)	146 (94%)	10 (6%)	14	41
13	K	146/202 (72%)	135 (92%)	11 (8%)	11	33
13	Y	147/202 (73%)	130 (88%)	17 (12%)	4	14
14	L	161/199 (81%)	151 (94%)	10 (6%)	15	43
14	Z	160/199 (80%)	152 (95%)	8 (5%)	20	52
15	M	166/215 (77%)	156 (94%)	10 (6%)	16	44
15	a	160/215 (74%)	147 (92%)	13 (8%)	9	29
16	N	149/181 (82%)	140 (94%)	9 (6%)	16	44
16	b	145/181 (80%)	139 (96%)	6 (4%)	26	60
All	All	5717/7216 (79%)	5296 (93%)	421 (7%)	14	34

5 of 421 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	O	135	ILE
8	T	41	CYS
2	h	159	LEU
4	P	132	VAL
6	R	58	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 77 such sidechains are listed below:

Mol	Chain	Res	Type
14	Z	131	GLN
2	i	191	GLN
14	Z	157	ASN
2	h	191	GLN
1	g	126	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Map visualisation

This section contains visualisations of the EMDB entry EMD-24276. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections

This section was not generated.

### 6.2 Central slices

This section was not generated.

### 6.3 Largest variance slices

This section was not generated.

### 6.4 Orthogonal standard-deviation projections (False-color)

This section was not generated.

### 6.5 Orthogonal surface views

This section was not generated.

### 6.6 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis ⓘ

This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution ⓘ

This section was not generated.

### 7.2 Volume estimate versus contour level ⓘ

This section was not generated.

### 7.3 Rotationally averaged power spectrum ⓘ

This section was not generated. The rotationally averaged power spectrum had issues being displayed.

## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit

This section was not generated.