



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 13, 2024 – 10:14 AM EDT

PDB ID : 4D9F  
Title : D-Cysteine desulphydrase from Salmonella typhimurium complexed with D-cycloserine (DCS)  
Authors : Bharath, S.R.; Shveta, B.; Rajesh, K.H.; Savithri, H.S.; Murthy, M.R.N.  
Deposited on : 2012-01-11  
Resolution : 2.61 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	2.36.2
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.61 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3797 (2.64-2.60)
Clashscore	141614	4168 (2.64-2.60)
Ramachandran outliers	138981	4093 (2.64-2.60)
Sidechain outliers	138945	4093 (2.64-2.60)
RSRZ outliers	127900	3731 (2.64-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	342	<div><div></div><div>86%</div><div>9%</div><div>.</div><div>.</div></div>
1	B	342	<div><div></div><div>87%</div><div>6%</div><div>.</div><div>6%</div></div>
1	C	342	<div><div>4%</div><div></div><div>84%</div><div>7%</div><div>.</div><div>7%</div></div>
1	D	342	<div><div></div><div>85%</div><div>10%</div><div>.</div><div>.</div></div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	DCS	B	402	-	-	X	-
3	DCS	C	401	-	-	X	-

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 9876 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called D-Cysteine desulfhydrase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	328	Total	C	N	O	S	0	0	0
			2437	1553	413	462	9			
1	B	320	Total	C	N	O	S	0	0	0
			2364	1510	396	449	9			
1	C	317	Total	C	N	O	S	0	0	0
			2348	1499	394	446	9			
1	D	328	Total	C	N	O	S	0	0	0
			2437	1553	413	462	9			

There are 56 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-13	MET	-	expression tag	UNP Q8ZNT7
A	-12	ARG	-	expression tag	UNP Q8ZNT7
A	-11	GLY	-	expression tag	UNP Q8ZNT7
A	-10	SER	-	expression tag	UNP Q8ZNT7
A	-9	HIS	-	expression tag	UNP Q8ZNT7
A	-8	HIS	-	expression tag	UNP Q8ZNT7
A	-7	HIS	-	expression tag	UNP Q8ZNT7
A	-6	HIS	-	expression tag	UNP Q8ZNT7
A	-5	HIS	-	expression tag	UNP Q8ZNT7
A	-4	HIS	-	expression tag	UNP Q8ZNT7
A	-3	GLY	-	expression tag	UNP Q8ZNT7
A	-2	MET	-	expression tag	UNP Q8ZNT7
A	-1	ALA	-	expression tag	UNP Q8ZNT7
A	0	SER	-	expression tag	UNP Q8ZNT7
B	-13	MET	-	expression tag	UNP Q8ZNT7
B	-12	ARG	-	expression tag	UNP Q8ZNT7
B	-11	GLY	-	expression tag	UNP Q8ZNT7
B	-10	SER	-	expression tag	UNP Q8ZNT7
B	-9	HIS	-	expression tag	UNP Q8ZNT7
B	-8	HIS	-	expression tag	UNP Q8ZNT7
B	-7	HIS	-	expression tag	UNP Q8ZNT7

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	-6	HIS	-	expression tag	UNP Q8ZNT7
B	-5	HIS	-	expression tag	UNP Q8ZNT7
B	-4	HIS	-	expression tag	UNP Q8ZNT7
B	-3	GLY	-	expression tag	UNP Q8ZNT7
B	-2	MET	-	expression tag	UNP Q8ZNT7
B	-1	ALA	-	expression tag	UNP Q8ZNT7
B	0	SER	-	expression tag	UNP Q8ZNT7
C	-13	MET	-	expression tag	UNP Q8ZNT7
C	-12	ARG	-	expression tag	UNP Q8ZNT7
C	-11	GLY	-	expression tag	UNP Q8ZNT7
C	-10	SER	-	expression tag	UNP Q8ZNT7
C	-9	HIS	-	expression tag	UNP Q8ZNT7
C	-8	HIS	-	expression tag	UNP Q8ZNT7
C	-7	HIS	-	expression tag	UNP Q8ZNT7
C	-6	HIS	-	expression tag	UNP Q8ZNT7
C	-5	HIS	-	expression tag	UNP Q8ZNT7
C	-4	HIS	-	expression tag	UNP Q8ZNT7
C	-3	GLY	-	expression tag	UNP Q8ZNT7
C	-2	MET	-	expression tag	UNP Q8ZNT7
C	-1	ALA	-	expression tag	UNP Q8ZNT7
C	0	SER	-	expression tag	UNP Q8ZNT7
D	-13	MET	-	expression tag	UNP Q8ZNT7
D	-12	ARG	-	expression tag	UNP Q8ZNT7
D	-11	GLY	-	expression tag	UNP Q8ZNT7
D	-10	SER	-	expression tag	UNP Q8ZNT7
D	-9	HIS	-	expression tag	UNP Q8ZNT7
D	-8	HIS	-	expression tag	UNP Q8ZNT7
D	-7	HIS	-	expression tag	UNP Q8ZNT7
D	-6	HIS	-	expression tag	UNP Q8ZNT7
D	-5	HIS	-	expression tag	UNP Q8ZNT7
D	-4	HIS	-	expression tag	UNP Q8ZNT7
D	-3	GLY	-	expression tag	UNP Q8ZNT7
D	-2	MET	-	expression tag	UNP Q8ZNT7
D	-1	ALA	-	expression tag	UNP Q8ZNT7
D	0	SER	-	expression tag	UNP Q8ZNT7

- Molecule 2 is BENZAMIDINE (three-letter code: BEN) (formula: C<sub>7</sub>H<sub>8</sub>N<sub>2</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	N	0	0
			9	7	2		
2	B	1	Total	C	N	0	0
			9	7	2		
2	D	1	Total	C	N	0	0
			9	7	2		

- Molecule 3 is D-[3-HYDROXY-2-METHYL-5-PHOSPHONOOXYMETHYL-PYRIDIN-4-YLMETHYL]-N,O-CYCLOSERYLAMIDE (three-letter code: DCS) (formula:  $C_{11}H_{16}N_3O_7P$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			22	11	3	7	1		
3	B	1	Total	C	N	O	P	0	0
			22	11	3	7	1		
3	C	1	Total	C	N	O	P	0	0
			22	11	3	7	1		
3	D	1	Total	C	N	O	P	0	0
			22	11	3	7	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	53	Total	O	0	0
			53	53		
4	B	39	Total	O	0	0
			39	39		
4	C	29	Total	O	0	0
			29	29		
4	D	54	Total	O	0	0
			54	54		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: D-Cysteine desulphydrase




#### • Molecule 1: D-Cysteine desulphydrase



#### • Molecule 1: D-Cysteine desulphydrase



#### • Molecule 1: D-Cysteine desulphydrase





M269	
V272	
L275	
L283	
Y287	
K290	
A291	
M292	
F304	
H314	
T315	
G316	
V328	

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	66.16Å 167.51Å 68.77Å 90.00° 121.28° 90.00°	Depositor
Resolution (Å)	58.74 – 2.61 58.74 – 2.61	Depositor EDS
% Data completeness (in resolution range)	84.8 (58.74-2.61) 84.8 (58.74-2.61)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.87 (at 2.61Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, $R_{free}$	0.228 , 0.283 0.227 , 0.282	Depositor DCC
$R_{free}$ test set	1638 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	32.2	Xtriage
Anisotropy	0.197	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 7.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.037 for l,k,-h-l 0.037 for -h-l,k,h 0.046 for h,-k,-h-l 0.049 for l,-k,h 0.449 for -h-l,-k,l	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	9876	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.64% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BEN, DCS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.37	0/2485	0.50	0/3390
1	B	0.36	0/2408	0.48	0/3283
1	C	0.36	0/2392	0.48	0/3260
1	D	0.37	1/2485 (0.0%)	0.50	0/3390
All	All	0.37	1/9770 (0.0%)	0.49	0/13323

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	253	TRP	CD2-CE2	5.04	1.47	1.41

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2437	0	2442	26	0
1	B	2364	0	2355	18	0
1	C	2348	0	2347	21	0
1	D	2437	0	2442	25	0
2	A	9	0	7	0	0
2	B	9	0	7	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	9	0	7	0	0
3	A	22	0	13	6	0
3	B	22	0	13	7	0
3	C	22	0	13	7	0
3	D	22	0	13	6	0
4	A	53	0	0	0	0
4	B	39	0	0	0	0
4	C	29	0	0	0	0
4	D	54	0	0	0	0
All	All	9876	0	9659	98	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:258:ALA:HB3	1:A:259:PRO:HD3	1.42	1.02
1:C:258:ALA:HB3	1:C:259:PRO:HD3	1.49	0.94
1:B:258:ALA:HB3	1:B:259:PRO:HD3	1.49	0.93
1:D:258:ALA:CB	1:D:259:PRO:HD3	1.97	0.91
1:D:258:ALA:HB3	1:D:259:PRO:HD3	1.50	0.90
1:D:51:LYS:HE3	3:D:402:DCS:H4A1	1.61	0.81
1:A:51:LYS:HE3	3:A:402:DCS:H4A1	1.64	0.80
1:A:258:ALA:CB	1:A:259:PRO:HD3	2.12	0.78
1:B:51:LYS:CE	3:B:402:DCS:H4A1	2.15	0.77
1:D:258:ALA:HB3	1:D:259:PRO:CD	2.15	0.75
1:D:258:ALA:CB	1:D:259:PRO:CD	2.68	0.71
3:A:402:DCS:N	3:A:402:DCS:H5A1	2.08	0.69
1:B:73:ALA:HB2	1:B:139:LEU:HD11	1.77	0.67
1:C:51:LYS:CE	3:C:401:DCS:H4A1	2.24	0.66
1:B:314:HIS:HD2	1:B:316:GLY:H	1.43	0.65
1:D:73:ALA:HB2	1:D:139:LEU:HD11	1.78	0.63
1:D:51:LYS:CE	3:D:402:DCS:H4A1	2.30	0.62
1:A:45:ILE:HB	1:A:52:LEU:HD21	1.81	0.62
1:A:51:LYS:CE	3:A:402:DCS:H4A1	2.30	0.62
3:D:402:DCS:HN	3:D:402:DCS:H5A1	1.66	0.61
1:C:51:LYS:HE2	3:C:401:DCS:H4A1	1.83	0.61
1:D:258:ALA:HB1	1:D:259:PRO:HD3	1.83	0.59
1:D:258:ALA:HB2	1:D:265:ASN:HB3	1.83	0.59
1:C:258:ALA:CB	1:C:259:PRO:HD3	2.30	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:287:TYR:OH	3:D:402:DCS:HA	2.02	0.58
1:A:258:ALA:HB3	1:A:265:ASN:HB3	1.86	0.58
1:B:51:LYS:HE3	3:B:402:DCS:H4A1	1.85	0.58
3:A:402:DCS:H5A1	3:A:402:DCS:HN	1.67	0.58
1:A:258:ALA:HB3	1:A:259:PRO:CD	2.26	0.57
1:C:54:LYS:NZ	3:C:401:DCS:O2P	2.35	0.57
1:C:73:ALA:HB2	1:C:139:LEU:HD11	1.85	0.57
1:C:67:ALA:HA	1:C:152:ARG:HB3	1.87	0.57
1:A:258:ALA:CB	1:A:265:ASN:HB3	2.36	0.56
1:B:258:ALA:CB	1:B:259:PRO:HD3	2.29	0.56
1:C:12:LEU:HG	1:C:60:ALA:HB2	1.88	0.56
1:A:73:ALA:HB2	1:A:139:LEU:HD11	1.88	0.56
1:B:71:ILE:HG12	1:B:96:VAL:HB	1.88	0.56
1:A:314:HIS:HD2	1:A:316:GLY:H	1.52	0.55
1:A:228:LYS:HE2	1:A:250:ILE:O	2.07	0.54
1:D:71:ILE:HG12	1:D:96:VAL:HB	1.89	0.54
3:D:402:DCS:H5A1	3:D:402:DCS:N	2.23	0.54
1:A:258:ALA:CB	1:A:259:PRO:CD	2.85	0.54
1:D:45:ILE:HB	1:D:52:LEU:HD21	1.90	0.53
1:B:287:TYR:OH	3:B:402:DCS:HA	2.09	0.53
1:C:71:ILE:HG12	1:C:96:VAL:HB	1.91	0.52
3:C:401:DCS:H5A1	3:C:401:DCS:HN	1.73	0.52
1:A:287:TYR:OH	3:A:402:DCS:HA	2.10	0.52
1:D:258:ALA:CB	1:D:265:ASN:HB3	2.39	0.51
1:D:275:LEU:HD13	1:D:292:MET:HG2	1.92	0.51
1:B:51:LYS:HE2	3:B:402:DCS:H4A1	1.90	0.51
3:B:402:DCS:H5A1	3:B:402:DCS:N	2.27	0.50
1:A:275:LEU:HD13	1:A:292:MET:HG2	1.93	0.50
1:D:314:HIS:HD2	1:D:316:GLY:H	1.58	0.49
1:D:51:LYS:HG3	1:D:80:HIS:HA	1.95	0.49
1:A:71:ILE:HG12	1:A:96:VAL:HB	1.95	0.48
1:C:51:LYS:HG3	1:C:80:HIS:HA	1.93	0.48
1:D:54:LYS:NZ	3:D:402:DCS:O2P	2.45	0.48
1:A:54:LYS:HZ3	1:A:197:GLY:HA3	1.77	0.48
1:A:68:ASP:HA	1:A:93:LEU:HD22	1.96	0.48
1:D:228:LYS:HG2	1:D:252:LEU:HD12	1.95	0.48
1:A:258:ALA:H	1:A:265:ASN:HD22	1.61	0.48
1:B:7:THR:C	1:B:9:PHE:H	2.17	0.47
1:C:287:TYR:OH	3:C:401:DCS:HA	2.15	0.47
3:B:402:DCS:H5A1	3:B:402:DCS:HN	1.80	0.47
1:B:73:ALA:CB	1:B:139:LEU:HD11	2.44	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:258:ALA:HB3	1:B:259:PRO:CD	2.34	0.46
1:B:43:THR:HB	1:B:52:LEU:HD22	1.98	0.46
1:B:54:LYS:NZ	3:B:402:DCS:O2P	2.48	0.46
1:A:79:ASN:HB2	3:A:402:DCS:O3	2.16	0.46
1:C:51:LYS:HE3	1:C:80:HIS:HB2	1.98	0.45
1:C:258:ALA:H	1:C:265:ASN:HD22	1.64	0.45
1:A:257:PHE:CG	1:A:257:PHE:O	2.69	0.45
1:C:158:VAL:HG12	3:C:401:DCS:HND	1.81	0.45
1:C:258:ALA:HB3	1:C:259:PRO:CD	2.34	0.45
1:B:272:VAL:HG22	1:B:283:LEU:HB2	1.98	0.44
1:A:39:ARG:O	1:A:42:VAL:HG22	2.16	0.44
1:D:33:ARG:HH22	1:D:304:PHE:HB2	1.81	0.44
1:A:12:LEU:HG	1:A:60:ALA:HB2	2.00	0.44
1:D:59:VAL:HG21	1:D:87:VAL:HG11	2.00	0.44
1:A:188:SER:HB2	1:A:310:ILE:HG12	1.99	0.44
1:D:94:HIS:ND1	1:D:95:CYS:N	2.65	0.44
3:C:401:DCS:H5A1	3:C:401:DCS:N	2.32	0.43
1:D:272:VAL:HG22	1:D:283:LEU:HB2	2.01	0.43
1:B:12:LEU:HG	1:B:60:ALA:HB2	2.00	0.42
1:C:23:TYR:O	1:C:25:PRO:HD3	2.19	0.42
1:C:54:LYS:HZ3	1:C:197:GLY:HA3	1.84	0.42
1:C:210:MET:HA	1:C:211:PRO:HD3	1.76	0.42
1:C:272:VAL:HG22	1:C:283:LEU:HB2	2.02	0.41
1:D:195:SER:O	1:D:196:ALA:HB3	2.19	0.41
1:D:257:PHE:HA	1:D:290:LYS:HD3	2.01	0.41
1:A:228:LYS:HG2	1:A:252:LEU:HD12	2.02	0.41
1:B:38:LYS:HB2	1:B:311:LEU:HD21	2.02	0.41
1:C:27:LEU:HD22	1:C:275:LEU:HD21	2.01	0.41
1:B:314:HIS:CD2	1:B:316:GLY:H	2.32	0.41
1:D:9:PHE:HA	1:D:10:PRO:HD2	1.95	0.41
1:A:257:PHE:HA	1:A:290:LYS:HD3	2.02	0.41
1:A:115:ASN:O	1:A:119:LEU:HD13	2.21	0.41
1:C:45:ILE:HB	1:C:52:LEU:HD21	2.02	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	326/342 (95%)	318 (98%)	7 (2%)	1 (0%)	41	62
1	B	316/342 (92%)	300 (95%)	14 (4%)	2 (1%)	25	45
1	C	313/342 (92%)	296 (95%)	15 (5%)	2 (1%)	25	45
1	D	326/342 (95%)	317 (97%)	8 (2%)	1 (0%)	41	62
All	All	1281/1368 (94%)	1231 (96%)	44 (3%)	6 (0%)	29	50

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	7	THR
1	D	258	ALA
1	A	258	ALA
1	B	258	ALA
1	C	258	ALA
1	C	211	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	252/267 (94%)	248 (98%)	4 (2%)	62	81
1	B	241/267 (90%)	239 (99%)	2 (1%)	81	92
1	C	241/267 (90%)	235 (98%)	6 (2%)	47	71
1	D	252/267 (94%)	248 (98%)	4 (2%)	62	81

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	986/1068 (92%)	970 (98%)	16 (2%)	62	81

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	LEU
1	A	52	LEU
1	A	139	LEU
1	A	269	MET
1	B	21	LEU
1	B	269	MET
1	C	52	LEU
1	C	136	ASP
1	C	139	LEU
1	C	152	ARG
1	C	244	LEU
1	C	275	LEU
1	D	6	LEU
1	D	52	LEU
1	D	139	LEU
1	D	269	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	314	HIS
1	A	325	HIS
1	B	241	GLN
1	B	314	HIS
1	B	325	HIS
1	C	199	HIS
1	C	208	HIS
1	C	325	HIS
1	D	305	ASN
1	D	314	HIS
1	D	325	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.



## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

## 5.6 Ligand geometry ⓘ

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	BEN	B	401	-	9,9,9	0.81	0	7,11,11	0.67	0
2	BEN	D	401	-	9,9,9	0.86	0	7,11,11	0.65	0
2	BEN	A	401	-	9,9,9	0.80	0	7,11,11	0.88	0
3	DCS	D	402	-	22,23,23	2.73	4 (18%)	27,33,33	2.08	8 (29%)
3	DCS	C	401	-	22,23,23	2.74	4 (18%)	27,33,33	1.94	7 (25%)
3	DCS	A	402	-	22,23,23	2.74	4 (18%)	27,33,33	2.09	8 (29%)
3	DCS	B	402	-	22,23,23	2.74	4 (18%)	27,33,33	2.01	7 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BEN	B	401	-	-	2/4/4/4	0/1/1/1
2	BEN	D	401	-	-	0/4/4/4	0/1/1/1
2	BEN	A	401	-	-	0/4/4/4	0/1/1/1
3	DCS	D	402	-	-	6/11/21/21	0/2/2/2
3	DCS	C	401	-	-	4/11/21/21	0/2/2/2
3	DCS	A	402	-	-	8/11/21/21	0/2/2/2

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	DCS	B	402	-	-	7/11/21/21	0/2/2/2

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	402	DCS	C3-C2	7.92	1.49	1.41
3	A	402	DCS	C3-C2	7.74	1.49	1.41
3	C	401	DCS	C3-C2	7.66	1.48	1.41
3	B	402	DCS	C3-C2	7.61	1.48	1.41
3	B	402	DCS	C5-C4	7.20	1.50	1.40
3	C	401	DCS	C5-C4	7.11	1.50	1.40
3	A	402	DCS	C5-C4	7.08	1.50	1.40
3	D	402	DCS	C5-C4	7.00	1.50	1.40
3	B	402	DCS	C3-C4	6.27	1.49	1.40
3	C	401	DCS	C3-C4	6.25	1.49	1.40
3	A	402	DCS	C3-C4	6.23	1.49	1.40
3	D	402	DCS	C3-C4	6.15	1.49	1.40
3	B	402	DCS	CA-C	-3.12	1.50	1.52
3	A	402	DCS	CA-C	-3.10	1.50	1.52
3	C	401	DCS	CA-C	-2.97	1.50	1.52
3	D	402	DCS	CA-C	-2.83	1.50	1.52

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	402	DCS	C4A-C4-C5	5.78	126.04	119.75
3	D	402	DCS	C4A-C4-C5	5.74	126.00	119.75
3	B	402	DCS	C4A-C4-C5	5.67	125.92	119.75
3	C	401	DCS	C4A-C4-C5	5.26	125.48	119.75
3	A	402	DCS	CB-OG-ND	3.87	112.66	105.92
3	B	402	DCS	CB-OG-ND	3.81	112.56	105.92
3	C	401	DCS	CA-C-ND	3.69	109.89	107.63
3	D	402	DCS	CB-OG-ND	3.57	112.14	105.92
3	D	402	DCS	CA-C-ND	3.50	109.78	107.63
3	A	402	DCS	C3-C4-C5	-3.42	115.63	118.73
3	D	402	DCS	C3-C4-C5	-3.41	115.64	118.73
3	D	402	DCS	C4A-N-CA	3.40	120.22	113.84
3	C	401	DCS	O-C-CA	-3.16	123.92	126.19
3	C	401	DCS	C4A-N-CA	3.14	119.74	113.84
3	A	402	DCS	CA-C-ND	3.14	109.55	107.63
3	B	402	DCS	O-C-CA	-3.13	123.94	126.19
3	A	402	DCS	C4A-N-CA	3.11	119.67	113.84

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	402	DCS	C3-C4-C5	-2.94	116.07	118.73
3	D	402	DCS	O-C-CA	-2.85	124.14	126.19
3	A	402	DCS	O-C-CA	-2.79	124.18	126.19
3	B	402	DCS	CA-C-ND	2.70	109.29	107.63
3	C	401	DCS	C3-C4-C5	-2.68	116.30	118.73
3	B	402	DCS	C4A-N-CA	2.55	118.64	113.84
3	C	401	DCS	C6-N1-C2	2.34	123.45	119.20
3	C	401	DCS	CB-OG-ND	2.24	109.81	105.92
3	B	402	DCS	C6-N1-C2	2.20	123.19	119.20
3	A	402	DCS	C6-C5-C4	2.17	119.70	118.06
3	A	402	DCS	C6-N1-C2	2.14	123.08	119.20
3	D	402	DCS	C6-N1-C2	2.09	122.98	119.20
3	D	402	DCS	C6-C5-C4	2.06	119.62	118.06

There are no chirality outliers.

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	401	BEN	N2-C-C1-C2
2	B	401	BEN	N2-C-C1-C6
3	A	402	DCS	C3-C4-C4A-N
3	A	402	DCS	C5-C4-C4A-N
3	A	402	DCS	C5A-O4P-P-O2P
3	A	402	DCS	C-CA-N-C4A
3	A	402	DCS	CB-CA-N-C4A
3	B	402	DCS	C3-C4-C4A-N
3	B	402	DCS	C5-C4-C4A-N
3	B	402	DCS	C-CA-N-C4A
3	C	401	DCS	C3-C4-C4A-N
3	C	401	DCS	C5-C4-C4A-N
3	C	401	DCS	C-CA-N-C4A
3	D	402	DCS	C3-C4-C4A-N
3	D	402	DCS	C5-C4-C4A-N
3	D	402	DCS	C4-C5-C5A-O4P
3	D	402	DCS	C-CA-N-C4A
3	C	401	DCS	C4-C4A-N-CA
3	D	402	DCS	C4-C4A-N-CA
3	A	402	DCS	C4-C4A-N-CA
3	B	402	DCS	C4-C4A-N-CA
3	A	402	DCS	C5A-O4P-P-O1P
3	D	402	DCS	C6-C5-C5A-O4P
3	A	402	DCS	C5A-O4P-P-O3P

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	B	402	DCS	C4-C5-C5A-O4P
3	B	402	DCS	CB-CA-N-C4A
3	B	402	DCS	C6-C5-C5A-O4P


There are no ring outliers.

4 monomers are involved in 26 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	402	DCS	6	0
3	C	401	DCS	7	0
3	A	402	DCS	6	0
3	B	402	DCS	7	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


## Ligand DCS D 402




## Ligand DCS C 401



## Ligand DCS A 402



## Ligand DCS B 402



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	328/342 (95%)	-0.50	0 <span>100</span> <span>100</span>	18, 25, 41, 46	0
1	B	320/342 (93%)	-0.22	1 (0%) <span>94</span> <span>93</span>	23, 38, 54, 59	0
1	C	317/342 (92%)	0.12	12 (3%) <span>40</span> <span>34</span>	26, 43, 57, 68	0
1	D	328/342 (95%)	-0.52	0 <span>100</span> <span>100</span>	18, 25, 38, 44	0
All	All	1293/1368 (94%)	-0.29	13 (1%) <span>82</span> <span>80</span>	18, 31, 52, 68	0

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	252	LEU	4.1
1	C	208	HIS	3.1
1	C	305	ASN	2.8
1	C	244	LEU	2.8
1	C	32	GLY	2.6
1	C	300	SER	2.5
1	C	304	PHE	2.4
1	B	6	LEU	2.3
1	C	209	LEU	2.3
1	C	258	ALA	2.2
1	C	213	VAL	2.1
1	C	238	ILE	2.1
1	C	250	ILE	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.



### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	BEN	B	401	9/9	0.79	0.33	52,53,55,55	0
3	DCS	C	401	22/22	0.87	0.23	41,45,47,48	6
3	DCS	B	402	22/22	0.89	0.22	32,36,38,38	6
3	DCS	D	402	22/22	0.94	0.19	22,24,26,26	6
3	DCS	A	402	22/22	0.95	0.17	23,25,28,28	6
2	BEN	D	401	9/9	0.95	0.14	24,25,25,25	0
2	BEN	A	401	9/9	0.98	0.12	20,20,21,21	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around DCS C 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around DCS B 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around DCS D 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around DCS A 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers ⓘ

There are no such residues in this entry.