



Full wwPDB EM Validation Report ⓘ

Aug 6, 2025 – 06:12 PM EDT

PDB ID : 9DYF / pdb_00009dyf
EMDB ID : EMD-47302
Title : Asenapine-bound serotonin 1A (5-HT1A) receptor-Gi1 protein complex
Authors : Warren, A.L.; Zilberg, G.; Wacker, D.
Deposited on : 2024-10-14
Resolution : 2.74 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev126
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0rc1
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.45.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.74 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	354	<div> <div>9%</div> <div>62%</div> <div>5%</div> <div>34%</div> </div>
2	B	358	<div> <div>85%</div> <div>9%</div> <div>6%</div> </div>
3	G	71	<div> <div>13%</div> <div>72%</div> <div>8%</div> <div>20%</div> </div>
4	R	552	<div> <div>6%</div> <div>48%</div> <div>48%</div> </div>

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 7337 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Guanine nucleotide-binding protein G(i) subunit alpha-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	235	Total	C	N	O	S	0	0
			1891	1200	317	361	13		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	47	ASN	SER	engineered mutation	UNP P63096
A	203	ALA	GLY	engineered mutation	UNP P63096
A	245	ALA	GLU	engineered mutation	UNP P63096
A	326	SER	ALA	engineered mutation	UNP P63096

- Molecule 2 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	336	Total	C	N	O	S	0	0
			2584	1593	465	505	21		

There are 19 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-17	MET	-	expression tag	UNP P62873
B	-16	HIS	-	expression tag	UNP P62873
B	-15	HIS	-	expression tag	UNP P62873
B	-14	HIS	-	expression tag	UNP P62873
B	-13	HIS	-	expression tag	UNP P62873
B	-12	HIS	-	expression tag	UNP P62873
B	-11	HIS	-	expression tag	UNP P62873
B	-10	LEU	-	expression tag	UNP P62873
B	-9	GLU	-	expression tag	UNP P62873
B	-8	VAL	-	expression tag	UNP P62873
B	-7	LEU	-	expression tag	UNP P62873
B	-6	PHE	-	expression tag	UNP P62873

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-5	GLN	-	expression tag	UNP P62873
B	-4	GLY	-	expression tag	UNP P62873
B	-3	PRO	-	expression tag	UNP P62873
B	-2	GLY	-	expression tag	UNP P62873
B	-1	SER	-	expression tag	UNP P62873
B	0	SER	-	expression tag	UNP P62873
B	1	GLY	-	expression tag	UNP P62873

- Molecule 3 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	G	57	Total	C	N	O	S	0	0
			442	277	78	84	3		

- Molecule 4 is a protein called Soluble cytochrome b562,5-hydroxytryptamine receptor 1A.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	R	288	Total	C	N	O	S	0	0
			2259	1486	376	379	18		

There are 53 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
R	-129	MET	-	initiating methionine	UNP P0ABE7
R	-128	LYS	-	expression tag	UNP P0ABE7
R	-127	THR	-	expression tag	UNP P0ABE7
R	-126	ILE	-	expression tag	UNP P0ABE7
R	-125	ILE	-	expression tag	UNP P0ABE7
R	-124	ALA	-	expression tag	UNP P0ABE7
R	-123	LEU	-	expression tag	UNP P0ABE7
R	-122	SER	-	expression tag	UNP P0ABE7
R	-121	TYR	-	expression tag	UNP P0ABE7
R	-120	ILE	-	expression tag	UNP P0ABE7
R	-119	PHE	-	expression tag	UNP P0ABE7
R	-118	CYS	-	expression tag	UNP P0ABE7
R	-117	LEU	-	expression tag	UNP P0ABE7
R	-116	VAL	-	expression tag	UNP P0ABE7
R	-115	PHE	-	expression tag	UNP P0ABE7
R	-114	ALA	-	expression tag	UNP P0ABE7
R	-113	ASP	-	expression tag	UNP P0ABE7
R	-112	TYR	-	expression tag	UNP P0ABE7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
R	-111	LYS	-	expression tag	UNP P0ABE7
R	-110	ASP	-	expression tag	UNP P0ABE7
R	-109	ASP	-	expression tag	UNP P0ABE7
R	-108	ASP	-	expression tag	UNP P0ABE7
R	-107	ASP	-	expression tag	UNP P0ABE7
R	-106	ALA	-	expression tag	UNP P0ABE7
R	-105	LYS	-	expression tag	UNP P0ABE7
R	-104	LEU	-	expression tag	UNP P0ABE7
R	-103	GLN	-	expression tag	UNP P0ABE7
R	-102	THR	-	expression tag	UNP P0ABE7
R	-101	MET	-	expression tag	UNP P0ABE7
R	-100	HIS	-	expression tag	UNP P0ABE7
R	-99	HIS	-	expression tag	UNP P0ABE7
R	-98	HIS	-	expression tag	UNP P0ABE7
R	-97	HIS	-	expression tag	UNP P0ABE7
R	-96	HIS	-	expression tag	UNP P0ABE7
R	-95	HIS	-	expression tag	UNP P0ABE7
R	-94	HIS	-	expression tag	UNP P0ABE7
R	-93	HIS	-	expression tag	UNP P0ABE7
R	-92	HIS	-	expression tag	UNP P0ABE7
R	-91	HIS	-	expression tag	UNP P0ABE7
R	-90	GLU	-	expression tag	UNP P0ABE7
R	-89	ASN	-	expression tag	UNP P0ABE7
R	-88	LEU	-	expression tag	UNP P0ABE7
R	-87	TYR	-	expression tag	UNP P0ABE7
R	-86	PHE	-	expression tag	UNP P0ABE7
R	-85	GLN	-	expression tag	UNP P0ABE7
R	-84	GLY	-	expression tag	UNP P0ABE7
R	-83	GLY	-	expression tag	UNP P0ABE7
R	-82	THR	-	expression tag	UNP P0ABE7
R	-81	THR	-	expression tag	UNP P0ABE7
R	-74	TRP	MET	conflict	UNP P0ABE7
R	21	ILE	HIS	conflict	UNP P0ABE7
R	25	LEU	ARG	conflict	UNP P0ABE7
R	125	TRP	LEU	engineered mutation	UNP P08908

- Molecule 5 is (3aS,12bR)-asenapine (CCD ID: A1BIR) (formula: C₁₇H₁₆ClNO) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
5	R	1	Total 20	C 17	Cl 1	N 1	O 1	0

- Molecule 6 is CHOLESTEROL (CCD ID: CLR) (formula: $C_{27}H_{46}O$).



Mol	Chain	Residues	Atoms			AltConf
6	R	1	Total 28	C 27	O 1	0
6	R	1	Total 28	C 27	O 1	0
6	R	1	Total 28	C 27	O 1	0

- Molecule 7 is [(2R)-1-[oxidanyl-[(2R,3R,5S,6R)-2,3,5,6-tetrakis(oxidanyl)-4-phosphonooxy-cyclohexyl]oxy-phosphoryl]oxy-3-tetradecanoyloxy-propan-2-yl] (5E,8E)-hexadeca-5,8,11,14-tetraenoate (CCD ID: J40) (formula: C₃₉H₆₈O₁₆P₂).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	O	P	
7	R	1	57	39	16	2	0



MET LYS THR ILE ILE ILE ALA LEU SER TYR PHE ILE CYS LEU VAL PHE ASP TYR LYS ASP ASP ASP ASP ALA LYS LEU GLN THR MET HIS HIS HIS HIS HIS HIS HIS ASN LEU TYR PHE GLN GLY THR THR ALA ASP LEU ASP ASN TRP GLU THR LEU ASN

ASP ASN LEU LYS VAL ILE GLU LYS ALA ASP ASN PHE ALA ALA GLN VAL LYS ASP ALA TYR THR LYS MET ARG ALA ALA LEU ASP ALA LYS THR PRO LYS LEU GLU ASP LYS SER PRO SER ASP PRO GLU MET LYS THR ASP PHE ARG HIS PHE ASP TLE LEU VAL GLY GLN

ILE ASP ASP ALA LEU LYS LEU ALA ASN ALA GLY LYS VAL LYS GLU GLN ALA ALA ALA GLU GLN LEU LYS THR ARG ASN ALA TYR ILE GLN LYS TYR THR LEU GLY ILE SER ASP VAL THR VAL SER Y35 Q36 T39 L46 I61 F64 R65 Y85 S86 V87 L88

Y89 L90 P91 I113 C119 R134 I138 R151 I169 P170 L173 G174 W175 R176 T177 P178 E179 D180 R181 S182 D183 D192 I226 R227 K228 THR VAL LYS LYS VAL VAL LYS THR ASN GLY ALA ASP THR ARG HIS GLY ALA SER PRO PRO ALA PRO GLN PRO LYS LYS VAL

ASN GLY GLU SER GLY SER ARG ASN TRP ARG LEU GLY VAL GLU SER LYS ALA GLY GLY ALA LEU CYS S373 S374 C375 H376 L394 V398 Y402 K405 D406 F407 Q408 K412 I415 K416 C417 LYS PHE CYS ARG GLN

PRO CYS ALA PRO ALA SER PHE GLU ARG K324 N325 E326 R327 R333 E340 E372 S373 S374 C375 H376 L394 V398 Y402 K405 D406 F407 Q408 K412 I415 K416 C417 LYS PHE CYS ARG GLN

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	666873	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	64.03	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1800	Depositor
Magnification	81000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	2.287	Depositor
Minimum map value	-1.545	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.040	Depositor
Recommended contour level	0.22	Depositor
Map size (Å)	277.248, 277.248, 277.248	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.083, 1.083, 1.083	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: A1BIR, CLR, J40

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.55	0/1922	0.74	0/2579
2	B	0.42	0/2631	0.58	0/3566
3	G	0.68	0/448	0.83	0/603
4	R	0.80	0/2310	1.06	0/3144
All	All	0.61	0/7311	0.81	0/9892

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1891	0	1886	10	0
2	B	2584	0	2488	22	0
3	G	442	0	455	4	0
4	R	2259	0	2353	16	0
5	R	20	0	0	0	0
6	R	84	0	138	8	0
7	R	57	0	0	0	0
All	All	7337	0	7320	52	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 4.

All (52) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:198:LEU:HD13	2:B:210:LEU:HD21	1.66	0.77
4:R:394:LEU:HD23	6:R:502:CLR:C27	2.16	0.74
2:B:271:CYS:HB2	2:B:290:ASP:HB2	1.74	0.69
2:B:93:ILE:HG12	2:B:133:VAL:HG21	1.77	0.66
2:B:230:ASN:ND2	2:B:246:ASP:OD1	2.25	0.63
4:R:46:LEU:HB2	6:R:504:CLR:H263	1.82	0.61
3:G:39:ALA:O	3:G:43:ALA:HB2	2.03	0.59
4:R:398:VAL:HG11	6:R:504:CLR:H193	1.85	0.58
1:A:55:ILE:HG22	1:A:56:ILE:HG23	1.84	0.58
1:A:57:HIS:CE1	1:A:189:PHE:HB2	2.40	0.57
2:B:325:MET:O	2:B:340:ASN:ND2	2.38	0.56
2:B:48:ARG:HG3	2:B:340:ASN:HB3	1.87	0.56
4:R:46:LEU:HD13	6:R:504:CLR:H262	1.87	0.56
2:B:130:GLU:HG3	2:B:132:ASN:H	1.70	0.55
1:A:49:ILE:HG23	1:A:53:MET:HE3	1.90	0.54
1:A:52:GLN:HG2	1:A:331:ASN:HD22	1.72	0.54
1:A:315:ASP:OD1	1:A:315:ASP:N	2.42	0.53
6:R:503:CLR:C18	6:R:503:CLR:H213	2.40	0.52
2:B:158:VAL:HG12	2:B:190:LEU:HD11	1.94	0.50
1:A:49:ILE:O	1:A:53:MET:HG2	2.11	0.49
2:B:126:LEU:HA	2:B:133:VAL:HG12	1.95	0.49
2:B:266:HIS:CG	2:B:304:ARG:HH22	2.30	0.49
4:R:36:GLN:HA	4:R:39:THR:HG22	1.95	0.49
1:A:47:ASN:OD1	1:A:48:THR:N	2.46	0.48
1:A:5:LEU:HD23	1:A:5:LEU:H	1.78	0.48
2:B:325:MET:HE2	3:G:60:PRO:HD2	1.95	0.48
1:A:345:LYS:O	1:A:349:LYS:HG3	2.14	0.47
2:B:153:ASP:OD1	2:B:156:GLN:N	2.49	0.46
4:R:169:ILE:N	4:R:170:PRO:HD2	2.31	0.46
2:B:325:MET:HE3	2:B:340:ASN:HD21	1.81	0.45
2:B:5:ASP:CG	2:B:6:GLN:H	2.24	0.45
4:R:61:ILE:HD11	4:R:407:PHE:CZ	2.52	0.44
4:R:226:ILE:HG21	4:R:340:GLU:HG3	2.00	0.44
4:R:402:TYR:O	4:R:408:GLN:NE2	2.39	0.44
1:A:249:LEU:O	1:A:253:ILE:HG23	2.18	0.44
2:B:253:PHE:CE2	2:B:260:GLU:HB3	2.53	0.44
4:R:113:ILE:HD13	4:R:113:ILE:HA	1.87	0.43
4:R:85:VAL:HG22	4:R:119:CYS:HB3	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:180:PHE:CE2	2:B:216:GLY:HA2	2.54	0.42
6:R:503:CLR:H213	6:R:503:CLR:H183	2.00	0.42
2:B:61:MET:HE2	2:B:61:MET:HB2	1.88	0.42
3:G:25:ILE:HD11	3:G:27:ARG:HH12	1.84	0.42
4:R:134:ARG:O	4:R:138:ILE:HG12	2.19	0.42
2:B:5:ASP:HB2	3:G:9:ILE:HD12	2.02	0.41
2:B:124:TYR:CE2	2:B:135:VAL:HG22	2.54	0.41
4:R:87:VAL:HG13	4:R:88:LEU:HG	2.02	0.41
2:B:87:THR:O	2:B:87:THR:HG22	2.20	0.41
2:B:205:ASP:OD1	2:B:207:SER:OG	2.33	0.41
4:R:90:LEU:N	4:R:91:PRO:HD2	2.36	0.41
4:R:46:LEU:HD13	6:R:504:CLR:C26	2.51	0.41
4:R:398:VAL:HG11	6:R:504:CLR:C19	2.51	0.41
2:B:197:ARG:O	2:B:198:LEU:HD23	2.20	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	231/354 (65%)	222 (96%)	9 (4%)	0	100	100
2	B	334/358 (93%)	322 (96%)	12 (4%)	0	100	100
3	G	55/71 (78%)	55 (100%)	0	0	100	100
4	R	284/552 (51%)	276 (97%)	8 (3%)	0	100	100
All	All	904/1335 (68%)	875 (97%)	29 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	208/305 (68%)	208 (100%)	0	100	100
2	B	279/298 (94%)	279 (100%)	0	100	100
3	G	47/58 (81%)	47 (100%)	0	100	100
4	R	243/461 (53%)	243 (100%)	0	100	100
All	All	777/1122 (69%)	777 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	241	ASN
1	A	244	HIS
2	B	110	ASN
3	G	18	GLN
4	R	36	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	J40	R	505	-	57,57,57	0.50	2 (3%)	69,72,72	0.48	0
6	CLR	R	502	-	31,31,31	0.51	0	48,48,48	0.54	0
5	A1BIR	R	501	-	23,23,23	0.23	0	30,34,34	0.71	1 (3%)
6	CLR	R	503	-	31,31,31	0.63	0	48,48,48	0.68	1 (2%)
6	CLR	R	504	-	31,31,31	0.55	0	48,48,48	0.52	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	J40	R	505	-	-	9/53/77/77	0/1/1/1
6	CLR	R	502	-	-	0/10/68/68	0/4/4/4
5	A1BIR	R	501	-	-	-	0/3/4/4
6	CLR	R	503	-	-	5/10/68/68	0/4/4/4
6	CLR	R	504	-	-	2/10/68/68	0/4/4/4

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	R	505	J40	P1-O1	2.18	1.65	1.59
7	R	505	J40	P4-O4	2.17	1.63	1.59

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	R	501	A1BIR	C4-C3-C5	-2.44	110.88	116.33
6	R	503	CLR	C13-C17-C20	2.00	122.59	119.50

There are no chirality outliers.

All (16) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
7	R	505	J40	C7-O13-P1-O11
7	R	505	J40	C7-O13-P1-O1
7	R	505	J40	C1-O1-P1-O13
7	R	505	J40	C8-C7-O13-P1
7	R	505	J40	C6-C1-O1-P1
7	R	505	J40	C18-C19-C20-C21
6	R	504	CLR	C17-C20-C22-C23
6	R	504	CLR	C21-C20-C22-C23
6	R	503	CLR	C16-C17-C20-C22
6	R	503	CLR	C13-C17-C20-C22
7	R	505	J40	C13-C14-C15-C16
6	R	503	CLR	C16-C17-C20-C21
6	R	503	CLR	C20-C22-C23-C24
6	R	503	CLR	C22-C23-C24-C25
7	R	505	J40	C35-C36-C37-C38
7	R	505	J40	C4-O4-P4-O42

There are no ring outliers.


3 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	R	502	CLR	1	0
6	R	503	CLR	2	0
6	R	504	CLR	5	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand A1BIR R 501




Bond lengths



Bond angles




Torsions




Rings


Ligand CLR R 503




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-47302. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 126




Y Index: 136




Z Index: 106


6.3.2 Raw map



X Index: 126



Y Index: 137




Z Index: 110


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.22. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 39 nm³; this corresponds to an approximate mass of 36 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.365 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.365 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.74	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.08	3.47	3.13

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.08 differs from the reported value 2.74 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-47302 and PDB model 9DYF. Per-residue inclusion information can be found in section 3 on page 8.


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.22 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.22).

9.4 Atom inclusion [i](#)



At the recommended contour level, 80% of all backbone atoms, 77% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.22) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.7660	<div></div> 0.5370
A	<div></div> 0.7240	<div></div> 0.5240
B	<div></div> 0.8440	<div></div> 0.5690
G	<div></div> 0.6370	<div></div> 0.4650
R	<div></div> 0.7390	<div></div> 0.5270

