



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 22, 2024 – 04:46 AM EDT

PDB ID : 4E4L
Title : JAK1 kinase (JH1 domain) in complex with compound 30
Authors : Eigenbrot, C.
Deposited on : 2012-03-13
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.20.1
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	9409 (2.00-2.00)
Clashscore	180529	10737 (2.00-2.00)
Ramachandran outliers	177936	10628 (2.00-2.00)
Sidechain outliers	177891	10627 (2.00-2.00)
RSRZ outliers	164620	9409 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	302	<div> <div>5%</div> <div> <div></div> <div>84%</div> <div>8%</div> <div>8%</div> </div> </div>
1	B	302	<div> <div>5%</div> <div> <div></div> <div>84%</div> <div>9%</div> <div>7%</div> </div> </div>
1	D	302	<div> <div>7%</div> <div> <div></div> <div>81%</div> <div>12%</div> <div>6%</div> </div> </div>
1	E	302	<div> <div>7%</div> <div> <div></div> <div>83%</div> <div>10%</div> <div>7%</div> </div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9949 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Tyrosine-protein kinase JAK1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	279	Total	C	N	O	P	S	0	3	0
			2301	1466	393	425	2	15			
1	B	281	Total	C	N	O	P	S	0	5	0
			2337	1488	399	433	2	15			
1	E	282	Total	C	N	O	P	S	0	4	0
			2333	1484	399	433	2	15			
1	D	283	Total	C	N	O	P	S	0	4	0
			2334	1483	400	434	2	15			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	853	GLY	-	expression tag	UNP P23458
B	853	GLY	-	expression tag	UNP P23458
E	853	GLY	-	expression tag	UNP P23458
D	853	GLY	-	expression tag	UNP P23458

- Molecule 2 is 1-[4-methyl-1-(methylsulfonyl)piperidin-4-yl]-1,6-dihydroimidazo[4,5-d]pyrrolo [2,3-b]pyridine (three-letter code: 0NH) (formula: C₁₅H₁₉N₅O₂S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			23	15	5	2	1		
2	A	1	Total	C	N	O	S	0	0
			23	15	5	2	1		
2	B	1	Total	C	N	O	S	0	0
			23	15	5	2	1		
2	D	1	Total	C	N	O	S	0	0
			23	15	5	2	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	143	Total	O	0	0
			143	143		
3	B	140	Total	O	0	0
			140	140		
3	E	132	Total	O	0	0
			132	132		
3	D	137	Total	O	0	0
			137	137		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Tyrosine-protein kinase JAK1




- Molecule 1: Tyrosine-protein kinase JAK1




- Molecule 1: Tyrosine-protein kinase JAK1



- Molecule 1: Tyrosine-protein kinase JAK1





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	42.84Å 171.76Å 87.82Å 90.00° 92.15° 90.00°	Depositor
Resolution (Å)	50.00 – 2.00 50.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	94.5 (50.00-2.00) 94.6 (50.00-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.67 (at 2.00Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.190 , 0.228 0.194 , 0.232	Depositor DCC
R_{free} test set	3725 reflections (4.63%)	wwPDB-VP
Wilson B-factor (Å ²)	26.1	Xtriage
Anisotropy	0.035	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 46.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.107 for h,-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9949	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 53.86 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.9670e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PTR, ONH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.51	0/2315	0.62	0/3112
1	B	0.50	0/2352	0.60	0/3162
1	D	0.49	0/2348	0.61	0/3156
1	E	0.49	0/2348	0.61	0/3158
All	All	0.50	0/9363	0.61	0/12588

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2301	0	2301	17	0
1	B	2337	0	2326	22	0
1	D	2334	0	2324	28	0
1	E	2333	0	2325	29	0
2	A	46	0	38	1	0
2	B	23	0	19	1	0
2	D	23	0	19	1	0
3	A	143	0	0	1	0
3	B	140	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	137	0	0	5	0
3	E	132	0	0	6	0
All	All	9949	0	9352	90	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (90) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:900:ASN:HB2	3:E:1432:HOH:O	1.66	0.94
1:A:1053:LEU:O	1:B:1102:THR:HG21	1.75	0.87
1:B:1000:VAL:HB	1:B:1058[B]:PHE:CE2	2.19	0.78
1:B:1000:VAL:HB	1:B:1058[B]:PHE:CD2	2.20	0.77
1:E:885:HIS:HD2	1:E:886:PHE:CZ	2.07	0.72
1:E:910:LEU:CD1	1:E:919:ILE:HD13	2.20	0.71
1:D:1144[B]:ASN:ND2	3:D:1419:HOH:O	2.25	0.69
1:E:885:HIS:CD2	1:E:886:PHE:CZ	2.81	0.69
1:A:1000:VAL:HG13	1:A:1028:ILE:HD11	1.75	0.68
1:E:910:LEU:HD12	1:E:919:ILE:HD13	1.76	0.68
1:A:1002:ARG:HA	1:A:1058:PHE:CZ	2.28	0.67
1:E:1000:VAL:HG13	1:E:1028:ILE:HD11	1.77	0.66
1:D:1035:PTR:HE1	1:D:1037:VAL:HG12	1.77	0.65
1:E:1053:LEU:O	1:D:1102:THR:HG21	1.97	0.64
1:D:1107:THR:HG23	1:D:1112:LYS:HD2	1.82	0.60
1:B:1035:PTR:HE1	1:B:1037:VAL:HG22	1.82	0.60
1:E:1107:THR:HG22	1:E:1112:LYS:HB2	1.83	0.58
1:D:1107:THR:HG22	1:D:1112:LYS:HB2	1.86	0.58
1:A:924:LYS:NZ	3:A:1434:HOH:O	2.36	0.58
1:D:1002:ARG:NH2	1:D:1037:VAL:HG11	2.18	0.57
1:E:1002:ARG:HA	1:E:1058:PHE:CZ	2.40	0.56
1:B:1000:VAL:HG13	1:B:1028:ILE:HD11	1.87	0.55
1:D:910:LEU:HD11	1:D:919:ILE:HA	1.89	0.54
1:D:1002:ARG:HA	1:D:1058:PHE:CZ	2.44	0.53
1:D:1075:LEU:HD12	1:D:1128:MET:CE	2.38	0.53
1:E:1107:THR:HG23	1:E:1112:LYS:HD2	1.90	0.53
1:D:886:PHE:CD2	1:D:918:HIS:NE2	2.78	0.51
1:A:1041:ARG:HG3	1:B:1095:THR:O	2.11	0.51
1:A:910:LEU:HD11	1:A:919:ILE:HA	1.92	0.50
1:B:934:HIS:HE1	1:B:936:ASN:HD22	1.59	0.50
1:D:934:HIS:HE1	1:D:936:ASN:HD22	1.59	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:1102:THR:HG21	1:D:1053:LEU:O	2.12	0.50
1:D:1107:THR:HG23	1:D:1112:LYS:CD	2.42	0.50
1:A:1095:THR:O	1:B:1041:ARG:HG3	2.11	0.49
1:D:1003:ASP:HB2	1:D:1024:LEU:HD12	1.93	0.49
1:B:1002:ARG:HA	1:B:1058[B]:PHE:CZ	2.48	0.49
1:D:1007:ARG:NE	3:D:1343:HOH:O	2.44	0.49
1:E:885:HIS:CD2	1:E:886:PHE:CE1	3.01	0.49
1:E:885:HIS:HD2	1:E:886:PHE:CE2	2.31	0.48
1:B:1000:VAL:CG1	1:B:1028:ILE:HD11	2.44	0.48
1:B:874:PHE:CD1	1:B:896:PRO:HA	2.50	0.47
1:A:934:HIS:HE1	1:A:936:ASN:HD22	1.61	0.47
1:A:1143:GLN:HE22	1:E:900:ASN:HD21	1.63	0.47
1:D:1037:VAL:HG23	1:D:1056:SER:HB3	1.95	0.47
1:A:886:PHE:CD2	1:A:918:HIS:NE2	2.82	0.47
1:A:1107:THR:HG22	1:A:1112:LYS:HB2	1.96	0.47
1:E:1038:LYS:HG3	3:E:1400:HOH:O	2.14	0.46
1:B:1096:HIS:CD2	1:B:1103:ARG:HD2	2.50	0.46
1:B:994:LEU:HG	1:B:999:TYR:HB2	1.98	0.46
1:E:1089:LEU:HD22	1:E:1094:PRO:HA	1.97	0.46
1:D:886:PHE:CE2	1:D:918:HIS:NE2	2.82	0.46
1:A:1075:LEU:HD12	1:A:1128:MET:CE	2.46	0.46
1:E:869:HIS:HB3	3:E:1424:HOH:O	2.14	0.46
1:E:876:LYS:HD2	3:E:1375:HOH:O	2.16	0.45
2:A:1201:0NH:H18	2:A:1201:0NH:H7A	1.99	0.45
1:B:911:LYS:C	3:B:1383:HOH:O	2.54	0.45
1:B:944:CYS:HB3	1:B:953:LYS:HB2	1.98	0.45
1:E:1000:VAL:CG1	1:E:1028:ILE:HD11	2.45	0.45
1:E:910:LEU:HD22	1:E:918:HIS:HB2	1.99	0.44
1:E:944:CYS:HB3	1:E:953:LYS:HB2	1.99	0.44
1:B:1000:VAL:CB	1:B:1058[B]:PHE:CD2	2.98	0.44
1:E:874:PHE:CG	1:E:896:PRO:HA	2.53	0.44
1:A:893:ARG:NH1	1:A:902:GLY:O	2.51	0.43
1:A:908:LYS:NZ	1:A:925:GLU:OE2	2.37	0.43
1:B:874:PHE:HB2	1:B:894:TYR:CE1	2.53	0.43
1:E:874:PHE:CD1	1:E:896:PRO:HA	2.53	0.43
1:D:1089:LEU:HD22	1:D:1094:PRO:HA	2.00	0.42
1:A:1143:GLN:NE2	1:E:900:ASN:HD21	2.18	0.42
1:D:977:LEU:HA	1:D:980:GLN:OE1	2.19	0.42
1:D:1010:LEU:HD21	2:D:1201:0NH:C16	2.49	0.42
1:A:1000:VAL:CG1	1:A:1028:ILE:HD11	2.48	0.42
1:B:1000:VAL:HB	1:B:1058[B]:PHE:HE2	1.81	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:876:LYS:CD	3:E:1375:HOH:O	2.68	0.41
1:D:886:PHE:CD2	1:D:918:HIS:CD2	3.08	0.41
1:B:1092:ILE:HG22	1:B:1107:THR:OG1	2.19	0.41
1:E:1046:PHE:CE2	1:E:1085:MET:HG3	2.55	0.41
1:D:919:ILE:HD13	3:D:1415:HOH:O	2.20	0.41
1:A:1102:THR:HG21	1:B:1053:LEU:O	2.19	0.41
1:E:1065:TRP:CE3	1:E:1132:TRP:HA	2.55	0.41
1:D:1065:TRP:CE3	1:D:1132:TRP:HA	2.56	0.41
2:B:1201:ONH:H18	2:B:1201:ONH:H1	2.03	0.41
1:D:1002:ARG:HH21	1:D:1037:VAL:HG11	1.85	0.41
1:D:1090:LYS:HD2	3:D:1379:HOH:O	2.21	0.41
1:D:1118:PRO:HG2	3:D:1414:HOH:O	2.21	0.41
1:B:917:ASN:HD21	1:B:919:ILE:HB	1.85	0.40
1:D:967:TYR:CG	1:D:1011:VAL:HG21	2.56	0.40
1:D:1075:LEU:HD12	1:D:1128:MET:HE1	2.03	0.40
1:B:1037:VAL:HG23	1:B:1058[A]:PHE:CD1	2.56	0.40
1:E:874:PHE:HB2	1:E:894:TYR:CE1	2.57	0.40
1:E:1041:ARG:CZ	3:E:1394:HOH:O	2.69	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	274/302 (91%)	271 (99%)	3 (1%)	0	100	100
1	B	278/302 (92%)	276 (99%)	2 (1%)	0	100	100
1	D	279/302 (92%)	275 (99%)	3 (1%)	1 (0%)	30	27
1	E	278/302 (92%)	274 (99%)	4 (1%)	0	100	100
All	All	1109/1208 (92%)	1096 (99%)	12 (1%)	1 (0%)	48	47

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	949	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	253/267 (95%)	251 (99%)	2 (1%)	79	84
1	B	257/267 (96%)	256 (100%)	1 (0%)	89	92
1	D	256/267 (96%)	253 (99%)	3 (1%)	67	73
1	E	257/267 (96%)	256 (100%)	1 (0%)	89	92
All	All	1023/1068 (96%)	1016 (99%)	7 (1%)	81	86

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1007	ARG
1	A	1102	THR
1	B	917	ASN
1	E	1056	SER
1	D	885	HIS
1	D	950	ASN
1	D	1137	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	936	ASN
1	A	1143	GLN
1	B	885	HIS
1	B	936	ASN
1	E	885	HIS
1	E	900	ASN
1	E	936	ASN
1	D	936	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	PTR	B	1034	1	15,16,17	0.73	0	17,22,24	0.92	1 (5%)
1	PTR	D	1034	1	15,16,17	0.70	0	17,22,24	0.88	1 (5%)
1	PTR	D	1035	1	15,16,17	0.76	0	17,22,24	0.83	0
1	PTR	A	1034	1	15,16,17	0.68	0	17,22,24	0.95	1 (5%)
1	PTR	B	1035	1	15,16,17	0.81	0	17,22,24	0.89	0
1	PTR	E	1035	1	15,16,17	0.86	0	17,22,24	0.81	0
1	PTR	E	1034	1	15,16,17	0.66	0	17,22,24	0.94	1 (5%)
1	PTR	A	1035	1	15,16,17	0.81	0	17,22,24	0.76	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PTR	B	1034	1	-	0/10/11/13	0/1/1/1
1	PTR	D	1034	1	-	0/10/11/13	0/1/1/1
1	PTR	D	1035	1	-	0/10/11/13	0/1/1/1
1	PTR	A	1034	1	-	0/10/11/13	0/1/1/1
1	PTR	B	1035	1	-	0/10/11/13	0/1/1/1
1	PTR	E	1035	1	-	0/10/11/13	0/1/1/1
1	PTR	E	1034	1	-	0/10/11/13	0/1/1/1
1	PTR	A	1035	1	-	0/10/11/13	0/1/1/1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	1034	PTR	OH-P-O1P	-2.63	100.70	109.48
1	A	1034	PTR	OH-P-O1P	-2.57	100.89	109.48
1	B	1034	PTR	OH-P-O1P	-2.46	101.29	109.48
1	D	1034	PTR	OH-P-O1P	-2.15	102.30	109.48

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	D	1035	PTR	1	0
1	B	1035	PTR	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	0NH	D	1201	-	18,26,26	1.74	6 (33%)	27,41,41	8.30	17 (62%)
2	0NH	A	1202	-	18,26,26	1.44	3 (16%)	27,41,41	3.20	10 (37%)
2	0NH	B	1201	-	18,26,26	1.52	4 (22%)	27,41,41	3.05	10 (37%)
2	0NH	A	1201	-	18,26,26	1.47	4 (22%)	27,41,41	2.85	8 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	0NH	D	1201	-	-	3/10/24/24	0/4/4/4
2	0NH	A	1202	-	-	2/10/24/24	0/4/4/4
2	0NH	B	1201	-	-	3/10/24/24	0/4/4/4
2	0NH	A	1201	-	-	3/10/24/24	0/4/4/4

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1201	0NH	C11-S8	3.22	1.82	1.75
2	D	1201	0NH	C4-N5	2.99	1.51	1.47
2	B	1201	0NH	C2-N12	-2.92	1.47	1.51
2	D	1201	0NH	S8-N5	2.82	1.68	1.63
2	A	1202	0NH	C22-N23	-2.79	1.33	1.37
2	D	1201	0NH	C11-S8	2.77	1.81	1.75
2	A	1202	0NH	C11-S8	2.75	1.81	1.75
2	D	1201	0NH	C2-N12	2.67	1.55	1.51
2	B	1201	0NH	C13-N14	-2.63	1.29	1.34
2	A	1201	0NH	C24-N23	2.61	1.33	1.30
2	A	1202	0NH	C2-N12	-2.48	1.48	1.51
2	A	1201	0NH	C13-N14	-2.25	1.30	1.34
2	B	1201	0NH	C22-N23	-2.21	1.34	1.37
2	B	1201	0NH	C11-S8	2.13	1.80	1.75
2	A	1201	0NH	C1-C2	2.07	1.57	1.53
2	D	1201	0NH	C17-C16	2.02	1.43	1.40
2	D	1201	0NH	C6-N5	2.01	1.50	1.47

All (45) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1201	0NH	C1-C2-C3	26.44	124.50	111.61
2	D	1201	0NH	C1-C2-C7	17.46	120.12	111.61
2	D	1201	0NH	C7-C2-N12	-16.66	94.11	109.66
2	D	1201	0NH	C3-C2-N12	-12.66	97.85	109.66
2	B	1201	0NH	C24-N23-C22	9.32	123.07	117.40
2	A	1202	0NH	C24-N23-C22	9.32	123.06	117.40
2	D	1201	0NH	C6-N5-C4	9.08	122.56	112.12
2	B	1201	0NH	C6-N5-C4	8.99	122.45	112.12
2	A	1201	0NH	C6-N5-C4	8.94	122.39	112.12
2	D	1201	0NH	C1-C2-N12	-8.78	93.05	109.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1201	0NH	C17-C16-C15	-8.55	115.46	120.03
2	A	1202	0NH	C6-N5-C4	7.52	120.76	112.12
2	A	1202	0NH	C1-C2-C3	-6.95	108.22	111.61
2	D	1201	0NH	C6-C7-C2	-6.77	101.85	113.23
2	D	1201	0NH	C4-C3-C2	-6.40	102.47	113.23
2	A	1201	0NH	C1-C2-C3	-5.74	108.81	111.61
2	A	1202	0NH	C3-C4-N5	5.13	115.81	109.16
2	A	1201	0NH	C24-N23-C22	5.11	120.50	117.40
2	D	1201	0NH	C7-C6-N5	4.80	115.39	109.16
2	D	1201	0NH	C24-N23-C22	4.52	120.14	117.40
2	A	1201	0NH	C17-C16-C15	-4.49	117.63	120.03
2	B	1201	0NH	C7-C6-N5	4.39	114.86	109.16
2	A	1202	0NH	C17-C16-C15	-4.00	117.89	120.03
2	B	1201	0NH	C3-C2-N12	-3.93	105.99	109.66
2	A	1201	0NH	C3-C2-N12	-3.77	106.14	109.66
2	A	1201	0NH	C3-C4-N5	3.74	114.01	109.16
2	A	1201	0NH	C7-C6-N5	3.60	113.83	109.16
2	D	1201	0NH	O9-S8-C11	3.33	112.86	108.30
2	D	1201	0NH	C11-S8-N5	-3.18	103.54	107.27
2	B	1201	0NH	C17-C16-C15	-3.02	118.41	120.03
2	B	1201	0NH	C11-S8-N5	-2.86	103.91	107.27
2	D	1201	0NH	C3-C4-N5	2.81	112.80	109.16
2	A	1202	0NH	C11-S8-N5	-2.73	104.06	107.27
2	A	1202	0NH	C7-C6-N5	2.72	112.68	109.16
2	D	1201	0NH	O9-S8-N5	-2.69	104.77	107.02
2	A	1202	0NH	O9-S8-N5	2.63	109.21	107.02
2	B	1201	0NH	C1-C2-C7	-2.53	110.37	111.61
2	B	1201	0NH	C3-C4-N5	2.53	112.44	109.16
2	D	1201	0NH	C3-C2-C7	2.32	113.12	109.04
2	A	1202	0NH	C24-C15-C16	-2.30	118.80	121.12
2	A	1202	0NH	C6-N5-S8	2.25	120.32	116.71
2	A	1201	0NH	C11-S8-N5	-2.22	104.66	107.27
2	B	1201	0NH	O10-S8-O9	2.21	121.76	118.46
2	D	1201	0NH	O10-S8-O9	2.16	121.68	118.46
2	B	1201	0NH	C24-C15-C16	-2.02	119.08	121.12

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	1201	0NH	C6-N5-S8-O9
2	D	1201	0NH	C6-N5-S8-O10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	1201	0NH	C4-N5-S8-O9
2	A	1201	0NH	C4-N5-S8-O10
2	B	1201	0NH	C4-N5-S8-O9
2	B	1201	0NH	C4-N5-S8-O10
2	D	1201	0NH	C6-N5-S8-C11
2	A	1201	0NH	C4-N5-S8-C11
2	A	1202	0NH	C4-N5-S8-O9
2	A	1202	0NH	C4-N5-S8-O10
2	B	1201	0NH	C4-N5-S8-C11


There are no ring outliers.

3 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	1201	0NH	1	0
2	B	1201	0NH	1	0
2	A	1201	0NH	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand 0NH D 1201



Ligand 0NH A 1202





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	277/302 (91%)	0.04	15 (5%) 32 30	7, 28, 49, 71	9 (3%)
1	B	279/302 (92%)	0.08	16 (5%) 30 28	7, 27, 49, 76	14 (5%)
1	D	281/302 (93%)	0.25	21 (7%) 22 20	9, 30, 54, 78	13 (4%)
1	E	280/302 (92%)	0.12	21 (7%) 22 20	9, 30, 51, 79	12 (4%)
All	All	1117/1208 (92%)	0.12	73 (6%) 26 24	7, 29, 52, 79	48 (4%)

All (73) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	1154	LYS	8.8
1	E	1154	LYS	6.4
1	A	1154	LYS	6.4
1	B	1154	LYS	6.3
1	E	864	GLU	5.6
1	D	864	GLU	5.5
1	B	864	GLU	5.4
1	D	1041	ARG	4.6
1	B	1041	ARG	4.5
1	A	1041	ARG	4.4
1	E	1041	ARG	4.2
1	E	912	PRO	4.1
1	A	1038	LYS	3.9
1	B	886	PHE	3.9
1	B	885	HIS	3.8
1	E	886	PHE	3.8
1	D	1058	PHE	3.7
1	D	1042	ASP	3.7
1	D	886	PHE	3.7
1	B	1042	ASP	3.7
1	E	885	HIS	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	869	HIS	3.4
1	E	933	TYR	3.4
1	A	886	PHE	3.4
1	B	884	GLY	3.4
1	E	1038	LYS	3.4
1	A	918	HIS	3.3
1	A	900	ASN	3.3
1	D	885	HIS	3.3
1	B	1038	LYS	3.3
1	D	1030	THR	3.3
1	D	1031	ASP	3.2
1	E	1030	THR	3.1
1	E	1033	GLU	3.1
1	D	997[A]	ARG	3.1
1	D	1038	LYS	3.1
1	E	1031	ASP	3.0
1	D	869	HIS	3.0
1	E	997[A]	ARG	3.0
1	D	884	GLY	2.9
1	A	885	HIS	2.8
1	A	1029	GLU	2.8
1	D	918	HIS	2.8
1	E	900	ASN	2.8
1	A	933	TYR	2.8
1	A	884	GLY	2.7
1	D	924	LYS	2.7
1	B	869	HIS	2.7
1	A	1090	LYS	2.7
1	B	865	VAL	2.7
1	B	933	TYR	2.5
1	E	1037	VAL	2.5
1	E	1029	GLU	2.5
1	A	865	VAL	2.5
1	B	1031	ASP	2.4
1	B	872	LYS	2.4
1	D	1037	VAL	2.4
1	A	924	LYS	2.3
1	D	1032	LYS	2.3
1	D	933	TYR	2.3
1	A	997[A]	ARG	2.3
1	E	865	VAL	2.3
1	D	948	GLY	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	974	LYS	2.2
1	E	974	LYS	2.2
1	B	924	LYS	2.1
1	D	1033	GLU	2.1
1	E	965	LYS	2.1
1	E	1032	LYS	2.1
1	D	919	ILE	2.1
1	B	900	ASN	2.1
1	A	911	LYS	2.1
1	E	872	LYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	PTR	B	1034	16/17	0.88	0.10	30,43,58,60	0
1	PTR	E	1034	16/17	0.88	0.12	38,51,67,72	0
1	PTR	E	1035	16/17	0.88	0.11	34,38,49,54	0
1	PTR	D	1034	16/17	0.90	0.09	35,54,71,75	0
1	PTR	A	1034	16/17	0.91	0.09	31,43,61,61	0
1	PTR	A	1035	16/17	0.92	0.09	25,32,42,45	0
1	PTR	D	1035	16/17	0.93	0.10	34,40,51,53	0
1	PTR	B	1035	16/17	0.94	0.08	28,35,44,44	0

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	0NH	A	1201	23/23	0.97	0.05	7,12,17,18	0
2	0NH	B	1201	23/23	0.97	0.05	10,15,19,24	0
2	0NH	D	1201	23/23	0.97	0.06	7,15,19,23	0
2	0NH	A	1202	23/23	0.98	0.05	8,12,16,18	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around 0NH B 1201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 0NH D 1201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.