



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 1, 2025 – 11:16 pm BST

PDB ID : 1E5X / pdb_00001e5x
Title : Structure of threonine synthase from Arabidopsis thaliana
Authors : Thomazeau, K.; Curien, G.; Dumas, R.; Biou, V.
Deposited on : 2000-08-04
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.42


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1763 (2.26-2.26)
Clashscore	180529	1919 (2.26-2.26)
Ramachandran outliers	177936	1884 (2.26-2.26)
Sidechain outliers	177891	1885 (2.26-2.26)
RSRZ outliers	164620	1763 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	486	<div> <div>15%</div> <div>68%</div> <div>23%</div> <div>7%</div> </div>
1	B	486	<div> <div>12%</div> <div>67%</div> <div>20%</div> <div>11%</div> </div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 7289 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called THREONINE SYNTHASE.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	451	Total	C	N	O	S	Se	0	2	0
			3514	2236	592	664	9	13			
1	B	433	Total	C	N	O	S	Se	0	3	0
			3387	2158	569	638	9	13			

There are 26 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	309	MSO	MET	modified residue	UNP Q39144
B	309	MSO	MET	modified residue	UNP Q39144
A	77	MSE	MET	modified residue	UNP Q39144
A	146	MSE	MET	modified residue	UNP Q39144
A	167	MSE	MET	modified residue	UNP Q39144
A	180	MSE	MET	modified residue	UNP Q39144
A	221	MSE	MET	modified residue	UNP Q39144
A	245	MSE	MET	modified residue	UNP Q39144
A	322	MSE	MET	modified residue	UNP Q39144
A	388	MSE	MET	modified residue	UNP Q39144
A	391	MSE	MET	modified residue	UNP Q39144
A	399	MSE	MET	modified residue	UNP Q39144
A	453	MSE	MET	modified residue	UNP Q39144
A	472	MSE	MET	modified residue	UNP Q39144
B	77	MSE	MET	modified residue	UNP Q39144
B	146	MSE	MET	modified residue	UNP Q39144
B	167	MSE	MET	modified residue	UNP Q39144
B	180	MSE	MET	modified residue	UNP Q39144
B	221	MSE	MET	modified residue	UNP Q39144
B	245	MSE	MET	modified residue	UNP Q39144
B	322	MSE	MET	modified residue	UNP Q39144
B	388	MSE	MET	modified residue	UNP Q39144
B	391	MSE	MET	modified residue	UNP Q39144
B	399	MSE	MET	modified residue	UNP Q39144
B	453	MSE	MET	modified residue	UNP Q39144

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	472	MSE	MET	modified residue	UNP Q39144


- Molecule 2 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	203	Total 203	O 203	0	0
2	B	185	Total 185	O 185	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: THREONINE SYNTHASE





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	57.76Å 62.14Å 76.59Å 109.48° 97.61° 112.74°	Depositor
Resolution (Å)	29.81 – 2.25 29.81 – 2.25	Depositor EDS
% Data completeness (in resolution range)	97.9 (29.81-2.25) 98.7 (29.81-2.25)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.03	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.38 (at 2.24Å)	Xtriage
Refinement program	CNS 0.9	Depositor
R, R_{free}	0.222 , 0.243 0.221 , 0.215	Depositor DCC
R_{free} test set	2071 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	33.3	Xtriage
Anisotropy	0.537	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 41.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	7289	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.23% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MSO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	0/3571	0.62	1/4822 (0.0%)
1	B	0.37	0/3442	0.62	2/4646 (0.0%)
All	All	0.37	0/7013	0.62	3/9468 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	387	LEU	CA-CB-CG	7.06	131.54	115.30
1	B	387	LEU	CA-CB-CG	7.01	131.43	115.30
1	B	51	GLY	N-CA-C	5.25	126.22	113.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3514	0	3445	121	0
1	B	3387	0	3314	95	0
2	A	203	0	0	7	0
2	B	185	0	0	4	0
All	All	7289	0	6759	209	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (209) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:56:TYR:OH	1:A:73:VAL:HG13	1.49	1.12
1:B:56:TYR:OH	1:B:73:VAL:HG13	1.53	1.09
1:A:62:VAL:HG12	1:A:64:ARG:HH12	1.41	0.85
1:B:294:GLY:HA3	1:B:326:GLN:HE22	1.44	0.81
1:A:391:MSE:HA	1:A:401:ILE:HD11	1.65	0.79
1:A:178:ARG:HD3	2:A:2102:HOH:O	1.83	0.78
1:B:24:ILE:HD13	1:B:101:TRP:O	1.84	0.78
1:B:391:MSE:HA	1:B:401:ILE:HD11	1.66	0.77
1:B:173:GLN:HG2	1:B:266:LEU:HD21	1.67	0.77
1:B:22:ASP:HA	1:B:25:ARG:HH12	1.49	0.77
1:A:57:SER:HA	1:A:177:LEU:HD21	1.67	0.75
1:A:294:GLY:HA3	1:A:326:GLN:HE22	1.50	0.74
1:B:22:ASP:HA	1:B:25:ARG:NH1	2.01	0.74
1:A:185:VAL:HG12	1:B:479:LEU:HD22	1.70	0.73
1:A:54:GLU:HG3	1:A:60:GLU:HG3	1.69	0.73
1:B:304:TYR:HB2	1:B:322:MSE:HE1	1.70	0.73
1:B:54:GLU:HB3	1:B:60:GLU:HG3	1.72	0.72
1:A:63:TYR:CD1	1:A:64:ARG:HG3	2.25	0.71
1:A:173:GLN:HG2	1:A:266:LEU:HD21	1.72	0.71
1:A:41:ALA:HB3	1:A:56:TYR:HE2	1.53	0.71
1:B:294:GLY:HA3	1:B:326:GLN:NE2	2.05	0.71
1:B:54:GLU:CB	1:B:60:GLU:HG3	2.22	0.69
1:A:19:ARG:HG2	1:A:22:ASP:OD2	1.93	0.69
1:A:24:ILE:HD13	1:A:101:TRP:O	1.93	0.68
1:B:264:ASN:O	1:B:267:ARG:HG2	1.93	0.68
1:B:294:GLY:CA	1:B:326:GLN:HE22	2.06	0.68
1:B:21:GLU:OE2	2:B:2003:HOH:O	2.12	0.68
1:A:345:LYS:HA	1:A:345:LYS:HE3	1.76	0.67
1:A:24:ILE:HD11	1:A:101:TRP:HD1	1.59	0.67
1:A:331:ASN:HB2	1:A:332:PRO:HD2	1.74	0.67
1:A:19:ARG:HD2	2:A:2009:HOH:O	1.94	0.67
1:A:294:GLY:CA	1:A:326:GLN:HE22	2.08	0.67
1:A:15:LYS:HB3	1:A:17:PRO:HD2	1.77	0.66
1:A:64:ARG:HD2	1:A:64:ARG:O	1.94	0.66
1:B:345:LYS:HE3	1:B:345:LYS:HA	1.76	0.66
1:B:331:ASN:HB2	1:B:332:PRO:HD2	1.75	0.66
1:A:63:TYR:HD1	1:A:64:ARG:H	1.40	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:62:VAL:HG13	1:A:69:GLY:O	1.96	0.66
1:A:294:GLY:HA3	1:A:326:GLN:NE2	2.11	0.65
1:A:54:GLU:CG	1:A:60:GLU:HG3	2.27	0.65
1:A:304:TYR:HB2	1:A:322:MSE:HE1	1.78	0.65
1:B:56:TYR:HH	1:B:73:VAL:HG13	1.59	0.65
1:B:78:GLU:HG2	1:B:82:ARG:HH12	1.62	0.64
1:A:78:GLU:HG2	1:A:82:ARG:HH12	1.62	0.64
1:B:267:ARG:HG3	1:B:267:ARG:HH11	1.63	0.63
1:B:416:ARG:NH2	1:B:423:PRO:HD3	2.14	0.63
1:B:41:ALA:HB3	1:B:56:TYR:HE2	1.63	0.63
1:A:187:VAL:HG11	1:A:199:LEU:HD11	1.80	0.62
1:A:128:GLU:CD	1:A:128:GLU:H	2.03	0.62
1:B:128:GLU:CD	1:B:128:GLU:H	2.03	0.61
1:A:63:TYR:HD1	1:A:64:ARG:HG3	1.65	0.60
1:A:161:SER:HB3	2:A:2097:HOH:O	2.01	0.60
1:B:387:LEU:HD22	1:B:388:MSE:HG2	1.83	0.60
1:B:187:VAL:HG11	1:B:199:LEU:HD11	1.84	0.59
1:A:179:LYS:C	1:A:181:LYS:H	2.04	0.59
1:B:49:ALA:HB1	1:B:50:PRO:CD	2.33	0.59
1:B:181:LYS:O	1:B:183:PRO:HD3	2.01	0.59
1:A:54:GLU:CB	1:A:60:GLU:HG3	2.33	0.59
1:B:179:LYS:C	1:B:181:LYS:H	2.05	0.59
1:A:63:TYR:HD1	1:A:64:ARG:N	2.01	0.59
1:A:24:ILE:HG21	1:A:101:TRP:O	2.03	0.58
1:A:365:ILE:O	1:A:369:VAL:HG23	2.02	0.58
1:A:259:LEU:O	1:A:262:SER:HB3	2.04	0.58
1:A:16:PRO:N	1:A:17:PRO:HD2	2.19	0.58
1:A:293:PRO:HG3	1:A:408:ALA:HB2	1.84	0.58
1:B:287:PRO:O	1:B:320:PRO:HB3	2.04	0.58
1:A:62:VAL:HG12	1:A:63:TYR:H	1.69	0.58
1:A:416:ARG:NH2	1:A:423:PRO:HD3	2.19	0.58
1:A:287:PRO:O	1:A:320:PRO:HB3	2.04	0.57
1:A:479:LEU:HD22	1:B:185:VAL:HG12	1.86	0.57
1:B:170:LEU:C	1:B:170:LEU:HD23	2.25	0.57
1:B:365:ILE:O	1:B:369:VAL:HG23	2.04	0.57
1:A:64:ARG:NH2	1:A:69:GLY:HA3	2.19	0.57
1:A:62:VAL:CG1	1:A:64:ARG:HH22	2.18	0.56
1:A:64:ARG:HD2	1:A:64:ARG:C	2.25	0.56
1:A:76:ASP:OD1	1:A:78:GLU:HB3	2.05	0.56
1:A:170:LEU:C	1:A:170:LEU:HD23	2.26	0.56
1:A:24:ILE:HD12	1:A:120:ASP:OD2	2.04	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:199:LEU:HD22	1:A:260:ALA:HB2	1.88	0.56
1:B:76:ASP:OD1	1:B:78:GLU:HB3	2.06	0.56
1:B:24:ILE:HG23	2:B:2044:HOH:O	2.04	0.56
1:B:58:LEU:HD23	1:B:60:GLU:OE2	2.06	0.56
1:B:41:ALA:HB1	1:B:56:TYR:OH	2.06	0.55
1:A:16:PRO:HG2	1:A:17:PRO:HD3	1.88	0.55
1:B:49:ALA:HB1	1:B:50:PRO:HD2	1.88	0.55
1:A:185:VAL:HG11	1:B:479:LEU:HD13	1.87	0.55
1:A:181:LYS:O	1:A:183:PRO:HD3	2.07	0.55
1:B:24:ILE:HD11	1:B:101:TRP:HD1	1.71	0.55
1:A:60:GLU:O	1:A:61:ILE:HD13	2.07	0.55
1:B:62:VAL:HG13	1:B:69:GLY:O	2.07	0.55
1:B:199:LEU:HD22	1:B:260:ALA:HB2	1.89	0.54
1:A:297:LEU:CD1	1:A:365:ILE:HG22	2.38	0.54
1:B:42:LYS:HD2	1:B:53:THR:OG1	2.07	0.54
1:A:88:TRP:CB	1:A:315:LEU:HD11	2.37	0.54
1:B:57:SER:HA	1:B:177:LEU:HD21	1.90	0.54
1:A:41:ALA:HB3	1:A:56:TYR:CE2	2.39	0.54
1:A:308:LYS:HE3	1:A:312:GLU:OE2	2.08	0.54
1:B:88:TRP:CB	1:B:315:LEU:HD11	2.38	0.54
1:A:24:ILE:CD1	1:A:101:TRP:HD1	2.20	0.54
1:A:78:GLU:HG2	1:A:82:ARG:NH1	2.23	0.53
1:A:192:THR:HG22	1:A:214:LEU:HD11	1.89	0.53
1:B:78:GLU:HG2	1:B:82:ARG:NH1	2.24	0.53
1:A:49:ALA:HB1	1:A:50:PRO:HD2	1.91	0.53
1:A:62:VAL:HG11	1:A:64:ARG:HH22	1.73	0.53
1:B:259:LEU:O	1:B:262:SER:HB3	2.09	0.52
1:A:63:TYR:HH	1:A:69:GLY:N	2.08	0.52
1:B:263:LEU:N	1:B:263:LEU:HD12	2.25	0.52
1:B:279:LEU:HD13	1:B:307:PHE:HE1	1.74	0.52
1:A:387:LEU:HD22	1:A:388:MSE:HG2	1.91	0.51
1:B:41:ALA:HB3	1:B:56:TYR:CE2	2.45	0.51
1:B:308:LYS:HE3	1:B:312:GLU:OE2	2.11	0.51
1:B:325:ALA:HB1	1:B:407:VAL:HG12	1.93	0.51
1:A:279:LEU:HD13	1:A:307:PHE:HE1	1.75	0.51
1:B:55:SER:HB3	1:B:58:LEU:HD13	1.93	0.51
1:A:49:ALA:HB1	1:A:50:PRO:CD	2.42	0.51
1:A:167:MSE:CE	1:A:195:THR:HG23	2.41	0.50
1:A:383:THR:OG1	1:A:386:GLU:HG3	2.12	0.50
1:A:41:ALA:HB1	1:A:56:TYR:OH	2.10	0.50
1:A:24:ILE:HG23	2:A:2007:HOH:O	2.11	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:24:ILE:HG21	1:B:101:TRP:O	2.12	0.50
1:A:21:GLU:OE2	2:A:2008:HOH:O	2.20	0.49
1:A:479:LEU:HD13	1:B:185:VAL:HG11	1.94	0.49
1:A:16:PRO:N	1:A:17:PRO:CD	2.75	0.49
1:A:62:VAL:HG12	1:A:63:TYR:N	2.27	0.49
1:A:63:TYR:CD1	1:A:64:ARG:N	2.77	0.49
1:A:472:MSE:CE	1:A:476:LYS:HE2	2.43	0.49
1:A:258:TYR:HB3	1:A:263:LEU:HD11	1.94	0.49
1:B:267:ARG:HG3	1:B:267:ARG:NH1	2.28	0.49
1:A:63:TYR:HE2	1:A:70:LEU:O	1.96	0.48
1:B:304:TYR:HB2	1:B:322:MSE:CE	2.41	0.48
1:B:416:ARG:HH22	1:B:423:PRO:HD3	1.78	0.48
1:A:182:ARG:O	1:A:184:VAL:HG23	2.13	0.48
1:A:416:ARG:HH22	1:A:423:PRO:HD3	1.79	0.48
1:A:167:MSE:SE	1:A:267:ARG:HD3	2.63	0.48
1:A:263:LEU:HD12	1:A:263:LEU:N	2.29	0.48
1:A:63:TYR:CE2	1:A:70:LEU:O	2.67	0.48
1:B:182:ARG:O	1:B:184:VAL:HG23	2.14	0.48
1:A:45:PRO:HA	1:A:63:TYR:CD2	2.49	0.47
1:A:88:TRP:HB3	1:A:315:LEU:HD11	1.96	0.47
1:B:258:TYR:HB3	1:B:263:LEU:HD11	1.96	0.47
1:B:363:VAL:HG12	1:B:363:VAL:O	2.15	0.47
1:A:249:ARG:HG2	1:A:249:ARG:HH11	1.80	0.46
1:A:24:ILE:CG2	2:A:2007:HOH:O	2.63	0.46
1:B:294:GLY:CA	1:B:326:GLN:NE2	2.73	0.46
1:B:293:PRO:HG3	1:B:408:ALA:HB2	1.97	0.46
1:B:19:ARG:HG2	1:B:22:ASP:OD2	2.16	0.46
1:A:192:THR:HG22	1:A:214:LEU:CD1	2.45	0.46
1:B:192:THR:HG22	1:B:214:LEU:HD11	1.96	0.46
1:A:22:ASP:OD1	1:A:25:ARG:NH2	2.49	0.46
1:A:42:LYS:HD2	1:A:53:THR:HG21	1.98	0.46
1:A:71:LEU:O	1:A:367:ARG:NH2	2.49	0.46
1:A:211:ILE:HD13	1:B:475:LEU:HD22	1.97	0.45
1:B:88:TRP:HB2	1:B:315:LEU:HD11	1.97	0.45
1:A:19:ARG:HB2	1:B:135:TRP:CZ2	2.51	0.45
1:B:49:ALA:O	1:B:51:GLY:N	2.49	0.45
1:A:146:MSE:SE	1:A:416:ARG:HD2	2.65	0.45
1:A:326:GLN:O	1:A:381:GLU:HA	2.16	0.45
1:A:363:VAL:O	1:A:364:SER:HB3	2.16	0.45
1:B:122:ASP:OD1	1:B:179:LYS:HD2	2.17	0.45
1:A:315:LEU:N	1:A:315:LEU:CD2	2.80	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:279:LEU:HD13	1:B:307:PHE:CE1	2.52	0.45
1:A:24:ILE:C	1:A:26:ASP:N	2.71	0.44
1:B:50:PRO:O	1:B:51:GLY:O	2.36	0.44
1:B:89:ARG:HD2	1:B:284:TRP:CD1	2.52	0.44
1:A:56:TYR:CE1	1:A:73:VAL:HG22	2.52	0.44
1:B:297:LEU:CD1	1:B:365:ILE:HG22	2.47	0.44
1:B:299:ASN:ND2	2:B:2120:HOH:O	2.51	0.44
1:A:153:HIS:HB3	1:A:156:ILE:HG13	1.99	0.43
1:B:44:VAL:HG13	1:B:45:PRO:HD2	2.00	0.43
1:A:56:TYR:HH	1:A:73:VAL:HG13	1.74	0.43
1:A:325:ALA:HB1	1:A:407:VAL:HG12	1.99	0.43
1:B:200:SER:HB2	2:B:2101:HOH:O	2.18	0.43
1:A:64:ARG:O	1:A:64:ARG:NH1	2.52	0.43
1:B:333:LEU:HD13	1:B:365:ILE:HB	2.00	0.43
1:A:10:ILE:HG12	1:A:10:ILE:O	2.19	0.43
1:A:42:LYS:HD2	1:A:53:THR:CG2	2.49	0.43
1:A:294:GLY:CA	1:A:326:GLN:NE2	2.77	0.43
1:B:472:MSE:O	1:B:476:LYS:HG2	2.19	0.43
1:A:279:LEU:HD13	1:A:307:PHE:CE1	2.53	0.43
1:B:315:LEU:CD2	1:B:315:LEU:N	2.82	0.42
1:B:378:ILE:HG22	1:B:379:VAL:N	2.34	0.42
1:A:89:ARG:HG3	1:A:315:LEU:HD13	2.00	0.42
1:A:261:ASN:OD1	1:A:267:ARG:NH2	2.52	0.42
1:B:89:ARG:HG3	1:B:315:LEU:HD13	2.01	0.42
1:A:88:TRP:HB2	1:A:315:LEU:HD11	2.00	0.42
1:A:224:LEU:O	1:A:227:PRO:HD2	2.20	0.42
1:B:383:THR:OG1	1:B:386:GLU:HG3	2.20	0.42
1:A:244:CYS:O	1:A:248:ILE:HG13	2.20	0.42
1:A:89:ARG:HD2	1:A:284:TRP:CD1	2.55	0.42
1:B:56:TYR:CE1	1:B:73:VAL:HG22	2.55	0.42
1:A:472:MSE:O	1:A:476:LYS:HG2	2.20	0.42
1:B:88:TRP:HB3	1:B:315:LEU:HD11	2.02	0.42
1:A:180:MSE:HB2	1:A:182:ARG:HG2	2.02	0.41
1:A:387:LEU:C	1:A:387:LEU:HD23	2.40	0.41
1:A:460:PRO:HA	1:A:461:PRO:HD3	1.96	0.41
1:B:167:MSE:CE	1:B:195:THR:HG23	2.49	0.41
1:B:179:LYS:C	1:B:181:LYS:N	2.73	0.41
1:A:267:ARG:HD2	2:A:2140:HOH:O	2.20	0.41
1:B:263:LEU:HD12	1:B:263:LEU:H	1.84	0.41
1:B:192:THR:HG22	1:B:214:LEU:CD1	2.51	0.41
1:B:226:GLN:HB2	1:B:227:PRO:HD3	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:185:VAL:CG1	1:B:479:LEU:HD13	2.50	0.41
1:B:49:ALA:C	1:B:51:GLY:H	2.24	0.41
1:B:180:MSE:HB2	1:B:182:ARG:HG2	2.02	0.41
1:A:378:ILE:HG22	1:A:379:VAL:N	2.36	0.41
1:B:131:SER:OG	1:B:152:LYS:HE3	2.21	0.41
1:B:247:LEU:O	1:B:251:ILE:HG12	2.20	0.40
1:B:54:GLU:CG	1:B:60:GLU:HG3	2.51	0.40
1:A:255:LEU:HA	1:A:256:PRO:HD3	1.89	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	444/486 (91%)	410 (92%)	33 (7%)	1 (0%)	44	51
1	B	427/486 (88%)	396 (93%)	27 (6%)	4 (1%)	14	12
All	All	871/972 (90%)	806 (92%)	60 (7%)	5 (1%)	22	21

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	51	GLY
1	B	49	ALA
1	B	50	PRO
1	B	47	ASN
1	A	184	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	378/389 (97%)	365 (97%)	13 (3%)	32	40
1	B	364/389 (94%)	350 (96%)	14 (4%)	28	34
All	All	742/778 (95%)	715 (96%)	27 (4%)	29	37

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	THR
1	A	26	ASP
1	A	44	VAL
1	A	54	GLU
1	A	64	ARG
1	A	102	PRO
1	A	128	GLU
1	A	247	LEU
1	A	279	LEU
1	A	315	LEU
1	A	345	LYS
1	A	380	GLU
1	A	387	LEU
1	B	18	HIS
1	B	23	ASN
1	B	50	PRO
1	B	53	THR
1	B	54	GLU
1	B	128	GLU
1	B	244	CYS
1	B	247	LEU
1	B	279	LEU
1	B	315	LEU
1	B	345	LYS
1	B	376	ASN
1	B	380	GLU
1	B	387	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	153	HIS
1	A	230	ASN
1	A	299	ASN
1	A	326	GLN
1	A	376	ASN
1	B	153	HIS
1	B	271	GLN
1	B	299	ASN
1	B	326	GLN
1	B	376	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	MSO	A	309	1	4,8,9	0.54	0	1,9,11	0.05	0
1	MSO	B	309	1	4,8,9	0.85	0	1,9,11	0.18	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	MSO	A	309	1	-	0/4/7/9	-
1	MSO	B	309	1	-	1/4/7/9	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	B	309	MSO	O-C-CA-CB

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	438/486 (90%)	0.91	74 (16%)	5 5	16, 43, 79, 93	3 (0%)
1	B	420/486 (86%)	0.84	56 (13%)	8 8	16, 43, 75, 89	4 (0%)
All	All	858/972 (88%)	0.88	130 (15%)	6 7	16, 43, 77, 93	7 (0%)

All (130) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	24	ILE	5.5
1	A	260	ALA	5.3
1	A	63	TYR	5.2
1	B	49	ALA	5.2
1	B	50	PRO	5.1
1	B	294	GLY	5.1
1	B	24	ILE	5.0
1	A	56	TYR	4.7
1	A	49	ALA	4.6
1	B	56	TYR	4.6
1	B	183	PRO	4.6
1	A	50	PRO	4.2
1	B	364	SER	4.1
1	A	13	ALA	4.1
1	B	62	VAL	4.0
1	B	52	SER	4.0
1	B	17	PRO	3.9
1	A	62	VAL	3.8
1	A	485	THR	3.7
1	A	16	PRO	3.7
1	A	484	LEU	3.7
1	B	258	TYR	3.6
1	A	185	VAL	3.6
1	A	69	GLY	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	258	TYR	3.6
1	A	14	VAL	3.6
1	B	241	PHE	3.5
1	A	27	GLU	3.5
1	B	217	ASN	3.5
1	A	10	ILE	3.5
1	B	182	ARG	3.4
1	A	51	GLY	3.4
1	B	244	CYS	3.4
1	A	256	PRO	3.3
1	B	53	THR	3.3
1	A	259	LEU	3.3
1	B	363	VAL	3.2
1	A	60	GLU	3.2
1	A	182	ARG	3.1
1	B	54	GLU	3.1
1	A	346	PRO	3.1
1	A	364	SER	3.1
1	B	261	ASN	3.1
1	A	17	PRO	3.0
1	A	53	THR	3.0
1	A	252	THR	3.0
1	B	18	HIS	3.0
1	A	294	GLY	3.0
1	A	262	SER	2.9
1	B	479	LEU	2.9
1	B	317[A]	ASP	2.9
1	B	21	GLU	2.9
1	B	60	GLU	2.9
1	B	51	GLY	2.9
1	A	483	THR	2.8
1	A	12	THR	2.8
1	A	263	LEU	2.8
1	B	61	ILE	2.8
1	A	255	LEU	2.7
1	A	452	ASP	2.7
1	A	363	VAL	2.7
1	B	454	ALA	2.7
1	A	417	ASN	2.6
1	A	52	SER	2.6
1	A	243	GLY	2.6
1	A	332	PRO	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	192	THR	2.5
1	B	346	PRO	2.5
1	B	251	ILE	2.5
1	A	23	ASN	2.5
1	B	57	SER	2.5
1	A	242	ASP	2.5
1	B	260	ALA	2.5
1	B	20	THR	2.5
1	B	473	ASP	2.4
1	A	35	ALA	2.4
1	B	48	ALA	2.4
1	A	482	ASN	2.4
1	B	339	SER	2.4
1	A	253	ALA	2.4
1	A	422	ALA	2.4
1	B	58	LEU	2.4
1	B	192	THR	2.4
1	A	250	GLU	2.4
1	B	254	GLU	2.4
1	A	57	SER	2.4
1	A	365	ILE	2.4
1	B	69	GLY	2.4
1	B	413	PHE	2.4
1	A	240	ASP	2.4
1	A	58	LEU	2.4
1	A	241	PHE	2.3
1	B	185	VAL	2.3
1	A	61	ILE	2.3
1	B	242	ASP	2.3
1	A	416	ARG	2.3
1	A	257	ILE	2.3
1	A	18	HIS	2.3
1	A	48	ALA	2.3
1	A	26	ASP	2.3
1	A	181	LYS	2.3
1	B	191	SER	2.3
1	A	296	ASN	2.2
1	B	23	ASN	2.2
1	A	184	VAL	2.2
1	B	22	ASP	2.2
1	B	365	ILE	2.2
1	A	187	VAL	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	264	ASN	2.2
1	A	486	SER	2.2
1	A	264	ASN	2.2
1	B	253	ALA	2.2
1	A	44	VAL	2.1
1	B	36	VAL	2.1
1	B	474	VAL	2.1
1	A	64	ARG	2.1
1	A	261	ASN	2.1
1	B	177	LEU	2.1
1	B	468	PHE	2.1
1	B	82	ARG	2.1
1	A	251	ILE	2.1
1	A	22	ASP	2.1
1	B	158	HIS	2.1
1	A	70	LEU	2.1
1	A	20	THR	2.0
1	A	454	ALA	2.0
1	B	341	TRP	2.0
1	B	344	PHE	2.0
1	A	475	LEU	2.0
1	A	479	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
1	MSO	A	309	9/10	0.90	0.17	41,41,43,44	0
1	MSO	B	309	9/10	0.92	0.18	41,42,44,44	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.