



# Full wwPDB X-ray Structure Validation Report ⓘ

Apr 22, 2025 – 03:31 AM EDT

PDB ID : 8E6L / pdb\_00008e6l  
Title : X-ray structure of the Deinococcus radiodurans Nramp/MntH divalent transition metal transporter D296A mutant in an inward-open, manganese-bound state  
Authors : Ray, S.; Gaudet, R.  
Deposited on : 2022-08-22  
Resolution : 3.12 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0rc1
EDS	:	3.0
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.006 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.42


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*


The reported resolution of this entry is 3.12 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	1668 (3.14-3.10)
Clashscore	180529	1788 (3.14-3.10)
Ramachandran outliers	177936	1696 (3.14-3.10)
Sidechain outliers	177891	1696 (3.14-3.10)
RSRZ outliers	164620	1668 (3.14-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	414	

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 3205 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Divalent metal cation transporter MntH.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	385	Total	C	N	O	S	0	1	0
			2861	1890	473	481	17			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	23	MET	-	expression tag	UNP Q9RTP8
A	24	HIS	-	expression tag	UNP Q9RTP8
A	25	HIS	-	expression tag	UNP Q9RTP8
A	26	HIS	-	expression tag	UNP Q9RTP8
A	27	HIS	-	expression tag	UNP Q9RTP8
A	28	HIS	-	expression tag	UNP Q9RTP8
A	29	HIS	-	expression tag	UNP Q9RTP8
A	30	HIS	-	expression tag	UNP Q9RTP8
A	31	HIS	-	expression tag	UNP Q9RTP8
A	296	ALA	ASP	engineered mutation	UNP Q9RTP8


- Molecule 2 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mn	0	0
			1	1		

- Molecule 3 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Cl	0	0
			2	2		

- Molecule 4 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (CCD ID: OLC) (formula: C<sub>21</sub>H<sub>40</sub>O<sub>4</sub>).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 20 16 4	0	0
4	A	1	Total C O 25 21 4	0	0
4	A	1	Total C O 14 10 4	0	0
4	A	1	Total C O 25 21 4	0	0
4	A	1	Total C O 25 21 4	0	0
4	A	1	Total C O 15 11 4	0	0
4	A	1	Total C 9 9	0	0
4	A	1	Total C 14 14	0	0
4	A	1	Total C O 15 11 4	0	0
4	A	1	Total C 16 16	0	0
4	A	1	Total C 14 14	0	0
4	A	1	Total C 15 15	0	0
4	A	1	Total C 15 15	0	0
4	A	1	Total C 12 12	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C 9 9	0	0
4	A	1	Total C 13 13	0	0
4	A	1	Total C 16 16	0	0
4	A	1	Total C O 12 8 4	0	0
4	A	1	Total C 9 9	0	0
4	A	1	Total C O 16 12 4	0	0
4	A	1	Total C 5 5	0	0

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 6 3 3	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	21	Total O 21 21	0	0

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Divalent metal cation transporter MntH



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 2 <sub>1</sub> 2 <sub>1</sub> 2 <sub>1</sub>	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	58.51Å 71.64Å 98.89Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.32 – 3.12 45.32 – 3.12	Depositor EDS
% Data completeness (in resolution range)	89.5 (45.32-3.12) 89.4 (45.32-3.12)	Depositor EDS
$R_{merge}$	0.34	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.65 (at 3.12Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, $R_{free}$	0.219 , 0.273 0.220 , 0.271	Depositor DCC
$R_{free}$ test set	6907 reflections (13.01%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	63.5	Xtriage
Anisotropy	0.066	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 68.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	3205	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	68.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.90% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL, GOL, OLC, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.24	0/2924	0.43	0/4000

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2861	0	2981	35	0
2	A	1	0	0	0	0
3	A	2	0	0	0	0
4	A	314	0	496	20	0
5	A	6	0	8	0	0
6	A	21	0	0	0	0
All	All	3205	0	3485	45	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (45) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:121:ILE:HD12	4:A:512:OLC:H6	1.84	0.60
1:A:231:PRO:HG3	1:A:385:VAL:HG22	1.83	0.59
1:A:270:LEU:HD22	4:A:514:OLC:H18B	1.83	0.58
1:A:103:LEU:HD11	1:A:391:PRO:HB2	1.86	0.58
1:A:156:VAL:HG22	4:A:517:OLC:H7	1.86	0.56
1:A:55:MET:O	1:A:323:SER:OG	2.22	0.55
1:A:92:SER:O	1:A:238:SER:OG	2.26	0.53
1:A:390:VAL:HG21	4:A:511:OLC:H13A	1.90	0.52
1:A:291:VAL:HB	1:A:294:ALA:HB2	1.93	0.51
1:A:78:ILE:HD11	1:A:279:LEU:HD13	1.93	0.50
1:A:421:ILE:HD13	4:A:518:OLC:H16	1.93	0.50
1:A:76:TRP:CE2	1:A:210:PRO:HA	2.47	0.49
1:A:102:ASN:ND2	1:A:105:GLU:OE2	2.44	0.49
1:A:47:ALA:HB3	4:A:514:OLC:H17	1.95	0.48
1:A:353:ARG:HG3	1:A:357:MET:HE3	1.95	0.48
1:A:48:VAL:HA	4:A:514:OLC:H18A	1.94	0.47
1:A:258:ARG:HD3	1:A:261:ARG:HH21	1.79	0.46
1:A:98:ALA:HB2	1:A:405:LEU:HD22	1.97	0.46
1:A:436:GLY:HA2	4:A:523:OLC:H24A	1.97	0.46
1:A:52:ILE:HD13	1:A:180:GLY:HA2	1.97	0.46
1:A:136:LEU:HB3	1:A:374[A]:LEU:HD21	1.97	0.46
1:A:136:LEU:HB3	1:A:374[B]:LEU:HD21	1.98	0.46
4:A:523:OLC:O20	4:A:523:OLC:O25	2.23	0.46
1:A:281:VAL:HG12	1:A:303:THR:HB	2.00	0.44
1:A:232:HIS:CE1	1:A:233:VAL:HG23	2.53	0.44
1:A:213:GLN:HB2	1:A:217:SER:HB2	2.00	0.44
1:A:249:THR:O	1:A:253:LYS:N	2.42	0.43
1:A:233:VAL:HA	1:A:236:LEU:HB3	2.00	0.43
4:A:513:OLC:H11	4:A:513:OLC:H8A	1.58	0.43
4:A:504:OLC:H5	4:A:504:OLC:H8	1.76	0.43
1:A:370:PRO:O	1:A:374[A]:LEU:HG	2.19	0.43
4:A:519:OLC:H13	4:A:519:OLC:H16	1.64	0.43
1:A:370:PRO:O	1:A:374[B]:LEU:HG	2.19	0.43
1:A:47:ALA:CB	4:A:514:OLC:H17	2.49	0.42
4:A:514:OLC:H10	4:A:514:OLC:H13	1.87	0.42
4:A:514:OLC:H11	4:A:514:OLC:H8A	1.77	0.42
1:A:386:PRO:HG2	4:A:516:OLC:H17A	2.02	0.42
4:A:510:OLC:H15	4:A:514:OLC:H16	2.02	0.41
1:A:110:ARG:NH2	1:A:400:ASP:OD2	2.44	0.41
4:A:521:OLC:H21	4:A:521:OLC:H2	1.89	0.41
1:A:394:LEU:O	1:A:398:ARG:HG3	2.20	0.40
1:A:136:LEU:HD12	1:A:136:LEU:HA	1.89	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:342:PHE:HB3	1:A:343:MET:HE3	2.04	0.40
4:A:505:OLC:H15	4:A:505:OLC:H12	1.72	0.40
4:A:517:OLC:H6	4:A:517:OLC:H3	1.93	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	382/414 (92%)	375 (98%)	7 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	288/321 (90%)	285 (99%)	3 (1%)	73	85

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	212	LEU
1	A	431	TRP
1	A	434	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	232	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 25 ligands modelled in this entry, 3 are monoatomic - leaving 22 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	OLC	A	524	-	4,4,24	0.35	0	3,3,25	0.54	0
4	OLC	A	504	-	19,19,24	0.90	2 (10%)	20,20,25	1.06	1 (5%)
4	OLC	A	507	-	24,24,24	0.82	2 (8%)	25,25,25	0.94	1 (4%)
4	OLC	A	508	-	24,24,24	0.81	2 (8%)	25,25,25	0.95	1 (4%)
4	OLC	A	505	-	24,24,24	0.81	2 (8%)	25,25,25	0.98	1 (4%)
4	OLC	A	519	-	12,12,24	0.34	0	11,11,25	0.77	0
4	OLC	A	510	-	8,8,24	0.32	0	7,7,25	0.70	0
4	OLC	A	520	-	15,15,24	0.33	0	14,14,25	0.76	0
4	OLC	A	509	-	14,14,24	1.02	2 (14%)	15,15,25	1.03	1 (6%)
4	OLC	A	514	-	13,13,24	0.34	0	12,12,25	0.65	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	OLC	A	523	-	15,15,24	1.02	2 (13%)	16,16,25	1.12	1 (6%)
4	OLC	A	518	-	8,8,24	0.31	0	7,7,25	0.77	0
4	OLC	A	512	-	14,14,24	1.02	2 (14%)	15,15,25	1.10	1 (6%)
4	OLC	A	521	-	11,11,24	1.14	2 (18%)	12,12,25	1.09	1 (8%)
5	GOL	A	525	-	5,5,5	0.93	0	5,5,5	1.09	0
4	OLC	A	513	-	15,15,24	0.35	0	14,14,25	0.72	0
4	OLC	A	511	-	13,13,24	0.34	0	12,12,25	0.77	0
4	OLC	A	516	-	14,14,24	0.34	0	13,13,25	0.71	0
4	OLC	A	506	-	13,13,24	1.08	2 (15%)	14,14,25	0.89	1 (7%)
4	OLC	A	517	-	11,11,24	0.36	0	10,10,25	0.69	0
4	OLC	A	515	-	14,14,24	0.32	0	13,13,25	0.77	0
4	OLC	A	522	-	8,8,24	0.32	0	7,7,25	0.72	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	OLC	A	524	-	-	1/2/2/24	-
4	OLC	A	504	-	-	11/19/19/24	-
4	OLC	A	507	-	-	14/24/24/24	-
4	OLC	A	508	-	-	12/24/24/24	-
4	OLC	A	505	-	-	12/24/24/24	-
4	OLC	A	519	-	-	5/10/10/24	-
4	OLC	A	510	-	-	3/6/6/24	-
4	OLC	A	520	-	-	8/13/13/24	-
4	OLC	A	509	-	-	4/14/14/24	-
4	OLC	A	514	-	-	6/11/11/24	-
4	OLC	A	523	-	-	8/15/15/24	-
4	OLC	A	518	-	-	2/6/6/24	-
4	OLC	A	512	-	-	5/14/14/24	-
4	OLC	A	521	-	-	7/11/11/24	-
5	GOL	A	525	-	-	0/4/4/4	-
4	OLC	A	513	-	-	8/13/13/24	-
4	OLC	A	511	-	-	6/11/11/24	-
4	OLC	A	516	-	-	6/12/12/24	-
4	OLC	A	506	-	-	5/13/13/24	-

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	OLC	A	517	-	-	4/9/9/24	-
4	OLC	A	515	-	-	3/12/12/24	-
4	OLC	A	522	-	-	3/6/6/24	-

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	521	OLC	O20-C1	2.48	1.40	1.33
4	A	523	OLC	O20-C1	2.45	1.40	1.33
4	A	509	OLC	O20-C1	2.43	1.40	1.33
4	A	505	OLC	O20-C1	2.43	1.40	1.33
4	A	506	OLC	O20-C1	2.42	1.40	1.33
4	A	504	OLC	O20-C1	2.42	1.40	1.33
4	A	507	OLC	O20-C1	2.41	1.40	1.33
4	A	508	OLC	O20-C1	2.39	1.40	1.33
4	A	512	OLC	O20-C1	2.37	1.40	1.33
4	A	506	OLC	O20-C21	-2.30	1.40	1.45
4	A	512	OLC	O20-C21	-2.20	1.40	1.45
4	A	523	OLC	O20-C21	-2.15	1.40	1.45
4	A	508	OLC	O20-C21	-2.15	1.40	1.45
4	A	507	OLC	O20-C21	-2.15	1.40	1.45
4	A	505	OLC	O20-C21	-2.12	1.40	1.45
4	A	509	OLC	O20-C21	-2.12	1.40	1.45
4	A	504	OLC	O20-C21	-2.12	1.40	1.45
4	A	521	OLC	O20-C21	-2.04	1.40	1.45

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	523	OLC	O20-C1-C2	3.01	121.01	111.83
4	A	504	OLC	O20-C1-C2	2.94	120.79	111.83
4	A	505	OLC	O20-C1-C2	2.82	120.44	111.83
4	A	512	OLC	O20-C1-C2	2.76	120.24	111.83
4	A	521	OLC	O20-C1-C2	2.69	120.03	111.83
4	A	507	OLC	O20-C1-C2	2.67	119.99	111.83
4	A	509	OLC	O20-C1-C2	2.61	119.80	111.83
4	A	508	OLC	O20-C1-C2	2.60	119.76	111.83
4	A	506	OLC	O20-C1-C2	2.31	118.87	111.83

There are no chirality outliers.

All (133) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	504	OLC	O20-C21-C22-C24
4	A	505	OLC	O20-C21-C22-C24
4	A	509	OLC	C21-C22-C24-O25
4	A	512	OLC	C21-C22-C24-O25
4	A	521	OLC	O20-C21-C22-O23
4	A	521	OLC	C2-C1-O20-C21
4	A	521	OLC	O19-C1-O20-C21
4	A	523	OLC	O20-C21-C22-C24
4	A	512	OLC	O19-C1-O20-C21
4	A	523	OLC	O19-C1-O20-C21
4	A	504	OLC	O20-C21-C22-O23
4	A	523	OLC	O20-C21-C22-O23
4	A	512	OLC	C2-C1-O20-C21
4	A	523	OLC	C2-C1-O20-C21
4	A	514	OLC	C13-C14-C15-C16
4	A	511	OLC	C14-C15-C16-C17
4	A	505	OLC	C2-C1-O20-C21
4	A	505	OLC	O20-C21-C22-O23
4	A	508	OLC	C2-C1-O20-C21
4	A	504	OLC	C1-C2-C3-C4
4	A	506	OLC	C1-C2-C3-C4
4	A	505	OLC	O19-C1-O20-C21
4	A	508	OLC	C1-C2-C3-C4
4	A	506	OLC	O20-C21-C22-O23
4	A	504	OLC	C2-C1-O20-C21
4	A	508	OLC	O19-C1-O20-C21
4	A	506	OLC	O20-C21-C22-C24
4	A	521	OLC	O20-C21-C22-C24
4	A	504	OLC	C21-C22-C24-O25
4	A	516	OLC	C13-C14-C15-C16
4	A	523	OLC	C5-C6-C7-C8
4	A	504	OLC	O19-C1-O20-C21
4	A	515	OLC	C12-C13-C14-C15
4	A	509	OLC	O23-C22-C24-O25
4	A	512	OLC	O23-C22-C24-O25
4	A	513	OLC	C4-C5-C6-C7
4	A	508	OLC	C5-C6-C7-C8
4	A	508	OLC	C4-C5-C6-C7
4	A	523	OLC	C3-C4-C5-C6
4	A	520	OLC	C4-C5-C6-C7
4	A	510	OLC	C13-C14-C15-C16
4	A	520	OLC	C5-C6-C7-C8
4	A	505	OLC	C4-C5-C6-C7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
4	A	507	OLC	C3-C4-C5-C6
4	A	504	OLC	C4-C5-C6-C7
4	A	513	OLC	C12-C13-C14-C15
4	A	505	OLC	C14-C15-C16-C17
4	A	520	OLC	C12-C13-C14-C15
4	A	523	OLC	C2-C3-C4-C5
4	A	507	OLC	C2-C1-O20-C21
4	A	507	OLC	C10-C11-C12-C13
4	A	515	OLC	C6-C7-C8-C9
4	A	509	OLC	C4-C5-C6-C7
4	A	508	OLC	C13-C14-C15-C16
4	A	520	OLC	C11-C12-C13-C14
4	A	508	OLC	C10-C11-C12-C13
4	A	514	OLC	C6-C7-C8-C9
4	A	517	OLC	C6-C7-C8-C9
4	A	519	OLC	C10-C11-C12-C13
4	A	507	OLC	C4-C5-C6-C7
4	A	519	OLC	C11-C12-C13-C14
4	A	508	OLC	C11-C12-C13-C14
4	A	520	OLC	C3-C4-C5-C6
4	A	507	OLC	C6-C7-C8-C9
4	A	511	OLC	C10-C11-C12-C13
4	A	507	OLC	O19-C1-O20-C21
4	A	504	OLC	C3-C4-C5-C6
4	A	513	OLC	C6-C7-C8-C9
4	A	522	OLC	C13-C14-C15-C16
4	A	505	OLC	C5-C6-C7-C8
4	A	514	OLC	C15-C16-C17-C18
4	A	523	OLC	C6-C7-C8-C9
4	A	510	OLC	C14-C15-C16-C17
4	A	513	OLC	C15-C16-C17-C18
4	A	520	OLC	C14-C15-C16-C17
4	A	511	OLC	C5-C6-C7-C8
4	A	512	OLC	C5-C6-C7-C8
4	A	508	OLC	C2-C3-C4-C5
4	A	504	OLC	O23-C22-C24-O25
4	A	520	OLC	C6-C7-C8-C9
4	A	524	OLC	C15-C16-C17-C18
4	A	513	OLC	C13-C14-C15-C16
4	A	515	OLC	C14-C15-C16-C17
4	A	522	OLC	C12-C13-C14-C15
4	A	507	OLC	C12-C13-C14-C15

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
4	A	518	OLC	C14-C15-C16-C17
4	A	509	OLC	C2-C3-C4-C5
4	A	519	OLC	C6-C7-C8-C9
4	A	508	OLC	C12-C13-C14-C15
4	A	510	OLC	C12-C13-C14-C15
4	A	505	OLC	C2-C3-C4-C5
4	A	508	OLC	C3-C4-C5-C6
4	A	522	OLC	C15-C16-C17-C18
4	A	517	OLC	C5-C6-C7-C8
4	A	507	OLC	C5-C6-C7-C8
4	A	505	OLC	C7-C8-C9-C10
4	A	521	OLC	C1-C2-C3-C4
4	A	514	OLC	C12-C13-C14-C15
4	A	518	OLC	C13-C14-C15-C16
4	A	507	OLC	C13-C14-C15-C16
4	A	516	OLC	C15-C16-C17-C18
4	A	514	OLC	C11-C12-C13-C14
4	A	505	OLC	C10-C11-C12-C13
4	A	508	OLC	C6-C7-C8-C9
4	A	513	OLC	C5-C6-C7-C8
4	A	507	OLC	C11-C12-C13-C14
4	A	511	OLC	C15-C16-C17-C18
4	A	504	OLC	C5-C6-C7-C8
4	A	514	OLC	C10-C11-C12-C13
4	A	511	OLC	C9-C10-C11-C12
4	A	506	OLC	C4-C5-C6-C7
4	A	519	OLC	C7-C8-C9-C10
4	A	516	OLC	C9-C10-C11-C12
4	A	517	OLC	C9-C10-C11-C12
4	A	517	OLC	C7-C8-C9-C10
4	A	519	OLC	C9-C10-C11-C12
4	A	520	OLC	C9-C10-C11-C12
4	A	506	OLC	O23-C22-C24-O25
4	A	507	OLC	O23-C22-C24-O25
4	A	504	OLC	C9-C10-C11-C12
4	A	505	OLC	C9-C10-C11-C12
4	A	516	OLC	C7-C8-C9-C10
4	A	507	OLC	O20-C1-C2-C3
4	A	516	OLC	C6-C7-C8-C9
4	A	511	OLC	C11-C12-C13-C14
4	A	513	OLC	C3-C4-C5-C6
4	A	521	OLC	O20-C1-C2-C3

*Continued on next page...*



*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
4	A	505	OLC	C12-C13-C14-C15
4	A	513	OLC	C14-C15-C16-C17
4	A	521	OLC	O19-C1-C2-C3
4	A	516	OLC	C11-C12-C13-C14
4	A	507	OLC	O19-C1-C2-C3
4	A	507	OLC	C1-C2-C3-C4




There are no ring outliers.




13 monomers are involved in 20 short contacts:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	504	OLC	1	0
4	A	505	OLC	1	0
4	A	519	OLC	1	0
4	A	510	OLC	1	0
4	A	514	OLC	7	0
4	A	523	OLC	2	0
4	A	518	OLC	1	0
4	A	512	OLC	1	0
4	A	521	OLC	1	0
4	A	513	OLC	1	0
4	A	511	OLC	1	0
4	A	516	OLC	1	0
4	A	517	OLC	2	0




The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

















## 5.7 Other polymers ⓘ

There are no such residues in this entry.



## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	385/414 (92%)	-0.14	3 (0%) 82 68	24, 61, 120, 187	1 (0%)

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	293	ASN	2.3
1	A	236	LEU	2.2
1	A	435	GLY	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	OLC	A	514	14/25	0.56	0.17	59,85,97,100	0
4	OLC	A	522	9/25	0.63	0.17	54,77,84,87	0
4	OLC	A	517	12/25	0.69	0.13	48,56,61,63	0
4	OLC	A	521	12/25	0.75	0.16	74,89,97,102	0

*Continued on next page...*




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	OLC	A	513	16/25	0.76	0.14	56,71,83,84	0
4	OLC	A	510	9/25	0.76	0.17	48,57,62,65	0
4	OLC	A	516	15/25	0.76	0.16	54,69,74,75	0
4	OLC	A	511	14/25	0.77	0.17	56,63,72,75	0
4	OLC	A	512	15/25	0.79	0.13	56,69,83,86	0
4	OLC	A	515	15/25	0.79	0.17	47,55,64,65	0
4	OLC	A	520	16/25	0.80	0.12	47,51,64,71	0
5	GOL	A	525	6/6	0.80	0.13	62,63,68,77	0
4	OLC	A	507	25/25	0.81	0.14	55,64,71,72	0
4	OLC	A	505	25/25	0.82	0.13	52,61,70,77	0
4	OLC	A	519	13/25	0.82	0.14	50,57,71,71	0
4	OLC	A	506	14/25	0.82	0.13	47,69,76,83	0
4	OLC	A	518	9/25	0.85	0.15	51,55,61,64	0
4	OLC	A	509	15/25	0.85	0.12	51,57,72,76	0
4	OLC	A	508	25/25	0.86	0.14	42,58,80,83	0
4	OLC	A	504	20/25	0.86	0.13	47,60,69,73	0
4	OLC	A	523	16/25	0.87	0.15	51,76,91,95	0
4	OLC	A	524	5/25	0.89	0.10	35,38,45,49	0
3	CL	A	503	1/1	0.91	0.10	66,66,66,66	0
2	MN	A	501	1/1	0.97	0.06	56,56,56,56	0
3	CL	A	502	1/1	0.98	0.06	62,62,62,62	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around OLC A 514:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OLC A 522:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around OLC A 517:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OLC A 521:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around OLC A 513:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OLC A 510:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around OLC A 516:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around OLC A 511:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around OLC A 512:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around OLC A 515:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







**Electron density around OLC A 520:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OLC A 507:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around OLC A 505:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OLC A 519:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around OLC A 506:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OLC A 518:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around OLC A 509:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OLC A 508:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







**Electron density around OLC A 504:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around OLC A 523:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers ⓘ

There are no such residues in this entry.