



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 24, 2024 – 11:35 PM EDT

PDB ID : 6EDZ
Title : Crystal structure of Mycobacterium tuberculosis ICL2 in complex with acetyl-CoA, form I
Authors : Bashiri, G.; Bhusal, R.; Leung, I.
Deposited on : 2018-08-12
Resolution : 2.67 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.67 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3863 (2.70-2.66)
Clashscore	141614	4210 (2.70-2.66)
Ramachandran outliers	138981	4141 (2.70-2.66)
Sidechain outliers	138945	4141 (2.70-2.66)
RSRZ outliers	127900	3780 (2.70-2.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	786	<div> <div></div> <div>86%</div> <div>7%</div> <div>7%</div> </div>
1	B	786	<div> <div></div> <div>86%</div> <div>6%</div> <div>7%</div> </div>
1	C	786	<div> <div></div> <div>84%</div> <div>7%</div> <div>8%</div> </div>
1	D	786	<div> <div></div> <div>86%</div> <div>6%</div> <div>7%</div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 23488 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isocitrate lyase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	733	Total	C	N	O	S	0	0	0
			5773	3645	1034	1075	19			
1	B	730	Total	C	N	O	S	0	0	0
			5756	3636	1031	1070	19			
1	C	723	Total	C	N	O	S	0	0	0
			5694	3597	1021	1056	20			
1	D	733	Total	C	N	O	S	0	0	0
			5776	3647	1036	1074	19			

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP Q8VJU4
A	-18	GLY	-	expression tag	UNP Q8VJU4
A	-17	SER	-	expression tag	UNP Q8VJU4
A	-16	SER	-	expression tag	UNP Q8VJU4
A	-15	HIS	-	expression tag	UNP Q8VJU4
A	-14	HIS	-	expression tag	UNP Q8VJU4
A	-13	HIS	-	expression tag	UNP Q8VJU4
A	-12	HIS	-	expression tag	UNP Q8VJU4
A	-11	HIS	-	expression tag	UNP Q8VJU4
A	-10	HIS	-	expression tag	UNP Q8VJU4
A	-9	SER	-	expression tag	UNP Q8VJU4
A	-8	SER	-	expression tag	UNP Q8VJU4
A	-7	GLY	-	expression tag	UNP Q8VJU4
A	-6	LEU	-	expression tag	UNP Q8VJU4
A	-5	VAL	-	expression tag	UNP Q8VJU4
A	-4	PRO	-	expression tag	UNP Q8VJU4
A	-3	ARG	-	expression tag	UNP Q8VJU4
A	-2	GLY	-	expression tag	UNP Q8VJU4
A	-1	SER	-	expression tag	UNP Q8VJU4
A	0	HIS	-	expression tag	UNP Q8VJU4
B	-19	MET	-	initiating methionine	UNP Q8VJU4

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-18	GLY	-	expression tag	UNP Q8VJU4
B	-17	SER	-	expression tag	UNP Q8VJU4
B	-16	SER	-	expression tag	UNP Q8VJU4
B	-15	HIS	-	expression tag	UNP Q8VJU4
B	-14	HIS	-	expression tag	UNP Q8VJU4
B	-13	HIS	-	expression tag	UNP Q8VJU4
B	-12	HIS	-	expression tag	UNP Q8VJU4
B	-11	HIS	-	expression tag	UNP Q8VJU4
B	-10	HIS	-	expression tag	UNP Q8VJU4
B	-9	SER	-	expression tag	UNP Q8VJU4
B	-8	SER	-	expression tag	UNP Q8VJU4
B	-7	GLY	-	expression tag	UNP Q8VJU4
B	-6	LEU	-	expression tag	UNP Q8VJU4
B	-5	VAL	-	expression tag	UNP Q8VJU4
B	-4	PRO	-	expression tag	UNP Q8VJU4
B	-3	ARG	-	expression tag	UNP Q8VJU4
B	-2	GLY	-	expression tag	UNP Q8VJU4
B	-1	SER	-	expression tag	UNP Q8VJU4
B	0	HIS	-	expression tag	UNP Q8VJU4
C	-19	MET	-	initiating methionine	UNP Q8VJU4
C	-18	GLY	-	expression tag	UNP Q8VJU4
C	-17	SER	-	expression tag	UNP Q8VJU4
C	-16	SER	-	expression tag	UNP Q8VJU4
C	-15	HIS	-	expression tag	UNP Q8VJU4
C	-14	HIS	-	expression tag	UNP Q8VJU4
C	-13	HIS	-	expression tag	UNP Q8VJU4
C	-12	HIS	-	expression tag	UNP Q8VJU4
C	-11	HIS	-	expression tag	UNP Q8VJU4
C	-10	HIS	-	expression tag	UNP Q8VJU4
C	-9	SER	-	expression tag	UNP Q8VJU4
C	-8	SER	-	expression tag	UNP Q8VJU4
C	-7	GLY	-	expression tag	UNP Q8VJU4
C	-6	LEU	-	expression tag	UNP Q8VJU4
C	-5	VAL	-	expression tag	UNP Q8VJU4
C	-4	PRO	-	expression tag	UNP Q8VJU4
C	-3	ARG	-	expression tag	UNP Q8VJU4
C	-2	GLY	-	expression tag	UNP Q8VJU4
C	-1	SER	-	expression tag	UNP Q8VJU4
C	0	HIS	-	expression tag	UNP Q8VJU4
D	-19	MET	-	initiating methionine	UNP Q8VJU4
D	-18	GLY	-	expression tag	UNP Q8VJU4
D	-17	SER	-	expression tag	UNP Q8VJU4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-16	SER	-	expression tag	UNP Q8VJU4
D	-15	HIS	-	expression tag	UNP Q8VJU4
D	-14	HIS	-	expression tag	UNP Q8VJU4
D	-13	HIS	-	expression tag	UNP Q8VJU4
D	-12	HIS	-	expression tag	UNP Q8VJU4
D	-11	HIS	-	expression tag	UNP Q8VJU4
D	-10	HIS	-	expression tag	UNP Q8VJU4
D	-9	SER	-	expression tag	UNP Q8VJU4
D	-8	SER	-	expression tag	UNP Q8VJU4
D	-7	GLY	-	expression tag	UNP Q8VJU4
D	-6	LEU	-	expression tag	UNP Q8VJU4
D	-5	VAL	-	expression tag	UNP Q8VJU4
D	-4	PRO	-	expression tag	UNP Q8VJU4
D	-3	ARG	-	expression tag	UNP Q8VJU4
D	-2	GLY	-	expression tag	UNP Q8VJU4
D	-1	SER	-	expression tag	UNP Q8VJU4
D	0	HIS	-	expression tag	UNP Q8VJU4

- Molecule 2 is ACETYL COENZYME *A (three-letter code: ACO) (formula: $C_{23}H_{38}N_7O_{17}P_3S$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		
2	B	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		
2	C	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	D	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	80	Total	O	0	0
			80	80		
3	B	59	Total	O	0	0
			59	59		
3	C	84	Total	O	0	0
			84	84		
3	D	62	Total	O	0	0
			62	62		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Isocitrate lyase 2




• Molecule 1: Isocitrate lyase 2



• Molecule 1: Isocitrate lyase 2





● Molecule 1: Isocitrate lyase 2

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	105.42Å 170.74Å 107.01Å 90.00° 95.00° 90.00°	Depositor
Resolution (Å)	49.34 – 2.67 49.30 – 2.67	Depositor EDS
% Data completeness (in resolution range)	99.9 (49.34-2.67) 99.9 (49.30-2.67)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.51 (at 2.69Å)	Xtriage
Refinement program	REFMAC 5.8.0230	Depositor
R, R_{free}	0.219 , 0.241 0.227 , 0.246	Depositor DCC
R_{free} test set	5221 reflections (4.89%)	wwPDB-VP
Wilson B-factor (Å ²)	54.3	Xtriage
Anisotropy	0.035	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 11.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.064 for l,-k,h	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	23488	wwPDB-VP
Average B, all atoms (Å ²)	65.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACO, CSX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.32	0/5890	0.50	0/7975
1	B	0.34	0/5880	0.52	0/7958
1	C	0.33	0/5817	0.51	0/7875
1	D	0.32	0/5901	0.51	0/7989
All	All	0.33	0/23488	0.51	0/31797

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5773	0	5691	29	0
1	B	5756	0	5667	30	0
1	C	5694	0	5610	51	0
1	D	5776	0	5691	27	0
2	A	51	0	34	0	0
2	B	51	0	34	3	0
2	C	51	0	34	3	0
2	D	51	0	34	1	0
3	A	80	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	59	0	0	0	0
3	C	84	0	0	1	0
3	D	62	0	0	1	0
All	All	23488	0	22795	129	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:676:GLN:HE22	1:C:717:GLN:HE22	1.14	0.95
1:C:668:ARG:HG2	1:C:703:GLN:HG3	1.60	0.83
1:B:591:MET:HB3	1:D:434:GLN:HE22	1.44	0.82
1:B:664:ASP:OD2	1:D:709:THR:HG21	1.85	0.75
1:C:326:GLN:HB3	1:C:328:ILE:CD1	2.16	0.75
1:A:668:ARG:HG2	1:A:703:GLN:HG3	1.68	0.74
1:D:724:HIS:ND1	3:D:901:HOH:O	2.23	0.71
1:B:295:PHE:O	1:B:300:VAL:HG23	1.91	0.70
1:C:541:ARG:HH11	1:C:541:ARG:HG2	1.56	0.70
1:D:724:HIS:NE2	2:D:801:ACO:O8A	2.26	0.68
1:C:676:GLN:NE2	1:C:693:HIS:HE1	1.92	0.68
1:A:264:ARG:HD3	1:A:433:TYR:CE2	2.30	0.66
1:D:465:LEU:HD13	1:D:507:PHE:CE2	2.31	0.65
1:A:44:ARG:NH1	1:D:302:GLU:OE2	2.28	0.65
1:C:658:ILE:HG22	1:C:674:ARG:HD2	1.77	0.65
1:C:541:ARG:HG2	1:C:541:ARG:NH1	2.11	0.64
1:B:591:MET:HB3	1:D:434:GLN:NE2	2.13	0.63
1:B:345:GLN:H	1:B:345:GLN:HE21	1.46	0.63
1:B:264:ARG:NH1	1:B:423:CYS:SG	2.74	0.61
1:C:326:GLN:HB3	1:C:328:ILE:HD13	1.81	0.61
1:C:415:LEU:HD23	1:C:415:LEU:O	2.02	0.60
1:C:676:GLN:NE2	1:C:717:GLN:HE22	1.92	0.59
1:A:264:ARG:HD3	1:A:433:TYR:CZ	2.38	0.58
1:B:764:LYS:O	1:B:765:GLU:C	2.42	0.57
1:C:674:ARG:HD3	3:C:947:HOH:O	2.05	0.57
1:C:180:THR:HG21	1:C:210:PRO:HG3	1.85	0.57
1:A:617:MET:HE2	1:A:755:ARG:HH11	1.70	0.56
1:A:339:TRP:CZ2	1:A:344:GLN:HG3	2.41	0.56
1:C:185:ASP:N	1:C:186:PRO:HD2	2.20	0.56
1:C:300:VAL:HG21	1:C:303:LEU:HD12	1.87	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:617:MET:HE2	1:A:755:ARG:NH1	2.21	0.56
1:C:713:ASP:HB3	2:C:801:ACO:OAP	2.06	0.55
1:A:154:ARG:NH2	1:A:162:ARG:HG2	2.21	0.55
1:B:668:ARG:HG2	1:B:703:GLN:HG3	1.88	0.54
1:B:668:ARG:HH21	1:D:709:THR:HG22	1.72	0.54
1:C:300:VAL:CG2	1:C:300:VAL:O	2.55	0.54
1:D:12:THR:HG22	1:D:13:PRO:HD2	1.90	0.54
1:C:676:GLN:HE22	1:C:717:GLN:NE2	1.96	0.54
1:C:180:THR:HG23	1:C:232:ARG:CZ	2.38	0.53
1:B:662:ILE:HD12	1:B:672:LEU:CD1	2.39	0.53
1:B:662:ILE:HD12	1:B:672:LEU:HD12	1.91	0.52
1:C:724:HIS:NE2	2:C:801:ACO:O8A	2.42	0.52
1:D:157:MET:HE3	1:D:162:ARG:HA	1.91	0.52
1:C:676:GLN:HB2	2:C:801:ACO:HH32	1.93	0.51
1:A:641:VAL:HA	1:A:660:GLN:HB2	1.92	0.50
1:C:328:ILE:HD12	1:C:328:ILE:N	2.26	0.50
1:D:561:PRO:HB2	1:D:568:LEU:HD13	1.92	0.50
1:A:561:PRO:HB2	1:A:568:LEU:HD13	1.92	0.50
1:D:465:LEU:HD13	1:D:507:PHE:CZ	2.47	0.49
1:A:736:GLU:HG2	1:A:737:ILE:HG22	1.96	0.48
1:C:676:GLN:HE21	1:C:689:MET:CG	2.27	0.48
1:B:78:ARG:HA	1:B:78:ARG:HD2	1.54	0.48
1:C:561:PRO:HB2	1:C:568:LEU:HD13	1.96	0.48
1:A:264:ARG:NH2	1:A:423:CYS:SG	2.86	0.48
1:A:617:MET:CE	1:A:755:ARG:HD3	2.44	0.48
1:C:541:ARG:HH11	1:C:541:ARG:CG	2.24	0.48
1:C:658:ILE:CG2	1:C:674:ARG:HD2	2.44	0.48
1:D:733:GLU:HG2	1:D:736:GLU:HB2	1.96	0.48
1:C:78:ARG:HA	1:C:78:ARG:HD2	1.58	0.48
1:C:264:ARG:NH2	1:C:423:CYS:SG	2.87	0.48
1:B:561:PRO:HB2	1:B:568:LEU:HD13	1.95	0.47
1:A:624:LEU:O	1:A:625:LYS:HG2	2.15	0.47
1:A:165:THR:HG22	1:A:166:PRO:HD2	1.97	0.46
1:D:682:GLU:OE2	1:D:683:LEU:HD13	2.15	0.46
1:B:676:GLN:HG2	2:B:801:ACO:CH3	2.45	0.46
1:A:709:THR:HG21	1:C:664:ASP:OD2	2.15	0.46
1:D:264:ARG:HD2	1:D:433:TYR:CE2	2.51	0.46
1:B:157:MET:CE	1:B:162:ARG:HG3	2.46	0.46
1:D:439:ILE:N	1:D:440:PRO:CD	2.79	0.46
1:B:653:LYS:HD3	1:B:656:ASN:HB3	1.98	0.46
1:B:621:HIS:CD2	1:B:763:THR:HG22	2.52	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:270:GLN:N	1:A:271:PRO:CD	2.80	0.45
1:C:180:THR:O	1:C:180:THR:CG2	2.64	0.45
1:A:617:MET:CE	1:A:755:ARG:NH1	2.80	0.45
1:B:238:PHE:CE2	1:B:242:ILE:HD11	2.52	0.45
1:B:652:ASP:OD1	1:B:652:ASP:N	2.49	0.45
1:C:270:GLN:N	1:C:271:PRO:CD	2.79	0.45
1:B:439:ILE:N	1:B:440:PRO:CD	2.79	0.44
1:C:439:ILE:N	1:C:440:PRO:CD	2.80	0.44
1:B:270:GLN:N	1:B:271:PRO:CD	2.80	0.44
1:C:652:ASP:N	1:C:652:ASP:OD1	2.50	0.44
1:D:270:GLN:N	1:D:271:PRO:CD	2.80	0.44
1:A:439:ILE:N	1:A:440:PRO:CD	2.80	0.44
1:A:621:HIS:CD2	1:A:763:THR:HG22	2.52	0.44
1:C:180:THR:CG2	1:C:210:PRO:HG3	2.48	0.44
1:C:687:ARG:CZ	1:C:764:LYS:C	2.86	0.44
1:D:185:ASP:N	1:D:186:PRO:CD	2.81	0.44
1:D:157:MET:CE	1:D:162:ARG:HG3	2.48	0.43
1:D:621:HIS:CD2	1:D:763:THR:HG22	2.53	0.43
1:C:238:PHE:CE2	1:C:242:ILE:HD11	2.53	0.43
1:C:621:HIS:CD2	1:C:763:THR:HG22	2.52	0.43
1:D:238:PHE:CE2	1:D:242:ILE:HD11	2.53	0.43
1:B:185:ASP:N	1:B:186:PRO:CD	2.81	0.43
1:A:238:PHE:CE2	1:A:242:ILE:HD11	2.53	0.43
1:C:185:ASP:N	1:C:186:PRO:CD	2.81	0.43
1:A:185:ASP:N	1:A:186:PRO:CD	2.82	0.43
1:A:584:ARG:HD2	1:C:303:LEU:HD23	2.00	0.43
1:D:160:ARG:HD3	1:D:160:ARG:HA	1.75	0.43
1:A:550:ARG:NH1	3:A:904:HOH:O	2.51	0.42
1:B:342:ASP:HB3	1:B:345:GLN:OE1	2.19	0.42
1:C:676:GLN:NE2	1:C:689:MET:CG	2.82	0.42
1:C:300:VAL:O	1:C:300:VAL:HG23	2.19	0.42
1:C:650:SER:OG	1:C:652:ASP:OD1	2.30	0.42
1:B:591:MET:HG3	1:D:363:GLU:HB2	2.00	0.42
1:B:264:ARG:NH2	1:B:424:GLU:OE1	2.53	0.42
1:C:274:LEU:HB3	1:C:368:LEU:HD22	2.01	0.42
1:C:676:GLN:NE2	1:C:689:MET:HG2	2.34	0.42
1:B:676:GLN:HG2	2:B:801:ACO:HH32	2.02	0.42
1:D:710:PRO:HG3	1:D:738:ILE:HG13	2.02	0.42
1:D:157:MET:CE	1:D:162:ARG:HA	2.50	0.41
1:D:450:ALA:N	1:D:451:PRO:CD	2.83	0.41
1:D:507:PHE:HB3	1:D:508:PRO:HD3	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:450:ALA:N	1:B:451:PRO:CD	2.84	0.41
1:B:659:PHE:CZ	1:B:696:LEU:HD22	2.56	0.41
1:C:450:ALA:N	1:C:451:PRO:CD	2.84	0.41
1:A:450:ALA:N	1:A:451:PRO:CD	2.84	0.41
1:A:733:GLU:HG2	1:A:736:GLU:HB3	2.03	0.41
1:B:302:GLU:OE1	1:C:44:ARG:NH2	2.53	0.41
1:C:668:ARG:CG	1:C:703:GLN:HG3	2.43	0.41
1:A:710:PRO:HG3	1:A:738:ILE:HG13	2.02	0.41
1:C:165:THR:HG22	1:C:166:PRO:HD2	2.03	0.41
1:C:368:LEU:HD23	1:C:368:LEU:HA	1.92	0.41
1:A:617:MET:HE1	1:A:755:ARG:HD3	2.03	0.40
1:B:507:PHE:HB3	1:B:508:PRO:HD3	2.04	0.40
1:C:392:ALA:HB1	1:C:393:PRO:HD2	2.03	0.40
1:C:628:LEU:HD22	1:C:654:LEU:HD12	2.03	0.40
2:B:801:ACO:O9A	2:B:801:ACO:O2B	2.35	0.40
1:C:157:MET:O	1:C:162:ARG:NH1	2.54	0.40
1:A:165:THR:CG2	1:A:166:PRO:HD2	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	726/786 (92%)	712 (98%)	14 (2%)	0	100	100
1	B	720/786 (92%)	708 (98%)	12 (2%)	0	100	100
1	C	713/786 (91%)	701 (98%)	12 (2%)	0	100	100
1	D	725/786 (92%)	709 (98%)	16 (2%)	0	100	100
All	All	2884/3144 (92%)	2830 (98%)	54 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	589/631 (93%)	573 (97%)	16 (3%)	44	71
1	B	587/631 (93%)	565 (96%)	22 (4%)	34	60
1	C	581/631 (92%)	559 (96%)	22 (4%)	33	59
1	D	590/631 (94%)	568 (96%)	22 (4%)	34	60
All	All	2347/2524 (93%)	2265 (96%)	82 (4%)	36	62

All (82) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	THR
1	A	161	GLN
1	A	203	TYR
1	A	212	THR
1	A	259	ASN
1	A	345	GLN
1	A	370	THR
1	A	395	GLU
1	A	424	GLU
1	A	574	SER
1	A	624	LEU
1	A	627	LYS
1	A	650	SER
1	A	714	ASN
1	A	736	GLU
1	A	759	ARG
1	B	12	THR
1	B	78	ARG
1	B	159	GLU
1	B	203	TYR
1	B	212	THR
1	B	218	GLN
1	B	259	ASN
1	B	264	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	300	VAL
1	B	345	GLN
1	B	358	PHE
1	B	395	GLU
1	B	411	LYS
1	B	413	LYS
1	B	574	SER
1	B	585	THR
1	B	652	ASP
1	B	672	LEU
1	B	674	ARG
1	B	699	ARG
1	B	706	HIS
1	B	714	ASN
1	C	78	ARG
1	C	180	THR
1	C	203	TYR
1	C	259	ASN
1	C	264	ARG
1	C	300	VAL
1	C	341	GLU
1	C	342	ASP
1	C	348	ASP
1	C	368	LEU
1	C	413	LYS
1	C	522	THR
1	C	574	SER
1	C	650	SER
1	C	652	ASP
1	C	662	ILE
1	C	666	ARG
1	C	672	LEU
1	C	674	ARG
1	C	706	HIS
1	C	714	ASN
1	C	733	GLU
1	D	12	THR
1	D	144	LEU
1	D	159	GLU
1	D	160	ARG
1	D	165	THR
1	D	203	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	213	LYS
1	D	259	ASN
1	D	341	GLU
1	D	345	GLN
1	D	395	GLU
1	D	405	LEU
1	D	413	LYS
1	D	465	LEU
1	D	574	SER
1	D	649	GLU
1	D	650	SER
1	D	666	ARG
1	D	703	GLN
1	D	706	HIS
1	D	714	ASN
1	D	759	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	161	GLN
1	A	326	GLN
1	A	714	ASN
1	B	326	GLN
1	B	345	GLN
1	B	526	HIS
1	C	526	HIS
1	C	676	GLN
1	D	161	GLN
1	D	326	GLN
1	D	434	GLN
1	D	526	HIS
1	D	631	GLN
1	D	647	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	CSX	A	215	1	3,6,7	0.66	0	1,6,8	0.21	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSX	A	215	1	-	1/1/5/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	215	CSX	N-CA-CB-SG

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	ACO	C	801	-	45,53,53	0.86	2 (4%)	56,79,79	1.16	4 (7%)
2	ACO	B	801	-	45,53,53	0.77	1 (2%)	56,79,79	1.18	4 (7%)
2	ACO	D	801	-	45,53,53	0.81	1 (2%)	56,79,79	1.16	3 (5%)
2	ACO	A	801	-	45,53,53	0.78	1 (2%)	56,79,79	1.24	8 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ACO	C	801	-	-	9/47/67/67	0/3/3/3
2	ACO	B	801	-	-	13/47/67/67	0/3/3/3
2	ACO	D	801	-	-	10/47/67/67	0/3/3/3
2	ACO	A	801	-	-	13/47/67/67	0/3/3/3

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	801	ACO	C5A-C4A	2.54	1.47	1.40
2	D	801	ACO	C5A-C4A	2.46	1.47	1.40
2	B	801	ACO	C5A-C4A	2.40	1.47	1.40
2	A	801	ACO	C5A-C4A	2.29	1.47	1.40
2	C	801	ACO	C2A-N3A	2.17	1.35	1.32

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	801	ACO	N3A-C2A-N1A	-4.10	122.27	128.68
2	B	801	ACO	N3A-C2A-N1A	-4.00	122.43	128.68
2	A	801	ACO	N3A-C2A-N1A	-3.85	122.65	128.68
2	C	801	ACO	N3A-C2A-N1A	-3.80	122.73	128.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	801	ACO	P2A-O3A-P1A	-3.27	121.62	132.83
2	A	801	ACO	C2P-C3P-N4P	3.08	118.89	112.42
2	A	801	ACO	CEP-CBP-CAP	2.79	113.67	108.82
2	C	801	ACO	OAP-CAP-CBP	-2.48	104.40	110.25
2	B	801	ACO	C1B-N9A-C4A	-2.47	122.31	126.64
2	D	801	ACO	P2A-O3A-P1A	-2.38	124.66	132.83
2	C	801	ACO	C4A-C5A-N7A	-2.32	106.98	109.40
2	D	801	ACO	C2A-N1A-C6A	2.30	122.69	118.75
2	A	801	ACO	C2A-N1A-C6A	2.23	122.58	118.75
2	B	801	ACO	C2A-N1A-C6A	2.23	122.57	118.75
2	A	801	ACO	C3P-N4P-C5P	2.16	126.84	122.84
2	A	801	ACO	C1B-N9A-C4A	-2.15	122.87	126.64
2	A	801	ACO	P2A-O3A-P1A	-2.13	125.50	132.83
2	B	801	ACO	P2A-O3A-P1A	-2.12	125.55	132.83
2	A	801	ACO	C4A-C5A-N7A	-2.12	107.19	109.40

There are no chirality outliers.

All (45) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	801	ACO	C5B-O5B-P1A-O2A
2	A	801	ACO	C5B-O5B-P1A-O3A
2	A	801	ACO	N8P-C9P-CAP-OAP
2	A	801	ACO	C2P-C3P-N4P-C5P
2	A	801	ACO	S1P-C2P-C3P-N4P
2	A	801	ACO	O-C-S1P-C2P
2	A	801	ACO	CH3-C-S1P-C2P
2	B	801	ACO	C5B-O5B-P1A-O3A
2	B	801	ACO	S1P-C2P-C3P-N4P
2	B	801	ACO	C3P-C2P-S1P-C
2	B	801	ACO	O-C-S1P-C2P
2	B	801	ACO	CH3-C-S1P-C2P
2	C	801	ACO	C5B-O5B-P1A-O1A
2	C	801	ACO	C5B-O5B-P1A-O3A
2	C	801	ACO	O-C-S1P-C2P
2	C	801	ACO	CH3-C-S1P-C2P
2	D	801	ACO	C5B-O5B-P1A-O3A
2	D	801	ACO	S1P-C2P-C3P-N4P
2	D	801	ACO	C3P-C2P-S1P-C
2	D	801	ACO	O-C-S1P-C2P
2	D	801	ACO	CH3-C-S1P-C2P
2	B	801	ACO	C2B-C3B-O3B-P3B

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	C	801	ACO	C2B-C3B-O3B-P3B
2	B	801	ACO	C4B-C3B-O3B-P3B
2	C	801	ACO	C4B-C3B-O3B-P3B
2	A	801	ACO	O9P-C9P-CAP-OAP
2	A	801	ACO	C3B-O3B-P3B-O9A
2	B	801	ACO	C3B-O3B-P3B-O9A
2	B	801	ACO	CCP-O6A-P2A-O3A
2	D	801	ACO	C3B-O3B-P3B-O8A
2	D	801	ACO	CCP-O6A-P2A-O3A
2	B	801	ACO	C5B-O5B-P1A-O1A
2	D	801	ACO	C5B-O5B-P1A-O1A
2	B	801	ACO	C2P-C3P-N4P-C5P
2	A	801	ACO	P2A-O3A-P1A-O2A
2	C	801	ACO	O9P-C9P-CAP-CBP
2	D	801	ACO	C2P-C3P-N4P-C5P
2	C	801	ACO	N8P-C9P-CAP-CBP
2	C	801	ACO	C3B-O3B-P3B-O7A
2	A	801	ACO	C3B-O3B-P3B-O8A
2	B	801	ACO	C3B-O3B-P3B-O8A
2	D	801	ACO	C3B-O3B-P3B-O9A
2	A	801	ACO	C4B-C3B-O3B-P3B
2	B	801	ACO	CCP-O6A-P2A-O4A
2	A	801	ACO	C2B-C3B-O3B-P3B


There are no ring outliers.


3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	801	ACO	3	0
2	B	801	ACO	3	0
2	D	801	ACO	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	732/786 (93%)	-0.11	5 (0%) 87 88	41, 59, 93, 113	0
1	B	730/786 (92%)	-0.06	11 (1%) 73 74	44, 65, 98, 122	0
1	C	723/786 (91%)	-0.10	4 (0%) 89 90	43, 61, 94, 112	0
1	D	733/786 (93%)	-0.12	6 (0%) 86 86	45, 63, 95, 114	0
All	All	2918/3144 (92%)	-0.10	26 (0%) 84 85	41, 62, 95, 122	0

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	662	ILE	3.3
1	C	602	VAL	3.2
1	B	672	LEU	3.2
1	B	343	GLY	3.1
1	A	345	GLN	2.9
1	A	218	GLN	2.8
1	D	540	LEU	2.8
1	D	220	GLY	2.7
1	B	624	LEU	2.7
1	B	380	GLU	2.6
1	D	402	ARG	2.6
1	A	536	PHE	2.5
1	D	672	LEU	2.5
1	A	587	THR	2.4
1	C	303	LEU	2.4
1	D	732	GLN	2.4
1	D	279	LEU	2.4
1	B	618	TRP	2.4
1	C	683	LEU	2.4
1	B	661	PRO	2.3
1	A	461	LYS	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	279	LEU	2.2
1	B	670	ILE	2.1
1	C	366	ALA	2.1
1	B	762	ILE	2.1
1	B	638	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	CSX	A	215	7/8	0.77	0.25	85,90,93,94	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	ACO	C	801	51/51	0.95	0.15	69,74,80,81	0
2	ACO	A	801	51/51	0.96	0.14	63,69,75,76	0
2	ACO	D	801	51/51	0.96	0.14	62,70,77,81	0
2	ACO	B	801	51/51	0.98	0.12	60,66,70,71	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ACO C 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ACO A 801:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ACO D 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ACO B 801:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.