



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 25, 2024 – 03:35 AM EDT

PDB ID : 6EIB
Title : Structure of the active GGEEF domain of a diguanylate cyclase from *Vibrio cholerae*.
Authors : Chouhan, O.P.; Roske, Y.
Deposited on : 2017-09-19
Resolution : 1.94 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.94 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4310 (1.96-1.92)
Clashscore	141614	1023 (1.94-1.94)
Ramachandran outliers	138981	1007 (1.94-1.94)
Sidechain outliers	138945	1007 (1.94-1.94)
RSRZ outliers	127900	4250 (1.96-1.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	163	<div> <div>5%</div> <div>87%</div> <div>10%</div> <div>.</div> </div>
1	B	163	<div> <div>5%</div> <div>90%</div> <div>8%</div> <div>.</div> </div>
1	C	163	<div> <div>7%</div> <div>82%</div> <div>13%</div> <div>..</div> </div>
1	D	163	<div> <div>19%</div> <div>77%</div> <div>18%</div> <div>..</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	C	204	-	-	X	-
4	ACT	B	213	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 5958 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sensory box/GGDEF family protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	159	Total	C	N	O	S	0	2	0
			1312	824	248	231	9			
1	B	160	Total	C	N	O	S	0	4	0
			1334	840	251	235	8			
1	C	157	Total	C	N	O	S	0	1	0
			1300	816	249	228	7			
1	D	156	Total	C	N	O	S	0	2	0
			1301	817	251	226	7			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP A0A0H3AFM6
A	0	PRO	-	expression tag	UNP A0A0H3AFM6
B	-1	GLY	-	expression tag	UNP A0A0H3AFM6
B	0	PRO	-	expression tag	UNP A0A0H3AFM6
C	-1	GLY	-	expression tag	UNP A0A0H3AFM6
C	0	PRO	-	expression tag	UNP A0A0H3AFM6
D	-1	GLY	-	expression tag	UNP A0A0H3AFM6
D	0	PRO	-	expression tag	UNP A0A0H3AFM6

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0

- Molecule 4 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	D	1	Total	C	O	0	0
			4	2	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	120	Total	O	0	0
			120	120		
5	B	153	Total	O	0	0
			153	153		
5	C	146	Total	O	0	0
			146	146		
5	D	102	Total	O	0	0
			102	102		



3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Sensory box/GGDEF family protein





- Molecule 1: Sensory box/GGDEF family protein



- Molecule 1: Sensory box/GGDEF family protein



- Molecule 1: Sensory box/GGDEF family protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	65.91Å 80.27Å 71.70Å 90.00° 97.59° 90.00°	Depositor
Resolution (Å)	35.53 – 1.94 35.53 – 1.94	Depositor EDS
% Data completeness (in resolution range)	96.2 (35.53-1.94) 96.3 (35.53-1.94)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.36 (at 1.94Å)	Xtriage
Refinement program	PHENIX 1.8.2_1309	Depositor
R, R_{free}	0.194 , 0.242 0.194 , 0.242	Depositor DCC
R_{free} test set	2100 reflections (3.98%)	wwPDB-VP
Wilson B-factor (Å ²)	25.9	Xtriage
Anisotropy	0.587	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 59.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5958	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.84% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, ACT, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.62	0/1347	0.66	0/1810
1	B	0.55	0/1376	0.65	0/1849
1	C	0.55	0/1332	0.64	0/1789
1	D	0.50	0/1336	0.62	0/1793
All	All	0.56	0/5391	0.64	0/7241

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1312	0	1276	11	0
1	B	1334	0	1296	11	0
1	C	1300	0	1260	19	0
1	D	1301	0	1266	20	0
2	A	20	0	0	0	0
2	B	30	0	0	0	0
2	C	25	0	0	2	0
2	D	15	0	0	1	0
3	A	28	0	42	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	24	0	36	6	0
3	C	28	0	42	4	0
3	D	8	0	12	2	0
4	A	4	0	3	1	0
4	B	4	0	3	2	0
4	D	4	0	3	0	0
5	A	120	0	0	2	0
5	B	153	0	0	2	1
5	C	146	0	0	7	0
5	D	102	0	0	3	1
All	All	5958	0	5239	62	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (62) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:90:GLU:OE1	5:A:301:HOH:O	1.83	0.95
1:A:101:GLN:HG2	4:A:212:ACT:H1	1.59	0.82
1:D:9:ARG:NH2	5:D:301:HOH:O	2.15	0.76
2:C:204:SO4:O2	5:C:301:HOH:O	2.11	0.69
1:C:102:ARG:NH2	3:C:210:EDO:O2	2.29	0.65
1:C:75:VAL:HG11	1:C:81:ILE:HD12	1.80	0.63
1:C:81:ILE:HD11	1:C:135:TYR:CE1	2.33	0.63
1:A:41:LEU:HD13	1:C:155:ILE:HD12	1.81	0.62
1:C:101:GLN:HG3	3:C:207:EDO:H22	1.80	0.62
1:D:66:ILE:HG12	1:D:95:LEU:HD21	1.81	0.61
1:C:94:HIS:HD2	3:C:211:EDO:H12	1.67	0.59
1:D:43:ASN:HD21	1:D:51:GLY:HA3	1.67	0.59
1:C:69:HIS:ND1	5:C:307:HOH:O	2.32	0.58
1:B:147:ARG:HE	3:B:211:EDO:H22	1.68	0.57
1:D:44:ASP:OD1	1:D:45:GLN:HG3	2.04	0.57
1:D:6:CYS:HB3	1:D:74[A]:ARG:HG3	1.86	0.56
4:B:213:ACT:H1	5:C:354:HOH:O	2.06	0.56
1:A:151:ASN:ND2	3:A:205:EDO:O1	2.37	0.55
1:C:3:THR:N	5:C:310:HOH:O	2.39	0.55
1:B:9:ARG:NH2	3:B:208:EDO:O2	2.38	0.54
1:D:35:ASP:OD1	1:D:78:GLU:HG2	2.08	0.54
1:D:74[A]:ARG:HG2	1:D:80:PHE:CE1	2.43	0.54
1:C:9:ARG:HD3	2:C:204:SO4:O3	2.08	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:152:ARG:HH12	3:D:205:EDO:H11	1.74	0.52
1:B:9:ARG:NH2	3:B:208:EDO:O1	2.43	0.52
1:D:68:ASP:O	1:D:70:HIS:ND1	2.30	0.52
3:A:207:EDO:H11	1:C:94:HIS:HE1	1.75	0.51
1:D:26[A]:ARG:NH1	5:D:308:HOH:O	2.43	0.51
1:A:7:ASN:HB3	1:A:10:LYS:HD2	1.94	0.49
1:A:144:LYS:HD2	1:A:154[B]:CYS:SG	2.52	0.49
1:D:43:ASN:ND2	1:D:51:GLY:HA3	2.27	0.49
1:C:40:LYS:NZ	5:C:308:HOH:O	2.37	0.48
1:B:2:LEU:HD11	1:B:60:LYS:HG3	1.96	0.47
3:A:207:EDO:H12	1:C:93:PHE:HE2	1.78	0.47
4:B:213:ACT:H2	5:C:347:HOH:O	2.12	0.47
1:D:158:GLN:NE2	2:D:202:SO4:O1	2.47	0.47
1:B:19:PHE:CE1	1:B:23:LYS:HD2	2.50	0.47
1:D:107:PRO:HB3	1:D:112:ASN:OD1	2.13	0.47
1:D:90:GLU:HB3	5:D:303:HOH:O	2.15	0.47
1:A:84:LEU:HD13	1:A:87:THR:HG21	1.96	0.47
1:D:90:GLU:HG2	1:D:91:THR:N	2.30	0.46
1:D:11:LEU:HG	1:D:73:GLY:HA3	1.97	0.46
1:B:47:GLY:HA3	3:B:209:EDO:H12	1.98	0.45
1:C:11:LEU:HG	1:C:73:GLY:HA3	1.99	0.45
1:A:28:PRO:HG3	1:A:88:HIS:CE1	2.52	0.44
1:D:41:LEU:HA	1:D:44:ASP:OD2	2.18	0.44
1:C:35:ASP:HB2	1:C:142:LEU:HD21	1.99	0.44
1:D:35:ASP:OD2	1:D:146:LYS:HE3	2.19	0.43
1:C:5:LEU:HD11	5:C:377:HOH:O	2.19	0.43
1:B:50:LYS:HE2	5:B:316:HOH:O	2.19	0.42
1:D:93:PHE:CD1	1:D:155:ILE:HG13	2.53	0.42
1:C:28:PRO:HG3	1:C:88:HIS:CE1	2.55	0.42
1:A:50:LYS:NZ	5:A:310:HOH:O	2.52	0.41
1:A:126:HIS:HB3	3:A:211:EDO:H21	2.02	0.41
3:B:208:EDO:O1	5:B:301:HOH:O	2.08	0.41
1:D:37:ASP:OD1	1:D:146:LYS:NZ	2.41	0.41
1:B:40:LYS:HE2	1:C:159:SER:OG	2.20	0.41
1:D:156:TYR:HA	3:D:204:EDO:H22	2.03	0.41
1:B:93:PHE:CD1	1:B:155[A]:ILE:HG13	2.56	0.40
1:B:126:HIS:ND1	3:B:207:EDO:H12	2.36	0.40
1:A:45:GLN:CD	1:C:90:GLU:HG2	2.42	0.40
1:C:94:HIS:HD2	3:C:211:EDO:C1	2.30	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:430:HOH:O	5:D:301:HOH:O[2_645]	1.99	0.21

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	159/163 (98%)	156 (98%)	3 (2%)	0	100	100
1	B	162/163 (99%)	160 (99%)	2 (1%)	0	100	100
1	C	156/163 (96%)	155 (99%)	1 (1%)	0	100	100
1	D	156/163 (96%)	155 (99%)	1 (1%)	0	100	100
All	All	633/652 (97%)	626 (99%)	7 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	140/141 (99%)	138 (99%)	2 (1%)	67	58
1	B	142/141 (101%)	142 (100%)	0	100	100
1	C	137/141 (97%)	134 (98%)	3 (2%)	52	39
1	D	137/141 (97%)	134 (98%)	3 (2%)	52	39
All	All	556/564 (99%)	548 (99%)	8 (1%)	65	58

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	LEU
1	A	15	PHE
1	C	3	THR
1	C	15	PHE
1	C	139	ASP
1	D	15	PHE
1	D	90	GLU
1	D	139	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	158	GLN
1	C	94	HIS
1	D	43	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

43 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	B	204	-	4,4,4	0.13	0	6,6,6	0.25	0
2	SO4	D	202	-	4,4,4	0.13	0	6,6,6	0.37	0
3	EDO	B	210	-	3,3,3	0.44	0	2,2,2	0.37	0
3	EDO	C	211	-	3,3,3	0.54	0	2,2,2	0.14	0
2	SO4	D	203	-	4,4,4	0.12	0	6,6,6	0.07	0
3	EDO	A	206	-	3,3,3	0.48	0	2,2,2	0.32	0
3	EDO	A	207	-	3,3,3	0.56	0	2,2,2	0.26	0
3	EDO	C	209	-	3,3,3	0.56	0	2,2,2	0.19	0
4	ACT	D	206	-	3,3,3	0.72	0	3,3,3	1.36	0
3	EDO	B	209	-	3,3,3	0.50	0	2,2,2	0.35	0
3	EDO	A	205	-	3,3,3	0.36	0	2,2,2	0.65	0
2	SO4	B	206	-	4,4,4	0.14	0	6,6,6	0.13	0
2	SO4	B	202	-	4,4,4	0.17	0	6,6,6	0.57	0
3	EDO	A	208	-	3,3,3	0.48	0	2,2,2	0.33	0
2	SO4	C	201	-	4,4,4	0.29	0	6,6,6	0.45	0
3	EDO	C	210	-	3,3,3	0.48	0	2,2,2	0.34	0
2	SO4	C	204	-	4,4,4	0.18	0	6,6,6	0.14	0
3	EDO	B	208	-	3,3,3	0.49	0	2,2,2	0.43	0
4	ACT	A	212	-	3,3,3	0.78	0	3,3,3	1.35	0
3	EDO	B	212	-	3,3,3	0.51	0	2,2,2	0.21	0
2	SO4	A	202	-	4,4,4	0.12	0	6,6,6	0.55	0
2	SO4	A	203	-	4,4,4	0.12	0	6,6,6	0.22	0
3	EDO	A	211	-	3,3,3	0.43	0	2,2,2	0.36	0
4	ACT	B	213	-	3,3,3	0.76	0	3,3,3	1.35	0
2	SO4	B	205	-	4,4,4	0.13	0	6,6,6	0.08	0
3	EDO	C	207	-	3,3,3	0.38	0	2,2,2	0.82	0
3	EDO	B	207	-	3,3,3	0.50	0	2,2,2	0.19	0
2	SO4	B	201	-	4,4,4	0.20	0	6,6,6	0.22	0
3	EDO	A	209	-	3,3,3	0.58	0	2,2,2	0.12	0
2	SO4	A	201	-	4,4,4	0.13	0	6,6,6	0.23	0
3	EDO	C	206	-	3,3,3	0.44	0	2,2,2	0.50	0
3	EDO	D	204	-	3,3,3	0.32	0	2,2,2	0.69	0
2	SO4	A	204	-	4,4,4	0.13	0	6,6,6	0.12	0
2	SO4	B	203	-	4,4,4	0.16	0	6,6,6	0.04	0
3	EDO	A	210	-	3,3,3	0.53	0	2,2,2	0.30	0
3	EDO	D	205	-	3,3,3	0.50	0	2,2,2	0.32	0
2	SO4	C	205	-	4,4,4	0.15	0	6,6,6	0.20	0
3	EDO	C	212	-	3,3,3	0.45	0	2,2,2	0.41	0
3	EDO	C	208	-	3,3,3	0.48	0	2,2,2	0.35	0
2	SO4	D	201	-	4,4,4	0.25	0	6,6,6	0.49	0
2	SO4	C	202	-	4,4,4	0.23	0	6,6,6	0.48	0
2	SO4	C	203	-	4,4,4	0.26	0	6,6,6	0.16	0
3	EDO	B	211	-	3,3,3	0.46	0	2,2,2	0.35	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	B	210	-	-	0/1/1/1	-
3	EDO	C	211	-	-	0/1/1/1	-
3	EDO	A	206	-	-	0/1/1/1	-
3	EDO	A	207	-	-	0/1/1/1	-
3	EDO	C	209	-	-	1/1/1/1	-
3	EDO	B	209	-	-	0/1/1/1	-
3	EDO	A	205	-	-	0/1/1/1	-
3	EDO	A	208	-	-	0/1/1/1	-
3	EDO	C	210	-	-	0/1/1/1	-
3	EDO	B	208	-	-	1/1/1/1	-
3	EDO	B	212	-	-	1/1/1/1	-
3	EDO	A	211	-	-	1/1/1/1	-
3	EDO	C	207	-	-	1/1/1/1	-
3	EDO	B	207	-	-	0/1/1/1	-
3	EDO	A	209	-	-	0/1/1/1	-
3	EDO	C	206	-	-	0/1/1/1	-
3	EDO	D	204	-	-	0/1/1/1	-
3	EDO	A	210	-	-	0/1/1/1	-
3	EDO	D	205	-	-	0/1/1/1	-
3	EDO	C	212	-	-	0/1/1/1	-
3	EDO	C	208	-	-	1/1/1/1	-
3	EDO	B	211	-	-	1/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	208	EDO	O1-C1-C2-O2
3	B	212	EDO	O1-C1-C2-O2
3	C	208	EDO	O1-C1-C2-O2
3	C	209	EDO	O1-C1-C2-O2
3	C	207	EDO	O1-C1-C2-O2
3	A	211	EDO	O1-C1-C2-O2
3	B	211	EDO	O1-C1-C2-O2

There are no ring outliers.

16 monomers are involved in 22 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	202	SO4	1	0
3	C	211	EDO	2	0
3	A	207	EDO	2	0
3	B	209	EDO	1	0
3	A	205	EDO	1	0
3	C	210	EDO	1	0
2	C	204	SO4	2	0
3	B	208	EDO	3	0
4	A	212	ACT	1	0
3	A	211	EDO	1	0
4	B	213	ACT	2	0
3	C	207	EDO	1	0
3	B	207	EDO	1	0
3	D	204	EDO	1	0
3	D	205	EDO	1	0
3	B	211	EDO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	159/163 (97%)	0.10	8 (5%)	28 36	18, 30, 57, 97	0
1	B	160/163 (98%)	0.10	8 (5%)	28 36	18, 31, 52, 82	0
1	C	157/163 (96%)	0.36	12 (7%)	13 19	20, 33, 62, 88	0
1	D	156/163 (95%)	1.01	31 (19%)	1 1	21, 40, 101, 118	0
All	All	632/652 (96%)	0.39	59 (9%)	8 13	18, 33, 76, 118	0

All (59) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	66	ILE	10.3
1	D	48	HIS	9.7
1	D	47	GLY	7.1
1	D	5	LEU	6.1
1	D	41	LEU	5.6
1	A	2	LEU	5.5
1	D	67	SER	5.4
1	B	2	LEU	5.3
1	D	110	GLU	5.2
1	D	46	PHE	5.1
1	D	57	PHE	4.8
1	D	45	GLN	4.7
1	D	49	ASP	4.7
1	D	64	SER	4.6
1	B	48	HIS	4.5
1	D	109	PHE	4.3
1	A	67	SER	4.0
1	D	112	ASN	3.9
1	B	67	SER	3.9
1	D	65	VAL	3.8
1	D	42	ILE	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	50	LYS	3.8
1	D	108	PHE	3.7
1	C	5	LEU	3.6
1	C	126	HIS	3.5
1	A	48	HIS	3.5
1	D	56	CYS	3.5
1	D	54	VAL	3.5
1	D	52	ASP	3.4
1	C	41	LEU	3.4
1	D	40	LYS	3.3
1	A	69	HIS	3.3
1	D	68	ASP	3.0
1	D	53	GLU	3.0
1	D	44	ASP	3.0
1	C	110	GLU	2.9
1	D	43	ASN	2.8
1	A	1	SER	2.8
1	D	62	PHE	2.7
1	C	64	SER	2.7
1	B	26	ARG	2.7
1	C	67	SER	2.6
1	A	158	GLN	2.6
1	C	6	CYS	2.6
1	C	4	GLN	2.5
1	B	63	GLN	2.4
1	D	70	HIS	2.3
1	B	69	HIS	2.3
1	D	55	LEU	2.3
1	A	68	ASP	2.3
1	C	3	THR	2.2
1	A	49	ASP	2.2
1	C	68	ASP	2.2
1	D	159	SER	2.2
1	C	48	HIS	2.2
1	C	69	HIS	2.1
1	B	126	HIS	2.0
1	B	25	LEU	2.0
1	D	69	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	EDO	A	209	4/4	0.54	0.30	61,61,62,62	0
3	EDO	A	211	4/4	0.65	0.25	59,60,61,62	0
3	EDO	B	211	4/4	0.65	0.20	73,73,73,74	0
3	EDO	C	209	4/4	0.66	0.27	67,68,68,68	0
3	EDO	C	210	4/4	0.68	0.27	57,58,59,59	0
3	EDO	C	211	4/4	0.68	0.33	53,54,55,56	0
3	EDO	A	210	4/4	0.74	0.26	52,52,52,53	0
3	EDO	B	208	4/4	0.74	0.14	64,64,65,65	0
3	EDO	B	209	4/4	0.75	0.24	58,58,58,58	0
3	EDO	A	205	4/4	0.76	0.23	50,50,50,52	0
3	EDO	A	206	4/4	0.77	0.29	47,48,48,48	0
3	EDO	C	212	4/4	0.78	0.26	81,81,81,81	0
3	EDO	B	212	4/4	0.79	0.18	57,57,58,59	0
3	EDO	C	207	4/4	0.80	0.28	62,62,62,63	0
3	EDO	B	210	4/4	0.83	0.16	59,59,60,60	0
2	SO4	A	204	5/5	0.83	0.20	110,110,111,111	0
3	EDO	D	204	4/4	0.83	0.26	54,54,55,56	0
3	EDO	B	207	4/4	0.84	0.12	57,57,58,59	0
3	EDO	A	208	4/4	0.85	0.17	50,52,53,54	0
4	ACT	A	212	4/4	0.87	0.12	67,67,67,67	0
3	EDO	D	205	4/4	0.88	0.22	43,44,45,45	0
4	ACT	B	213	4/4	0.89	0.16	44,45,45,46	0
3	EDO	A	207	4/4	0.90	0.16	48,49,49,49	0
3	EDO	C	208	4/4	0.90	0.11	54,54,55,55	0
2	SO4	B	206	5/5	0.91	0.24	88,88,88,88	0
2	SO4	A	203	5/5	0.92	0.20	89,90,90,90	0
2	SO4	B	205	5/5	0.92	0.15	86,87,87,87	0
2	SO4	B	203	5/5	0.93	0.16	95,95,95,95	0
4	ACT	D	206	4/4	0.93	0.14	52,52,52,53	0
2	SO4	C	205	5/5	0.94	0.17	77,78,78,78	0
2	SO4	D	203	5/5	0.95	0.15	83,83,83,83	0
3	EDO	C	206	4/4	0.96	0.25	47,48,49,50	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	SO4	C	204	5/5	0.96	0.11	78,78,78,78	0
2	SO4	D	202	5/5	0.97	0.12	36,37,38,40	0
2	SO4	B	202	5/5	0.97	0.08	50,51,51,51	0
2	SO4	C	202	5/5	0.97	0.13	48,48,48,49	0
2	SO4	D	201	5/5	0.98	0.11	39,39,39,43	0
2	SO4	B	204	5/5	0.98	0.09	47,48,49,49	0
2	SO4	A	202	5/5	0.98	0.12	46,47,47,47	0
2	SO4	B	201	5/5	0.98	0.11	44,44,45,46	0
2	SO4	C	201	5/5	0.99	0.11	41,42,43,44	0
2	SO4	A	201	5/5	0.99	0.07	32,35,36,37	0
2	SO4	C	203	5/5	0.99	0.11	37,40,40,41	0

6.5 Other polymers [i](#)

There are no such residues in this entry.