



wwPDB EM Validation Summary Report ⓘ

Nov 4, 2024 – 03:47 AM EST

PDB ID : 8EM4
EMDB ID : EMD-28233
Title : Cryo-EM structure of LRP2 at pH 7.5
Authors : Beenken, A.; Cerutti, G.; Brasch, J.; Fitzpatrick, A.W.; Barasch, J.; Shapiro, L.
Deposited on : 2022-09-26
Resolution : 2.83 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev113
Mogul	:	2022.3.0, CSD as543be (2022)
MolProbity	:	4.02b-467
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.83 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	4660	
1	B	4660	
2	C	2	
2	D	2	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 59410 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Low-density lipoprotein receptor-related protein 2.


Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	3818	Total	C	N	O	S	0	0
			29005	18010	5127	5566	302		
1	B	3818	Total	C	N	O	S	0	0
			29005	18010	5127	5566	302		

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
2	C	2	Total	C	N	O	0	0
			28	16	2	10		
2	D	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-galactopyranose (three-letter code: NGA) (formula: C₈H₁₅NO₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
3	A	1	Total	C	N	O	0
			14	8	1	5	
3	A	1	Total	C	N	O	0
			14	8	1	5	
3	A	1	Total	C	N	O	0
			14	8	1	5	
3	A	1	Total	C	N	O	0
			14	8	1	5	
3	A	1	Total	C	N	O	0
			14	8	1	5	
3	A	1	Total	C	N	O	0
			14	8	1	5	
3	A	1	Total	C	N	O	0
			14	8	1	5	
3	A	1	Total	C	N	O	0
			14	8	1	5	
3	A	1	Total	C	N	O	0
			14	8	1	5	
3	A	1	Total	C	N	O	0
			14	8	1	5	
3	A	1	Total	C	N	O	0
			14	8	1	5	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
3	A	1	Total	C	N	O	0
			14	8	1	5	
3	A	1	Total	C	N	O	0
			14	8	1	5	
3	B	1	Total	C	N	O	0
			14	8	1	5	
3	B	1	Total	C	N	O	0
			14	8	1	5	
3	B	1	Total	C	N	O	0
			14	8	1	5	
3	B	1	Total	C	N	O	0
			14	8	1	5	
3	B	1	Total	C	N	O	0
			14	8	1	5	
3	B	1	Total	C	N	O	0
			14	8	1	5	
3	B	1	Total	C	N	O	0
			14	8	1	5	
3	B	1	Total	C	N	O	0
			14	8	1	5	
3	B	1	Total	C	N	O	0
			14	8	1	5	
3	B	1	Total	C	N	O	0
			14	8	1	5	
3	B	1	Total	C	N	O	0
			14	8	1	5	
3	B	1	Total	C	N	O	0
			14	8	1	5	
3	B	1	Total	C	N	O	0
			14	8	1	5	

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0

Continued on next page...

[illegible]

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
4	B	1	Total	C	N	O	0
			14	8	1	5	
4	B	1	Total	C	N	O	0
			14	8	1	5	


- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
5	A	42	Total	Ca	0
			42	42	
5	B	42	Total	Ca	0
			42	42	

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Low-density lipoprotein receptor-related protein 2



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C2	Depositor
Number of particles used	492737	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	54.87	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	2.680	Depositor
Minimum map value	-0.776	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.058	Depositor
Recommended contour level	0.2	Depositor
Map size (Å)	552.96, 552.96, 552.96	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.08, 1.08, 1.08	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, CA, NGA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.32	0/29718	0.66	0/40460
1	B	0.32	0/29718	0.66	0/40460
All	All	0.32	0/59436	0.66	0/80920

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	29005	0	26347	63	0
1	B	29005	0	26347	63	0
2	C	28	0	25	0	0
2	D	28	0	25	0	0
3	A	224	0	208	3	0
3	B	224	0	208	3	0
4	A	406	0	377	3	0
4	B	406	0	377	3	0
5	A	42	0	0	0	0
5	B	42	0	0	0	0
All	All	59410	0	53914	126	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

The worst 5 of 126 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:3857:ILE:HG23	1:A:3861:TRP:CE3	2.13	0.84
1:B:3857:ILE:HG23	1:B:3861:TRP:CE3	2.13	0.82
1:B:3058:ASP:HB2	1:B:3064:ASP:OD2	1.86	0.76
1:A:3058:ASP:HB2	1:A:3064:ASP:OD2	1.86	0.76
1:B:3857:ILE:HG23	1:B:3861:TRP:HE3	1.56	0.71

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	3806/4660 (82%)	3633 (96%)	173 (4%)	0	100	100
1	B	3806/4660 (82%)	3633 (96%)	173 (4%)	0	100	100
All	All	7612/9320 (82%)	7266 (96%)	346 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	3091/4092 (76%)	3080 (100%)	11 (0%)	89	95
1	B	3091/4092 (76%)	3080 (100%)	11 (0%)	89	95
All	All	6182/8184 (76%)	6160 (100%)	22 (0%)	88	95

5 of 22 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	2070	MET
1	B	2760	ARG
1	B	2680	HIS
1	B	3127	ASN
1	A	2760	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	895	HIS
1	A	1712	HIS
1	B	895	HIS
1	B	1712	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

4 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	C	1	2,1	14,14,15	0.48	0	17,19,21	0.48	0
2	NAG	C	2	2	14,14,15	0.35	0	17,19,21	0.47	0
2	NAG	D	1	2,1	14,14,15	0.48	0	17,19,21	0.48	0
2	NAG	D	2	2	14,14,15	0.35	0	17,19,21	0.47	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	C	2	2	-	0/6/23/26	0/1/1/1
2	NAG	D	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	D	2	2	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.


All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	C	1	NAG	C3-C2-N2-C7
2	D	1	NAG	C3-C2-N2-C7
2	C	1	NAG	C1-C2-N2-C7
2	D	1	NAG	C1-C2-N2-C7

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

Of 174 ligands modelled in this entry, 84 are monoatomic - leaving 90 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NGA	B	4712	-	14,14,15	0.91	1 (7%)	17,19,21	1.00	1 (5%)
4	NAG	A	4718	1	14,14,15	0.27	0	17,19,21	0.51	0
4	NAG	A	4715	1	14,14,15	0.38	0	17,19,21	0.64	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	B	4731	1	14,14,15	0.84	1 (7%)	17,19,21	1.21	2 (11%)
3	NGA	B	4702	1	14,14,15	0.53	0	17,19,21	0.70	0
4	NAG	B	4706	1	14,14,15	0.42	0	17,19,21	0.99	1 (5%)
4	NAG	B	4741	1	14,14,15	0.41	0	17,19,21	1.03	1 (5%)
4	NAG	A	4708	1	14,14,15	0.21	0	17,19,21	0.50	0
3	NGA	B	4725	1	14,14,15	0.53	0	17,19,21	0.83	0
4	NAG	A	4727	1	14,14,15	0.72	1 (7%)	17,19,21	1.82	1 (5%)
4	NAG	A	4729	1	14,14,15	0.35	0	17,19,21	0.45	0
3	NGA	B	4784	-	14,14,15	0.58	0	17,19,21	0.75	0
4	NAG	B	4714	1	14,14,15	0.21	0	17,19,21	0.50	0
3	NGA	B	4782	1	14,14,15	0.50	0	17,19,21	0.73	0
4	NAG	A	4723	1	14,14,15	0.14	0	17,19,21	0.43	0
4	NAG	A	4717	1	14,14,15	0.42	0	17,19,21	0.52	0
4	NAG	B	4701	1	14,14,15	0.35	0	17,19,21	0.45	0
4	NAG	B	4739	1	14,14,15	0.26	0	17,19,21	0.70	1 (5%)
4	NAG	B	4720	1	14,14,15	0.29	0	17,19,21	0.42	0
3	NGA	B	4738	1	14,14,15	0.78	1 (7%)	17,19,21	1.31	1 (5%)
3	NGA	A	4732	1	14,14,15	0.60	0	17,19,21	1.58	3 (17%)
4	NAG	A	4706	1	14,14,15	0.20	0	17,19,21	0.53	0
4	NAG	A	4726	1	14,14,15	0.58	0	17,19,21	1.20	2 (11%)
4	NAG	A	4722	1	14,14,15	0.41	0	17,19,21	1.03	1 (5%)
3	NGA	A	4739	1	14,14,15	0.50	0	17,19,21	1.00	1 (5%)
3	NGA	A	4733	1	14,14,15	0.78	1 (7%)	17,19,21	1.31	1 (5%)
4	NAG	B	4736	1	14,14,15	0.58	0	17,19,21	1.20	2 (11%)
4	NAG	B	4728	1	14,14,15	0.51	0	17,19,21	0.43	0
4	NAG	A	4711	1	14,14,15	0.22	0	17,19,21	0.60	1 (5%)
4	NAG	B	4719	1	14,14,15	0.25	0	17,19,21	0.55	0
3	NGA	B	4745	1	14,14,15	0.55	0	17,19,21	0.62	0
3	NGA	A	4731	1	14,14,15	0.55	0	17,19,21	0.62	0
3	NGA	B	4770	1	14,14,15	0.60	0	17,19,21	1.58	3 (17%)
4	NAG	B	4710	1	14,14,15	0.38	0	17,19,21	0.64	1 (5%)
4	NAG	B	4734	1	14,14,15	0.64	0	17,19,21	1.04	1 (5%)
3	NGA	A	4734	1	14,14,15	0.50	0	17,19,21	1.02	1 (5%)
4	NAG	A	4713	1	14,14,15	0.22	0	17,19,21	0.68	1 (5%)
3	NGA	A	4740	-	14,14,15	0.58	0	17,19,21	0.75	0
3	NGA	A	4736	1	14,14,15	0.53	0	17,19,21	0.83	0
4	NAG	A	4710	1	14,14,15	0.20	0	17,19,21	0.50	0
3	NGA	A	4744	1	14,14,15	0.49	0	17,19,21	0.74	0
3	NGA	A	4738	1	14,14,15	0.52	0	17,19,21	0.76	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	B	4723	1	14,14,15	0.22	0	17,19,21	0.68	1 (5%)
4	NAG	B	4717	1	14,14,15	0.72	1 (7%)	17,19,21	1.82	1 (5%)
4	NAG	A	4707	1	14,14,15	0.20	0	17,19,21	0.51	0
4	NAG	A	4712	1	14,14,15	0.17	0	17,19,21	0.58	0
3	NGA	A	4737	-	14,14,15	0.56	0	17,19,21	0.57	0
3	NGA	A	4743	1	14,14,15	0.50	0	17,19,21	0.73	0
3	NGA	B	4740	1	14,14,15	0.50	0	17,19,21	1.02	1 (5%)
4	NAG	A	4728	1	14,14,15	0.20	0	17,19,21	0.69	1 (5%)
3	NGA	A	4741	1	14,14,15	0.93	1 (7%)	17,19,21	1.36	1 (5%)
4	NAG	B	4735	1	14,14,15	0.43	0	17,19,21	0.59	0
4	NAG	B	4785	1	14,14,15	0.22	0	17,19,21	0.60	1 (5%)
3	NGA	B	4705	1	14,14,15	0.52	0	17,19,21	0.76	0
3	NGA	A	4701	1	14,14,15	0.54	0	17,19,21	0.58	0
4	NAG	A	4724	1	14,14,15	0.41	0	17,19,21	0.65	0
4	NAG	A	4725	1	14,14,15	0.84	1 (7%)	17,19,21	1.21	2 (11%)
3	NGA	B	4721	1	14,14,15	0.52	0	17,19,21	0.90	1 (5%)
4	NAG	A	4720	1	14,14,15	0.51	0	17,19,21	0.43	0
3	NGA	B	4780	1	14,14,15	0.49	0	17,19,21	0.74	0
4	NAG	B	4742	1	14,14,15	0.34	0	17,19,21	0.66	0
4	NAG	B	4708	1	14,14,15	0.20	0	17,19,21	0.51	0
3	NGA	B	4726	1	14,14,15	0.54	0	17,19,21	0.58	0
4	NAG	B	4730	1	14,14,15	0.14	0	17,19,21	0.43	0
4	NAG	B	4744	1	14,14,15	0.24	0	17,19,21	0.65	1 (5%)
4	NAG	B	4776	1	14,14,15	0.23	0	17,19,21	0.44	0
4	NAG	B	4733	1	14,14,15	0.42	0	17,19,21	0.52	0
4	NAG	B	4748	1	14,14,15	0.41	0	17,19,21	0.65	0
4	NAG	A	4714	1	14,14,15	0.29	0	17,19,21	0.42	0
4	NAG	A	4716	1	14,14,15	0.43	0	17,19,21	0.59	0
4	NAG	B	4778	1	14,14,15	0.27	0	17,19,21	0.51	0
4	NAG	B	4709	1	14,14,15	0.17	0	17,19,21	0.58	0
4	NAG	B	4711	1	14,14,15	0.25	0	17,19,21	0.64	1 (5%)
3	NGA	B	4783	1	14,14,15	0.93	1 (7%)	17,19,21	1.36	1 (5%)
4	NAG	A	4721	1	14,14,15	0.25	0	17,19,21	0.55	0
4	NAG	A	4703	1	14,14,15	0.26	0	17,19,21	0.70	1 (5%)
4	NAG	A	4719	1	14,14,15	0.42	0	17,19,21	0.99	1 (5%)
3	NGA	B	4787	1	14,14,15	0.50	0	17,19,21	1.00	1 (5%)
3	NGA	B	4729	-	14,14,15	0.56	0	17,19,21	0.57	0
4	NAG	A	4704	1	14,14,15	0.23	0	17,19,21	0.44	0
4	NAG	B	4718	1	14,14,15	0.20	0	17,19,21	0.50	0
4	NAG	B	4722	1	14,14,15	0.20	0	17,19,21	0.53	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	A	4705	1	14,14,15	0.25	0	17,19,21	0.64	1 (5%)
4	NAG	A	4787	1	14,14,15	0.34	0	17,19,21	0.66	0
3	NGA	A	4742	1	14,14,15	0.52	0	17,19,21	0.90	1 (5%)
4	NAG	A	4709	1	14,14,15	0.24	0	17,19,21	0.65	1 (5%)
3	NGA	A	4735	1	14,14,15	0.53	0	17,19,21	0.70	0
4	NAG	B	4727	1	14,14,15	0.20	0	17,19,21	0.69	1 (5%)
3	NGA	A	4730	-	14,14,15	0.91	1 (7%)	17,19,21	1.00	1 (5%)
4	NAG	A	4702	1	14,14,15	0.64	0	17,19,21	1.04	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NGA	B	4712	-	-	0/6/23/26	0/1/1/1
4	NAG	A	4718	1	-	0/6/23/26	0/1/1/1
4	NAG	A	4715	1	-	0/6/23/26	0/1/1/1
4	NAG	B	4731	1	-	3/6/23/26	0/1/1/1
3	NGA	B	4702	1	-	0/6/23/26	0/1/1/1
4	NAG	B	4706	1	-	3/6/23/26	0/1/1/1
4	NAG	B	4741	1	-	2/6/23/26	0/1/1/1
4	NAG	A	4708	1	-	0/6/23/26	0/1/1/1
3	NGA	B	4725	1	-	2/6/23/26	0/1/1/1
4	NAG	A	4727	1	-	2/6/23/26	0/1/1/1
4	NAG	A	4729	1	-	0/6/23/26	0/1/1/1
3	NGA	B	4784	-	-	0/6/23/26	0/1/1/1
4	NAG	B	4714	1	-	0/6/23/26	0/1/1/1
3	NGA	B	4782	1	-	0/6/23/26	0/1/1/1
4	NAG	A	4723	1	-	0/6/23/26	0/1/1/1
4	NAG	A	4717	1	-	0/6/23/26	0/1/1/1
4	NAG	B	4701	1	-	0/6/23/26	0/1/1/1
4	NAG	B	4739	1	-	0/6/23/26	0/1/1/1
4	NAG	B	4720	1	-	0/6/23/26	0/1/1/1
3	NGA	B	4738	1	-	1/6/23/26	0/1/1/1
3	NGA	A	4732	1	-	1/6/23/26	0/1/1/1
4	NAG	A	4706	1	-	1/6/23/26	0/1/1/1
4	NAG	A	4726	1	-	0/6/23/26	0/1/1/1
4	NAG	A	4722	1	-	2/6/23/26	0/1/1/1
3	NGA	A	4739	1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NGA	A	4733	1	-	1/6/23/26	0/1/1/1
4	NAG	B	4736	1	-	0/6/23/26	0/1/1/1
4	NAG	B	4728	1	-	1/6/23/26	0/1/1/1
4	NAG	A	4711	1	-	0/6/23/26	0/1/1/1
4	NAG	B	4719	1	-	1/6/23/26	0/1/1/1
3	NGA	B	4745	1	-	0/6/23/26	0/1/1/1
3	NGA	A	4731	1	-	0/6/23/26	0/1/1/1
3	NGA	B	4770	1	-	1/6/23/26	0/1/1/1
4	NAG	B	4710	1	-	0/6/23/26	0/1/1/1
4	NAG	B	4734	1	-	0/6/23/26	0/1/1/1
3	NGA	A	4734	1	-	2/6/23/26	0/1/1/1
4	NAG	A	4713	1	-	0/6/23/26	0/1/1/1
3	NGA	A	4740	-	-	0/6/23/26	0/1/1/1
3	NGA	A	4736	1	-	2/6/23/26	0/1/1/1
4	NAG	A	4710	1	-	1/6/23/26	0/1/1/1
3	NGA	A	4744	1	-	0/6/23/26	0/1/1/1
3	NGA	A	4738	1	-	0/6/23/26	0/1/1/1
4	NAG	B	4723	1	-	0/6/23/26	0/1/1/1
4	NAG	B	4717	1	-	2/6/23/26	0/1/1/1
4	NAG	A	4707	1	-	0/6/23/26	0/1/1/1
4	NAG	A	4712	1	-	0/6/23/26	0/1/1/1
3	NGA	A	4737	-	-	0/6/23/26	0/1/1/1
3	NGA	A	4743	1	-	0/6/23/26	0/1/1/1
3	NGA	B	4740	1	-	2/6/23/26	0/1/1/1
4	NAG	A	4728	1	-	0/6/23/26	0/1/1/1
3	NGA	A	4741	1	-	3/6/23/26	0/1/1/1
4	NAG	B	4735	1	-	0/6/23/26	0/1/1/1
4	NAG	B	4785	1	-	0/6/23/26	0/1/1/1
3	NGA	B	4705	1	-	0/6/23/26	0/1/1/1
3	NGA	A	4701	1	-	1/6/23/26	0/1/1/1
4	NAG	A	4724	1	-	0/6/23/26	0/1/1/1
4	NAG	A	4725	1	-	3/6/23/26	0/1/1/1
3	NGA	B	4721	1	-	0/6/23/26	0/1/1/1
4	NAG	A	4720	1	-	1/6/23/26	0/1/1/1
3	NGA	B	4780	1	-	0/6/23/26	0/1/1/1
4	NAG	B	4742	1	-	0/6/23/26	0/1/1/1
4	NAG	B	4708	1	-	0/6/23/26	0/1/1/1
3	NGA	B	4726	1	-	1/6/23/26	0/1/1/1
4	NAG	B	4730	1	-	0/6/23/26	0/1/1/1
4	NAG	B	4744	1	-	1/6/23/26	0/1/1/1
4	NAG	B	4776	1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	B	4733	1	-	0/6/23/26	0/1/1/1
4	NAG	B	4748	1	-	0/6/23/26	0/1/1/1
4	NAG	A	4714	1	-	0/6/23/26	0/1/1/1
4	NAG	A	4716	1	-	0/6/23/26	0/1/1/1
4	NAG	B	4778	1	-	0/6/23/26	0/1/1/1
4	NAG	B	4709	1	-	0/6/23/26	0/1/1/1
4	NAG	B	4711	1	-	0/6/23/26	0/1/1/1
3	NGA	B	4783	1	-	3/6/23/26	0/1/1/1
4	NAG	A	4721	1	-	1/6/23/26	0/1/1/1
4	NAG	A	4703	1	-	0/6/23/26	0/1/1/1
4	NAG	A	4719	1	-	3/6/23/26	0/1/1/1
3	NGA	B	4787	1	-	0/6/23/26	0/1/1/1
3	NGA	B	4729	-	-	0/6/23/26	0/1/1/1
4	NAG	A	4704	1	-	0/6/23/26	0/1/1/1
4	NAG	B	4718	1	-	1/6/23/26	0/1/1/1
4	NAG	B	4722	1	-	1/6/23/26	0/1/1/1
4	NAG	A	4705	1	-	0/6/23/26	0/1/1/1
4	NAG	A	4787	1	-	0/6/23/26	0/1/1/1
3	NGA	A	4742	1	-	0/6/23/26	0/1/1/1
4	NAG	A	4709	1	-	1/6/23/26	0/1/1/1
3	NGA	A	4735	1	-	0/6/23/26	0/1/1/1
4	NAG	B	4727	1	-	0/6/23/26	0/1/1/1
3	NGA	A	4730	-	-	0/6/23/26	0/1/1/1
4	NAG	A	4702	1	-	0/6/23/26	0/1/1/1

The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	4741	NGA	C1-C2	3.35	1.56	1.52
3	B	4783	NGA	C1-C2	3.35	1.56	1.52
3	A	4730	NGA	C1-C2	3.22	1.56	1.52
3	B	4712	NGA	C1-C2	3.22	1.56	1.52
4	A	4725	NAG	C1-C2	2.78	1.56	1.52

The worst 5 of 48 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	4727	NAG	C1-O5-C5	6.86	121.38	112.19
4	B	4717	NAG	C1-O5-C5	6.86	121.38	112.19
3	A	4733	NGA	O5-C1-C2	-4.88	103.75	111.29
3	B	4738	NGA	O5-C1-C2	-4.88	103.75	111.29
4	A	4702	NAG	C1-O5-C5	4.09	117.67	112.19

There are no chirality outliers.

5 of 50 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	4732	NGA	C3-C2-N2-C7
3	B	4770	NGA	C3-C2-N2-C7
4	A	4725	NAG	O5-C5-C6-O6
4	B	4731	NAG	O5-C5-C6-O6
4	A	4721	NAG	O5-C5-C6-O6


There are no ring outliers.

12 monomers are involved in 12 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	4739	NAG	1	0
4	B	4719	NAG	1	0
3	B	4745	NGA	1	0
3	A	4731	NGA	1	0
3	A	4744	NGA	1	0
4	A	4728	NAG	1	0
3	A	4741	NGA	1	0
3	B	4780	NGA	1	0
3	B	4783	NGA	1	0
4	A	4721	NAG	1	0
4	A	4703	NAG	1	0
4	B	4727	NAG	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



Ligand NGA B 4712




Ligand NAG A 4718









Ligand NAG B 4741




Ligand NAG A 4708




Ligand NGA B 4725




Ligand NAG A 4727




Ligand NAG A 4729




Ligand NGA B 4784




Ligand NAG B 4714




Ligand NGA B 4782




Ligand NAG A 4723




Ligand NAG A 4717




Ligand NAG B 4701




Ligand NAG B 4739




Ligand NAG B 4720




Ligand NGA B 4738







Ligand NGA A 4732




Ligand NAG A 4706










Ligand NAG B 4736




Ligand NAG B 4728







Ligand NGA B 4745




Ligand NGA A 4731




Ligand NGA B 4770




Ligand NAG B 4710




Ligand NAG B 4734




Ligand NGA A 4734




Ligand NAG A 4713




Ligand NGA A 4740




Ligand NGA A 4736




Ligand NAG A 4710




Ligand NGA A 4744




Ligand NGA A 4738




Ligand NAG B 4723




Ligand NAG B 4717




Ligand NAG A 4707




Ligand NAG A 4712




Ligand NGA A 4737




Ligand NGA A 4743




Ligand NGA B 4740




Ligand NAG A 4728





Ligand NGA A 4741




Ligand NAG B 4735







Ligand NGA A 4701




Ligand NAG A 4724




Ligand NAG A 4725




Ligand NGA B 4721




Ligand NAG A 4720




Ligand NGA B 4780




Ligand NAG B 4742




Ligand NAG B 4708




Ligand NGA B 4726




Ligand NAG B 4730




Ligand NAG B 4744




Ligand NAG B 4776







Ligand NAG B 4733




Ligand NAG B 4748









Ligand NAG B 4711




Ligand NGA B 4783




Ligand NAG A 4721




Ligand NAG A 4703




Ligand NAG A 4719




Ligand NGA B 4787




Ligand NGA B 4729




Ligand NAG A 4704




Ligand NAG B 4718




Ligand NAG B 4722




Ligand NAG A 4705




Ligand NAG A 4787




Ligand NGA A 4742




Ligand NAG A 4709




Ligand NGA A 4735




Ligand NAG B 4727



Ligand NGA A 4730



Ligand NAG A 4702



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-28233. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256



Y Index: 256




Z Index: 256

6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 238




Y Index: 255




Z Index: 364


6.3.2 Raw map



X Index: 238



Y Index: 255




Z Index: 364


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.2. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2199 nm^3 ; this corresponds to an approximate mass of 1986 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.353 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.353 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.83	-	-
Author-provided FSC curve	2.83	3.03	2.85
Unmasked-calculated*	3.25	3.91	3.29

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.25 differs from the reported value 2.83 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-28233 and PDB model 8EM4. Per-residue inclusion information can be found in section [3](#) on page [10](#).


9.1 Map-model overlay [i](#)



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.2 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.2).

9.4 Atom inclusion ⓘ



At the recommended contour level, 100% of all backbone atoms, 100% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.2) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.9960	<div></div> 0.3600
A	<div></div> 0.9960	<div></div> 0.3590
B	<div></div> 0.9960	<div></div> 0.3600
C	<div></div> 1.0000	<div></div> 0.5910
D	<div></div> 1.0000	<div></div> 0.5800

