



## Full wwPDB EM Validation Report ⓘ

Nov 3, 2024 – 05:10 PM EST

PDB ID : 8EPA  
EMDB ID : EMD-28523  
Title : Structure of interleukin receptor common gamma chain (IL2Rgamma) in complex with two antibodies  
Authors : Franklin, M.C.; Romero Hernandez, A.  
Deposited on : 2022-10-05  
Resolution : 3.40 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4.02b-467  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	I	268	
2	H	220	
3	L	214	
4	A	221	
5	B	214	
6	C	2	

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 5045 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytokine receptor common subunit gamma.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	I	185	Total	C	N	O	S	0	0
			1580	1005	284	283	8		

There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
I	241	GLU	-	expression tag	UNP P31785
I	242	GLN	-	expression tag	UNP P31785
I	243	LYS	-	expression tag	UNP P31785
I	244	LEU	-	expression tag	UNP P31785
I	245	ILE	-	expression tag	UNP P31785
I	246	SER	-	expression tag	UNP P31785
I	247	GLU	-	expression tag	UNP P31785
I	248	GLU	-	expression tag	UNP P31785
I	249	ASP	-	expression tag	UNP P31785
I	250	LEU	-	expression tag	UNP P31785
I	251	GLY	-	expression tag	UNP P31785
I	252	GLY	-	expression tag	UNP P31785
I	253	GLU	-	expression tag	UNP P31785
I	254	GLN	-	expression tag	UNP P31785
I	255	LYS	-	expression tag	UNP P31785
I	256	LEU	-	expression tag	UNP P31785
I	257	ILE	-	expression tag	UNP P31785
I	258	SER	-	expression tag	UNP P31785
I	259	GLU	-	expression tag	UNP P31785
I	260	GLU	-	expression tag	UNP P31785
I	261	ASP	-	expression tag	UNP P31785
I	262	LEU	-	expression tag	UNP P31785
I	263	HIS	-	expression tag	UNP P31785
I	264	HIS	-	expression tag	UNP P31785
I	265	HIS	-	expression tag	UNP P31785
I	266	HIS	-	expression tag	UNP P31785
I	267	HIS	-	expression tag	UNP P31785
I	268	HIS	-	expression tag	UNP P31785

- Molecule 2 is a protein called REGN7257 Fab heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	H	119	Total	C	N	O	S	0	0
			918	581	157	175	5		

- Molecule 3 is a protein called REGN7257 Fab light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	L	106	Total	C	N	O	S	0	0
			818	514	137	164	3		

- Molecule 4 is a protein called REGN9432 Fab heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	A	120	Total	C	N	O	S	0	0
			897	560	159	174	4		

- Molecule 5 is a protein called REGN9432 Fab light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	B	107	Total	C	N	O	S	0	0
			804	503	133	164	4		

- Molecule 6 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
6	C	2	Total	C	N	O	0	0
			28	16	2	10		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cytokine receptor common subunit gamma



- Molecule 2: REGN7257 Fab heavy chain



- Molecule 3: REGN7257 Fab light chain




SER	VAL	SER	PHE	ILE	PHE	PRO	PRO	SER	ASP	GLY	GLN	LEU	LYS	SER	GLY	THR	ALA	SER	VAL	VAL	CYS	LEU	LEU	ASN	PHE	TYR	PRO	ARG	GLY	ALA	LYS	VAL	GLN	LYS	TRP	LYS	VAL	ASN	ASP	ASP	ASN	ALA	ALA	LEU	GLN	SER	GLY	ASN	SER	GLN	GLY	SER	VAL	THR	GLY	GLN	ASP	SER	LYS	ASP	SER	THR	TYR
SER	LEU	SER	SER	SER	THR	THR	LEU	THR	LEU	SER	LYS	ALA	ASP	TYR	GLY	HIS	LYS	VAL	TYR	ALA	CYS	VAL	GLY	VAL	THR	HIS	GLN	GLY	LEU	SER	ARG	SER	PRO	VAL	THR	LYS	GLN	PHE	LYS	ASN	ARG	GLY	GLY	CYS																			

• Molecule 4: REGN9432 Fab heavy chain

Chain A:  38% 16% 46%

GLN	SER	SER	GLY	LEU	TYR	SER	LEU	SER	VAL	VAL	THR	VAL	SER	SER	SER	LEU	GLY	LYS	THR	THR	CYS	ASN	VAL	ASP	HIS	LYS	PRO	SER	ASN	THR	LYS	VAL	ASP	LYS	VAL	VAL	GLU															
V120	S121	SER	ALA	SER	THR	LYS	PRO	VAL	PHE	PRO	LEU	ALA	PRO	CYS	SER	ARG	THR	THR	SER	GLU	SER	ALA	ALA	LEU	GLY	CYS	LEU	VAL	LYS	ASP	THR	PRO	GLU	PRO	VAL	THR	VAL	SER	TRP	ASN	LYS	GLY	ALA	LEU	THR	SER	GLY	THR	PHE	PRO	ALA	VAL
GLU	V2	Q3	L4	V12	G16	S17	L18	R19	S25	G26	F27	D33	R34	S35	W36	W47	I51	N52	T58	G59	Y60	A61	V64	K65	G66	R67	F68	S71	R72	D73	N77	S78	L79	Y80	L81	L86	R87	A88	E89	D90	T91	R98	A105	G113								

• Molecule 5: REGN9432 Fab light chain

Chain B:  5% 35% 15% 50%

SER	VAL	THR	GLU	GLN	ASP	SER	LYS	ASP	SER	SER	THR	TYR	SER	LEU	SER	LYS	ALA	ASP	TYR	GLU	LYS	HIS	LYS	VAL	TYR	ALA	CYS	GLU	VAL	THR	THR	HIS	GLN	GLY	LEU	SER	SER	SER	PRO	VAL	THR	LYS	SER	PHE	ASN	ARG	GLY	GLY	CYS						
T102	K103	V104	E105	I106	K107	ARG	THR	VAL	ALA	PRO	SER	THR	THR	PRO	PRO	ASP	GLU	GLN	LEU	LYS	SER	GLY	THR	ALA	SER	VAL	VAL	CYS	LEU	LEU	ASN	ASN	PHE	TYR	PRO	ARG	GLU	ALA	LYS	VAL	GLN	TRP	LYS	ASN	ASP	ASN	ALA	LEU	GLN	SER	GLY	ASN	SER	GLN	GLU
D1	Q6	S9	S10	L11	S12	A13	G16	D17	R18	V19	T20	W21	R27	S31	Y32	L33	Y36	Q37	Q38	K39	S40	G41	K42	A51	S56	R61	T69	D70	F71	T72	I75	S76	S77	L78	Q79	F83	A84	T85	Y86	Q89	Q90	S91	L96	G101											

• Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:  100%

NA61	NA62
------	------

## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	435563	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	40	Depositor
Minimum defocus (nm)	1400	Depositor
Maximum defocus (nm)	2400	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.585	Depositor
Minimum map value	-0.153	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.012	Depositor
Recommended contour level	0.104	Depositor
Map size (Å)	258.0, 258.0, 258.0	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.86, 0.86, 0.86	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	I	0.27	0/1633	0.49	0/2224
2	H	0.27	0/939	0.58	0/1271
3	L	0.31	0/836	0.51	0/1134
4	A	0.28	0/917	0.59	0/1242
5	B	0.29	0/820	0.51	0/1109
All	All	0.28	0/5145	0.53	0/6980

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	I	1580	0	1486	40	0
2	H	918	0	883	24	0
3	L	818	0	793	16	0
4	A	897	0	854	27	0
5	B	804	0	785	23	0
6	C	28	0	25	0	0
All	All	5045	0	4826	129	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 13.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:94:TYR:O	2:H:114:GLY:HA2	1.68	0.93
4:A:35:SER:HG	4:A:47:TRP:HE1	1.19	0.85
2:H:19:ARG:HH11	2:H:82:HIS:HB3	1.51	0.76
2:H:29:PHE:O	2:H:72:ARG:NH2	2.19	0.75
1:I:142:LYS:HZ1	1:I:145:GLU:HA	1.54	0.72
4:A:2:VAL:N	4:A:25:SER:O	2.26	0.69
5:B:17:ASP:H	5:B:78:LEU:HD13	1.57	0.69
2:H:33:GLU:HB2	2:H:99:ALA:HB3	1.75	0.68
4:A:91:THR:HG22	4:A:120:VAL:H	1.58	0.68
2:H:51:ILE:HD11	2:H:70:ILE:HD13	1.76	0.68
2:H:53:SER:OG	2:H:54:SER:N	2.27	0.68
1:I:142:LYS:NZ	1:I:144:SER:O	2.27	0.68
4:A:61:ALA:HB3	4:A:64:VAL:HG12	1.76	0.67
4:A:68:PHE:HD2	4:A:81:LEU:HD12	1.62	0.64
3:L:61:ARG:NH1	3:L:79:GLN:OE1	2.29	0.64
5:B:40:SER:O	5:B:42:LYS:NZ	2.31	0.64
3:L:30:SER:O	3:L:66:ARG:NH1	2.31	0.64
4:A:35:SER:OG	4:A:47:TRP:NE1	2.28	0.63
3:L:36:TYR:HB3	3:L:44:PRO:HB3	1.81	0.63
3:L:7:SER:HB2	3:L:24:ARG:HH12	1.64	0.62
1:I:36:PRO:O	1:I:37:GLU:HG3	2.01	0.61
2:H:12:VAL:HG11	2:H:86:LEU:HD22	1.83	0.60
5:B:39:LYS:HB2	5:B:42:LYS:HD2	1.84	0.60
2:H:47:TRP:HZ2	2:H:50:TYR:HD1	1.48	0.59
1:I:166:GLN:HG2	1:I:177:GLU:HG2	1.84	0.59
5:B:6:GLN:HB3	5:B:101:GLY:H	1.66	0.59
5:B:61:ARG:NE	5:B:75:ILE:HD11	2.18	0.59
5:B:91:SER:HA	5:B:96:LEU:HD22	1.85	0.59
1:I:188:LEU:HD12	1:I:189:PRO:HD2	1.85	0.58
1:I:196:ARG:HE	4:A:105:ALA:H	1.52	0.57
4:A:87:ARG:NH1	4:A:89:GLU:OE2	2.38	0.57
5:B:16:GLY:H	5:B:78:LEU:HB2	1.70	0.57
2:H:37:VAL:HG22	2:H:47:TRP:HA	1.86	0.56
1:I:71:ASN:ND2	1:I:104:GLN:HB3	2.21	0.56
2:H:8:GLY:HA3	2:H:20:LEU:HD23	1.87	0.56
3:L:82:ASP:OD1	3:L:86:TYR:OH	2.24	0.56
2:H:53:SER:O	2:H:72:ARG:NH1	2.39	0.56
1:I:44:ASN:HD22	1:I:133:TRP:H	1.53	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:140:LEU:HD13	1:I:222:ILE:HG12	1.88	0.56
1:I:192:ASP:N	1:I:197:TYR:OH	2.38	0.55
3:L:45:LYS:HE3	3:L:45:LYS:HA	1.88	0.55
1:I:69:TYR:HD1	1:I:71:ASN:HD21	1.53	0.55
1:I:37:GLU:OE2	1:I:39:GLN:NE2	2.39	0.55
4:A:36:TRP:HE1	4:A:79:LEU:HD21	1.71	0.55
4:A:86:LEU:HD22	4:A:120:VAL:HG11	1.88	0.55
3:L:33:LEU:HD13	3:L:71:PHE:CG	2.42	0.55
1:I:71:ASN:ND2	1:I:105:THR:O	2.40	0.54
5:B:18:ARG:NH2	5:B:76:SER:HB3	2.22	0.54
5:B:31:SER:HB3	5:B:51:ALA:HB2	1.89	0.54
1:I:66:HIS:CE1	1:I:79:LYS:HZ3	2.26	0.53
5:B:9:SER:HA	5:B:102:THR:HA	1.90	0.53
5:B:39:LYS:HD2	5:B:84:ALA:HB2	1.90	0.53
2:H:48:ILE:O	2:H:60:TYR:N	2.42	0.53
2:H:96:CYS:O	2:H:112:GLY:N	2.43	0.52
2:H:102:THR:OG1	2:H:103:GLY:N	2.40	0.52
4:A:51:ILE:HG22	4:A:58:THR:HA	1.90	0.52
1:I:142:LYS:NZ	1:I:145:GLU:HA	2.24	0.52
5:B:20:THR:OG1	5:B:72:THR:OG1	2.27	0.52
3:L:18:ARG:NH1	3:L:76:SER:OG	2.44	0.51
2:H:94:TYR:O	2:H:114:GLY:CA	2.50	0.51
2:H:50:TYR:OH	2:H:58:ILE:HD12	2.11	0.51
5:B:36:TYR:HE1	5:B:89:GLN:HB3	1.76	0.51
4:A:4:LEU:HB2	4:A:113:GLY:HA3	1.93	0.51
5:B:33:LEU:HD13	5:B:71:PHE:CD1	2.46	0.50
1:I:32:THR:OG1	1:I:33:LEU:N	2.44	0.50
1:I:138:LEU:HD11	1:I:219:SER:OG	2.12	0.50
3:L:16:GLY:HA2	3:L:77:SER:HA	1.94	0.49
4:A:52:ASN:HD22	4:A:52:ASN:C	2.15	0.49
1:I:32:THR:OG1	1:I:118:ARG:NH2	2.46	0.49
3:L:21:ILE:HD13	3:L:102:THR:HG21	1.94	0.49
1:I:45:VAL:O	1:I:97:LYS:NZ	2.33	0.49
2:H:64:VAL:HG12	2:H:64:VAL:O	2.12	0.48
1:I:44:ASN:ND2	1:I:155:ARG:HB2	2.28	0.48
5:B:85:THR:HG23	5:B:102:THR:H	1.78	0.48
1:I:75:ASP:O	1:I:76:LYS:NZ	2.35	0.48
3:L:37:GLN:HB2	3:L:47:LEU:HD11	1.96	0.48
4:A:33:ASP:HA	4:A:72:ARG:HH12	1.79	0.48
2:H:40:ALA:HB3	2:H:43:LYS:HB2	1.95	0.48
4:A:36:TRP:HE1	4:A:79:LEU:CD2	2.27	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:61:ALA:O	4:A:65:LYS:NZ	2.33	0.47
1:I:33:LEU:HG	1:I:118:ARG:HH22	1.78	0.47
1:I:152:TRP:HE1	1:I:163:HIS:CE1	2.32	0.47
2:H:2:VAL:HG12	2:H:26:GLY:HA3	1.97	0.46
3:L:6:GLN:OE1	3:L:102:THR:N	2.48	0.46
4:A:35:SER:OG	4:A:36:TRP:N	2.48	0.46
1:I:161:LEU:O	1:I:182:TYR:HA	2.17	0.45
4:A:3:GLN:HG2	4:A:25:SER:HB2	1.99	0.45
1:I:125:LYS:HE3	1:I:127:GLN:HG2	1.99	0.45
1:I:164:LEU:HB2	1:I:215:TRP:CH2	2.52	0.45
1:I:180:VAL:HG21	1:I:186:PHE:HB2	1.99	0.45
5:B:18:ARG:HH21	5:B:76:SER:HB3	1.80	0.45
4:A:12:VAL:HG21	4:A:16:GLY:HA3	1.99	0.44
4:A:18:LEU:HD12	4:A:19:ARG:N	2.32	0.44
5:B:38:GLN:HA	5:B:38:GLN:OE1	2.17	0.44
2:H:12:VAL:HG13	2:H:119:VAL:HG22	2.00	0.44
1:I:102:LEU:HD12	1:I:126:LEU:HB3	1.99	0.44
1:I:48:MET:HB2	1:I:100:ILE:HD11	1.98	0.44
2:H:65:LYS:HA	2:H:65:LYS:HD2	1.83	0.43
5:B:83:PHE:CD2	5:B:106:ILE:HG22	2.53	0.43
2:H:39:GLN:O	2:H:92:ALA:HB1	2.18	0.43
3:L:20:THR:OG1	3:L:72:THR:OG1	2.18	0.43
1:I:37:GLU:OE1	1:I:38:VAL:N	2.52	0.43
1:I:169:THR:HG22	1:I:170:ASP:H	1.83	0.43
5:B:33:LEU:HD22	5:B:71:PHE:CG	2.53	0.43
1:I:145:GLU:HA	1:I:145:GLU:OE1	2.19	0.42
1:I:165:VAL:HG21	1:I:186:PHE:CD2	2.54	0.42
5:B:6:GLN:NE2	5:B:86:TYR:HB2	2.35	0.42
1:I:144:SER:HB2	1:I:147:GLN:HG3	2.01	0.42
5:B:61:ARG:CZ	5:B:75:ILE:HD11	2.49	0.42
2:H:48:ILE:HA	2:H:60:TYR:HB2	2.01	0.42
4:A:68:PHE:HE2	4:A:81:LEU:HA	1.83	0.42
1:I:150:LEU:HG	1:I:152:TRP:CE3	2.56	0.41
2:H:50:TYR:CZ	2:H:58:ILE:HB	2.55	0.41
3:L:35:TRP:CZ3	3:L:88:CYS:HB3	2.54	0.41
1:I:70:LYS:NZ	1:I:105:THR:HG21	2.36	0.41
4:A:18:LEU:HD12	4:A:19:ARG:H	1.85	0.41
5:B:11:LEU:HB2	5:B:104:VAL:HG12	2.03	0.41
4:A:67:ARG:HD2	4:A:67:ARG:N	2.36	0.41
1:I:160:CYS:HB3	1:I:209:CYS:HB2	1.99	0.41
1:I:126:LEU:HD23	1:I:126:LEU:HA	1.80	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:L:61:ARG:HE	3:L:61:ARG:HB2	1.61	0.41
5:B:37:GLN:HE22	5:B:86:TYR:HE1	1.68	0.41
1:I:71:ASN:CG	1:I:104:GLN:HB3	2.41	0.40
1:I:109:GLN:HB2	1:I:120:ALA:O	2.20	0.40
4:A:51:ILE:HD11	4:A:72:ARG:CD	2.51	0.40
4:A:71:SER:OG	4:A:80:TYR:HB2	2.21	0.40
3:L:32:TYR:HB3	3:L:91:ASN:OD1	2.22	0.40
4:A:27:PHE:CE2	4:A:98:ARG:HG3	2.56	0.40
4:A:73:ASP:O	4:A:77:ASN:N	2.54	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	I	181/268 (68%)	171 (94%)	9 (5%)	1 (1%)	22	50
2	H	117/220 (53%)	109 (93%)	7 (6%)	1 (1%)	14	41
3	L	104/214 (49%)	87 (84%)	17 (16%)	0	100	100
4	A	118/221 (53%)	105 (89%)	13 (11%)	0	100	100
5	B	105/214 (49%)	93 (89%)	12 (11%)	0	100	100
All	All	625/1137 (55%)	565 (90%)	58 (9%)	2 (0%)	38	66

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	H	110	ILE
1	I	37	GLU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	I	179/255 (70%)	179 (100%)	0	100	100
2	H	98/187 (52%)	98 (100%)	0	100	100
3	L	93/190 (49%)	92 (99%)	1 (1%)	70	81
4	A	95/184 (52%)	94 (99%)	1 (1%)	70	81
5	B	93/189 (49%)	93 (100%)	0	100	100
All	All	558/1005 (56%)	556 (100%)	2 (0%)	88	93

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	L	24	ARG
4	A	52	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
3	L	34	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
6	NAG	C	1	6,1	14,14,15	0.18	0	17,19,21	0.59	0
6	NAG	C	2	6	14,14,15	0.37	0	17,19,21	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	C	1	6,1	-	4/6/23/26	0/1/1/1
6	NAG	C	2	6	-	4/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.


All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	C	1	NAG	C4-C5-C6-O6
6	C	2	NAG	O5-C5-C6-O6
6	C	2	NAG	C4-C5-C6-O6
6	C	1	NAG	O5-C5-C6-O6
6	C	2	NAG	C8-C7-N2-C2
6	C	2	NAG	O7-C7-N2-C2
6	C	1	NAG	C3-C2-N2-C7
6	C	1	NAG	C1-C2-N2-C7

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-28523. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


### 6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 147




Y Index: 132




Z Index: 154


### 6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.104. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 55  $\text{nm}^3$ ; this corresponds to an approximate mass of 50 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.294 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.294  $\text{\AA}^{-1}$

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.40	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.11	7.65	4.19

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.11 differs from the reported value 3.4 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-28523 and PDB model 8EPA. Per-residue inclusion information can be found in section [3](#) on page [5](#).

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.104 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.104).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 88% of all backbone atoms, 80% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.104) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div><div></div></div> 0.7990	<div><div></div></div> 0.4330
A	<div><div></div></div> 0.8070	<div><div></div></div> 0.4300
B	<div><div></div></div> 0.7440	<div><div></div></div> 0.4040
C	<div><div></div></div> 0.8210	<div><div></div></div> 0.3970
H	<div><div></div></div> 0.7870	<div><div></div></div> 0.4360
I	<div><div></div></div> 0.8500	<div><div></div></div> 0.4410
L	<div><div></div></div> 0.7580	<div><div></div></div> 0.4470

1.0

0.0

<0.0