



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 22, 2024 – 08:38 PM EDT

PDB ID : 6F49
Title : Periplasmic domain of LolC lacking the Hook.
Authors : Kaplan, E.
Deposited on : 2017-11-29
Resolution : 2.02 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.20.1
EDS : 2.37.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.02 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	10434 (2.04-2.00)
Clashscore	141614	11643 (2.04-2.00)
Ramachandran outliers	138981	11493 (2.04-2.00)
Sidechain outliers	138945	11492 (2.04-2.00)
RSRZ outliers	127900	10220 (2.04-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	219	 2% 93% 5%
1	B	219	 2% 89% 7% 5%
1	C	219	 % 90% 6%
1	D	219	 % 92%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	PG5	B	301	-	-	X	-
3	PG5	C	301	-	-	X	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7175 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lipoprotein-releasing system transmembrane protein LolC, Lipoprotein-releasing system transmembrane protein LolC.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	208	Total	C	N	O	S	0	2	0
			1636	1024	290	314	8			
1	B	209	Total	C	N	O	S	0	4	0
			1662	1039	297	318	8			
1	C	212	Total	C	N	O	S	0	6	0
			1699	1061	306	324	8			
1	D	212	Total	C	N	O	S	0	0	0
			1642	1030	291	313	8			

There are 52 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	167	GLY	ILE	linker	UNP P0ADC3
A	168	ALA	PRO	linker	UNP P0ADC3
A	267	ALA	MET	expression tag	UNP P0ADC3
A	268	ALA	GLY	expression tag	UNP P0ADC3
A	269	ALA	LEU	expression tag	UNP P0ADC3
A	270	LEU	LEU	expression tag	UNP P0ADC3
A	271	GLU	-	expression tag	UNP P0ADC3
A	272	HIS	-	expression tag	UNP P0ADC3
A	273	HIS	-	expression tag	UNP P0ADC3
A	274	HIS	-	expression tag	UNP P0ADC3
A	275	HIS	-	expression tag	UNP P0ADC3
A	276	HIS	-	expression tag	UNP P0ADC3
A	277	HIS	-	expression tag	UNP P0ADC3
B	167	GLY	ILE	linker	UNP P0ADC3
B	168	ALA	PRO	linker	UNP P0ADC3
B	267	ALA	MET	expression tag	UNP P0ADC3
B	268	ALA	GLY	expression tag	UNP P0ADC3
B	269	ALA	LEU	expression tag	UNP P0ADC3
B	270	LEU	LEU	expression tag	UNP P0ADC3
B	271	GLU	-	expression tag	UNP P0ADC3

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	272	HIS	-	expression tag	UNP P0ADC3
B	273	HIS	-	expression tag	UNP P0ADC3
B	274	HIS	-	expression tag	UNP P0ADC3
B	275	HIS	-	expression tag	UNP P0ADC3
B	276	HIS	-	expression tag	UNP P0ADC3
B	277	HIS	-	expression tag	UNP P0ADC3
C	167	GLY	ILE	linker	UNP P0ADC3
C	168	ALA	PRO	linker	UNP P0ADC3
C	267	ALA	MET	expression tag	UNP P0ADC3
C	268	ALA	GLY	expression tag	UNP P0ADC3
C	269	ALA	LEU	expression tag	UNP P0ADC3
C	270	LEU	LEU	expression tag	UNP P0ADC3
C	271	GLU	-	expression tag	UNP P0ADC3
C	272	HIS	-	expression tag	UNP P0ADC3
C	273	HIS	-	expression tag	UNP P0ADC3
C	274	HIS	-	expression tag	UNP P0ADC3
C	275	HIS	-	expression tag	UNP P0ADC3
C	276	HIS	-	expression tag	UNP P0ADC3
C	277	HIS	-	expression tag	UNP P0ADC3
D	167	GLY	ILE	linker	UNP P0ADC3
D	168	ALA	PRO	linker	UNP P0ADC3
D	267	ALA	MET	expression tag	UNP P0ADC3
D	268	ALA	GLY	expression tag	UNP P0ADC3
D	269	ALA	LEU	expression tag	UNP P0ADC3
D	270	LEU	LEU	expression tag	UNP P0ADC3
D	271	GLU	-	expression tag	UNP P0ADC3
D	272	HIS	-	expression tag	UNP P0ADC3
D	273	HIS	-	expression tag	UNP P0ADC3
D	274	HIS	-	expression tag	UNP P0ADC3
D	275	HIS	-	expression tag	UNP P0ADC3
D	276	HIS	-	expression tag	UNP P0ADC3
D	277	HIS	-	expression tag	UNP P0ADC3

- Molecule 2 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is 1-METHOXY-2-[2-(2-METHOXY-ETHOXY)]-ETHANE (three-letter code: PG5) (formula: C₈H₁₈O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			12	8	4		
3	C	1	Total	C	O	0	0
			12	8	4		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	102	Total	O	0	0
			102	102		
4	B	109	Total	O	0	0
			109	109		
4	C	121	Total	O	0	0
			121	121		
4	D	120	Total	O	0	0
			120	120		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Lipoprotein-releasing system transmembrane protein LolC, Lipoprotein-releasing system transmembrane protein LolC



- Molecule 1: Lipoprotein-releasing system transmembrane protein LolC, Lipoprotein-releasing system transmembrane protein LolC



- Molecule 1: Lipoprotein-releasing system transmembrane protein LolC, Lipoprotein-releasing system transmembrane protein LolC



- Molecule 1: Lipoprotein-releasing system transmembrane protein LolC, Lipoprotein-releasing system transmembrane protein LolC



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	75.31Å 108.54Å 109.45Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	62.04 – 2.02 62.04 – 2.02	Depositor EDS
% Data completeness (in resolution range)	98.9 (62.04-2.02) 98.9 (62.04-2.02)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.17	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.04 (at 2.02Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.188 , 0.233 0.197 , 0.240	Depositor DCC
R_{free} test set	2979 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	18.2	Xtriage
Anisotropy	0.662	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 49.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.013 for -h,l,k	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7175	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.00% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PG5, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.74	0/1663	0.85	1/2253 (0.0%)
1	B	0.74	0/1689	0.84	0/2287
1	C	0.75	1/1726 (0.1%)	0.88	4/2337 (0.2%)
1	D	0.75	0/1669	0.88	5/2262 (0.2%)
All	All	0.75	1/6747 (0.0%)	0.86	10/9139 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	50	GLY	N-CA	5.58	1.54	1.46

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	210	ARG	NE-CZ-NH1	-8.95	115.83	120.30
1	D	213	ARG	NE-CZ-NH2	7.14	123.87	120.30
1	D	182	ARG	NE-CZ-NH1	-6.58	117.01	120.30
1	C	210	ARG	NE-CZ-NH2	5.92	123.26	120.30
1	D	210	ARG	NE-CZ-NH1	5.72	123.16	120.30
1	D	158	ARG	NE-CZ-NH2	5.71	123.16	120.30
1	C	213[A]	ARG	NE-CZ-NH1	5.32	122.96	120.30
1	C	213[B]	ARG	NE-CZ-NH1	5.32	122.96	120.30
1	A	210	ARG	NE-CZ-NH1	5.27	122.94	120.30
1	D	48	MET	CA-CB-CG	5.09	121.95	113.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1636	0	1635	15	0
1	B	1662	0	1661	27	0
1	C	1699	0	1701	19	0
1	D	1642	0	1652	10	0
2	A	6	0	8	0	0
2	B	18	0	24	2	0
2	C	18	0	24	2	0
2	D	18	0	24	2	0
3	B	12	0	18	8	0
3	C	12	0	18	9	0
4	A	102	0	0	0	0
4	B	109	0	0	3	0
4	C	121	0	0	2	0
4	D	120	0	0	1	0
All	All	7175	0	6765	56	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (56) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:149[A]:GLN:CD	1:B:149[A]:GLN:OE1	1.97	1.01
1:D:148:GLU:OE1	4:D:401:HOH:O	1.81	0.98
1:A:149[A]:GLN:NE2	1:B:149[A]:GLN:OE1	1.96	0.98
1:B:158:ARG:HH11	3:B:301:PG5:H83	1.28	0.96
1:B:157:ASN:HD22	3:B:301:PG5:H51	1.34	0.92
1:A:149[A]:GLN:NE2	1:B:149[A]:GLN:CD	2.23	0.91
1:B:148[A]:GLU:OE2	1:B:149[A]:GLN:NE2	2.04	0.89
1:A:149[A]:GLN:HE21	1:B:149[A]:GLN:HG3	1.38	0.89
1:C:157:ASN:HD22	3:C:301:PG5:H51	1.50	0.77
1:B:158:ARG:HE	3:B:301:PG5:H62	1.56	0.71
1:B:158:ARG:NH1	3:B:301:PG5:H83	2.06	0.69
1:A:149[A]:GLN:NE2	1:B:149[A]:GLN:CG	2.56	0.69
1:A:149[A]:GLN:HE21	1:B:149[A]:GLN:CG	2.08	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:149[A]:GLN:NE2	1:B:149[A]:GLN:HG3	2.08	0.66
1:A:141:LYS:CE	1:D:161:GLN:HE22	2.11	0.64
1:B:189:THR:OG1	3:B:301:PG5:H82	1.99	0.63
1:B:158:ARG:HE	3:B:301:PG5:C6	2.14	0.60
1:B:148[A]:GLU:HG2	1:B:191:ALA:CB	2.33	0.59
1:B:148[A]:GLU:HG2	1:B:191:ALA:HB2	1.85	0.58
1:C:158:ARG:HE	3:C:301:PG5:C7	2.16	0.58
1:B:239:LYS:O	4:B:402:HOH:O	2.18	0.56
1:B:223:ARG:NH1	4:B:401:HOH:O	2.09	0.54
1:B:251:ASP:OD2	4:B:403:HOH:O	2.19	0.53
1:C:48:MET:HG2	1:D:104:GLN:HE22	1.74	0.53
1:C:189:THR:OG1	3:C:301:PG5:H81	2.10	0.52
1:C:158:ARG:HE	3:C:301:PG5:H71	1.76	0.51
1:C:158:ARG:H	3:C:301:PG5:H52	1.75	0.51
1:A:149[B]:GLN:HG3	1:A:153:GLN:NE2	2.25	0.51
1:B:67:ILE:HD12	2:B:302:GOL:H31	1.91	0.51
1:C:149[A]:GLN:CD	1:D:149:GLN:OE1	2.49	0.51
1:C:233[B]:ASP:CG	4:C:402:HOH:O	2.50	0.50
1:D:67:ILE:HD12	2:D:301:GOL:H31	1.94	0.49
1:A:149[A]:GLN:CG	1:B:149[A]:GLN:OE1	2.60	0.48
1:C:157:ASN:HB3	3:C:301:PG5:H51	1.95	0.48
1:C:158:ARG:HH11	3:C:301:PG5:H82	1.79	0.48
1:A:149[B]:GLN:CG	1:A:153:GLN:NE2	2.77	0.47
1:C:182[A]:ARG:NH1	4:C:401:HOH:O	2.24	0.47
1:C:258[A]:GLN:HE22	1:C:261:ARG:NH2	2.12	0.46
1:A:141:LYS:HE2	1:D:161:GLN:NE2	2.30	0.45
1:C:182[A]:ARG:HH21	2:C:304:GOL:C3	2.28	0.45
1:A:141:LYS:HE2	1:D:161:GLN:HE22	1.81	0.45
1:B:188:GLY:HA2	3:B:301:PG5:H72	1.97	0.45
1:C:149[B]:GLN:HG3	1:C:153:GLN:OE1	2.17	0.45
1:C:104:GLN:HE22	1:D:48:MET:HG2	1.81	0.45
1:A:141:LYS:NZ	1:D:161:GLN:HE22	2.14	0.44
1:B:138:GLU:HB2	1:B:141:LYS:HG3	2.00	0.44
1:A:141:LYS:HG2	1:A:143:ASN:ND2	2.33	0.43
1:B:247[B]:GLN:H	1:B:247[B]:GLN:HG2	1.70	0.42
1:C:157:ASN:ND2	3:C:301:PG5:H51	2.28	0.42
1:C:158:ARG:HE	3:C:301:PG5:H72	1.83	0.42
1:C:182[A]:ARG:HH21	2:C:304:GOL:H31	1.85	0.41
1:B:69:SER:OG	1:B:247[B]:GLN:NE2	2.54	0.41
1:B:67:ILE:HD12	2:B:302:GOL:C3	2.50	0.41
1:D:182:ARG:HH22	2:D:303:GOL:H32	1.86	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:157:ASN:ND2	3:B:301:PG5:H51	2.18	0.40
1:C:182[A]:ARG:HG2	1:C:182[A]:ARG:HH11	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	208/219 (95%)	206 (99%)	2 (1%)	0	100	100
1	B	211/219 (96%)	209 (99%)	2 (1%)	0	100	100
1	C	216/219 (99%)	213 (99%)	3 (1%)	0	100	100
1	D	210/219 (96%)	207 (99%)	3 (1%)	0	100	100
All	All	845/876 (96%)	835 (99%)	10 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	179/185 (97%)	179 (100%)	0	100	100
1	B	181/185 (98%)	181 (100%)	0	100	100
1	C	184/185 (100%)	183 (100%)	1 (0%)	88	91

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	178/185 (96%)	178 (100%)	0	100	100
All	All	722/740 (98%)	721 (100%)	1 (0%)	93	95

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	210	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	104	GLN
1	A	153	GLN
1	A	193	ASN
1	B	157	ASN
1	C	57	ASN
1	C	104	GLN
1	C	131	ASN
1	C	157	ASN
1	C	193	ASN
1	D	104	GLN
1	D	121	GLN
1	D	161	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GOL	C	303	-	5,5,5	0.54	0	5,5,5	1.37	1 (20%)
2	GOL	B	304	-	5,5,5	0.42	0	5,5,5	0.88	0
2	GOL	D	303	-	5,5,5	0.72	0	5,5,5	0.84	0
2	GOL	B	303	-	5,5,5	0.31	0	5,5,5	0.33	0
2	GOL	C	302	-	5,5,5	0.73	0	5,5,5	1.25	1 (20%)
2	GOL	D	302	-	5,5,5	0.37	0	5,5,5	0.84	0
3	PG5	B	301	-	11,11,11	0.64	0	10,10,10	0.93	0
2	GOL	D	301	-	5,5,5	0.16	0	5,5,5	1.03	0
2	GOL	C	304	-	5,5,5	0.60	0	5,5,5	1.44	1 (20%)
2	GOL	B	302	-	5,5,5	0.29	0	5,5,5	0.56	0
2	GOL	A	301	-	5,5,5	0.35	0	5,5,5	0.91	0
3	PG5	C	301	-	11,11,11	0.42	0	10,10,10	1.09	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	C	303	-	-	2/4/4/4	-
2	GOL	B	304	-	-	2/4/4/4	-
2	GOL	D	303	-	-	4/4/4/4	-
2	GOL	B	303	-	-	4/4/4/4	-
2	GOL	C	302	-	-	3/4/4/4	-
2	GOL	D	302	-	-	2/4/4/4	-
3	PG5	B	301	-	-	3/9/9/9	-
2	GOL	D	301	-	-	3/4/4/4	-
2	GOL	C	304	-	-	4/4/4/4	-
2	GOL	B	302	-	-	4/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	301	-	-	2/4/4/4	-
3	PG5	C	301	-	-	5/9/9/9	-

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	303	GOL	O2-C2-C1	2.37	119.00	109.18
2	C	302	GOL	C3-C2-C1	2.24	120.01	111.80
2	C	304	GOL	O3-C3-C2	2.07	119.70	110.38

There are no chirality outliers.

All (38) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	GOL	C1-C2-C3-O3
2	B	302	GOL	O1-C1-C2-C3
2	B	303	GOL	C1-C2-C3-O3
2	D	303	GOL	O1-C1-C2-C3
2	D	303	GOL	C1-C2-C3-O3
3	C	301	PG5	O3-C6-C7-O4
3	B	301	PG5	O2-C4-C5-O3
2	A	301	GOL	O2-C2-C3-O3
3	B	301	PG5	O1-C2-C3-O2
2	B	304	GOL	O1-C1-C2-C3
2	C	302	GOL	C1-C2-C3-O3
2	C	303	GOL	C1-C2-C3-O3
2	C	304	GOL	O1-C1-C2-C3
2	C	304	GOL	C1-C2-C3-O3
2	D	301	GOL	O1-C1-C2-C3
2	D	301	GOL	C1-C2-C3-O3
2	D	302	GOL	C1-C2-C3-O3
2	B	303	GOL	O2-C2-C3-O3
2	C	302	GOL	O2-C2-C3-O3
2	C	303	GOL	O2-C2-C3-O3
2	D	303	GOL	O2-C2-C3-O3
2	B	302	GOL	O1-C1-C2-O2
2	B	304	GOL	O1-C1-C2-O2
2	D	301	GOL	O1-C1-C2-O2
2	B	303	GOL	O1-C1-C2-O2
2	D	303	GOL	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	C	302	GOL	O1-C1-C2-O2
2	C	304	GOL	O1-C1-C2-O2
2	D	302	GOL	O2-C2-C3-O3
3	C	301	PG5	C5-C4-O2-C3
3	B	301	PG5	C6-C7-O4-C8
2	C	304	GOL	O2-C2-C3-O3
3	C	301	PG5	C4-C5-O3-C6
2	B	302	GOL	C1-C2-C3-O3
3	C	301	PG5	C2-C3-O2-C4
2	B	302	GOL	O2-C2-C3-O3
2	B	303	GOL	O1-C1-C2-C3
3	C	301	PG5	C6-C7-O4-C8

There are no ring outliers.

6 monomers are involved in 23 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	303	GOL	1	0
3	B	301	PG5	8	0
2	D	301	GOL	1	0
2	C	304	GOL	2	0
2	B	302	GOL	2	0
3	C	301	PG5	9	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	208/219 (94%)	-0.42	5 (2%) 59 58	11, 19, 42, 91	0
1	B	209/219 (95%)	-0.43	5 (2%) 59 58	13, 20, 44, 100	0
1	C	212/219 (96%)	-0.50	3 (1%) 75 74	12, 19, 41, 59	0
1	D	212/219 (96%)	-0.58	2 (0%) 84 83	12, 17, 37, 66	0
All	All	841/876 (96%)	-0.48	15 (1%) 68 67	11, 19, 41, 100	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	264	LYS	5.4
1	A	265	ASN	4.7
1	B	266	MET	4.5
1	B	265	ASN	3.8
1	B	264	LYS	3.7
1	B	267	ALA	3.7
1	A	266	MET	3.3
1	A	48	MET	3.0
1	B	48	MET	3.0
1	D	48	MET	2.8
1	D	72	HIS	2.5
1	C	49	ASN	2.4
1	A	72	HIS	2.2
1	C	72	HIS	2.2
1	C	48	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	GOL	C	303	6/6	0.68	0.21	45,47,50,56	0
2	GOL	D	303	6/6	0.71	0.25	36,38,44,50	0
2	GOL	B	303	6/6	0.75	0.15	44,45,50,50	0
3	PG5	C	301	12/12	0.80	0.19	35,38,45,45	0
2	GOL	B	304	6/6	0.81	0.16	46,48,50,53	0
3	PG5	B	301	12/12	0.84	0.20	28,31,42,43	0
2	GOL	D	302	6/6	0.86	0.14	39,42,47,49	0
2	GOL	A	301	6/6	0.88	0.14	29,30,33,36	0
2	GOL	C	304	6/6	0.88	0.15	34,39,42,48	0
2	GOL	B	302	6/6	0.89	0.13	33,37,38,42	0
2	GOL	D	301	6/6	0.90	0.09	25,27,28,29	0
2	GOL	C	302	6/6	0.93	0.12	26,28,30,30	0

6.5 Other polymers [i](#)

There are no such residues in this entry.