



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 29, 2025 – 12:40 AM EDT

PDB ID : 2FE8 / pdb_00002fe8
Title : SARS coronavirus papain-like protease: structure of a viral deubiquitinating enzyme
Authors : Ratia, K.; Santarsiero, B.D.; Mesecar, A.D.
Deposited on : 2005-12-15
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0rc1
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0rc1
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.006 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.43.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	3097 (1.86-1.86)
Clashscore	180529	3359 (1.86-1.86)
Ramachandran outliers	177936	3335 (1.86-1.86)
Sidechain outliers	177891	3335 (1.86-1.86)
RSRZ outliers	164620	3097 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	315	 4% 86% 13% .
1	B	315	 4% 85% 14% .
1	C	315	 6% 86% 13% ..

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 7978 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Replicase polypeptide 1ab.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	315	Total	C	N	O	S	0	0	0
			2482	1574	412	478	18			
1	B	314	Total	C	N	O	S	0	0	0
			2473	1568	411	476	18			
1	C	313	Total	C	N	O	S	0	0	0
			2466	1564	410	474	18			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	initiating methionine	UNP P59641
B	1	MET	-	initiating methionine	UNP P59641
C	1	MET	-	initiating methionine	UNP P59641

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		
2	B	1	Total	Zn	0	0
			1	1		
2	C	1	Total	Zn	0	0
			1	1		

- Molecule 3 is BROMIDE ION (CCD ID: BR) (formula: Br).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	3	Total	Br	0	0
			3	3		
3	B	3	Total	Br	0	0
			3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	C	3	Total	Br	0	0
			3	3		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	206	Total	O	0	0
			206	206		
5	B	177	Total	O	0	0
			177	177		
5	C	147	Total	O	0	0
			147	147		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Replicase polypeptide 1ab



- Molecule 1: Replicase polypeptide 1ab



- Molecule 1: Replicase polypeptide 1ab



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	142.87Å 103.06Å 91.73Å 90.00° 111.15° 90.00°	Depositor
Resolution (Å)	20.00 – 1.85 20.00 – 1.85	Depositor EDS
% Data completeness (in resolution range)	97.7 (20.00-1.85) 97.6 (20.00-1.85)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.76 (at 1.84Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.201 , 0.229 0.200 , 0.228	Depositor DCC
R_{free} test set	5203 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	25.2	Xtriage
Anisotropy	0.176	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 38.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.008 for -1/2*h+1/2*k+1,1/2*h-1/2*k+1,1/2*h+1/2*k 0.014 for -1/2*h-1/2*k+1,-1/2*h-1/2*k-1,1/2*h-1/2*k	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7978	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.23% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, BR, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.60	1/2537 (0.0%)	0.89	4/3441 (0.1%)
1	B	0.53	0/2528	0.90	7/3430 (0.2%)
1	C	0.52	0/2521	0.88	4/3420 (0.1%)
All	All	0.55	1/7586 (0.0%)	0.89	15/10291 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	26	MET	SD-CE	-5.55	1.65	1.79

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	269	TYR	N-CA-C	9.24	121.04	110.97
1	B	145	ALA	N-CA-C	7.01	121.43	113.02
1	B	12	VAL	N-CA-C	-6.99	106.41	113.47
1	A	145	ALA	N-CA-C	6.84	121.70	112.88
1	A	12	VAL	N-CA-C	-6.72	106.68	113.47
1	C	12	VAL	N-CA-C	-6.57	106.84	113.47
1	A	248	PRO	N-CA-C	-5.84	104.86	110.47
1	C	46	LYS	CA-C-N	5.71	125.73	119.90
1	C	46	LYS	C-N-CA	5.71	125.73	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	46	LYS	CA-C-N	5.66	125.67	119.90
1	B	46	LYS	C-N-CA	5.66	125.67	119.90
1	A	213	SER	N-CA-C	5.23	117.28	108.96
1	B	33	GLY	N-CA-C	-5.14	101.85	112.34
1	B	299	GLY	CA-C-N	5.02	126.12	119.84
1	B	299	GLY	C-N-CA	5.02	126.12	119.84

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	269	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2482	0	2425	38	0
1	B	2473	0	2414	33	0
1	C	2466	0	2407	33	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
3	A	3	0	0	1	0
3	B	3	0	0	0	0
3	C	3	0	0	0	0
4	A	5	0	0	0	0
4	B	5	0	0	0	0
4	C	5	0	0	0	0
5	A	206	0	0	2	0
5	B	177	0	0	3	0
5	C	147	0	0	5	0
All	All	7978	0	7246	97	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (97) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:39:GLY:HA2	1:C:85:MET:HE1	1.39	1.05
1:A:188:VAL:HG13	1:A:223:ILE:HD11	1.53	0.88
1:C:39:GLY:HA2	1:C:85:MET:CE	2.14	0.77
1:B:249:PRO:HG3	1:B:302:THR:CG2	2.16	0.75
1:B:294:MET:HE2	1:B:296:GLU:O	1.90	0.71
1:A:229:ARG:HG3	1:A:230:ASP:H	1.55	0.71
1:A:203:VAL:HG12	1:A:207:MET:HE2	1.71	0.71
1:A:130:ALA:O	1:A:134:GLN:HG3	1.92	0.69
1:A:203:VAL:CG1	1:A:207:MET:HE2	2.23	0.69
1:B:78:GLU:HG3	1:C:78:GLU:HG3	1.78	0.65
1:B:249:PRO:HG3	1:B:302:THR:HG22	1.78	0.65
1:A:45:ILE:HD11	1:A:48:HIS:NE2	2.12	0.64
1:B:307:LYS:HE3	5:B:441:HOH:O	1.96	0.64
1:B:270:GLN:HG2	1:C:208:TYR:CE1	2.33	0.64
1:C:171:THR:OG1	1:C:207:MET:HE1	1.97	0.63
1:A:23:ASP:HB3	1:A:26:MET:CE	2.29	0.63
1:A:229:ARG:HG3	1:A:230:ASP:N	2.13	0.62
1:A:223:ILE:HD13	1:A:233:GLN:HB2	1.81	0.62
1:B:268:ASN:O	1:B:272:GLY:N	2.34	0.61
1:C:223:ILE:HD13	1:C:233:GLN:HB2	1.84	0.59
1:B:270:GLN:HG2	1:C:208:TYR:CD1	2.37	0.59
1:C:265:TYR:OH	1:C:272:GLY:HA3	2.01	0.59
1:A:237:GLN:HG3	1:A:312:THR:HG22	1.83	0.59
1:A:191:LYS:HB2	1:A:229:ARG:HH12	1.68	0.58
1:A:23:ASP:CB	1:A:26:MET:HE2	2.34	0.58
1:C:191:LYS:HE3	1:C:229:ARG:HD2	1.85	0.57
1:A:204:GLU:HG3	5:A:486:HOH:O	2.05	0.56
1:C:265:TYR:CZ	1:C:272:GLY:HA3	2.41	0.56
1:C:58:VAL:HG22	5:C:386:HOH:O	2.05	0.55
1:C:191:LYS:HE3	1:C:229:ARG:CD	2.36	0.55
1:B:66:ARG:HD3	5:B:376:HOH:O	2.07	0.55
1:B:249:PRO:HG3	1:B:302:THR:HG21	1.89	0.55
1:A:315:ILE:OXT	1:A:315:ILE:HD12	2.07	0.54
1:A:192:HIS:HB2	1:A:229:ARG:HH22	1.74	0.53
1:A:45:ILE:HG12	1:A:46:LYS:O	2.08	0.53
1:A:134:GLN:HA	3:A:318:BR:BR	2.63	0.52
1:A:42:VAL:HB	1:A:45:ILE:CG2	2.40	0.52
1:A:23:ASP:OD2	1:A:26:MET:HE2	2.09	0.51
1:A:23:ASP:HB3	1:A:26:MET:HE3	1.91	0.51
1:B:4:LYS:C	1:B:24:MET:HG2	2.34	0.51
1:B:204:GLU:HG3	5:B:432:HOH:O	2.11	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:82:GLY:HA3	1:C:76:LEU:CD1	2.41	0.51
1:C:157:ASN:HB3	5:C:443:HOH:O	2.10	0.51
1:C:249:PRO:HG3	1:C:302:THR:CG2	2.41	0.51
1:B:283:LEU:HD12	1:B:296:GLU:HA	1.93	0.51
1:A:23:ASP:HB3	1:A:26:MET:HE2	1.93	0.50
1:A:188:VAL:CG1	1:A:223:ILE:HD11	2.34	0.50
1:B:49:VAL:HG13	1:B:52:GLU:OE2	2.12	0.49
1:B:4:LYS:O	1:B:24:MET:HG2	2.12	0.49
1:C:187:ASN:OD1	1:C:197:THR:HG22	2.12	0.49
1:B:268:ASN:OD1	1:B:269:TYR:HD1	1.96	0.49
1:C:189:VAL:HG22	1:C:195:GLN:HB3	1.95	0.49
1:C:223:ILE:CD1	1:C:233:GLN:HB2	2.42	0.48
1:B:152:ILE:HG12	1:B:173:LEU:HD11	1.95	0.48
1:A:23:ASP:CG	1:A:26:MET:HE2	2.38	0.48
1:A:23:ASP:CB	1:A:26:MET:CE	2.92	0.48
1:B:266:THR:O	1:B:272:GLY:HA2	2.13	0.48
1:A:239:GLU:CD	1:A:310:SER:HG	2.23	0.47
1:B:6:ILE:HG13	1:B:22:VAL:HG22	1.96	0.47
1:B:268:ASN:OD1	1:B:269:TYR:N	2.48	0.47
1:B:78:GLU:HG3	1:C:78:GLU:CG	2.45	0.47
1:B:171:THR:O	1:B:175:GLN:HG2	2.14	0.47
1:C:249:PRO:HG3	1:C:302:THR:HG21	1.96	0.46
1:A:42:VAL:O	1:A:45:ILE:HG22	2.16	0.46
1:A:137:TYR:CE2	1:A:141:ARG:HD2	2.50	0.46
1:C:66:ARG:HD2	5:C:437:HOH:O	2.17	0.46
1:C:191:LYS:HE3	1:C:229:ARG:CG	2.47	0.44
1:A:171:THR:O	1:A:175:GLN:HG3	2.18	0.43
1:B:148:PHE:CE2	1:B:152:ILE:HD11	2.52	0.43
1:C:32:PHE:HB3	1:C:58:VAL:HG21	2.00	0.43
1:C:227:CYS:SG	1:C:229:ARG:HB2	2.57	0.43
1:B:268:ASN:O	1:B:269:TYR:C	2.60	0.43
1:A:267:GLY:HA2	1:B:224:PRO:HG3	2.00	0.43
1:C:187:ASN:CG	1:C:197:THR:HG22	2.43	0.43
1:C:307:LYS:NZ	5:C:446:HOH:O	2.52	0.43
1:C:196:LYS:N	1:C:196:LYS:HD2	2.34	0.43
1:A:103:THR:OG1	1:A:143:GLY:HA2	2.18	0.43
1:C:24:MET:HE1	1:C:49:VAL:HG22	2.01	0.42
1:A:214:TYR:OH	1:A:238:GLN:HG2	2.20	0.41
1:A:229:ARG:HG2	1:A:229:ARG:HH11	1.85	0.41
1:B:4:LYS:C	1:B:24:MET:CG	2.93	0.41
1:C:172:HIS:HB2	5:C:428:HOH:O	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:128:PHE:O	1:A:134:GLN:HG2	2.21	0.41
1:A:197:THR:HG21	1:A:315:ILE:HD11	2.03	0.41
1:A:45:ILE:HG12	1:A:46:LYS:N	2.35	0.41
1:A:127:LYS:HE3	1:A:178:ASN:HD22	1.86	0.40
1:A:283:LEU:HB2	1:A:294:MET:O	2.22	0.40
1:B:23:ASP:HB3	1:B:26:MET:CE	2.51	0.40
1:B:121:LEU:HD11	1:B:173:LEU:HD13	2.03	0.40
1:C:204:GLU:H	1:C:204:GLU:CD	2.29	0.40
1:A:307:LYS:HE3	5:A:473:HOH:O	2.20	0.40
1:C:165:ASP:HB3	1:C:168:GLU:HB3	2.03	0.40
1:B:77:ASP:OD1	1:B:83:ARG:NH2	2.53	0.40
1:B:137:TYR:CE2	1:B:141:ARG:HD2	2.56	0.40
1:C:260:LEU:HG	1:C:307:LYS:HG3	2.03	0.40
1:B:90:HIS:HB2	1:B:160:VAL:HG21	2.04	0.40
1:B:270:GLN:O	1:C:200:LEU:HD11	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	313/315 (99%)	307 (98%)	6 (2%)	0	100	100
1	B	312/315 (99%)	304 (97%)	7 (2%)	1 (0%)	37	25
1	C	311/315 (99%)	301 (97%)	10 (3%)	0	100	100
All	All	936/945 (99%)	912 (97%)	23 (2%)	1 (0%)	48	36

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	269	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	272/272 (100%)	269 (99%)	3 (1%)	70	62
1	B	271/272 (100%)	266 (98%)	5 (2%)	54	41
1	C	270/272 (99%)	261 (97%)	9 (3%)	33	18
All	All	813/816 (100%)	796 (98%)	17 (2%)	48	34

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	45	ILE
1	A	81	LEU
1	A	315	ILE
1	B	45	ILE
1	B	251	GLU
1	B	264	GLU
1	B	270	GLN
1	B	285	ARG
1	C	22	VAL
1	C	46	LYS
1	C	173	LEU
1	C	196	LYS
1	C	253	LYS
1	C	255	GLN
1	C	263	ASN
1	C	269	TYR
1	C	313	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	89	ASN
1	B	157	ASN
1	C	157	ASN
1	C	175	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 15 ligands modelled in this entry, 12 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	SO4	A	320	-	4,4,4	0.38	0	6,6,6	0.20	0
4	SO4	C	320	-	4,4,4	0.38	0	6,6,6	0.12	0
4	SO4	B	320	-	4,4,4	0.35	0	6,6,6	0.18	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	315/315 (100%)	-0.04	14 (4%)	39 42	15, 25, 40, 69	0
1	B	314/315 (99%)	0.10	12 (3%)	44 47	15, 27, 41, 73	0
1	C	313/315 (99%)	0.26	20 (6%)	27 28	18, 28, 53, 71	0
All	All	942/945 (99%)	0.11	46 (4%)	36 38	15, 26, 46, 73	0

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	271	CYS	7.1
1	A	226	VAL	6.2
1	B	269	TYR	4.9
1	C	313	THR	4.7
1	B	270	GLN	4.5
1	C	226	VAL	4.4
1	B	78	GLU	4.1
1	C	269	TYR	3.7
1	C	191	LYS	3.5
1	C	3	VAL	3.5
1	C	1	MET	3.5
1	B	314	THR	3.3
1	A	138	TYR	3.2
1	B	267	GLY	3.2
1	C	197	THR	3.1
1	A	225	CYS	3.0
1	A	144	ASP	3.0
1	B	266	THR	2.8
1	B	1	MET	2.8
1	B	272	GLY	2.7
1	A	223	ILE	2.7
1	C	144	ASP	2.7
1	A	70	PHE	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	193	CYS	2.6
1	B	268	ASN	2.5
1	C	194	GLY	2.5
1	A	45	ILE	2.5
1	C	21	LEU	2.5
1	C	196	LYS	2.5
1	A	229	ARG	2.5
1	A	230	ASP	2.5
1	A	227	CYS	2.4
1	C	224	PRO	2.4
1	C	225	CYS	2.4
1	C	229	ARG	2.3
1	A	228	GLY	2.2
1	C	2	GLU	2.2
1	C	192	HIS	2.2
1	C	190	CYS	2.2
1	B	77	ASP	2.2
1	C	58	VAL	2.1
1	A	224	PRO	2.1
1	A	78	GLU	2.1
1	C	268	ASN	2.1
1	B	52	GLU	2.1
1	A	77	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	SO4	B	320	5/5	0.92	0.11	43,44,45,47	0
2	ZN	C	316	1/1	0.96	0.04	58,58,58,58	0
2	ZN	A	316	1/1	0.96	0.05	58,58,58,58	0
4	SO4	C	320	5/5	0.96	0.07	38,39,40,40	0
4	SO4	A	320	5/5	0.97	0.07	36,36,38,39	0
3	BR	C	319	1/1	0.98	0.09	51,51,51,51	0
3	BR	A	319	1/1	0.98	0.12	44,44,44,44	0
3	BR	B	319	1/1	0.98	0.08	54,54,54,54	0
3	BR	C	317	1/1	0.98	0.07	39,39,39,39	0
3	BR	A	318	1/1	0.99	0.06	54,54,54,54	0
2	ZN	B	316	1/1	0.99	0.02	27,27,27,27	0
3	BR	B	317	1/1	0.99	0.05	40,40,40,40	0
3	BR	B	318	1/1	0.99	0.05	41,41,41,41	0
3	BR	A	317	1/1	0.99	0.05	36,36,36,36	0
3	BR	C	318	1/1	1.00	0.04	38,38,38,38	0

6.5 Other polymers [i](#)

There are no such residues in this entry.