



Full wwPDB EM Validation Report ⓘ

Jul 31, 2025 – 10:32 am BST

PDB ID : 9GSD / pdb_00009gsd
EMDB ID : EMD-51544
Title : Cryo-EM structure of mouse PMCA-NPTN complex captured in E2 state (BEF3)
Authors : Vinayagam, D.; Raunser, S.; Sistel, O.; Schulte, U.; Constantin, C.E.; Prumbaum, D.; Zolles, G.; Fakler, B.
Deposited on : 2024-09-15
Resolution : 3.04 Å (reported)
Based on initial model : 6A69

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev126
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0rc1
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.45.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.04 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1214	
2	B	413	

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 9182 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Plasma membrane calcium-transporting ATPase 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	947	Total	C	N	O	S	0	0
			7349	4712	1235	1355	47		

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1199	GLU	-	expression tag	UNP Q9R0K7
A	1200	ASN	-	expression tag	UNP Q9R0K7
A	1201	LEU	-	expression tag	UNP Q9R0K7
A	1202	TYR	-	expression tag	UNP Q9R0K7
A	1203	PHE	-	expression tag	UNP Q9R0K7
A	1204	GLN	-	expression tag	UNP Q9R0K7
A	1205	GLY	-	expression tag	UNP Q9R0K7
A	1206	GLY	-	expression tag	UNP Q9R0K7
A	1207	ASP	-	expression tag	UNP Q9R0K7
A	1208	TYR	-	expression tag	UNP Q9R0K7
A	1209	LYS	-	expression tag	UNP Q9R0K7
A	1210	ASP	-	expression tag	UNP Q9R0K7
A	1211	ASP	-	expression tag	UNP Q9R0K7
A	1212	ASP	-	expression tag	UNP Q9R0K7
A	1213	ASP	-	expression tag	UNP Q9R0K7
A	1214	LYS	-	expression tag	UNP Q9R0K7

- Molecule 2 is a protein called Neuroplastin.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	214	Total	C	N	O	S	0	0
			1703	1077	292	326	8		

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	398	GLU	-	expression tag	UNP P97300

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	399	ASN	-	expression tag	UNP P97300
B	400	LEU	-	expression tag	UNP P97300
B	401	TYR	-	expression tag	UNP P97300
B	402	PHE	-	expression tag	UNP P97300
B	403	GLN	-	expression tag	UNP P97300
B	404	GLY	-	expression tag	UNP P97300
B	405	GLY	-	expression tag	UNP P97300
B	406	HIS	-	expression tag	UNP P97300
B	407	HIS	-	expression tag	UNP P97300
B	408	HIS	-	expression tag	UNP P97300
B	409	HIS	-	expression tag	UNP P97300
B	410	HIS	-	expression tag	UNP P97300
B	411	HIS	-	expression tag	UNP P97300
B	412	HIS	-	expression tag	UNP P97300
B	413	HIS	-	expression tag	UNP P97300

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms	AltConf
3	A	1	Total Mg 1 1	0

- Molecule 4 is (2S)-1-{[(R)-hydroxy{[(1R,2R,3S,4R,5R,6S)-2,3,6-trihydroxy-4,5-bis(phosphonoxy)cyclohexyl]oxy}phosphoryl]oxy}-3-(octadecanoyloxy)propan-2-yl icoso-5,8,11,14-tetraenoate (CCD ID: KXP) (formula: C₄₇H₈₅O₁₉P₃) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
4	A	1	Total	C	O	P	0
			39	17	19	3	

- Molecule 5 is BERYLLIUM TRIFLUORIDE ION (CCD ID: BEF) (formula: BeF_3).



Mol	Chain	Residues	Atoms			AltConf
5	A	1	Total	Be	F	0
			4	1	3	

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $\text{C}_8\text{H}_{15}\text{NO}_6$).



Mol	Chain	Residues	Atoms				AltConf
6	B	1	Total	C	N	O	0
			14	8	1	5	
6	B	1	Total	C	N	O	0
			14	8	1	5	
6	B	1	Total	C	N	O	0
			14	8	1	5	
6	B	1	Total	C	N	O	0
			14	8	1	5	
6	B	1	Total	C	N	O	0
			14	8	1	5	

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		AltConf
7	A	2	Total	O	0
			2	2	

LYS
ASP
ASP
ASP
ASP
LYS

● Molecule 2: Neuroplastin



MET
SER
GLY
SER
SER
SER
LEU
PRO
GLY
ALA
LEU
ASN
ALA
LEU
SER
LEU
LEU
VAL
SER
GLY
SER
LEU
LEU
ALA
LEU
PRO
GLY
LEU
GLY
ALA
ALA
Gln
ASN
ALA
GLY
PHE
VAL
LYS
SER
ASN
GLY
PRO
MET
SER
GLU
LEU
THR
LYS
ILE
THR
GLY
ASP
PHE
GLU
LEU
TYR
CYS
GLY
THR
VAL
VAL
GLY
SER
PRO
PRO
ASN

GLU
ILE
Gln
TRP
TRP
TYR
ALA
GLU
VAL
ASN
ARG
ALA
LEU
SER
GLU
SER
PHE
ARG
LEU
Gln
LEU
TRP
ASP
GLY
ALA
ILE
SER
ARG
LYS
ARG
PRO
GLN
VAL
THR
THR
THR
VAL
LEU
GLN
ASP
PRO
SER
ILE
THR
TRP
ILE
ARG
ALA
Gln
ALA
THR
N196
A197
S198
N199
M200
GLN
K147
P148
R149
I150
V151
T152
S153
E154
E155
V156
I157
I158
R159
E160
S161
L162
L163
P164
V165
T166
L167
Q168
C169
N170
L171
T172
S173
S174
S175
H176
T177
L178
M179
Y180

ASP
PRO
ARG
ASN
ASP
LEU
ARG
Gln
PRO
ASN
SER
ILE
THR
TRP
ILE
ARG
ALA
Gln
ALA
THR
THR
SER
VAL
LEU
GLN
K147
P148
R149
I150
V151
T152
S153
E154
E155
V156
I157
I158
R159
E160
S161
L162
L163
P164
V165
T166
L167
Q168
C169
N170
L171
T172
S173
S174
S175
H176
T177
L178
M179
Y180

S181
Y182
W183
T184
R185
N186
G187
V188
E189
L190
T191
A192
T193
R194
K195
N196
A197
S198
N199
M200
E201
Y202
R203
I204
N205
K206
P207
R208
A209
E210
G213
E214
Y215
H216
C217
V218
Y219
H220
F221
V222
S223
A224
P225
K226
A227
N228
A229
T230
I231
E232
V233
K234
D238
I239
T240
K248

Y257
Y263
P264
W268
I269
W270
K273
E274
N275
F278
E279
E280
R287
T291
Y296
T297
Q305
E308
N319
S320
S325
V326
E360
LYS
ARG
LYS
ARG
PRO
ASP
GLU
VAL
PRO
ASP
ASP
ASP
GLU
PRO
ALA
GLY
PRO
MET
LYS
LYS
THR
ASN
SER
THR
ASN
ASN

HIS
LYS
ASP
LYS
ASN
LEU
ARG
Gln
ARG
THR
ASN
GLU
ASN
LEU
TYR
PHE
Gln
GLY
GLY
HIS
HIS
HIS
HIS
HIS
HIS
HIS

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	325585	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60.54	Depositor
Minimum defocus (nm)	1100	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	105000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	5.953	Depositor
Minimum map value	-3.629	Depositor
Average map value	0.003	Depositor
Map value standard deviation	0.107	Depositor
Recommended contour level	0.528	Depositor
Map size (Å)	273.0, 273.0, 273.0	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.91, 0.91, 0.91	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, NAG, BEF, KXP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.13	0/7485	0.31	0/10148
2	B	0.12	0/1741	0.35	0/2366
All	All	0.13	0/9226	0.32	0/12514

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7349	0	7560	69	0
2	B	1703	0	1672	21	0
3	A	1	0	0	0	0
4	A	39	0	0	0	0
5	A	4	0	0	0	0
6	B	84	0	78	1	0
7	A	2	0	0	0	0
All	All	9182	0	9310	90	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (90) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:31:LEU:HD23	1:A:32:ARG:HG3	1.58	0.84
1:A:235:LYS:HB2	1:A:266:GLU:HG2	1.70	0.73
1:A:122:SER:HB2	1:A:150:GLY:HA3	1.71	0.70
1:A:575:PHE:HB2	1:A:634:PHE:HB2	1.82	0.62
1:A:35:MET:HE3	1:A:35:MET:HA	1.80	0.62
1:A:225:ASP:HB2	1:A:275:ALA:HB3	1.83	0.61
2:B:268:TRP:CG	2:B:297:THR:HG1	2.19	0.60
2:B:257:TYR:HB2	2:B:296:TYR:HE1	1.66	0.59
2:B:200:MET:HE3	2:B:200:MET:H	1.68	0.58
1:A:463:ARG:HE	1:A:516:LEU:HD23	1.68	0.58
1:A:235:LYS:HG2	1:A:249:ARG:HG2	1.86	0.58
2:B:264:PRO:HD2	2:B:319:ASN:HD22	1.67	0.57
2:B:166:THR:HG22	2:B:203:ARG:HG3	1.84	0.57
1:A:236:ILE:HG23	1:A:264:VAL:HA	1.88	0.56
1:A:616:ILE:HG23	1:A:626:THR:HG21	1.87	0.55
2:B:169:CYS:HB2	2:B:200:MET:HE1	1.89	0.55
1:A:624:LEU:HD23	1:A:661:GLU:HB2	1.89	0.55
1:A:195:VAL:HG22	1:A:200:VAL:HG12	1.90	0.54
1:A:496:ALA:O	1:A:500:ASN:HB2	2.08	0.54
1:A:855:THR:HG22	1:A:856:GLN:H	1.75	0.52
1:A:589:LYS:HG2	1:A:649:LEU:HG	1.91	0.52
1:A:470:TYR:HE2	1:A:473:ASP:HA	1.75	0.51
1:A:775:ASP:HB3	1:A:792:MET:HG3	1.92	0.51
1:A:983:ARG:HB2	1:A:983:ARG:NH1	2.24	0.51
1:A:505:THR:HG23	1:A:521:GLY:HA3	1.92	0.51
2:B:183:TRP:NE1	2:B:200:MET:HG2	2.28	0.49
1:A:593:ILE:HG22	1:A:654:CYS:HB3	1.94	0.49
2:B:287:ARG:HH12	2:B:305:GLN:HG3	1.78	0.49
1:A:29:GLU:HG2	1:A:279:ASN:HB3	1.96	0.48
1:A:613:LYS:HB3	1:A:613:LYS:HE3	1.61	0.48
1:A:346:THR:O	1:A:350:VAL:HG13	2.13	0.48
1:A:956:THR:O	1:A:960:MET:HG3	2.13	0.48
1:A:604:ARG:HE	1:A:608:ARG:HB2	1.79	0.47
1:A:592:LYS:HA	1:A:603:PHE:H	1.79	0.47
2:B:239:ILE:HD13	2:B:326:VAL:HG23	1.96	0.47
1:A:27:THR:HG22	1:A:29:GLU:HG3	1.97	0.47
1:A:557:PHE:HB2	1:A:564:MET:HB3	1.97	0.47
2:B:270:TRP:HE1	2:B:297:THR:HG22	1.79	0.47
1:A:38:ARG:HH12	1:A:259:LEU:HD11	1.80	0.46
1:A:721:ILE:HD11	1:A:733:ILE:HA	1.96	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:371:PHE:CD1	1:A:371:PHE:C	2.94	0.46
1:A:611:MET:HA	1:A:611:MET:HE2	1.97	0.46
2:B:206:LYS:HA	2:B:206:LYS:HE3	1.97	0.46
1:A:632:ARG:HB2	1:A:652:LEU:HD23	1.98	0.46
2:B:197:ALA:HB1	2:B:200:MET:HB3	1.96	0.46
1:A:729:GLU:HG2	1:A:731:GLU:H	1.81	0.45
2:B:268:TRP:CD1	2:B:297:THR:HG1	2.34	0.45
1:A:547:PRO:HG2	1:A:550:LYS:HG2	1.98	0.45
1:A:38:ARG:NH1	1:A:259:LEU:HD11	2.31	0.45
1:A:383:TRP:HA	1:A:387:CYS:SG	2.57	0.45
1:A:497:ILE:HD13	1:A:528:LEU:HB3	1.98	0.45
1:A:357:LEU:HD12	1:A:357:LEU:HA	1.85	0.44
1:A:586:VAL:HB	1:A:628:CYS:SG	2.57	0.44
1:A:552:TYR:CE2	1:A:569:LYS:HE3	2.53	0.43
1:A:28:MET:HE2	1:A:28:MET:HB2	1.85	0.43
2:B:205:ASN:O	2:B:206:LYS:HD2	2.17	0.43
1:A:76:GLU:HA	1:A:76:GLU:OE1	2.18	0.43
1:A:608:ARG:HD2	1:A:608:ARG:HA	1.75	0.43
2:B:273:LYS:HB2	2:B:278:PHE:CE1	2.54	0.43
1:A:196:ARG:HD3	1:A:196:ARG:HA	1.77	0.43
1:A:588:LYS:HA	1:A:588:LYS:HD3	1.81	0.43
1:A:43:VAL:HA	1:A:46:ILE:HB	2.01	0.43
1:A:767:ARG:HE	1:A:767:ARG:HB3	1.71	0.43
2:B:221:PHE:HB2	2:B:224:ALA:HB3	2.01	0.42
1:A:592:LYS:HE3	1:A:592:LYS:HB2	1.84	0.42
1:A:124:TYR:HE2	1:A:396:VAL:HG11	1.85	0.42
1:A:561:ARG:HG2	1:A:563:SER:H	1.85	0.42
1:A:584:GLU:O	1:A:588:LYS:HG2	2.20	0.42
1:A:665:ARG:HB2	1:A:668:VAL:HG23	2.01	0.42
1:A:397:LYS:HE2	1:A:397:LYS:HB2	1.67	0.42
1:A:119:LEU:HD23	1:A:119:LEU:HA	1.83	0.41
2:B:263:TYR:CD2	2:B:264:PRO:HA	2.55	0.41
2:B:325:SER:OG	6:B:502:NAG:H83	2.20	0.41
1:A:47:LYS:HA	1:A:47:LYS:HD3	1.77	0.41
1:A:360:SER:O	1:A:363:THR:HG22	2.21	0.41
1:A:545:GLN:HG2	1:A:546:MET:HG2	2.01	0.41
1:A:546:MET:HE1	1:A:570:MET:HE2	2.02	0.41
1:A:903:SER:OG	1:A:906:MET:HG3	2.21	0.41
2:B:157:ILE:HG22	2:B:159:ARG:HD2	2.01	0.41
1:A:158:LEU:O	1:A:162:ILE:HG12	2.21	0.41
1:A:528:LEU:HD21	1:A:658:VAL:HG21	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:614:LYS:HE3	1:A:614:LYS:HB3	1.75	0.41
1:A:833:PHE:CD1	1:A:877:SER:HB3	2.56	0.41
1:A:971:ILE:H	1:A:971:ILE:HG12	1.75	0.41
1:A:480:PRO:HB2	1:A:484:SER:OG	2.20	0.41
1:A:503:TYR:HA	1:A:543:ARG:HE	1.86	0.40
2:B:248:LYS:HE2	2:B:248:LYS:HB2	1.93	0.40
1:A:247:GLN:NE2	1:A:265:MET:HG3	2.36	0.40
1:A:347:LYS:HE2	1:A:347:LYS:HB2	1.82	0.40
2:B:156:VAL:HG11	2:B:165:VAL:HG11	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	939/1214 (77%)	900 (96%)	38 (4%)	1 (0%)	48	79
2	B	212/413 (51%)	202 (95%)	10 (5%)	0	100	100
All	All	1151/1627 (71%)	1102 (96%)	48 (4%)	1 (0%)	50	79

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	502	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	819/1046 (78%)	813 (99%)	6 (1%)	81	90
2	B	191/361 (53%)	189 (99%)	2 (1%)	73	87
All	All	1010/1407 (72%)	1002 (99%)	8 (1%)	77	89

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	182	LEU
1	A	264	VAL
1	A	383	TRP
1	A	788	VAL
1	A	886	THR
1	A	1027	LEU
2	B	240	THR
2	B	291	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	84	GLN
1	A	125	HIS
1	A	171	ASN
1	A	263	HIS
1	A	433	ASN
1	A	434	ASN
1	A	644	ASN
1	A	646	ASN
1	A	691	ASN
1	A	825	ASN
1	A	837	GLN
1	A	841	ASN
1	A	933	GLN
1	A	1034	GLN
2	B	199	ASN
2	B	249	ASN
2	B	252	GLN
2	B	319	ASN
2	B	335	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 9 ligands modelled in this entry, 1 is monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NAG	B	501	2	14,14,15	0.70	0	17,19,21	0.90	1 (5%)
5	BEF	A	1303	1	0,3,3	-	-	-		
6	NAG	B	502	2	14,14,15	0.76	0	17,19,21	1.29	2 (11%)
6	NAG	B	506	2	14,14,15	0.70	0	17,19,21	0.85	0
6	NAG	B	505	2	14,14,15	0.72	0	17,19,21	0.82	0
6	NAG	B	504	2	14,14,15	0.69	0	17,19,21	0.84	0
6	NAG	B	503	2	14,14,15	0.72	0	17,19,21	0.79	0
4	KXP	A	1302	-	39,39,69	1.58	6 (15%)	51,56,87	1.05	3 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	B	501	2	-	1/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	B	502	2	-	1/6/23/26	0/1/1/1
6	NAG	B	506	2	-	2/6/23/26	0/1/1/1
6	NAG	B	505	2	-	1/6/23/26	0/1/1/1
6	NAG	B	504	2	-	0/6/23/26	0/1/1/1
6	NAG	B	503	2	-	0/6/23/26	0/1/1/1
4	KXP	A	1302	-	-	18/35/59/90	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1302	KXP	O48-C22	-5.98	1.40	1.46
4	A	1302	KXP	P42-O41	3.14	1.65	1.59
4	A	1302	KXP	O48-C49	3.14	1.40	1.33
4	A	1302	KXP	P37-O36	3.05	1.65	1.59
4	A	1302	KXP	O20-C18	2.42	1.40	1.33
4	A	1302	KXP	O20-C21	-2.22	1.40	1.45

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1302	KXP	O48-C49-O50	-4.25	120.16	125.57
6	B	502	NAG	C1-O5-C5	3.32	116.69	112.19
4	A	1302	KXP	O20-C18-C1	3.06	121.50	111.91
6	B	502	NAG	C2-N2-C7	2.47	126.42	122.90
4	A	1302	KXP	C31-C30-C29	2.12	114.52	109.68
6	B	501	NAG	O5-C1-C2	-2.02	108.09	111.29

There are no chirality outliers.

All (23) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1302	KXP	C1-C18-O20-C21
4	A	1302	KXP	O1-C18-O20-C21
4	A	1302	KXP	C30-C29-O28-P25
4	A	1302	KXP	C34-C29-O28-P25
4	A	1302	KXP	O50-C49-O48-C22
4	A	1302	KXP	C23-O24-P25-O27
4	A	1302	KXP	C23-O24-P25-O28
4	A	1302	KXP	C33-O36-P37-O40
6	B	506	NAG	C8-C7-N2-C2
6	B	506	NAG	O7-C7-N2-C2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	A	1302	KXP	C18-C1-C2-C4
6	B	505	NAG	O5-C5-C6-O6
4	A	1302	KXP	C22-C23-O24-P25
4	A	1302	KXP	O20-C21-C22-C23
6	B	501	NAG	O5-C5-C6-O6
4	A	1302	KXP	C6-C3-C5-C4
4	A	1302	KXP	O20-C21-C22-O48
4	A	1302	KXP	C2-C4-C5-C3
4	A	1302	KXP	C32-O41-P42-O45
4	A	1302	KXP	C33-O36-P37-O39
4	A	1302	KXP	C23-O24-P25-O26
6	B	502	NAG	C3-C2-N2-C7
4	A	1302	KXP	C32-O41-P42-O44

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	502	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-51544. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 159




Y Index: 145




Z Index: 140


6.3.2 Raw map



X Index: 156



Y Index: 144




Z Index: 140


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.528. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 55 nm³; this corresponds to an approximate mass of 50 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.329 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.329 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.04	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.58	3.98	3.64

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.58 differs from the reported value 3.04 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-51544 and PDB model 9GSD. Per-residue inclusion information can be found in section 3 on page 7.


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.528 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.528).

9.4 Atom inclusion [i](#)



At the recommended contour level, 71% of all backbone atoms, 68% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.528) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.6800	<div></div> 0.4830
A	<div></div> 0.7240	<div></div> 0.5100
B	<div></div> 0.4980	<div></div> 0.3730

