



Full wwPDB EM Validation Report ⓘ

Mar 3, 2025 – 12:51 pm GMT

PDB ID : 9HBS
EMDB ID : EMD-52028
Title : TiLV-NP tetramer (pseudo-C2)
Authors : Arragain, B.; Cusack, S.
Deposited on : 2024-11-08
Resolution : 3.68 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : **FAILED**
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.41


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.68 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	354	78% 10% 12%
1	B	354	78% 11% 11%
1	C	354	80% 7% 12%
1	D	354	77% 11% 12%
2	G	38	16% 39% 45%
2	H	38	11% 53% 32% 5%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 11044 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tilapia Lake Virus nucleoprotein (segment 4).

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	311	Total	C	N	O	S	0	0
			2387	1502	432	436	17		
1	B	316	Total	C	N	O	S	0	0
			2422	1521	438	446	17		
1	C	312	Total	C	N	O	S	0	0
			2391	1504	433	437	17		
1	D	313	Total	C	N	O	S	0	0
			2398	1506	435	440	17		


- Molecule 2 is a DNA chain called 40-mer vRNA loop.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	G	38	Total	C	N	O	P	0	0
			744	362	116	228	38		
2	H	36	Total	C	N	O	P	0	0
			702	342	108	216	36		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Tilapia Lake Virus nucleoprotein (segment 4)




- Molecule 1: Tilapia Lake Virus nucleoprotein (segment 4)



- Molecule 1: Tilapia Lake Virus nucleoprotein (segment 4)





- Molecule 1: Tilapia Lake Virus nucleoprotein (segment 4)





• Molecule 2: 40-mer vRNA loop



• Molecule 2: 40-mer vRNA loop



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	319609	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: Y5P, P5P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.26	0/2428	0.48	0/3269
1	B	0.28	0/2464	0.48	0/3320
1	C	0.24	0/2432	0.46	0/3274
1	D	0.25	0/2439	0.48	0/3284
All	All	0.26	0/9763	0.48	0/13147

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2387	0	2428	20	0
1	B	2422	0	2458	28	0
1	C	2391	0	2431	19	0
1	D	2398	0	2433	22	0
2	G	744	0	418	23	0
2	H	702	0	399	21	0
All	All	11044	0	10567	119	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (119) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:254:LEU:HD22	1:B:341:LEU:HD11	1.49	0.94
1:A:59:ASN:ND2	1:A:252:GLU:OE2	2.16	0.78
1:B:169:ARG:NH2	1:B:226:GLN:O	2.21	0.74
1:B:177:ASP:OD1	1:C:217:ARG:NH2	2.25	0.69
1:B:263:ASP:OD2	1:B:336:ARG:NE	2.26	0.69
1:B:226:GLN:OE1	1:B:259:TRP:NE1	2.26	0.68
1:B:195:ASP:OD1	1:B:198:ARG:NH2	2.28	0.66
1:C:189:PHE:O	1:C:226:GLN:NE2	2.29	0.65
1:C:275:GLY:O	1:C:277:GLY:N	2.31	0.64
1:C:198:ARG:NH1	2:H:5:P5P:O2'	2.31	0.63
1:C:113:SER:OG	1:C:113:SER:O	2.17	0.63
1:B:169:ARG:NH1	1:B:230:ILE:HD12	2.14	0.62
1:D:263:ASP:OD2	1:D:336:ARG:NE	2.31	0.62
1:B:192:LEU:HD12	1:B:204:VAL:HG22	1.84	0.59
1:C:169:ARG:NH2	1:C:226:GLN:O	2.36	0.59
1:C:323:ILE:HG23	1:D:302:LEU:HD21	1.85	0.58
1:C:84:VAL:HG13	1:C:92:ARG:HG3	1.86	0.58
1:B:84:VAL:HG12	1:B:84:VAL:O	2.04	0.58
1:A:290:THR:HG22	1:A:292:SER:H	1.70	0.57
1:A:263:ASP:OD2	1:A:336:ARG:NE	2.36	0.57
1:D:176:LEU:HD21	1:D:342:TYR:CD2	2.40	0.57
1:A:84:VAL:HG13	1:A:92:ARG:HG3	1.87	0.56
1:B:113:SER:OG	1:B:113:SER:O	2.23	0.56
1:B:340:SER:OG	1:C:295:LEU:O	2.20	0.56
1:A:84:VAL:O	1:A:84:VAL:HG12	2.06	0.56
2:H:27:P5P:H2'	2:H:28:Y5P:H6	1.89	0.55
1:C:84:VAL:HG12	1:C:84:VAL:O	2.07	0.54
1:B:249:THR:HG22	1:B:250:LEU:H	1.72	0.54
1:B:166:TRP:HB2	1:B:230:ILE:HG21	1.90	0.54
1:D:84:VAL:HG12	1:D:84:VAL:O	2.07	0.54
2:H:36:P5P:OP2	2:H:36:P5P:H8	2.08	0.54
1:C:44:GLU:O	1:C:48:HIS:ND1	2.40	0.54
1:A:131:LEU:HD11	2:G:7:Y5P:O4'	2.09	0.53
1:B:176:LEU:HD21	1:B:342:TYR:CD2	2.43	0.53
1:A:91:LYS:NZ	2:G:9:P5P:OP1	2.34	0.53
2:H:15:P5P:C6	2:H:16:Y5P:H4	2.39	0.53
2:G:15:P5P:C6	2:G:16:Y5P:H4	2.39	0.53
2:H:28:Y5P:H2'	2:H:29:P5P:H8	1.91	0.52
1:A:113:SER:O	1:A:113:SER:OG	2.18	0.52
2:G:14:Y5P:H2'	2:G:15:P5P:H8	1.92	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:29:P5P:H2'	2:H:30:P5P:H8	1.92	0.51
1:B:161:VAL:HG21	1:B:199:ALA:HB3	1.92	0.50
1:D:216:GLU:OE1	2:G:40:Y5P:H5	2.11	0.50
2:H:5:P5P:H8	2:H:5:P5P:OP2	2.12	0.50
1:B:249:THR:HG22	1:B:250:LEU:N	2.26	0.50
1:C:165:VAL:HG22	1:C:192:LEU:HD11	1.93	0.50
2:H:27:P5P:C6	2:H:28:Y5P:H4	2.41	0.50
2:G:27:P5P:C6	2:G:28:Y5P:H4	2.42	0.49
1:D:258:ALA:CB	1:D:266:LEU:HD13	2.43	0.49
2:G:35:P5P:H8	2:G:35:P5P:O5'	2.12	0.49
2:H:26:Y5P:H2'	2:H:27:P5P:H8	1.93	0.49
2:G:26:Y5P:H2'	2:G:27:P5P:H8	1.94	0.49
1:C:277:GLY:O	1:C:279:ILE:HD12	2.12	0.49
1:A:297:VAL:HG21	1:D:259:TRP:HZ2	1.78	0.49
1:B:131:LEU:HD11	2:G:38:Y5P:O4'	2.13	0.48
1:B:240:HIS:NE2	1:B:246:ASP:OD2	2.46	0.48
2:H:16:Y5P:H2'	2:H:17:P5P:H8	1.95	0.48
2:G:29:P5P:H2'	2:G:30:P5P:H8	1.94	0.48
2:G:30:P5P:H2'	2:G:31:P5P:H8	1.96	0.48
2:H:4:P5P:O2'	2:H:5:P5P:O5'	2.19	0.48
1:A:297:VAL:HG21	1:D:259:TRP:CZ2	2.49	0.48
2:G:16:Y5P:H2'	2:G:17:P5P:H8	1.95	0.47
1:D:141:SER:OG	1:D:143:ASP:OD1	2.34	0.46
1:D:173:LEU:HD23	1:D:260:GLY:HA2	1.97	0.46
1:D:113:SER:O	1:D:113:SER:OG	2.25	0.46
2:H:14:Y5P:H2'	2:H:15:P5P:H8	1.97	0.46
1:A:254:LEU:HD13	1:A:341:LEU:HD22	1.97	0.46
1:B:258:ALA:HB2	1:B:266:LEU:HD13	1.98	0.46
2:G:33:P5P:O2'	2:G:34:P5P:OP1	2.31	0.46
1:B:38:ASN:O	1:B:41:VAL:HG12	2.16	0.46
2:G:27:P5P:H2'	2:G:28:Y5P:H6	1.98	0.46
1:A:180:ILE:HG21	1:A:261:LEU:HD11	1.98	0.45
2:G:10:Y5P:H6	2:G:10:Y5P:O5'	2.16	0.45
1:C:139:LYS:NZ	2:H:3:P5P:O3'	2.47	0.45
1:D:166:TRP:HB2	1:D:230:ILE:HG21	1.99	0.45
2:G:28:Y5P:H2'	2:G:29:P5P:H8	1.97	0.45
1:A:173:LEU:HD23	1:A:260:GLY:HA2	1.98	0.44
1:D:254:LEU:HD22	1:D:341:LEU:HD11	1.98	0.44
1:A:176:LEU:HD11	1:A:261:LEU:HD21	1.99	0.44
1:D:38:ASN:O	1:D:41:VAL:HG12	2.18	0.44
2:H:12:Y5P:H2'	2:H:13:Y5P:H6	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:61:VAL:HG13	1:D:114:LEU:HD21	1.99	0.44
1:D:161:VAL:HG21	1:D:199:ALA:HB3	1.98	0.44
1:B:258:ALA:CB	1:B:266:LEU:HD13	2.48	0.44
1:D:258:ALA:HB2	1:D:266:LEU:HD13	2.00	0.44
2:G:12:Y5P:H2'	2:G:13:Y5P:H6	2.00	0.44
2:G:17:P5P:C6	2:G:18:Y5P:H4	2.48	0.44
2:H:13:Y5P:H2'	2:H:14:Y5P:H6	1.99	0.44
1:B:131:LEU:HD12	1:B:132:GLY:N	2.34	0.43
1:D:321:GLU:HG3	1:D:322:CYS:H	1.82	0.43
1:B:93:GLU:OE2	1:C:86:ARG:NH1	2.51	0.43
1:C:258:ALA:HB2	1:C:266:LEU:HD13	2.01	0.43
1:D:143:ASP:OD1	1:D:143:ASP:N	2.50	0.43
1:B:254:LEU:HD22	1:B:341:LEU:CD1	2.35	0.43
2:H:39:Y5P:H6	2:H:39:Y5P:O5'	2.19	0.43
1:C:253:LEU:HD23	1:C:270:TRP:HB2	2.01	0.42
1:D:139:LYS:NZ	2:H:34:P5P:OP2	2.42	0.42
1:D:234:ARG:O	1:D:238:ILE:HD12	2.19	0.42
2:G:26:Y5P:H6	2:G:26:Y5P:O5'	2.19	0.42
2:G:36:P5P:OP2	2:G:36:P5P:H8	2.19	0.42
2:H:30:P5P:H2'	2:H:31:P5P:H8	2.02	0.42
1:B:161:VAL:HG11	1:B:200:CYS:HB2	2.00	0.42
1:A:176:LEU:CD1	1:A:261:LEU:HD21	2.50	0.42
2:H:15:P5P:H2'	2:H:16:Y5P:H6	2.01	0.41
2:H:35:P5P:H8	2:H:35:P5P:O5'	2.20	0.41
1:C:84:VAL:CG1	1:C:92:ARG:HE	2.33	0.41
2:G:17:P5P:H2'	2:G:18:Y5P:H6	2.02	0.41
1:D:169:ARG:NH2	1:D:226:GLN:O	2.54	0.41
2:G:13:Y5P:H2'	2:G:14:Y5P:H6	2.02	0.41
1:A:161:VAL:HG21	1:A:199:ALA:HB3	2.03	0.41
1:A:249:THR:HG22	1:A:250:LEU:N	2.36	0.41
1:A:232:PRO:O	1:A:236:LEU:N	2.52	0.41
1:B:132:GLY:HA3	2:G:38:Y5P:H5	2.03	0.41
1:A:70:PHE:O	1:A:74:THR:OG1	2.21	0.40
1:B:143:ASP:OD1	1:B:143:ASP:N	2.54	0.40
1:A:189:PHE:CG	1:A:190:PRO:HA	2.57	0.40
1:B:180:ILE:CG2	1:B:186:ALA:HB2	2.51	0.40
1:C:41:VAL:HG13	1:C:42:PHE:N	2.37	0.40
2:H:33:P5P:O2'	2:H:34:P5P:OP1	2.32	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	307/354 (87%)	301 (98%)	6 (2%)	0	100	100
1	B	314/354 (89%)	301 (96%)	13 (4%)	0	100	100
1	C	308/354 (87%)	294 (96%)	13 (4%)	1 (0%)	37	67
1	D	309/354 (87%)	298 (96%)	11 (4%)	0	100	100
All	All	1238/1416 (87%)	1194 (96%)	43 (4%)	1 (0%)	50	78

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	276	ASP

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	253/285 (89%)	248 (98%)	5 (2%)	50	68
1	B	257/285 (90%)	250 (97%)	7 (3%)	40	60
1	C	253/285 (89%)	249 (98%)	4 (2%)	58	74
1	D	254/285 (89%)	247 (97%)	7 (3%)	38	60
All	All	1017/1140 (89%)	994 (98%)	23 (2%)	46	64

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	155	SER
1	A	172	SER
1	A	211	LYS
1	A	334	CYS
1	A	344	CYS
1	B	76	SER
1	B	78	ASP
1	B	119	ARG
1	B	155	SER
1	B	240	HIS
1	B	303	SER
1	B	341	LEU
1	C	113	SER
1	C	276	ASP
1	C	308	SER
1	C	344	CYS
1	D	78	ASP
1	D	86	ARG
1	D	119	ARG
1	D	164	GLU
1	D	240	HIS
1	D	246	ASP
1	D	303	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	154	ASN
1	C	154	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

74 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	Y5P	G	20	2	14,19,20	3.65	1 (7%)	18,26,29	0.77	1 (5%)
2	P5P	H	1	2	16,23,24	0.78	0	14,33,36	0.73	0
2	Y5P	G	12	2	14,19,20	3.69	1 (7%)	18,26,29	0.79	1 (5%)
2	P5P	H	35	2	16,23,24	0.77	0	14,33,36	0.73	0
2	Y5P	G	39	2	14,19,20	2.34	1 (7%)	18,26,29	1.00	1 (5%)
2	P5P	H	2	2	16,23,24	0.78	0	14,33,36	0.74	0
2	P5P	G	33	2	16,23,24	0.77	0	14,33,36	0.76	1 (7%)
2	P5P	G	27	2	16,23,24	1.36	3 (18%)	14,33,36	1.93	2 (14%)
2	P5P	H	5	2	16,23,24	0.78	0	14,33,36	0.73	0
2	Y5P	H	16	2	14,19,20	3.71	1 (7%)	18,26,29	0.79	1 (5%)
2	Y5P	H	18	2	14,19,20	2.22	1 (7%)	18,26,29	0.98	1 (5%)
2	P5P	H	3	2	16,23,24	0.76	0	14,33,36	0.76	0
2	Y5P	H	8	2	14,19,20	2.35	1 (7%)	18,26,29	1.00	1 (5%)
2	Y5P	H	11	2	14,19,20	2.32	1 (7%)	18,26,29	1.01	1 (5%)
2	P5P	H	24	2	16,23,24	1.35	3 (18%)	14,33,36	1.90	2 (14%)
2	Y5P	G	26	2	14,19,20	3.68	1 (7%)	18,26,29	0.81	1 (5%)
2	P5P	G	30	2	16,23,24	0.78	0	14,33,36	0.76	0
2	P5P	H	31	2	16,23,24	1.34	3 (18%)	14,33,36	1.88	2 (14%)
2	Y5P	G	10	2	14,19,20	2.37	1 (7%)	18,26,29	0.98	1 (5%)
2	Y5P	G	13	2	14,19,20	2.26	1 (7%)	18,26,29	1.01	1 (5%)
2	Y5P	H	20	2	14,19,20	3.70	1 (7%)	18,26,29	0.77	1 (5%)
2	Y5P	H	40	2	14,19,20	3.72	1 (7%)	18,26,29	0.78	1 (5%)
2	Y5P	G	19	2	14,19,20	3.67	1 (7%)	18,26,29	0.76	1 (5%)
2	P5P	H	17	2	16,23,24	1.36	3 (18%)	14,33,36	1.88	2 (14%)
2	Y5P	H	28	2	14,19,20	2.33	1 (7%)	18,26,29	0.99	1 (5%)
2	P5P	H	15	2	16,23,24	0.81	0	14,33,36	0.73	0
2	Y5P	G	40	2	14,19,20	3.71	1 (7%)	18,26,29	0.77	1 (5%)
2	Y5P	G	18	2	14,19,20	2.28	1 (7%)	18,26,29	0.98	1 (5%)
2	Y5P	G	7	2	14,19,20	2.33	1 (7%)	18,26,29	0.99	1 (5%)
2	Y5P	H	38	2	14,19,20	2.32	1 (7%)	18,26,29	1.00	1 (5%)
2	P5P	G	29	2	16,23,24	1.35	3 (18%)	14,33,36	1.90	2 (14%)
2	Y5P	H	6	2	14,19,20	2.32	1 (7%)	18,26,29	1.01	1 (5%)
2	Y5P	H	19	2	14,19,20	3.63	1 (7%)	18,26,29	0.77	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	Y5P	G	8	2	14,19,20	2.33	1 (7%)	18,26,29	1.01	1 (5%)
2	P5P	G	41	2	16,23,24	1.30	3 (18%)	14,33,36	1.91	2 (14%)
2	Y5P	H	37	2	14,19,20	2.39	1 (7%)	18,26,29	0.98	1 (5%)
2	P5P	G	1	2	16,23,24	0.77	0	14,33,36	0.74	0
2	Y5P	H	13	2	14,19,20	2.32	1 (7%)	18,26,29	1.02	1 (5%)
2	P5P	G	2	2	16,23,24	0.79	0	14,33,36	0.73	0
2	P5P	G	9	2	16,23,24	0.77	0	14,33,36	0.75	0
2	P5P	H	4	2	16,23,24	0.77	0	14,33,36	0.73	0
2	P5P	G	5	2	16,23,24	0.78	0	14,33,36	0.70	0
2	Y5P	H	10	2	14,19,20	2.35	1 (7%)	18,26,29	1.01	1 (5%)
2	Y5P	H	7	2	14,19,20	2.33	1 (7%)	18,26,29	0.99	1 (5%)
2	Y5P	G	11	2	14,19,20	2.25	1 (7%)	18,26,29	1.01	1 (5%)
2	Y5P	H	12	2	14,19,20	3.69	1 (7%)	18,26,29	0.81	1 (5%)
2	P5P	G	24	2	16,23,24	1.35	3 (18%)	14,33,36	1.90	2 (14%)
2	P5P	G	25	2	16,23,24	0.81	0	14,33,36	0.71	0
2	P5P	H	29	2	16,23,24	1.35	3 (18%)	14,33,36	1.92	2 (14%)
2	P5P	G	15	2	16,23,24	0.81	0	14,33,36	0.74	0
2	P5P	G	31	2	16,23,24	1.34	3 (18%)	14,33,36	1.89	2 (14%)
2	P5P	G	3	2	16,23,24	0.78	0	14,33,36	0.75	0
2	P5P	G	36	2	16,23,24	0.79	0	14,33,36	0.75	1 (7%)
2	P5P	H	30	2	16,23,24	0.79	0	14,33,36	0.77	0
2	Y5P	G	28	2	14,19,20	2.33	1 (7%)	18,26,29	0.99	1 (5%)
2	Y5P	H	39	2	14,19,20	2.33	1 (7%)	18,26,29	1.01	1 (5%)
2	P5P	H	32	2	16,23,24	0.78	0	14,33,36	0.74	0
2	Y5P	H	14	2	14,19,20	3.67	1 (7%)	18,26,29	0.81	1 (5%)
2	P5P	G	35	2	16,23,24	0.77	0	14,33,36	0.77	0
2	Y5P	G	38	2	14,19,20	2.39	1 (7%)	18,26,29	0.99	1 (5%)
2	P5P	H	33	2	16,23,24	0.76	0	14,33,36	0.76	1 (7%)
2	P5P	G	4	2	16,23,24	0.77	0	14,33,36	0.79	1 (7%)
2	P5P	G	34	2	16,23,24	0.78	0	14,33,36	0.86	0
2	Y5P	G	6	2	14,19,20	2.34	1 (7%)	18,26,29	1.00	1 (5%)
2	P5P	G	32	2	16,23,24	0.81	0	14,33,36	0.76	0
2	P5P	H	34	2	16,23,24	0.77	0	14,33,36	0.83	0
2	Y5P	H	26	2	14,19,20	3.66	1 (7%)	18,26,29	0.79	1 (5%)
2	Y5P	G	37	2	14,19,20	2.39	1 (7%)	18,26,29	0.98	1 (5%)
2	P5P	H	25	2	16,23,24	0.80	0	14,33,36	0.72	0
2	P5P	G	17	2	16,23,24	1.35	3 (18%)	14,33,36	1.86	2 (14%)
2	Y5P	G	16	2	14,19,20	3.73	1 (7%)	18,26,29	0.80	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	P5P	H	27	2	16,23,24	1.36	3 (18%)	14,33,36	1.92	2 (14%)
2	P5P	H	36	2	16,23,24	0.80	0	14,33,36	0.75	0
2	Y5P	G	14	2	14,19,20	3.68	1 (7%)	18,26,29	0.81	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	Y5P	G	20	2	-	1/7/33/34	0/2/2/2
2	P5P	H	1	2	-	0/3/25/26	0/3/3/3
2	Y5P	G	12	2	-	1/7/33/34	0/2/2/2
2	P5P	H	35	2	-	0/3/25/26	0/3/3/3
2	Y5P	G	39	2	-	3/7/33/34	0/2/2/2
2	P5P	H	2	2	-	2/3/25/26	0/3/3/3
2	P5P	G	33	2	-	0/3/25/26	0/3/3/3
2	P5P	G	27	2	-	0/3/25/26	0/3/3/3
2	P5P	H	5	2	-	2/3/25/26	0/3/3/3
2	Y5P	H	16	2	-	1/7/33/34	0/2/2/2
2	Y5P	H	18	2	-	1/7/33/34	0/2/2/2
2	P5P	H	3	2	-	0/3/25/26	0/3/3/3
2	Y5P	H	8	2	-	1/7/33/34	0/2/2/2
2	Y5P	H	11	2	-	1/7/33/34	0/2/2/2
2	P5P	H	24	2	-	0/3/25/26	0/3/3/3
2	Y5P	G	26	2	-	1/7/33/34	0/2/2/2
2	P5P	G	30	2	-	2/3/25/26	0/3/3/3
2	P5P	H	31	2	-	0/3/25/26	0/3/3/3
2	Y5P	G	10	2	-	1/7/33/34	0/2/2/2
2	Y5P	G	13	2	-	1/7/33/34	0/2/2/2
2	Y5P	H	20	2	-	1/7/33/34	0/2/2/2
2	Y5P	H	40	2	-	3/7/33/34	0/2/2/2
2	Y5P	G	19	2	-	1/7/33/34	0/2/2/2
2	P5P	H	17	2	-	0/3/25/26	0/3/3/3
2	Y5P	H	28	2	-	1/7/33/34	0/2/2/2
2	P5P	H	15	2	-	0/3/25/26	0/3/3/3
2	Y5P	G	40	2	-	3/7/33/34	0/2/2/2
2	Y5P	G	18	2	-	1/7/33/34	0/2/2/2
2	Y5P	G	7	2	-	1/7/33/34	0/2/2/2
2	Y5P	H	38	2	-	3/7/33/34	0/2/2/2
2	P5P	G	29	2	-	0/3/25/26	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	Y5P	H	6	2	-	2/7/33/34	0/2/2/2
2	Y5P	H	19	2	-	1/7/33/34	0/2/2/2
2	Y5P	G	8	2	-	1/7/33/34	0/2/2/2
2	P5P	G	41	2	-	1/3/25/26	0/3/3/3
2	Y5P	H	37	2	-	2/7/33/34	0/2/2/2
2	P5P	G	1	2	-	0/3/25/26	0/3/3/3
2	Y5P	H	13	2	-	1/7/33/34	0/2/2/2
2	P5P	G	2	2	-	0/3/25/26	0/3/3/3
2	P5P	G	9	2	-	0/3/25/26	0/3/3/3
2	P5P	H	4	2	-	1/3/25/26	0/3/3/3
2	P5P	G	5	2	-	0/3/25/26	0/3/3/3
2	Y5P	H	10	2	-	2/7/33/34	0/2/2/2
2	Y5P	H	7	2	-	1/7/33/34	0/2/2/2
2	Y5P	G	11	2	-	3/7/33/34	0/2/2/2
2	Y5P	H	12	2	-	1/7/33/34	0/2/2/2
2	P5P	G	24	2	-	0/3/25/26	0/3/3/3
2	P5P	G	25	2	-	0/3/25/26	0/3/3/3
2	P5P	H	29	2	-	0/3/25/26	0/3/3/3
2	P5P	G	15	2	-	0/3/25/26	0/3/3/3
2	P5P	G	31	2	-	0/3/25/26	0/3/3/3
2	P5P	G	3	2	-	1/3/25/26	0/3/3/3
2	P5P	G	36	2	-	2/3/25/26	0/3/3/3
2	P5P	H	30	2	-	2/3/25/26	0/3/3/3
2	Y5P	G	28	2	-	1/7/33/34	0/2/2/2
2	Y5P	H	39	2	-	3/7/33/34	0/2/2/2
2	P5P	H	32	2	-	2/3/25/26	0/3/3/3
2	Y5P	H	14	2	-	1/7/33/34	0/2/2/2
2	P5P	G	35	2	-	0/3/25/26	0/3/3/3
2	Y5P	G	38	2	-	1/7/33/34	0/2/2/2
2	P5P	H	33	2	-	0/3/25/26	0/3/3/3
2	P5P	G	4	2	-	0/3/25/26	0/3/3/3
2	P5P	G	34	2	-	2/3/25/26	0/3/3/3
2	Y5P	G	6	2	-	3/7/33/34	0/2/2/2
2	P5P	G	32	2	-	2/3/25/26	0/3/3/3
2	P5P	H	34	2	-	2/3/25/26	0/3/3/3
2	Y5P	H	26	2	-	1/7/33/34	0/2/2/2
2	Y5P	G	37	2	-	2/7/33/34	0/2/2/2
2	P5P	H	25	2	-	0/3/25/26	0/3/3/3
2	P5P	G	17	2	-	0/3/25/26	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	Y5P	G	16	2	-	1/7/33/34	0/2/2/2
2	P5P	H	27	2	-	0/3/25/26	0/3/3/3
2	P5P	H	36	2	-	2/3/25/26	0/3/3/3
2	Y5P	G	14	2	-	1/7/33/34	0/2/2/2

All (69) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	16	Y5P	C4-N3	-13.76	1.33	1.46
2	H	40	Y5P	C4-N3	-13.75	1.33	1.46
2	G	40	Y5P	C4-N3	-13.72	1.33	1.46
2	H	16	Y5P	C4-N3	-13.70	1.33	1.46
2	H	20	Y5P	C4-N3	-13.68	1.33	1.46
2	G	12	Y5P	C4-N3	-13.65	1.33	1.46
2	H	12	Y5P	C4-N3	-13.64	1.33	1.46
2	G	14	Y5P	C4-N3	-13.61	1.33	1.46
2	G	26	Y5P	C4-N3	-13.59	1.33	1.46
2	G	19	Y5P	C4-N3	-13.57	1.33	1.46
2	H	14	Y5P	C4-N3	-13.55	1.33	1.46
2	H	26	Y5P	C4-N3	-13.52	1.33	1.46
2	G	20	Y5P	C4-N3	-13.50	1.33	1.46
2	H	19	Y5P	C4-N3	-13.41	1.34	1.46
2	G	38	Y5P	C4-N3	-8.82	1.38	1.46
2	G	37	Y5P	C4-N3	-8.80	1.38	1.46
2	H	37	Y5P	C4-N3	-8.77	1.38	1.46
2	G	10	Y5P	C4-N3	-8.71	1.38	1.46
2	H	10	Y5P	C4-N3	-8.65	1.38	1.46
2	G	39	Y5P	C4-N3	-8.61	1.38	1.46
2	H	8	Y5P	C4-N3	-8.61	1.38	1.46
2	H	39	Y5P	C4-N3	-8.59	1.38	1.46
2	G	7	Y5P	C4-N3	-8.59	1.38	1.46
2	G	6	Y5P	C4-N3	-8.59	1.38	1.46
2	H	7	Y5P	C4-N3	-8.59	1.38	1.46
2	G	28	Y5P	C4-N3	-8.57	1.38	1.46
2	G	8	Y5P	C4-N3	-8.56	1.38	1.46
2	H	38	Y5P	C4-N3	-8.54	1.38	1.46
2	H	6	Y5P	C4-N3	-8.54	1.38	1.46
2	H	11	Y5P	C4-N3	-8.53	1.38	1.46
2	H	28	Y5P	C4-N3	-8.53	1.38	1.46
2	H	13	Y5P	C4-N3	-8.52	1.38	1.46
2	G	18	Y5P	C4-N3	-8.36	1.38	1.46
2	G	13	Y5P	C4-N3	-8.31	1.38	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	11	Y5P	C4-N3	-8.25	1.38	1.46
2	H	18	Y5P	C4-N3	-8.13	1.38	1.46
2	H	17	P5P	C6-N1	4.12	1.39	1.32
2	G	24	P5P	C6-N1	4.12	1.39	1.32
2	H	31	P5P	C6-N1	4.11	1.39	1.32
2	G	17	P5P	C6-N1	4.08	1.39	1.32
2	H	27	P5P	C6-N1	4.07	1.39	1.32
2	H	24	P5P	C6-N1	4.07	1.39	1.32
2	G	27	P5P	C6-N1	4.06	1.39	1.32
2	G	29	P5P	C6-N1	4.04	1.39	1.32
2	G	31	P5P	C6-N1	4.03	1.39	1.32
2	H	29	P5P	C6-N1	3.98	1.39	1.32
2	G	41	P5P	C6-N1	3.89	1.39	1.32
2	H	29	P5P	C8-N7	-2.30	1.30	1.34
2	G	27	P5P	C8-N7	-2.29	1.30	1.34
2	H	17	P5P	C8-N7	-2.26	1.30	1.34
2	G	17	P5P	C8-N7	-2.25	1.30	1.34
2	H	27	P5P	C8-N7	-2.24	1.30	1.34
2	G	29	P5P	C8-N7	-2.24	1.30	1.34
2	G	31	P5P	C8-N7	-2.23	1.30	1.34
2	H	24	P5P	C2-N1	2.20	1.37	1.33
2	G	24	P5P	C2-N1	2.18	1.37	1.33
2	H	29	P5P	C2-N1	2.17	1.37	1.33
2	G	41	P5P	C8-N7	-2.16	1.30	1.34
2	H	24	P5P	C8-N7	-2.16	1.30	1.34
2	G	24	P5P	C8-N7	-2.15	1.30	1.34
2	G	27	P5P	C2-N1	2.15	1.37	1.33
2	H	27	P5P	C2-N1	2.14	1.37	1.33
2	H	31	P5P	C2-N1	2.13	1.37	1.33
2	G	29	P5P	C2-N1	2.13	1.37	1.33
2	H	17	P5P	C2-N1	2.13	1.37	1.33
2	G	31	P5P	C2-N1	2.12	1.37	1.33
2	H	31	P5P	C8-N7	-2.11	1.30	1.34
2	G	41	P5P	C2-N1	2.11	1.37	1.33
2	G	17	P5P	C2-N1	2.10	1.37	1.33

All (61) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	41	P5P	C6-N1-C2	6.40	125.01	115.84
2	G	27	P5P	C6-N1-C2	6.37	124.97	115.84
2	H	29	P5P	C6-N1-C2	6.34	124.92	115.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	27	P5P	C6-N1-C2	6.33	124.91	115.84
2	G	24	P5P	C6-N1-C2	6.32	124.89	115.84
2	G	29	P5P	C6-N1-C2	6.31	124.89	115.84
2	H	24	P5P	C6-N1-C2	6.31	124.87	115.84
2	G	31	P5P	C6-N1-C2	6.25	124.79	115.84
2	H	17	P5P	C6-N1-C2	6.24	124.78	115.84
2	H	31	P5P	C6-N1-C2	6.23	124.77	115.84
2	G	17	P5P	C6-N1-C2	6.19	124.70	115.84
2	G	8	Y5P	N1-C2-N3	-3.62	114.71	125.33
2	G	6	Y5P	N1-C2-N3	-3.61	114.76	125.33
2	H	6	Y5P	N1-C2-N3	-3.60	114.76	125.33
2	H	39	Y5P	N1-C2-N3	-3.60	114.76	125.33
2	G	39	Y5P	N1-C2-N3	-3.58	114.82	125.33
2	H	8	Y5P	N1-C2-N3	-3.56	114.88	125.33
2	G	38	Y5P	N1-C2-N3	-3.56	114.91	125.33
2	H	38	Y5P	N1-C2-N3	-3.55	114.91	125.33
2	G	37	Y5P	N1-C2-N3	-3.55	114.93	125.33
2	G	10	Y5P	N1-C2-N3	-3.54	114.94	125.33
2	H	7	Y5P	N1-C2-N3	-3.53	114.97	125.33
2	G	18	Y5P	N1-C2-N3	-3.53	114.97	125.33
2	H	13	Y5P	N1-C2-N3	-3.53	114.99	125.33
2	G	7	Y5P	N1-C2-N3	-3.53	114.99	125.33
2	G	13	Y5P	N1-C2-N3	-3.52	115.00	125.33
2	H	28	Y5P	N1-C2-N3	-3.52	115.01	125.33
2	H	18	Y5P	N1-C2-N3	-3.52	115.02	125.33
2	H	11	Y5P	N1-C2-N3	-3.51	115.03	125.33
2	G	28	Y5P	N1-C2-N3	-3.51	115.04	125.33
2	H	10	Y5P	N1-C2-N3	-3.51	115.05	125.33
2	H	37	Y5P	N1-C2-N3	-3.51	115.05	125.33
2	G	11	Y5P	N1-C2-N3	-3.50	115.07	125.33
2	G	27	P5P	N1-C2-N3	-2.95	123.87	127.65
2	H	27	P5P	N1-C2-N3	-2.92	123.91	127.65
2	H	24	P5P	N1-C2-N3	-2.88	123.96	127.65
2	H	29	P5P	N1-C2-N3	-2.86	124.00	127.65
2	G	24	P5P	N1-C2-N3	-2.84	124.01	127.65
2	H	17	P5P	N1-C2-N3	-2.83	124.03	127.65
2	G	29	P5P	N1-C2-N3	-2.79	124.08	127.65
2	G	31	P5P	N1-C2-N3	-2.79	124.09	127.65
2	G	41	P5P	N1-C2-N3	-2.78	124.10	127.65
2	H	31	P5P	N1-C2-N3	-2.78	124.10	127.65
2	G	17	P5P	N1-C2-N3	-2.71	124.18	127.65
2	G	16	Y5P	N1-C2-N3	-2.11	119.13	125.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	26	Y5P	N1-C2-N3	-2.10	119.17	125.33
2	G	33	P5P	C6-N1-C2	2.10	118.85	115.84
2	H	19	Y5P	N1-C2-N3	-2.08	119.23	125.33
2	H	16	Y5P	N1-C2-N3	-2.07	119.25	125.33
2	G	12	Y5P	N1-C2-N3	-2.07	119.25	125.33
2	G	20	Y5P	N1-C2-N3	-2.07	119.27	125.33
2	H	26	Y5P	N1-C2-N3	-2.05	119.31	125.33
2	H	40	Y5P	N1-C2-N3	-2.05	119.32	125.33
2	H	20	Y5P	N1-C2-N3	-2.05	119.32	125.33
2	H	14	Y5P	N1-C2-N3	-2.05	119.33	125.33
2	G	19	Y5P	N1-C2-N3	-2.04	119.34	125.33
2	G	40	Y5P	N1-C2-N3	-2.04	119.36	125.33
2	G	36	P5P	C6-N1-C2	2.02	118.73	115.84
2	G	4	P5P	C6-N1-C2	2.02	118.73	115.84
2	H	33	P5P	C6-N1-C2	2.02	118.73	115.84
2	H	12	Y5P	N1-C2-N3	-2.01	119.45	125.33

There are no chirality outliers.

All (77) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	H	5	P5P	C3'-C4'-C5'-O5'
2	H	5	P5P	O4'-C4'-C5'-O5'
2	G	6	Y5P	O4'-C1'-N1-C2
2	H	6	Y5P	O4'-C1'-N1-C2
2	G	10	Y5P	O4'-C1'-N1-C2
2	G	18	Y5P	O4'-C1'-N1-C2
2	G	19	Y5P	O4'-C1'-N1-C2
2	H	19	Y5P	O4'-C1'-N1-C2
2	G	20	Y5P	O4'-C1'-N1-C2
2	H	20	Y5P	O4'-C1'-N1-C2
2	G	26	Y5P	O4'-C1'-N1-C2
2	H	26	Y5P	O4'-C1'-N1-C2
2	G	36	P5P	C3'-C4'-C5'-O5'
2	G	36	P5P	O4'-C4'-C5'-O5'
2	H	36	P5P	C3'-C4'-C5'-O5'
2	H	36	P5P	O4'-C4'-C5'-O5'
2	G	37	Y5P	C4'-C5'-O5'-P
2	H	37	Y5P	C4'-C5'-O5'-P
2	H	37	Y5P	O4'-C1'-N1-C2
2	H	10	Y5P	O4'-C1'-N1-C2
2	G	11	Y5P	O4'-C1'-N1-C2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	H	11	Y5P	O4'-C1'-N1-C2
2	G	12	Y5P	O4'-C1'-N1-C2
2	H	12	Y5P	O4'-C1'-N1-C2
2	G	13	Y5P	O4'-C1'-N1-C2
2	H	13	Y5P	O4'-C1'-N1-C2
2	G	14	Y5P	O4'-C1'-N1-C2
2	H	14	Y5P	O4'-C1'-N1-C2
2	G	16	Y5P	O4'-C1'-N1-C2
2	H	16	Y5P	O4'-C1'-N1-C2
2	H	18	Y5P	O4'-C1'-N1-C2
2	G	28	Y5P	O4'-C1'-N1-C2
2	H	28	Y5P	O4'-C1'-N1-C2
2	G	37	Y5P	O4'-C1'-N1-C2
2	G	39	Y5P	O4'-C1'-N1-C2
2	H	39	Y5P	O4'-C1'-N1-C2
2	G	11	Y5P	O4'-C4'-C5'-O5'
2	G	11	Y5P	C3'-C4'-C5'-O5'
2	G	30	P5P	C3'-C4'-C5'-O5'
2	G	30	P5P	O4'-C4'-C5'-O5'
2	G	40	Y5P	C3'-C4'-C5'-O5'
2	H	8	Y5P	O4'-C1'-N1-C2
2	H	6	Y5P	C4'-C5'-O5'-P
2	H	30	P5P	C3'-C4'-C5'-O5'
2	H	30	P5P	O4'-C4'-C5'-O5'
2	H	39	Y5P	O4'-C4'-C5'-O5'
2	G	8	Y5P	O4'-C1'-N1-C2
2	H	39	Y5P	C3'-C4'-C5'-O5'
2	G	6	Y5P	C3'-C4'-C5'-O5'
2	G	32	P5P	C3'-C4'-C5'-O5'
2	G	34	P5P	C3'-C4'-C5'-O5'
2	H	40	Y5P	C3'-C4'-C5'-O5'
2	G	40	Y5P	O4'-C4'-C5'-O5'
2	G	38	Y5P	O4'-C1'-N1-C2
2	H	38	Y5P	O4'-C1'-N1-C2
2	G	6	Y5P	O4'-C4'-C5'-O5'
2	G	34	P5P	O4'-C4'-C5'-O5'
2	H	34	P5P	C3'-C4'-C5'-O5'
2	H	2	P5P	C3'-C4'-C5'-O5'
2	H	7	Y5P	O4'-C1'-N1-C2
2	G	40	Y5P	O4'-C1'-N1-C2
2	H	40	Y5P	O4'-C1'-N1-C2
2	G	32	P5P	O4'-C4'-C5'-O5'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	H	32	P5P	C3'-C4'-C5'-O5'
2	G	39	Y5P	O4'-C4'-C5'-O5'
2	G	7	Y5P	O4'-C1'-N1-C6
2	H	2	P5P	O4'-C4'-C5'-O5'
2	H	34	P5P	O4'-C4'-C5'-O5'
2	H	40	Y5P	O4'-C4'-C5'-O5'
2	H	4	P5P	C4'-C5'-O5'-P
2	G	41	P5P	O4'-C4'-C5'-O5'
2	H	32	P5P	O4'-C4'-C5'-O5'
2	H	38	Y5P	O4'-C4'-C5'-O5'
2	G	39	Y5P	C3'-C4'-C5'-O5'
2	H	38	Y5P	C4'-C5'-O5'-P
2	H	10	Y5P	O4'-C4'-C5'-O5'
2	G	3	P5P	C3'-C4'-C5'-O5'

There are no ring outliers.

42 monomers are involved in 44 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	G	12	Y5P	1	0
2	H	35	P5P	1	0
2	G	33	P5P	1	0
2	G	27	P5P	3	0
2	H	5	P5P	3	0
2	H	16	Y5P	3	0
2	H	3	P5P	1	0
2	G	26	Y5P	2	0
2	G	30	P5P	2	0
2	H	31	P5P	1	0
2	G	10	Y5P	1	0
2	G	13	Y5P	2	0
2	H	17	P5P	1	0
2	H	28	Y5P	3	0
2	H	15	P5P	3	0
2	G	40	Y5P	1	0
2	G	18	Y5P	2	0
2	G	7	Y5P	1	0
2	G	29	P5P	2	0
2	H	13	Y5P	2	0
2	G	9	P5P	1	0
2	H	4	P5P	1	0
2	H	12	Y5P	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	H	29	P5P	2	0
2	G	15	P5P	2	0
2	G	31	P5P	1	0
2	G	36	P5P	1	0
2	H	30	P5P	2	0
2	G	28	Y5P	3	0
2	H	39	Y5P	1	0
2	H	14	Y5P	2	0
2	G	35	P5P	1	0
2	G	38	Y5P	2	0
2	H	33	P5P	1	0
2	G	34	P5P	1	0
2	H	34	P5P	2	0
2	H	26	Y5P	1	0
2	G	17	P5P	3	0
2	G	16	Y5P	2	0
2	H	27	P5P	3	0
2	H	36	P5P	1	0
2	G	14	Y5P	2	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
2	G	1
2	H	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	G	20:Y5P	O3'	24:P5P	P	15.60
1	H	20:Y5P	O3'	24:P5P	P	15.58