wwPDB EM Validation Summary Report

Oct 14, 2024 – 08:03 PM JST

PDB ID	:	8HC4
EMDB ID	:	EMD-34651
Title	:	SARS-CoV-2 wildtype spike trimer (6P) in complex with 3 YB9-258 Fabs and 3 R1-32 Fabs (3 RBD up)
Authors	:	Liu, B.; Gao, X.; Chen, Q.; Li, Z.; Su, M.; He, J.; Xiong, X.
Deposited on	:	2022-11-01
Resolution	:	3.54 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/EMValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev113
Mogul	:	1.8.5 (274361), CSD as541be (2020)
MolProbity	:	4.02b-467
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.54 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1208	7% 73% 15% 12%
1	B	1208	10% 73% 15% • 12%
1	C	1208	6% 74% 14% 12%
2	D	228	65% 86% 13% •
2	K	228	82% 85% 14%
2	N	228	61% 79% 20%
3	E	214	78% 93% 6%
3	M	214	86% 95% •

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	O	214	
4	F	220	
4	G	220	
4	H	220	
5	I	215	
5	J	215	
5	L	215	
6	P	2	
6	Q	2	
6	R	2	
6	S	2	
6	T	2	
6	U	2	
6	V	2	
6	W	2	
6	X	2	
6	Y	2	
6	Z	2	
6	a	2	

2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 45078 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1066	Total	C	N	O	S	0	0
			8340	5320	1394	1588	38		
1	B	1066	Total	C	N	O	S	0	0
			8340	5320	1394	1588	38		
1	C	1066	Total	C	N	O	S	0	0
			8340	5320	1394	1588	38		

There are 27 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	682	GLY	ARG	engineered mutation	UNP P0DTC2
A	683	SER	ARG	engineered mutation	UNP P0DTC2
A	685	SER	ARG	engineered mutation	UNP P0DTC2
A	817	PRO	PHE	engineered mutation	UNP P0DTC2
A	892	PRO	ALA	engineered mutation	UNP P0DTC2
A	899	PRO	ALA	engineered mutation	UNP P0DTC2
A	942	PRO	ALA	engineered mutation	UNP P0DTC2
A	986	PRO	LYS	engineered mutation	UNP P0DTC2
A	987	PRO	VAL	engineered mutation	UNP P0DTC2
B	682	GLY	ARG	engineered mutation	UNP P0DTC2
B	683	SER	ARG	engineered mutation	UNP P0DTC2
B	685	SER	ARG	engineered mutation	UNP P0DTC2
B	817	PRO	PHE	engineered mutation	UNP P0DTC2
B	892	PRO	ALA	engineered mutation	UNP P0DTC2
B	899	PRO	ALA	engineered mutation	UNP P0DTC2
B	942	PRO	ALA	engineered mutation	UNP P0DTC2
B	986	PRO	LYS	engineered mutation	UNP P0DTC2
B	987	PRO	VAL	engineered mutation	UNP P0DTC2
C	682	GLY	ARG	engineered mutation	UNP P0DTC2
C	683	SER	ARG	engineered mutation	UNP P0DTC2
C	685	SER	ARG	engineered mutation	UNP P0DTC2
C	817	PRO	PHE	engineered mutation	UNP P0DTC2
C	892	PRO	ALA	engineered mutation	UNP P0DTC2
C	899	PRO	ALA	engineered mutation	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	942	PRO	ALA	engineered mutation	UNP P0DTC2
C	986	PRO	LYS	engineered mutation	UNP P0DTC2
C	987	PRO	VAL	engineered mutation	UNP P0DTC2

- Molecule 2 is a protein called Heavy chain of R1-32 Fab.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	D	227	Total	C	N	O	S	0	0
			1661	1045	277	332	7		
2	K	227	Total	C	N	O	S	0	0
			1661	1045	277	332	7		
2	N	227	Total	C	N	O	S	0	0
			1661	1045	277	332	7		

- Molecule 3 is a protein called Light chain of R1-32 Fab.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	E	213	Total	C	N	O	S	0	0
			1557	971	261	321	4		
3	M	213	Total	C	N	O	S	0	0
			1557	971	261	321	4		
3	O	213	Total	C	N	O	S	0	0
			1557	971	261	321	4		

- Molecule 4 is a protein called Heavy chain of YB9-258.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	F	214	Total	C	N	O	S	0	0
			1588	1000	268	313	7		
4	H	214	Total	C	N	O	S	0	0
			1588	1000	268	313	7		
4	G	214	Total	C	N	O	S	0	0
			1588	1000	268	313	7		

- Molecule 5 is a protein called Light chain of YB9-258 Fab.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	J	215	Total	C	N	O	S	0	0
			1628	1018	274	330	6		
5	L	215	Total	C	N	O	S	0	0
			1628	1018	274	330	6		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
5	I	215	Total	C	N	O	S	0	0
			1628	1018	274	330	6		

- Molecule 6 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				AltConf	Trace
6	P	2	Total	C	N	O	0	0
			28	16	2	10		
6	Q	2	Total	C	N	O	0	0
			28	16	2	10		
6	R	2	Total	C	N	O	0	0
			28	16	2	10		
6	S	2	Total	C	N	O	0	0
			28	16	2	10		
6	T	2	Total	C	N	O	0	0
			28	16	2	10		
6	U	2	Total	C	N	O	0	0
			28	16	2	10		
6	V	2	Total	C	N	O	0	0
			28	16	2	10		
6	W	2	Total	C	N	O	0	0
			28	16	2	10		
6	X	2	Total	C	N	O	0	0
			28	16	2	10		
6	Y	2	Total	C	N	O	0	0
			28	16	2	10		
6	Z	2	Total	C	N	O	0	0
			28	16	2	10		
6	a	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 7 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
7	A	1	Total	C	N	O	0
			14	8	1	5	
7	A	1	Total	C	N	O	0
			14	8	1	5	
7	A	1	Total	C	N	O	0
			14	8	1	5	
7	A	1	Total	C	N	O	0
			14	8	1	5	
7	A	1	Total	C	N	O	0
			14	8	1	5	
7	A	1	Total	C	N	O	0
			14	8	1	5	
7	A	1	Total	C	N	O	0
			14	8	1	5	
7	A	1	Total	C	N	O	0
			14	8	1	5	
7	A	1	Total	C	N	O	0
			14	8	1	5	
7	A	1	Total	C	N	O	0
			14	8	1	5	
7	B	1	Total	C	N	O	0
			14	8	1	5	
7	B	1	Total	C	N	O	0
			14	8	1	5	
7	B	1	Total	C	N	O	0
			14	8	1	5	
7	B	1	Total	C	N	O	0
			14	8	1	5	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
7	B	1	Total	C	N	O	0
			14	8	1	5	
7	B	1	Total	C	N	O	0
			14	8	1	5	
7	B	1	Total	C	N	O	0
			14	8	1	5	
7	B	1	Total	C	N	O	0
			14	8	1	5	
7	B	1	Total	C	N	O	0
			14	8	1	5	
7	B	1	Total	C	N	O	0
			14	8	1	5	
7	C	1	Total	C	N	O	0
			14	8	1	5	
7	C	1	Total	C	N	O	0
			14	8	1	5	
7	C	1	Total	C	N	O	0
			14	8	1	5	
7	C	1	Total	C	N	O	0
			14	8	1	5	
7	C	1	Total	C	N	O	0
			14	8	1	5	
7	C	1	Total	C	N	O	0
			14	8	1	5	
7	C	1	Total	C	N	O	0
			14	8	1	5	
7	C	1	Total	C	N	O	0
			14	8	1	5	
7	C	1	Total	C	N	O	0
			14	8	1	5	
7	C	1	Total	C	N	O	0
			14	8	1	5	

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Spike glycoprotein

Chain A:



• Molecule 1: Spike glycoprotein

Chain B:



• Molecule 1: Spike glycoprotein

Chain C:





• Molecule 2: Heavy chain of R1-32 Fab

Chain D:

• Molecule 2: Heavy chain of R1-32 Fab

Chain K:



• Molecule 2: Heavy chain of R1-32 Fab

Chain N:



• Molecule 3: Light chain of R1-32 Fab

Chain E:



• Molecule 3: Light chain of R1-32 Fab

Chain M:











• Molecule 3: Light chain of R1-32 Fab

Chain O:









• Molecule 4: Heavy chain of YB9-258

Chain F:





• Molecule 4: Heavy chain of YB9-258

Chain H:



• Molecule 4: Heavy chain of YB9-258

Chain G:



• Molecule 5: Light chain of YB9-258 Fab

Chain J:



• Molecule 5: Light chain of YB9-258 Fab

Chain L:



• Molecule 5: Light chain of YB9-258 Fab

Chain I:





• Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:

• Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:



• Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:



• Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:



• Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:



• Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:



• Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V: 100%

• Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W: 100%

• Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X: 100%

• Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y: 100%

• Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z: 100%

• Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a: 100%

4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	95333	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/Å^2$)	50	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	2.518	Depositor
Minimum map value	-1.752	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.057	Depositor
Recommended contour level	0.15	Depositor
Map size (Å)	421.632, 421.632, 421.632	wwPDB
Map dimensions	288, 288, 288	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.464, 1.464, 1.464	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|>5$	RMSZ	#$\|Z\|>5$
1	A	0.25	0/8534	0.47	2/11614 (0.0%)
1	B	0.25	0/8534	0.48	2/11614 (0.0%)
1	C	0.25	0/8534	0.48	2/11614 (0.0%)
2	D	0.26	0/1698	0.51	0/2312
2	K	0.26	0/1698	0.51	0/2312
2	N	0.26	0/1698	0.50	0/2312
3	E	0.25	0/1595	0.48	0/2181
3	M	0.25	0/1595	0.47	0/2181
3	O	0.25	0/1595	0.47	0/2181
4	F	0.24	0/1623	0.49	0/2210
4	G	0.24	0/1623	0.49	0/2210
4	H	0.25	0/1623	0.49	0/2210
5	I	0.25	0/1662	0.49	0/2259
5	J	0.25	0/1662	0.48	0/2259
5	L	0.25	0/1662	0.49	0/2259
All	All	0.25	0/45336	0.48	6/61728 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

There are no bond length outliers.

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	892	PRO	N-CA-CB	5.92	110.40	103.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	B	892	PRO	N-CA-CB	5.89	110.36	103.30
1	C	892	PRO	N-CA-CB	5.88	110.35	103.30
1	A	899	PRO	N-CA-CB	5.75	110.20	103.30
1	C	899	PRO	N-CA-CB	5.71	110.15	103.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	526	GLY	Mainchain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8340	0	8112	109	0
1	B	8340	0	8112	110	0
1	C	8340	0	8112	101	0
2	D	1661	0	1631	16	0
2	K	1661	0	1631	22	0
2	N	1661	0	1631	26	0
3	E	1557	0	1498	7	0
3	M	1557	0	1498	5	0
3	O	1557	0	1498	7	0
4	F	1588	0	1561	20	0
4	G	1588	0	1561	21	0
4	H	1588	0	1561	14	0
5	I	1628	0	1587	20	0
5	J	1628	0	1587	13	0
5	L	1628	0	1587	14	0
6	P	28	0	25	1	0
6	Q	28	0	25	0	0
6	R	28	0	25	0	0
6	S	28	0	25	0	0
6	T	28	0	25	0	0
6	U	28	0	25	0	0
6	V	28	0	25	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	W	28	0	25	0	0
6	X	28	0	25	0	0
6	Y	28	0	25	0	0
6	Z	28	0	25	0	0
6	a	28	0	25	0	0
7	A	140	0	130	0	0
7	B	140	0	130	0	0
7	C	140	0	130	0	0
All	All	45078	0	43857	471	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 471 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:N:6:GLU:HG2	2:N:22:CYS:HB3	1.62	0.80
2:K:6:GLU:OE1	2:K:117:GLY:CA	2.29	0.79
2:K:6:GLU:OE1	2:K:117:GLY:C	2.25	0.76
1:B:1116:THR:HG22	1:B:1118:ASP:H	1.54	0.72
2:K:206:ILE:HG22	2:K:221:LYS:HG2	1.73	0.70

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1054/1208 (87%)	1018 (97%)	36 (3%)	0	100	100
1	B	1054/1208 (87%)	1020 (97%)	34 (3%)	0	100	100
1	C	1054/1208 (87%)	1017 (96%)	37 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	D	225/228 (99%)	218 (97%)	7 (3%)	0	100	100
2	K	225/228 (99%)	214 (95%)	11 (5%)	0	100	100
2	N	225/228 (99%)	219 (97%)	6 (3%)	0	100	100
3	E	211/214 (99%)	198 (94%)	13 (6%)	0	100	100
3	M	211/214 (99%)	198 (94%)	13 (6%)	0	100	100
3	O	211/214 (99%)	199 (94%)	12 (6%)	0	100	100
4	F	210/220 (96%)	202 (96%)	8 (4%)	0	100	100
4	G	210/220 (96%)	200 (95%)	10 (5%)	0	100	100
4	H	210/220 (96%)	200 (95%)	10 (5%)	0	100	100
5	I	213/215 (99%)	203 (95%)	10 (5%)	0	100	100
5	J	213/215 (99%)	201 (94%)	12 (6%)	0	100	100
5	L	213/215 (99%)	202 (95%)	11 (5%)	0	100	100
All	All	5739/6255 (92%)	5509 (96%)	230 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	932/1056 (88%)	905 (97%)	27 (3%)	37	64
1	B	932/1056 (88%)	903 (97%)	29 (3%)	35	63
1	C	932/1056 (88%)	910 (98%)	22 (2%)	44	68
2	D	184/186 (99%)	175 (95%)	9 (5%)	21	50
2	K	184/186 (99%)	179 (97%)	5 (3%)	40	65
2	N	184/186 (99%)	176 (96%)	8 (4%)	25	54
3	E	174/177 (98%)	169 (97%)	5 (3%)	37	64
3	M	174/177 (98%)	174 (100%)	0	100	100
3	O	174/177 (98%)	171 (98%)	3 (2%)	56	76

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
4	F	178/182 (98%)	171 (96%)	7 (4%)	27 57
4	G	178/182 (98%)	171 (96%)	7 (4%)	27 57
4	H	178/182 (98%)	173 (97%)	5 (3%)	38 65
5	I	184/184 (100%)	181 (98%)	3 (2%)	58 76
5	J	184/184 (100%)	182 (99%)	2 (1%)	70 84
5	L	184/184 (100%)	179 (97%)	5 (3%)	40 65
All	All	4956/5355 (92%)	4819 (97%)	137 (3%)	40 65

5 of 137 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	K	165	TRP
4	G	93	TYR
2	N	165	TRP
1	B	662	CYS
1	B	659	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 7 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	762	GLN
1	C	474	GLN
2	N	210	ASN
1	C	955	ASN
1	A	1002	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

24 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
6	NAG	P	1	1,6	14,14,15	0.25	0	17,19,21	0.43	0
6	NAG	P	2	6	14,14,15	0.25	0	17,19,21	0.43	0
6	NAG	Q	1	1,6	14,14,15	0.25	0	17,19,21	0.45	0
6	NAG	Q	2	6	14,14,15	0.27	0	17,19,21	0.42	0
6	NAG	R	1	1,6	14,14,15	0.28	0	17,19,21	0.47	0
6	NAG	R	2	6	14,14,15	0.24	0	17,19,21	0.42	0
6	NAG	S	1	1,6	14,14,15	0.21	0	17,19,21	0.40	0
6	NAG	S	2	6	14,14,15	0.25	0	17,19,21	0.45	0
6	NAG	T	1	1,6	14,14,15	0.25	0	17,19,21	0.47	0
6	NAG	T	2	6	14,14,15	0.26	0	17,19,21	0.42	0
6	NAG	U	1	1,6	14,14,15	0.26	0	17,19,21	0.48	0
6	NAG	U	2	6	14,14,15	0.26	0	17,19,21	0.42	0
6	NAG	V	1	1,6	14,14,15	0.20	0	17,19,21	0.43	0
6	NAG	V	2	6	14,14,15	0.26	0	17,19,21	0.43	0
6	NAG	W	1	1,6	14,14,15	0.22	0	17,19,21	0.42	0
6	NAG	W	2	6	14,14,15	0.27	0	17,19,21	0.44	0
6	NAG	X	1	1,6	14,14,15	0.26	0	17,19,21	0.45	0
6	NAG	X	2	6	14,14,15	0.25	0	17,19,21	0.42	0
6	NAG	Y	1	1,6	14,14,15	0.25	0	17,19,21	0.47	0
6	NAG	Y	2	6	14,14,15	0.26	0	17,19,21	0.43	0
6	NAG	Z	1	1,6	14,14,15	0.29	0	17,19,21	0.43	0
6	NAG	Z	2	6	14,14,15	0.22	0	17,19,21	0.46	0
6	NAG	a	1	1,6	14,14,15	0.24	0	17,19,21	0.44	0
6	NAG	a	2	6	14,14,15	0.26	0	17,19,21	0.43	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	P	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	P	2	6	-	2/6/23/26	0/1/1/1
6	NAG	Q	1	1,6	-	2/6/23/26	0/1/1/1
6	NAG	Q	2	6	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	R	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	R	2	6	-	2/6/23/26	0/1/1/1
6	NAG	S	1	1,6	-	1/6/23/26	0/1/1/1
6	NAG	S	2	6	-	2/6/23/26	0/1/1/1
6	NAG	T	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	T	2	6	-	2/6/23/26	0/1/1/1
6	NAG	U	1	1,6	-	2/6/23/26	0/1/1/1
6	NAG	U	2	6	-	2/6/23/26	0/1/1/1
6	NAG	V	1	1,6	-	2/6/23/26	0/1/1/1
6	NAG	V	2	6	-	2/6/23/26	0/1/1/1
6	NAG	W	1	1,6	-	2/6/23/26	0/1/1/1
6	NAG	W	2	6	-	2/6/23/26	0/1/1/1
6	NAG	X	1	1,6	-	2/6/23/26	0/1/1/1
6	NAG	X	2	6	-	2/6/23/26	0/1/1/1
6	NAG	Y	1	1,6	-	2/6/23/26	0/1/1/1
6	NAG	Y	2	6	-	0/6/23/26	0/1/1/1
6	NAG	Z	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	Z	2	6	-	2/6/23/26	0/1/1/1
6	NAG	a	1	1,6	-	2/6/23/26	0/1/1/1
6	NAG	a	2	6	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 35 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	S	2	NAG	O5-C5-C6-O6
6	T	2	NAG	O5-C5-C6-O6
6	U	2	NAG	C4-C5-C6-O6
6	S	2	NAG	C4-C5-C6-O6
6	U	1	NAG	C4-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	P	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

Oligosaccharide Chain P



Oligosaccharide Chain Q



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain R



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain S



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain T



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain U



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain V



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain W



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain X



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain Y



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain Z



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain a



5.6 Ligand geometry (i)

30 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
7	NAG	A	1306	1	14,14,15	0.24	0	17,19,21	0.46	0
7	NAG	B	1307	1	14,14,15	0.33	0	17,19,21	0.70	0
7	NAG	C	1310	1	14,14,15	0.47	0	17,19,21	0.65	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\|>2$	Counts	RMSZ	$\#\|Z\|>2$
7	NAG	A	1303	1	14,14,15	0.23	0	17,19,21	0.40	0
7	NAG	C	1304	1	14,14,15	0.30	0	17,19,21	0.41	0
7	NAG	B	1305	1	14,14,15	0.24	0	17,19,21	0.44	0
7	NAG	C	1301	1	14,14,15	0.35	0	17,19,21	0.35	0
7	NAG	A	1304	1	14,14,15	0.25	0	17,19,21	0.45	0
7	NAG	C	1306	1	14,14,15	0.24	0	17,19,21	0.46	0
7	NAG	B	1310	1	14,14,15	0.37	0	17,19,21	0.54	0
7	NAG	B	1302	1	14,14,15	0.25	0	17,19,21	0.49	0
7	NAG	B	1301	1	14,14,15	0.25	0	17,19,21	0.43	0
7	NAG	A	1301	1	14,14,15	0.25	0	17,19,21	0.43	0
7	NAG	B	1306	1	14,14,15	0.54	0	17,19,21	0.54	0
7	NAG	A	1302	1	14,14,15	0.30	0	17,19,21	0.46	0
7	NAG	C	1303	1	14,14,15	0.35	0	17,19,21	0.34	0
7	NAG	A	1309	1	14,14,15	0.26	0	17,19,21	0.43	0
7	NAG	A	1307	1	14,14,15	0.33	0	17,19,21	0.71	0
7	NAG	C	1307	1	14,14,15	0.33	0	17,19,21	0.71	0
7	NAG	B	1303	1	14,14,15	0.21	0	17,19,21	0.36	0
7	NAG	A	1308	1	14,14,15	0.25	0	17,19,21	0.44	0
7	NAG	B	1304	1	14,14,15	0.21	0	17,19,21	0.38	0
7	NAG	B	1308	1	14,14,15	0.30	0	17,19,21	0.42	0
7	NAG	C	1308	1	14,14,15	0.25	0	17,19,21	0.48	0
7	NAG	C	1302	1	14,14,15	0.26	0	17,19,21	0.37	0
7	NAG	C	1305	1	14,14,15	0.25	0	17,19,21	0.43	0
7	NAG	B	1309	1	14,14,15	0.23	0	17,19,21	0.44	0
7	NAG	C	1309	1	14,14,15	0.25	0	17,19,21	0.43	0
7	NAG	A	1305	1	14,14,15	0.38	0	17,19,21	0.41	0
7	NAG	A	1310	1	14,14,15	0.27	0	17,19,21	0.46	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	A	1306	1	-	4/6/23/26	0/1/1/1
7	NAG	B	1307	1	-	3/6/23/26	0/1/1/1
7	NAG	C	1310	1	-	2/6/23/26	0/1/1/1
7	NAG	A	1303	1	-	2/6/23/26	0/1/1/1
7	NAG	C	1304	1	-	2/6/23/26	0/1/1/1
7	NAG	B	1305	1	-	0/6/23/26	0/1/1/1
7	NAG	C	1301	1	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	A	1304	1	-	2/6/23/26	0/1/1/1
7	NAG	C	1306	1	-	2/6/23/26	0/1/1/1
7	NAG	B	1310	1	-	2/6/23/26	0/1/1/1
7	NAG	B	1302	1	-	2/6/23/26	0/1/1/1
7	NAG	B	1301	1	-	2/6/23/26	0/1/1/1
7	NAG	A	1301	1	-	2/6/23/26	0/1/1/1
7	NAG	B	1306	1	-	2/6/23/26	0/1/1/1
7	NAG	A	1302	1	-	1/6/23/26	0/1/1/1
7	NAG	C	1303	1	-	2/6/23/26	0/1/1/1
7	NAG	A	1309	1	-	0/6/23/26	0/1/1/1
7	NAG	A	1307	1	-	3/6/23/26	0/1/1/1
7	NAG	C	1307	1	-	3/6/23/26	0/1/1/1
7	NAG	B	1303	1	-	0/6/23/26	0/1/1/1
7	NAG	A	1308	1	-	2/6/23/26	0/1/1/1
7	NAG	B	1304	1	-	2/6/23/26	0/1/1/1
7	NAG	B	1308	1	-	2/6/23/26	0/1/1/1
7	NAG	C	1308	1	-	2/6/23/26	0/1/1/1
7	NAG	C	1302	1	-	1/6/23/26	0/1/1/1
7	NAG	C	1305	1	-	2/6/23/26	0/1/1/1
7	NAG	B	1309	1	-	2/6/23/26	0/1/1/1
7	NAG	C	1309	1	-	2/6/23/26	0/1/1/1
7	NAG	A	1305	1	-	0/6/23/26	0/1/1/1
7	NAG	A	1310	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
7	C	1310	NAG	C1-O5-C5	2.29	115.29	112.19

There are no chirality outliers.

5 of 55 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	B	1302	NAG	O5-C5-C6-O6
7	C	1308	NAG	O5-C5-C6-O6
7	C	1304	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	A	1306	NAG	O5-C5-C6-O6
7	A	1307	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



Ligand NAG B 1307	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand NAG C 1310	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand NAG A 1303



Bond lengths



Bond angles



Torsions



Rings

Ligand NAG C 1304



Bond lengths



Bond angles



Torsions



Rings

Ligand NAG B 1305



Bond lengths



Bond angles



Torsions



Rings

Ligand NAG C 1301



Bond lengths



Bond angles



Torsions



Rings

Ligand NAG A 1304



Bond lengths



Bond angles



Torsions



Rings

Ligand NAG C 1306



Bond lengths



Bond angles



Torsions



Rings

Ligand NAG B 1310	
	
Bond lengths	Bond angles
	
Torsions	Rings

Ligand NAG B 1302	
	
Bond lengths	Bond angles
	
Torsions	Rings

Ligand NAG B 1301	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand NAG A 1301	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand NAG B 1306	
	
Bond lengths	Bond angles
	
Torsions	Rings

Ligand NAG A 1302	
	
Bond lengths	Bond angles
	
Torsions	Rings

Ligand NAG C 1303



Bond lengths



Bond angles



Torsions



Rings

Ligand NAG A 1309



Bond lengths



Bond angles



Torsions



Rings

Ligand NAG A 1307



Bond lengths



Bond angles



Torsions



Rings

Ligand NAG C 1307



Bond lengths



Bond angles



Torsions



Rings

Ligand NAG B 1303



Bond lengths



Bond angles



Torsions



Rings

Ligand NAG A 1308



Bond lengths



Bond angles



Torsions



Rings

Ligand NAG B 1304



Bond lengths



Bond angles



Torsions



Rings

Ligand NAG B 1308



Bond lengths



Bond angles



Torsions



Rings

Ligand NAG C 1308



Bond lengths



Bond angles



Torsions



Rings

Ligand NAG C 1302



Bond lengths



Bond angles



Torsions



Rings

Ligand NAG C 1305



Bond lengths



Bond angles



Torsions



Rings

Ligand NAG B 1309



Bond lengths



Bond angles



Torsions



Rings

Ligand NAG C 1309



Bond lengths



Bond angles



Torsions



Rings

Ligand NAG A 1305



Bond lengths



Bond angles



Torsions



Rings

Ligand NAG A 1310



Bond lengths



Bond angles



Torsions



Rings

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Map visualisation

This section contains visualisations of the EMDB entry EMD-34651. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections

6.1.1 Primary map



X



Y



Z

6.1.2 Raw map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices (i)

6.2.1 Primary map



X Index: 144



Y Index: 144



Z Index: 144

6.2.2 Raw map



X Index: 144



Y Index: 144



Z Index: 144

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices (i)

6.3.1 Primary map



X Index: 147



Y Index: 141



Z Index: 184

6.3.2 Raw map



X Index: 147



Y Index: 141



Z Index: 153

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) (i)

6.4.1 Primary map


X


Y


Z

6.4.2 Raw map


X


Y


Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views (i)

6.5.1 Primary map



X Y Z

The images above show the 3D surface view of the map at the recommended contour level 0.15. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map

X Y Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

6.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

7.2 Volume estimate (i)



The volume at the recommended contour level is 655 nm^3; this corresponds to an approximate mass of 592 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.282 Å^{-1}

8 Fourier-Shell correlation

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC



*Reported resolution corresponds to spatial frequency of 0.282 Å^{-1}

8.2 Resolution estimates (i)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.54	-	-
Author-provided FSC curve	4.12	8.22	4.24
Unmasked-calculated*	4.09	8.17	4.22

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from author-provided FSC intersecting FSC 0.143 CUT-OFF 4.12 differs from the reported value 3.54 by more than 10 %

The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.09 differs from the reported value 3.54 by more than 10 %

9 Map-model fit

This section contains information regarding the fit between EMDB map EMD-34651 and PDB model 8HC4. Per-residue inclusion information can be found in section 3 on page 9.

9.1 Map-model overlay



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.15 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model



X Y Z

The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model



X Y Z

The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.15).

9.4 Atom inclusion (i)



At the recommended contour level, 56% of all backbone atoms, 56% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.15) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.5570	0.2210
A	0.8230	0.3330
B	0.7990	0.3350
C	0.8360	0.3380
D	0.3120	0.0790
E	0.2380	0.0560
F	0.1930	0.0580
G	0.1950	0.0710
H	0.1200	0.0840
I	0.1910	0.0720
J	0.1790	0.0770
K	0.1820	0.0610
L	0.0750	0.0390
M	0.1650	0.0540
N	0.3620	0.0980
O	0.2600	0.0640
P	0.9290	0.4850
Q	0.8210	0.2720
R	0.8930	0.3870
S	0.6790	0.3100
T	0.9640	0.4680
U	0.7140	0.2190
V	0.7140	0.2490
W	0.8210	0.3060
X	0.8930	0.4010
Y	0.8210	0.2600
Z	0.7500	0.3050
a	0.7860	0.2370