



Full wwPDB EM Validation Report ⓘ

Jul 9, 2025 – 07:28 pm BST

PDB ID : 9HFL / pdb_00009hfl
EMDB ID : EMD-52115
Title : Cryo-EM structure of the human snRNA export complex comprising CBC-PHAX-CRM1-RanGTP and capped-RNA
Authors : Dubiez, E.; Cusack, S.; Kadlec, J.
Deposited on : 2024-11-18
Resolution : 2.62 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev118
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0rc1
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.62 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1071	
2	B	216	
3	C	790	
4	D	156	
5	N	394	
5	P	394	
6	R	14	

2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 35513 atoms, of which 17711 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Exportin-1.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	A	1037	Total	C	H	N	O	S	3	0
			16951	5423	8501	1422	1551	54		

- Molecule 2 is a protein called GTP-binding nuclear protein Ran.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	B	172	Total	C	H	N	O	S	0	0
			2823	909	1425	245	239	5		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	69	LEU	GLN	engineered mutation	UNP P62826

- Molecule 3 is a protein called Nuclear cap-binding protein subunit 1.

Mol	Chain	Residues	Atoms						AltConf	Trace
3	C	747	Total	C	H	N	O	S	1	0
			12224	3937	6103	1040	1106	38		

- Molecule 4 is a protein called Nuclear cap-binding protein subunit 2.

Mol	Chain	Residues	Atoms						AltConf	Trace
4	D	152	Total	C	H	N	O	S	0	0
			2430	769	1193	222	240	6		


- Molecule 5 is a protein called Phosphorylated adapter RNA export protein.

Mol	Chain	Residues	Atoms						AltConf	Trace
5	N	6	Total	C	H	N	O		0	0
			98	32	47	11	8			
5	P	51	Total	C	H	N	O	S	0	0
			826	254	419	74	78	1		

- Molecule 6 is a RNA chain called RNA (5'-D*(ADM))-R(P*A)-3').

Mol	Chain	Residues	Atoms						AltConf	Trace
6	R	1	Total	C	H	N	O	P	0	0
			33	10	11	5	6	1		

- Molecule 7 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: C₁₀H₁₆N₅O₁₄P₃) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms						AltConf
7	B	1	Total	C	H	N	O	P	0
			44	10	12	5	14	3	

- Molecule 8 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
8	B	1	Total	Mg	0
			1	1	

- Molecule 9 is P1-7-METHYLGUANOSINE-P3-ADENOSINE-5',5'-TRIPHOSPHATE (CCD ID: GTA) (formula: C₂₁H₃₀N₁₀O₁₇P₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
9	R	1	Total	C	N	O	P	0
			51	21	10	17	3	

- Molecule 10 is water.


Mol	Chain	Residues	Atoms		AltConf
10	A	1	Total	O	0
			1	1	
10	B	3	Total	O	0
			3	3	
10	C	7	Total	O	0
			7	7	
10	D	9	Total	O	0
			9	9	
10	P	8	Total	O	0
			8	8	
10	R	4	Total	O	0
			4	4	

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Exportin-1

Chain A:




• Molecule 2: GTP-binding nuclear protein Ran

Chain B:



• Molecule 3: Nuclear cap-binding protein subunit 1


Chain C:




- Molecule 4: Nuclear cap-binding protein subunit 2



- Molecule 5: Phosphorylated adapter RNA export protein



- Molecule 5: Phosphorylated adapter RNA export protein





● Molecule 6: RNA (5'-D*(ADM))-R(P*A)-3')

Chain R: 7% 93%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	202738	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40.5	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.212	Depositor
Minimum map value	-0.113	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.025	Depositor
Map size (\AA)	336.0, 336.0, 336.0	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	0.84, 0.84, 0.84	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, GTA, GTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.11	0/8624	0.24	0/11679
2	B	0.10	0/1432	0.23	0/1933
3	C	0.11	0/6275	0.22	0/8511
4	D	0.10	0/1257	0.22	0/1677
5	N	0.06	0/52	0.15	0/69
5	P	0.08	0/410	0.18	0/549
6	R	0.05	0/24	0.15	0/35
All	All	0.10	0/18074	0.23	0/24453

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8450	8501	8501	70	0
2	B	1398	1425	1425	9	0
3	C	6121	6103	6102	35	0
4	D	1237	1193	1193	4	0
5	N	51	47	47	1	0
5	P	407	419	419	9	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	R	22	11	12	0	0
7	B	32	12	12	0	0
8	B	1	0	0	0	0
9	R	51	0	26	7	0
10	A	1	0	0	0	0
10	B	3	0	0	0	0
10	C	7	0	0	0	0
10	D	9	0	0	2	0
10	P	8	0	0	3	0
10	R	4	0	0	0	0
All	All	17802	17711	17737	128	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (128) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:840:GLU:O	1:A:845:ARG:NH1	2.07	0.88
1:A:483:GLN:NE2	1:A:488:GLU:O	2.11	0.83
1:A:260:PHE:O	1:A:264:SER:OG	1.99	0.81
5:P:150:GLU:OE2	10:P:401:HOH:O	1.99	0.80
1:A:92:LYS:NZ	1:A:1029:ASP:OD2	2.16	0.79
3:C:655:ILE:HG22	3:C:699:VAL:HG22	1.64	0.79
1:A:635:GLU:OE1	1:A:697:ARG:NH1	2.21	0.74
3:C:609:ILE:HD11	3:C:619:VAL:HG21	1.69	0.74
1:A:327:CYS:SG	1:A:331:LYS:NZ	2.61	0.73
2:B:125:ASP:OD2	2:B:150:SER:OG	2.07	0.72
3:C:165:ARG:NH2	3:C:274:PRO:O	2.22	0.71
1:A:545:MET:HE2	1:A:569:LEU:HD21	1.72	0.71
3:C:516:GLU:N	3:C:516:GLU:OE1	2.24	0.70
3:C:87:THR:HG21	3:C:133:ASP:HB3	1.72	0.70
4:D:105:ARG:O	10:D:201:HOH:O	2.10	0.69
1:A:80:LEU:HD11	1:A:126:TYR:CE1	2.26	0.69
3:C:389:GLN:NE2	5:P:116:ASN:OD1	2.27	0.67
1:A:976:GLU:OE1	1:A:976:GLU:N	2.28	0.66
2:B:86:ALA:CB	2:B:108:LEU:HD21	2.25	0.65
5:P:152:TYR:OH	9:R:101:GTA:H8C	1.96	0.65
3:C:695:LEU:O	3:C:699:VAL:HG23	1.97	0.65
1:A:384:SER:O	1:A:406:ARG:NH2	2.30	0.64
1:A:60:TRP:HB3	1:A:86:VAL:HG21	1.79	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:R:101:GTA:H2A	9:R:101:GTA:O15	2.01	0.61
1:A:990:GLN:NE2	1:A:1027:GLY:O	2.35	0.60
1:A:451:ILE:HG22	1:A:455:LYS:HE3	1.83	0.60
1:A:545:MET:HE1	1:A:565:VAL:HG13	1.83	0.60
2:B:146:TYR:OH	2:B:148:ASP:OD1	2.07	0.60
1:A:233:LEU:O	5:N:58:ARG:NH2	2.35	0.59
2:B:29:ARG:NH1	2:B:152:LYS:O	2.34	0.59
1:A:36:TYR:OH	2:B:78:GLY:O	2.17	0.58
1:A:155:GLY:O	1:A:159:THR:HG23	2.03	0.58
9:R:101:GTA:O33	9:R:101:GTA:H2B	2.05	0.56
3:C:290:ARG:NH1	3:C:315:GLU:OE2	2.36	0.56
1:A:35:LEU:HD13	1:A:47:GLN:HG3	1.87	0.56
3:C:328:GLU:OE1	4:D:13:SER:OG	2.24	0.55
1:A:837:ASP:O	1:A:845:ARG:NH2	2.39	0.55
1:A:12:ALA:HA	1:A:27:LEU:HD21	1.89	0.54
1:A:134:LEU:O	1:A:138:LEU:HD23	2.08	0.54
1:A:291:MET:HA	1:A:291:MET:HE2	1.89	0.54
1:A:976:GLU:O	1:A:980:ASN:ND2	2.40	0.53
5:P:147:ARG:NH2	10:P:402:HOH:O	2.38	0.53
1:A:744:LEU:HG	1:A:748:MET:HE3	1.91	0.52
3:C:655:ILE:CG2	3:C:699:VAL:HG22	2.37	0.52
1:A:768:ASP:O	1:A:772:VAL:HG23	2.10	0.52
1:A:634:TYR:O	1:A:657:TYR:OH	2.26	0.51
3:C:422:SER:OG	10:D:201:HOH:O	2.19	0.51
3:C:504:LEU:HD11	3:C:521:LEU:HD21	1.89	0.51
1:A:613:GLU:O	1:A:617:ASN:ND2	2.42	0.51
1:A:997:PHE:CE2	1:A:1001:LEU:HD11	2.46	0.51
1:A:218:ASN:O	1:A:222:VAL:HG23	2.11	0.51
1:A:84:GLU:OE1	1:A:129:LYS:NZ	2.42	0.50
1:A:87:ILE:O	1:A:140:GLN:NE2	2.38	0.50
3:C:659:LEU:HA	3:C:695:LEU:HD23	1.92	0.50
4:D:63:SER:OG	4:D:93:ASP:O	2.29	0.50
2:B:18:ASP:O	2:B:23:LYS:NZ	2.44	0.50
1:A:545:MET:HE3	1:A:545:MET:HA	1.94	0.49
3:C:167:ASP:OD2	3:C:206:ARG:NH2	2.42	0.49
1:A:724:LEU:HD22	1:A:748:MET:HG2	1.95	0.49
1:A:299:PRO:O	1:A:302:THR:HG22	2.12	0.48
1:A:717:MET:SD	1:A:755:THR:HG23	2.54	0.47
1:A:1021:GLN:OE1	1:A:1038:ARG:NH1	2.46	0.47
1:A:1039:GLU:OE1	1:A:1043:ARG:NH2	2.47	0.47
1:A:34:CYS:O	1:A:38:GLY:N	2.47	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:703:GLY:HA2	1:A:765[A]:ARG:HE	1.78	0.47
3:C:639:GLU:O	3:C:643:SER:OG	2.32	0.47
3:C:282:TYR:O	3:C:789:GLN:NE2	2.44	0.47
1:A:242:PHE:O	1:A:282:GLN:NE2	2.45	0.46
1:A:417:ARG:NH2	1:A:468:ASP:OD1	2.49	0.46
1:A:568:LYS:NZ	5:P:137:LEU:O	2.42	0.46
3:C:666:LEU:HD13	3:C:688:LEU:HD23	1.97	0.46
9:R:101:GTA:O11	9:R:101:GTA:H8	2.16	0.46
2:B:30:HIS:NE2	2:B:157:PHE:O	2.45	0.46
1:A:80:LEU:HD11	1:A:126:TYR:HE1	1.80	0.46
1:A:245:LYS:O	1:A:249:THR:OG1	2.17	0.46
1:A:682:PRO:O	1:A:686:LYS:HG3	2.15	0.46
1:A:113:THR:HG22	1:A:127:ILE:HD11	1.97	0.46
1:A:307:ALA:O	1:A:311:GLY:N	2.49	0.46
3:C:167:ASP:OD1	3:C:202:TYR:OH	2.29	0.45
9:R:101:GTA:O15	9:R:101:GTA:C2A	2.64	0.45
1:A:12:ALA:CB	1:A:27:LEU:HD21	2.47	0.45
1:A:646:ASP:OD2	1:A:649:VAL:HG23	2.17	0.45
5:P:143:ILE:HG23	5:P:145:ARG:HE	1.81	0.45
3:C:151:ASN:ND2	3:C:271:PHE:O	2.45	0.45
3:C:155:VAL:HG11	3:C:169:TYR:CD2	2.52	0.45
1:A:842:PRO:HB3	1:A:886:MET:HE1	2.00	0.44
5:P:115:ASN:ND2	10:P:403:HOH:O	2.43	0.44
1:A:882:PHE:C	1:A:882:PHE:CD1	2.96	0.44
1:A:941:MET:O	1:A:942:HIS:C	2.61	0.43
3:C:476:LEU:HD22	3:C:476:LEU:N	2.33	0.43
1:A:12:ALA:CA	1:A:27:LEU:HD21	2.48	0.43
3:C:160:ASP:OD1	3:C:160:ASP:C	2.61	0.43
3:C:284:MET:HE2	3:C:788:LEU:HD22	2.00	0.43
1:A:849:PHE:CE1	1:A:881:ALA:HB2	2.54	0.43
3:C:514:ASN:OD1	3:C:572:VAL:HG23	2.18	0.43
1:A:908:GLU:N	1:A:908:GLU:OE1	2.52	0.43
3:C:293:ASP:CG	3:C:295:THR:HG1	2.27	0.43
1:A:202:PHE:CZ	1:A:236:ILE:HG21	2.53	0.42
1:A:481:HIS:HD1	1:A:481:HIS:C	2.27	0.42
3:C:220:ASP:OD1	3:C:220:ASP:N	2.52	0.42
1:A:481:HIS:C	1:A:481:HIS:ND1	2.78	0.42
2:B:94:SER:O	2:B:97:THR:OG1	2.38	0.42
3:C:159:GLU:O	3:C:160:ASP:OD1	2.38	0.42
3:C:153:VAL:HG21	3:C:195:ILE:HG23	2.01	0.42
1:A:16:LEU:O	1:A:62:ARG:NH1	2.48	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:939:LEU:O	1:A:940:THR:C	2.63	0.42
3:C:292:PHE:CD1	3:C:397:MET:HE1	2.55	0.42
3:C:450:ARG:HG3	3:C:476:LEU:HD12	2.01	0.41
1:A:412:MET:O	1:A:416:VAL:HG23	2.20	0.41
5:P:117:ILE:HG23	5:P:118:TRP:N	2.34	0.41
4:D:29:ASN:ND2	4:D:33:GLU:OE2	2.53	0.41
5:P:152:TYR:OH	9:R:101:GTA:H2B	2.20	0.41
3:C:61:LEU:N	3:C:62:PRO:HD2	2.35	0.41
1:A:334:ASP:N	1:A:334:ASP:OD1	2.54	0.41
3:C:694:ARG:O	3:C:697:GLU:HG2	2.21	0.41
1:A:80:LEU:HD22	1:A:133:ILE:CD1	2.51	0.41
3:C:502:LEU:O	3:C:506:VAL:HG23	2.21	0.41
1:A:50:LEU:O	1:A:78:TYR:OH	2.29	0.40
1:A:660:LEU:HB2	1:A:661:PRO:HD3	2.03	0.40
1:A:968:VAL:HG12	1:A:969:ASN:N	2.35	0.40
9:R:101:GTA:O33	9:R:101:GTA:C2B	2.68	0.40
1:A:304:ILE:HD12	1:A:356:LEU:HB3	2.01	0.40
2:B:54:THR:HG22	2:B:176:PHE:CD1	2.56	0.40
3:C:469:VAL:HG21	3:C:477:CYS:SG	2.62	0.40
3:C:437:LEU:HD13	3:C:472:THR:HG22	2.03	0.40
1:A:35:LEU:HD12	1:A:35:LEU:O	2.21	0.40
1:A:80:LEU:HD11	1:A:126:TYR:CD1	2.55	0.40
1:A:113:THR:CG2	1:A:127:ILE:HD11	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1036/1071 (97%)	1019 (98%)	17 (2%)	0	100	100
2	B	170/216 (79%)	166 (98%)	4 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	C	742/790 (94%)	726 (98%)	16 (2%)	0	100	100
4	D	150/156 (96%)	149 (99%)	1 (1%)	0	100	100
5	N	4/394 (1%)	3 (75%)	1 (25%)	0	100	100
5	P	49/394 (12%)	47 (96%)	2 (4%)	0	100	100
All	All	2151/3021 (71%)	2110 (98%)	41 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	949/976 (97%)	929 (98%)	20 (2%)	48	72
2	B	151/185 (82%)	146 (97%)	5 (3%)	33	57
3	C	686/724 (95%)	672 (98%)	14 (2%)	50	73
4	D	127/130 (98%)	125 (98%)	2 (2%)	58	78
5	N	5/340 (2%)	4 (80%)	1 (20%)	1	1
5	P	43/340 (13%)	43 (100%)	0	100	100
All	All	1961/2695 (73%)	1919 (98%)	42 (2%)	49	72

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	45	MET
1	A	113	THR
1	A	231	ARG
1	A	264	SER
1	A	276	VAL
1	A	296	GLN
1	A	346	THR
1	A	354	MET
1	A	481	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	553	ARG
1	A	622	ILE
1	A	659	LEU
1	A	737	GLU
1	A	760	SER
1	A	870	GLN
1	A	873	LEU
1	A	885	THR
1	A	936	THR
1	A	976	GLU
1	A	1049	LYS
2	B	84	GLN
2	B	85	CYS
2	B	118	VAL
2	B	153	SER
2	B	158	GLU
3	C	114	GLU
3	C	125	VAL
3	C	200	GLU
3	C	207	GLN
3	C	245	GLN
3	C	293	ASP
3	C	323	LYS
3	C	387	LEU
3	C	461	TYR
3	C	584	LEU
3	C	635	LEU
3	C	643	SER
3	C	692	ILE
3	C	773	GLU
4	D	48	SER
4	D	74	ASP
5	N	56	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	98	GLN
1	A	193	HIS
1	A	204	GLN
1	A	296	GLN
1	A	374	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	452	ASN
1	A	483	GLN
1	A	593	GLN
1	A	687	GLN
2	B	82	GLN
2	B	103	ASN
3	C	439	GLN
5	N	56	HIS

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
6	R	0/14	-	-

There are no RNA backbone outliers to report.

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	GTP	B	301	8	26,34,34	1.00	2 (7%)	32,54,54	0.82	1 (3%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	GTA	R	101	6	46,56,56	1.64	10 (21%)	46,88,88	1.90	12 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	GTP	B	301	8	-	1/18/38/38	0/3/3/3
9	GTA	R	101	6	-	3/24/64/64	0/6/6/6

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	R	101	GTA	C2C-N3C	4.95	1.40	1.32
9	R	101	GTA	C5-C6	-4.65	1.33	1.45
9	R	101	GTA	C2C-N1C	3.22	1.39	1.33
9	R	101	GTA	O4B-C1B	2.86	1.45	1.41
9	R	101	GTA	C5C-C4C	-2.70	1.33	1.40
7	B	301	GTP	C5-C6	-2.64	1.42	1.47
9	R	101	GTA	C6C-C5C	-2.62	1.33	1.43
9	R	101	GTA	C5-C4	-2.50	1.33	1.39
9	R	101	GTA	O4A-C1A	2.29	1.44	1.41
7	B	301	GTP	C8-N7	-2.11	1.31	1.35
9	R	101	GTA	C2B-C1B	-2.06	1.50	1.53
9	R	101	GTA	C2A-C1A	-2.03	1.50	1.53

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	R	101	GTA	N3C-C2C-N1C	-6.70	118.21	128.68
9	R	101	GTA	O4A-C1A-C2A	-3.87	101.27	106.93
9	R	101	GTA	O4B-C1B-C2B	-3.82	101.34	106.93
9	R	101	GTA	C2-N1-C6	-3.76	118.18	125.10
9	R	101	GTA	C3A-C2A-C1A	-3.13	96.27	100.98
9	R	101	GTA	P3-O23-P2	-3.10	122.19	132.83
9	R	101	GTA	P2-O13-P1	-2.99	122.57	132.83
9	R	101	GTA	C5C-C6C-N6C	-2.58	116.44	120.35
9	R	101	GTA	C3B-C2B-C1B	-2.57	97.11	100.98
9	R	101	GTA	C2A-C3A-C4A	-2.17	98.42	102.64
9	R	101	GTA	C2B-C3B-C4B	-2.16	98.45	102.64
9	R	101	GTA	N1-C2-N3	-2.06	119.47	123.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	301	GTP	O6-C6-C5	2.00	128.28	124.37

There are no chirality outliers.

All (4) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
9	R	101	GTA	C5A-O15-P1-O11
9	R	101	GTA	C5A-O15-P1-O13
7	B	301	GTP	O4'-C4'-C5'-O5'
9	R	101	GTA	P2-O23-P3-O32

There are no ring outliers.

1 monomer is involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	R	101	GTA	7	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-52115. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 196




Y Index: 197




Z Index: 144


6.3.2 Raw map



X Index: 196



Y Index: 197



Z Index: 241


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.025. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 148 nm³; this corresponds to an approximate mass of 134 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.382 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.382 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.62	-	-
Author-provided FSC curve	2.62	3.08	2.67
Unmasked-calculated*	3.32	4.02	3.39

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.32 differs from the reported value 2.62 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-52115 and PDB model 9HFL. Per-residue inclusion information can be found in [section 3](#) on [page 6](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.025 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.025).

9.4 Atom inclusion [i](#)



At the recommended contour level, 86% of all backbone atoms, 87% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.025) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div><div></div></div> 0.8670	<div><div></div></div> 0.4900
A	<div><div></div></div> 0.8790	<div><div></div></div> 0.5150
B	<div><div></div></div> 0.9350	<div><div></div></div> 0.5700
C	<div><div></div></div> 0.8520	<div><div></div></div> 0.4380
D	<div><div></div></div> 0.8940	<div><div></div></div> 0.4980
N	<div><div></div></div> 0.6880	<div><div></div></div> 0.4760
P	<div><div></div></div> 0.8090	<div><div></div></div> 0.4410
R	<div><div></div></div> 0.8630	<div><div></div></div> 0.4380

1.0

0.0

<0.0