



## wwPDB EM Validation Summary Report ⓘ

Mar 19, 2025 – 12:57 AM EDT

PDB ID : 2HIL  
EMDB ID : EMD-1236  
Title : Structure of the Neisseria gonorrhoeae Type IV pilus filament from x-ray crystallography and electron cryomicroscopy  
Authors : Craig, L.; Volkman, N.; Egelman, E.H.; Tainer, J.A.  
Deposited on : 2006-06-29  
Resolution : 12.50 Å(reported)  
Based on initial model : 2HI2

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev117  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4.02b-467  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.41.4


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 12.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	158	<div> <div>80%</div> <div> <div></div> <div>37%</div> <div>49%</div> <div>13%</div> <div>.</div> </div> </div>
1	B	158	<div> <div>80%</div> <div> <div></div> <div>37%</div> <div>49%</div> <div>13%</div> <div>.</div> </div> </div>
1	C	158	<div> <div>81%</div> <div> <div></div> <div>36%</div> <div>50%</div> <div>13%</div> <div>.</div> </div> </div>
1	D	158	<div> <div>83%</div> <div> <div></div> <div>36%</div> <div>50%</div> <div>13%</div> <div>.</div> </div> </div>
1	E	158	<div> <div>84%</div> <div> <div></div> <div>37%</div> <div>49%</div> <div>13%</div> <div>.</div> </div> </div>
1	F	158	<div> <div>87%</div> <div> <div></div> <div>39%</div> <div>48%</div> <div>11%</div> <div>.</div> </div> </div>
1	G	158	<div> <div>89%</div> <div> <div></div> <div>40%</div> <div>47%</div> <div>11%</div> <div>.</div> </div> </div>
1	H	158	<div> <div>94%</div> <div> <div></div> <div>41%</div> <div>46%</div> <div>11%</div> <div>.</div> </div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	I	158	
1	J	158	
1	K	158	
1	L	158	
1	M	158	
1	N	158	
1	O	158	
1	P	158	
1	Q	158	
1	R	158	
2	S	2	
2	T	2	
2	U	2	
2	V	2	
2	W	2	
2	X	2	
2	Y	2	
2	Z	2	
2	a	2	
2	b	2	
2	c	2	
2	d	2	
2	e	2	
2	f	2	
2	g	2	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	h	2	
2	i	2	
2	j	2	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
1	MEA	A	1	-	-	X	-
1	MEA	B	1	-	-	X	-
1	MEA	C	1	-	-	X	-
1	MEA	D	1	-	-	X	-
1	MEA	E	1	-	-	X	-
1	MEA	F	1	-	-	X	-
1	MEA	G	1	-	-	X	-
1	MEA	H	1	-	-	X	-
1	MEA	J	1	-	-	X	-
1	MEA	K	1	-	-	X	-
1	MEA	L	1	-	-	X	-
1	MEA	M	1	-	-	X	-
1	MEA	N	1	-	-	X	-
1	MEA	O	1	-	-	X	-
1	MEA	P	1	-	-	X	-
1	MEA	Q	1	-	-	X	-
1	MEA	R	1	-	-	X	-

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 22374 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fimbrial protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	158	Total 1207	C 760	N 206	O 237	S 4	0	0
1	B	158	Total 1207	C 760	N 206	O 237	S 4	0	0
1	C	158	Total 1207	C 760	N 206	O 237	S 4	0	0
1	D	158	Total 1207	C 760	N 206	O 237	S 4	0	0
1	E	158	Total 1207	C 760	N 206	O 237	S 4	0	0
1	F	158	Total 1207	C 760	N 206	O 237	S 4	0	0
1	G	158	Total 1207	C 760	N 206	O 237	S 4	0	0
1	H	158	Total 1207	C 760	N 206	O 237	S 4	0	0
1	I	158	Total 1207	C 760	N 206	O 237	S 4	0	0
1	J	158	Total 1207	C 760	N 206	O 237	S 4	0	0
1	K	158	Total 1207	C 760	N 206	O 237	S 4	0	0
1	L	158	Total 1207	C 760	N 206	O 237	S 4	0	0
1	M	158	Total 1207	C 760	N 206	O 237	S 4	0	0
1	N	158	Total 1207	C 760	N 206	O 237	S 4	0	0
1	O	158	Total 1207	C 760	N 206	O 237	S 4	0	0
1	P	158	Total 1207	C 760	N 206	O 237	S 4	0	0
1	Q	158	Total 1207	C 760	N 206	O 237	S 4	0	0

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf	Trace
1	R	158	Total	C	N	O	S	0	0
			1207	760	206	237	4		

There are 36 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	69	SER	PRO	SEE REMARK 999	UNP P02974
A	71	THR	SER	SEE REMARK 999	UNP P02974
B	69	SER	PRO	SEE REMARK 999	UNP P02974
B	71	THR	SER	SEE REMARK 999	UNP P02974
C	69	SER	PRO	SEE REMARK 999	UNP P02974
C	71	THR	SER	SEE REMARK 999	UNP P02974
D	69	SER	PRO	SEE REMARK 999	UNP P02974
D	71	THR	SER	SEE REMARK 999	UNP P02974
E	69	SER	PRO	SEE REMARK 999	UNP P02974
E	71	THR	SER	SEE REMARK 999	UNP P02974
F	69	SER	PRO	SEE REMARK 999	UNP P02974
F	71	THR	SER	SEE REMARK 999	UNP P02974
G	69	SER	PRO	SEE REMARK 999	UNP P02974
G	71	THR	SER	SEE REMARK 999	UNP P02974
H	69	SER	PRO	SEE REMARK 999	UNP P02974
H	71	THR	SER	SEE REMARK 999	UNP P02974
I	69	SER	PRO	SEE REMARK 999	UNP P02974
I	71	THR	SER	SEE REMARK 999	UNP P02974
J	69	SER	PRO	SEE REMARK 999	UNP P02974
J	71	THR	SER	SEE REMARK 999	UNP P02974
K	69	SER	PRO	SEE REMARK 999	UNP P02974
K	71	THR	SER	SEE REMARK 999	UNP P02974
L	69	SER	PRO	SEE REMARK 999	UNP P02974
L	71	THR	SER	SEE REMARK 999	UNP P02974
M	69	SER	PRO	SEE REMARK 999	UNP P02974
M	71	THR	SER	SEE REMARK 999	UNP P02974
N	69	SER	PRO	SEE REMARK 999	UNP P02974
N	71	THR	SER	SEE REMARK 999	UNP P02974
O	69	SER	PRO	SEE REMARK 999	UNP P02974
O	71	THR	SER	SEE REMARK 999	UNP P02974
P	69	SER	PRO	SEE REMARK 999	UNP P02974
P	71	THR	SER	SEE REMARK 999	UNP P02974
Q	69	SER	PRO	SEE REMARK 999	UNP P02974
Q	71	THR	SER	SEE REMARK 999	UNP P02974
R	69	SER	PRO	SEE REMARK 999	UNP P02974
R	71	THR	SER	SEE REMARK 999	UNP P02974

- Molecule 2 is an oligosaccharide called alpha-D-galactopyranose-(1-3)-2,4-bisacetamido-2,4-dideoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
2	S	2	Total	C	N	O	0	0
			28	16	2	10		
2	T	2	Total	C	N	O	0	0
			28	16	2	10		
2	U	2	Total	C	N	O	0	0
			28	16	2	10		
2	V	2	Total	C	N	O	0	0
			28	16	2	10		
2	W	2	Total	C	N	O	0	0
			28	16	2	10		
2	X	2	Total	C	N	O	0	0
			28	16	2	10		
2	Y	2	Total	C	N	O	0	0
			28	16	2	10		
2	Z	2	Total	C	N	O	0	0
			28	16	2	10		
2	a	2	Total	C	N	O	0	0
			28	16	2	10		
2	b	2	Total	C	N	O	0	0
			28	16	2	10		
2	c	2	Total	C	N	O	0	0
			28	16	2	10		
2	d	2	Total	C	N	O	0	0
			28	16	2	10		
2	e	2	Total	C	N	O	0	0
			28	16	2	10		
2	f	2	Total	C	N	O	0	0
			28	16	2	10		
2	g	2	Total	C	N	O	0	0
			28	16	2	10		
2	h	2	Total	C	N	O	0	0
			28	16	2	10		
2	i	2	Total	C	N	O	0	0
			28	16	2	10		
2	j	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 3 is PHOSPHORIC ACID MONO-(2-AMINO-ETHYL) ESTER (three-letter code: OPE) (formula:  $C_2H_8NO_4P$ ).



Mol	Chain	Residues	Atoms					AltConf
3	A	1	Total	C	N	O	P	0
			8	2	1	4	1	
3	B	1	Total	C	N	O	P	0
			8	2	1	4	1	
3	C	1	Total	C	N	O	P	0
			8	2	1	4	1	
3	D	1	Total	C	N	O	P	0
			8	2	1	4	1	
3	E	1	Total	C	N	O	P	0
			8	2	1	4	1	
3	F	1	Total	C	N	O	P	0
			8	2	1	4	1	
3	G	1	Total	C	N	O	P	0
			8	2	1	4	1	
3	H	1	Total	C	N	O	P	0
			8	2	1	4	1	
3	I	1	Total	C	N	O	P	0
			8	2	1	4	1	
3	J	1	Total	C	N	O	P	0
			8	2	1	4	1	
3	K	1	Total	C	N	O	P	0
			8	2	1	4	1	
3	L	1	Total	C	N	O	P	0
			8	2	1	4	1	

*Continued on next page...*




*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf
3	M	1	Total	C	N	O	P	0
			8	2	1	4	1	
3	N	1	Total	C	N	O	P	0
			8	2	1	4	1	
3	O	1	Total	C	N	O	P	0
			8	2	1	4	1	
3	P	1	Total	C	N	O	P	0
			8	2	1	4	1	
3	Q	1	Total	C	N	O	P	0
			8	2	1	4	1	
3	R	1	Total	C	N	O	P	0
			8	2	1	4	1	


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Fimbrial protein




#### • Molecule 1: Fimbrial protein





#### • Molecule 1: Fimbrial protein









• Molecule 1: Fimbrial protein



• Molecule 1: Fimbrial protein






• Molecule 1: Fimbrial protein









• Molecule 1: Fimbrial protein




• Molecule 1: Fimbrial protein




• Molecule 1: Fimbrial protein




• Molecule 1: Fimbrial protein




• Molecule 1: Fimbrial protein




• Molecule 1: Fimbrial protein







• Molecule 1: Fimbrial protein









• Molecule 1: Fimbrial protein




• Molecule 1: Fimbrial protein




• Molecule 1: Fimbrial protein




- Molecule 1: Fimbrial protein




- Molecule 1: Fimbrial protein



- Molecule 2: alpha-D-galactopyranose-(1-3)-2,4-bisacetamido-2,4-dideoxy-beta-D-glucopyranoside



- Molecule 2: alpha-D-galactopyranose-(1-3)-2,4-bisacetamido-2,4-dideoxy-beta-D-glucopyranoside



- Molecule 2: alpha-D-galactopyranose-(1-3)-2,4-bisacetamido-2,4-dideoxy-beta-D-glucopyranoside





- Molecule 2: alpha-D-galactopyranose-(1-3)-2,4-bisacetamido-2,4-dideoxy-beta-D-glucopyranos e



- Molecule 2: alpha-D-galactopyranose-(1-3)-2,4-bisacetamido-2,4-dideoxy-beta-D-glucopyranos e



- Molecule 2: alpha-D-galactopyranose-(1-3)-2,4-bisacetamido-2,4-dideoxy-beta-D-glucopyranos e



- Molecule 2: alpha-D-galactopyranose-(1-3)-2,4-bisacetamido-2,4-dideoxy-beta-D-glucopyranos e



- Molecule 2: alpha-D-galactopyranose-(1-3)-2,4-bisacetamido-2,4-dideoxy-beta-D-glucopyranos e



- Molecule 2: alpha-D-galactopyranose-(1-3)-2,4-bisacetamido-2,4-dideoxy-beta-D-glucopyranos e







- Molecule 2: alpha-D-galactopyranose-(1-3)-2,4-bisacetamido-2,4-dideoxy-beta-D-glucopyranos e



- Molecule 2: alpha-D-galactopyranose-(1-3)-2,4-bisacetamido-2,4-dideoxy-beta-D-glucopyranos e



- Molecule 2: alpha-D-galactopyranose-(1-3)-2,4-bisacetamido-2,4-dideoxy-beta-D-glucopyranos e



- Molecule 2: alpha-D-galactopyranose-(1-3)-2,4-bisacetamido-2,4-dideoxy-beta-D-glucopyranos e



- Molecule 2: alpha-D-galactopyranose-(1-3)-2,4-bisacetamido-2,4-dideoxy-beta-D-glucopyranos e



- Molecule 2: alpha-D-galactopyranose-(1-3)-2,4-bisacetamido-2,4-dideoxy-beta-D-glucopyranos e





- Molecule 2: alpha-D-galactopyranose-(1-3)-2,4-bisacetamido-2,4-dideoxy-beta-D-glucopyranos e



- Molecule 2: alpha-D-galactopyranose-(1-3)-2,4-bisacetamido-2,4-dideoxy-beta-D-glucopyranos e



- Molecule 2: alpha-D-galactopyranose-(1-3)-2,4-bisacetamido-2,4-dideoxy-beta-D-glucopyranos e



## 4 Experimental information

Property	Value	Source
EM reconstruction method	HELICAL	Depositor
Imposed symmetry	HELICAL, twist=Not provided°, rise=Not provided Å, axial sym=Not provided	Depositor
Number of segments used	25000	Depositor
Resolution determination method	Not provided	
CTF correction method	Wiener filter	Depositor
Microscope	FEI/PHILIPS CM200FEG	Depositor
Voltage (kV)	120	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	10	Depositor
Minimum defocus (nm)	1100	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	50000	Depositor
Image detector	KODAK SO-163 FILM	Depositor
Maximum map value	3.946	Depositor
Minimum map value	-0.810	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	1.000	Depositor
Recommended contour level	2.05	Depositor
Map size (Å)	101.6, 101.6, 152.4	wwPDB
Map dimensions	37, 37, 54	wwPDB
Map angles (°)	90, 90, 90	wwPDB
Pixel spacing (Å)	2.54, 2.54, 2.54	Depositor

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DT6, OPE, GLA, MEA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.58	1/1215 (0.1%)	0.66	1/1647 (0.1%)
1	B	0.58	1/1215 (0.1%)	0.66	1/1647 (0.1%)
1	C	0.58	1/1215 (0.1%)	0.66	1/1647 (0.1%)
1	D	0.59	1/1215 (0.1%)	0.66	1/1647 (0.1%)
1	E	0.59	1/1215 (0.1%)	0.66	1/1647 (0.1%)
1	F	0.59	1/1215 (0.1%)	0.66	1/1647 (0.1%)
1	G	0.59	1/1215 (0.1%)	0.66	1/1647 (0.1%)
1	H	0.59	1/1215 (0.1%)	0.66	1/1647 (0.1%)
1	I	0.59	1/1215 (0.1%)	0.66	1/1647 (0.1%)
1	J	0.58	1/1215 (0.1%)	0.66	1/1647 (0.1%)
1	K	0.58	1/1215 (0.1%)	0.66	1/1647 (0.1%)
1	L	0.58	1/1215 (0.1%)	0.66	1/1647 (0.1%)
1	M	0.58	1/1215 (0.1%)	0.66	1/1647 (0.1%)
1	N	0.58	1/1215 (0.1%)	0.66	1/1647 (0.1%)
1	O	0.58	1/1215 (0.1%)	0.66	1/1647 (0.1%)
1	P	0.59	1/1215 (0.1%)	0.66	1/1647 (0.1%)
1	Q	0.59	1/1215 (0.1%)	0.66	1/1647 (0.1%)
1	R	0.59	1/1215 (0.1%)	0.66	1/1647 (0.1%)
All	All	0.59	18/21870 (0.1%)	0.66	18/29646 (0.1%)

The worst 5 of 18 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	26	ASP	N-CA	15.11	1.76	1.46
1	R	26	ASP	N-CA	15.11	1.76	1.46
1	Q	26	ASP	N-CA	15.10	1.76	1.46
1	D	26	ASP	N-CA	15.10	1.76	1.46
1	F	26	ASP	N-CA	15.09	1.76	1.46

The worst 5 of 18 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	N	25	GLN	C-N-CA	-7.58	102.74	121.70
1	O	25	GLN	C-N-CA	-7.58	102.75	121.70
1	P	25	GLN	C-N-CA	-7.58	102.75	121.70
1	M	25	GLN	C-N-CA	-7.58	102.76	121.70
1	Q	25	GLN	C-N-CA	-7.58	102.76	121.70

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1207	0	1199	497	0
1	B	1207	0	1199	495	0
1	C	1207	0	1199	490	0
1	D	1207	0	1199	491	0
1	E	1207	0	1199	497	0
1	F	1207	0	1201	409	0
1	G	1207	0	1201	379	0
1	H	1207	0	1201	380	0
1	I	1207	0	1202	293	0
1	J	1207	0	1199	492	0
1	K	1207	0	1199	496	0
1	L	1207	0	1199	501	0
1	M	1207	0	1199	497	0
1	N	1207	0	1199	493	0
1	O	1207	0	1203	415	0
1	P	1207	0	1203	377	0
1	Q	1207	0	1203	377	0
1	R	1207	0	1203	296	0
2	S	28	0	25	1	0
2	T	28	0	25	1	0
2	U	28	0	25	1	0
2	V	28	0	25	1	0
2	W	28	0	25	1	0
2	X	28	0	25	1	0
2	Y	28	0	25	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	Z	28	0	25	1	0
2	a	28	0	25	0	0
2	b	28	0	25	0	0
2	c	28	0	25	0	0
2	d	28	0	25	0	0
2	e	28	0	25	0	0
2	f	28	0	25	0	0
2	g	28	0	25	0	0
2	h	28	0	25	0	0
2	i	28	0	25	0	0
2	j	28	0	25	0	0
3	A	8	0	6	0	0
3	B	8	0	6	0	0
3	C	8	0	6	0	0
3	D	8	0	6	0	0
3	E	8	0	6	0	0
3	F	8	0	6	0	0
3	G	8	0	6	0	0
3	H	8	0	6	0	0
3	I	8	0	6	0	0
3	J	8	0	6	0	0
3	K	8	0	6	0	0
3	L	8	0	6	0	0
3	M	8	0	6	0	0
3	N	8	0	6	0	0
3	O	8	0	6	0	0
3	P	8	0	6	0	0
3	Q	8	0	6	0	0
3	R	8	0	6	0	0
All	All	22374	0	22165	4761	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 107.

The worst 5 of 4761 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:8:ILE:HD11	1:L:1:MEA:CE2	1.24	1.68
1:E:1:MEA:CE2	1:F:8:ILE:HD11	1.24	1.66
1:Q:8:ILE:HD11	1:R:1:MEA:CE2	1.24	1.64
1:C:1:MEA:CE2	1:D:8:ILE:HD11	1.24	1.64

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1:MEA:CE2	1:C:8:ILE:HD11	1.24	1.62

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	156/158 (99%)	138 (88%)	9 (6%)	9 (6%)	1	14
1	B	156/158 (99%)	138 (88%)	9 (6%)	9 (6%)	1	14
1	C	156/158 (99%)	138 (88%)	9 (6%)	9 (6%)	1	14
1	D	156/158 (99%)	138 (88%)	9 (6%)	9 (6%)	1	14
1	E	156/158 (99%)	138 (88%)	9 (6%)	9 (6%)	1	14
1	F	156/158 (99%)	138 (88%)	9 (6%)	9 (6%)	1	14
1	G	156/158 (99%)	138 (88%)	9 (6%)	9 (6%)	1	14
1	H	156/158 (99%)	138 (88%)	9 (6%)	9 (6%)	1	14
1	I	156/158 (99%)	138 (88%)	9 (6%)	9 (6%)	1	14
1	J	156/158 (99%)	138 (88%)	9 (6%)	9 (6%)	1	14
1	K	156/158 (99%)	138 (88%)	9 (6%)	9 (6%)	1	14
1	L	156/158 (99%)	138 (88%)	9 (6%)	9 (6%)	1	14
1	M	156/158 (99%)	138 (88%)	9 (6%)	9 (6%)	1	14
1	N	156/158 (99%)	138 (88%)	9 (6%)	9 (6%)	1	14
1	O	156/158 (99%)	138 (88%)	9 (6%)	9 (6%)	1	14
1	P	156/158 (99%)	138 (88%)	9 (6%)	9 (6%)	1	14
1	Q	156/158 (99%)	138 (88%)	9 (6%)	9 (6%)	1	14
1	R	156/158 (99%)	138 (88%)	9 (6%)	9 (6%)	1	14
All	All	2808/2844 (99%)	2484 (88%)	162 (6%)	162 (6%)	2	14

5 of 162 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	93	LEU
1	A	98	ASN
1	B	93	LEU
1	B	98	ASN
1	C	93	LEU

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	128/129 (99%)	112 (88%)	16 (12%)	3	15
1	B	128/129 (99%)	112 (88%)	16 (12%)	3	15
1	C	128/129 (99%)	112 (88%)	16 (12%)	3	15
1	D	128/129 (99%)	112 (88%)	16 (12%)	3	15
1	E	128/129 (99%)	112 (88%)	16 (12%)	3	15
1	F	128/129 (99%)	112 (88%)	16 (12%)	3	15
1	G	128/129 (99%)	112 (88%)	16 (12%)	3	15
1	H	128/129 (99%)	112 (88%)	16 (12%)	3	15
1	I	128/129 (99%)	112 (88%)	16 (12%)	3	15
1	J	128/129 (99%)	112 (88%)	16 (12%)	3	15
1	K	128/129 (99%)	112 (88%)	16 (12%)	3	15
1	L	128/129 (99%)	112 (88%)	16 (12%)	3	15
1	M	128/129 (99%)	112 (88%)	16 (12%)	3	15
1	N	128/129 (99%)	112 (88%)	16 (12%)	3	15
1	O	128/129 (99%)	112 (88%)	16 (12%)	3	15
1	P	128/129 (99%)	112 (88%)	16 (12%)	3	15
1	Q	128/129 (99%)	112 (88%)	16 (12%)	3	15
1	R	128/129 (99%)	112 (88%)	16 (12%)	3	15
All	All	2304/2322 (99%)	2016 (88%)	288 (12%)	6	15



5 of 288 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	O	69	SER
1	R	137	LYS
1	O	137	LYS
1	Q	39	LEU
1	G	21	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 104 such sidechains are listed below:

Mol	Chain	Res	Type
1	K	53	ASN
1	M	99	ASN
1	R	53	ASN
1	K	99	ASN
1	L	99	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

18 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
1	MEA	F	1	1	10,11,13	0.63	0	8,13,16	0.21	0
1	MEA	R	1	1	10,11,13	0.64	0	8,13,16	0.23	0
1	MEA	N	1	1	10,11,13	0.64	0	8,13,16	0.24	0
1	MEA	P	1	1	10,11,13	0.64	0	8,13,16	0.25	0
1	MEA	D	1	1	10,11,13	0.63	0	8,13,16	0.22	0
1	MEA	E	1	1	10,11,13	0.63	0	8,13,16	0.22	0
1	MEA	M	1	1	10,11,13	0.63	0	8,13,16	0.24	0
1	MEA	A	1	1	10,11,13	0.62	0	8,13,16	0.21	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	MEA	J	1	1	10,11,13	0.62	0	8,13,16	0.22	0
1	MEA	H	1	1	10,11,13	0.63	0	8,13,16	0.22	0
1	MEA	B	1	1	10,11,13	0.62	0	8,13,16	0.21	0
1	MEA	G	1	1	10,11,13	0.63	0	8,13,16	0.22	0
1	MEA	C	1	1	10,11,13	0.62	0	8,13,16	0.21	0
1	MEA	I	1	1	10,11,13	0.63	0	8,13,16	0.22	0
1	MEA	L	1	1	10,11,13	0.63	0	8,13,16	0.22	0
1	MEA	Q	1	1	10,11,13	0.64	0	8,13,16	0.25	0
1	MEA	K	1	1	10,11,13	0.62	0	8,13,16	0.22	0
1	MEA	O	1	1	10,11,13	0.64	0	8,13,16	0.25	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	MEA	F	1	1	-	0/5/6/10	0/1/1/1
1	MEA	R	1	1	-	0/5/6/10	0/1/1/1
1	MEA	N	1	1	-	0/5/6/10	0/1/1/1
1	MEA	P	1	1	-	0/5/6/10	0/1/1/1
1	MEA	D	1	1	-	0/5/6/10	0/1/1/1
1	MEA	E	1	1	-	0/5/6/10	0/1/1/1
1	MEA	M	1	1	-	0/5/6/10	0/1/1/1
1	MEA	A	1	1	-	0/5/6/10	0/1/1/1
1	MEA	J	1	1	-	0/5/6/10	0/1/1/1
1	MEA	H	1	1	-	0/5/6/10	0/1/1/1
1	MEA	B	1	1	-	0/5/6/10	0/1/1/1
1	MEA	G	1	1	-	0/5/6/10	0/1/1/1
1	MEA	C	1	1	-	0/5/6/10	0/1/1/1
1	MEA	I	1	1	-	0/5/6/10	0/1/1/1
1	MEA	L	1	1	-	0/5/6/10	0/1/1/1
1	MEA	Q	1	1	-	0/5/6/10	0/1/1/1
1	MEA	K	1	1	-	0/5/6/10	0/1/1/1
1	MEA	O	1	1	-	0/5/6/10	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

17 monomers are involved in 279 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	F	1	MEA	17	0
1	R	1	MEA	17	0
1	N	1	MEA	16	0
1	P	1	MEA	17	0
1	D	1	MEA	17	0
1	E	1	MEA	15	0
1	M	1	MEA	17	0
1	A	1	MEA	17	0
1	J	1	MEA	16	0
1	H	1	MEA	17	0
1	B	1	MEA	17	0
1	G	1	MEA	16	0
1	C	1	MEA	15	0
1	L	1	MEA	17	0
1	Q	1	MEA	16	0
1	K	1	MEA	15	0
1	O	1	MEA	17	0

## 5.5 Carbohydrates

36 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	DT6	S	1	2,1	17,17,18	0.62	0	17,23,25	0.72	1 (5%)
2	GLA	S	2	2	11,11,12	0.39	0	15,15,17	0.71	0
2	DT6	T	1	2,1	17,17,18	0.62	0	17,23,25	0.72	1 (5%)
2	GLA	T	2	2	11,11,12	0.38	0	15,15,17	0.71	0
2	DT6	U	1	2,1	17,17,18	0.62	0	17,23,25	0.72	1 (5%)
2	GLA	U	2	2	11,11,12	0.38	0	15,15,17	0.71	0
2	DT6	V	1	2,1	17,17,18	0.62	0	17,23,25	0.72	1 (5%)
2	GLA	V	2	2	11,11,12	0.38	0	15,15,17	0.71	0
2	DT6	W	1	2,1	17,17,18	0.62	0	17,23,25	0.72	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	GLA	W	2	2	11,11,12	0.37	0	15,15,17	0.71	0
2	DT6	X	1	2,1	17,17,18	0.62	0	17,23,25	0.72	1 (5%)
2	GLA	X	2	2	11,11,12	0.36	0	15,15,17	0.72	0
2	DT6	Y	1	2,1	17,17,18	0.62	0	17,23,25	0.72	1 (5%)
2	GLA	Y	2	2	11,11,12	0.38	0	15,15,17	0.71	0
2	DT6	Z	1	2,1	17,17,18	0.63	0	17,23,25	0.72	1 (5%)
2	GLA	Z	2	2	11,11,12	0.38	0	15,15,17	0.71	0
2	DT6	a	1	2,1	17,17,18	0.62	0	17,23,25	0.72	1 (5%)
2	GLA	a	2	2	11,11,12	0.37	0	15,15,17	0.71	0
2	DT6	b	1	2,1	17,17,18	0.62	0	17,23,25	0.73	1 (5%)
2	GLA	b	2	2	11,11,12	0.38	0	15,15,17	0.72	0
2	DT6	c	1	2,1	17,17,18	0.63	0	17,23,25	0.73	1 (5%)
2	GLA	c	2	2	11,11,12	0.37	0	15,15,17	0.71	0
2	DT6	d	1	2,1	17,17,18	0.63	0	17,23,25	0.74	1 (5%)
2	GLA	d	2	2	11,11,12	0.38	0	15,15,17	0.71	0
2	DT6	e	1	2,1	17,17,18	0.63	0	17,23,25	0.73	1 (5%)
2	GLA	e	2	2	11,11,12	0.37	0	15,15,17	0.71	0
2	DT6	f	1	2,1	17,17,18	0.63	0	17,23,25	0.72	1 (5%)
2	GLA	f	2	2	11,11,12	0.38	0	15,15,17	0.71	0
2	DT6	g	1	2,1	17,17,18	0.63	0	17,23,25	0.72	1 (5%)
2	GLA	g	2	2	11,11,12	0.37	0	15,15,17	0.71	0
2	DT6	h	1	2,1	17,17,18	0.63	0	17,23,25	0.71	1 (5%)
2	GLA	h	2	2	11,11,12	0.37	0	15,15,17	0.72	0
2	DT6	i	1	2,1	17,17,18	0.64	0	17,23,25	0.70	1 (5%)
2	GLA	i	2	2	11,11,12	0.36	0	15,15,17	0.72	0
2	DT6	j	1	2,1	17,17,18	0.64	0	17,23,25	0.70	1 (5%)
2	GLA	j	2	2	11,11,12	0.37	0	15,15,17	0.72	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DT6	S	1	2,1	-	1/10/27/30	0/1/1/1
2	GLA	S	2	2	-	1/2/19/22	0/1/1/1
2	DT6	T	1	2,1	-	1/10/27/30	0/1/1/1
2	GLA	T	2	2	-	1/2/19/22	0/1/1/1
2	DT6	U	1	2,1	-	1/10/27/30	0/1/1/1
2	GLA	U	2	2	-	1/2/19/22	0/1/1/1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DT6	V	1	2,1	-	1/10/27/30	0/1/1/1
2	GLA	V	2	2	-	1/2/19/22	0/1/1/1
2	DT6	W	1	2,1	-	1/10/27/30	0/1/1/1
2	GLA	W	2	2	-	1/2/19/22	0/1/1/1
2	DT6	X	1	2,1	-	1/10/27/30	0/1/1/1
2	GLA	X	2	2	-	1/2/19/22	0/1/1/1
2	DT6	Y	1	2,1	-	1/10/27/30	0/1/1/1
2	GLA	Y	2	2	-	1/2/19/22	0/1/1/1
2	DT6	Z	1	2,1	-	1/10/27/30	0/1/1/1
2	GLA	Z	2	2	-	1/2/19/22	0/1/1/1
2	DT6	a	1	2,1	-	1/10/27/30	0/1/1/1
2	GLA	a	2	2	-	1/2/19/22	0/1/1/1
2	DT6	b	1	2,1	-	1/10/27/30	0/1/1/1
2	GLA	b	2	2	-	1/2/19/22	0/1/1/1
2	DT6	c	1	2,1	-	1/10/27/30	0/1/1/1
2	GLA	c	2	2	-	1/2/19/22	0/1/1/1
2	DT6	d	1	2,1	-	1/10/27/30	0/1/1/1
2	GLA	d	2	2	-	1/2/19/22	0/1/1/1
2	DT6	e	1	2,1	-	1/10/27/30	0/1/1/1
2	GLA	e	2	2	-	1/2/19/22	0/1/1/1
2	DT6	f	1	2,1	-	1/10/27/30	0/1/1/1
2	GLA	f	2	2	-	1/2/19/22	0/1/1/1
2	DT6	g	1	2,1	-	1/10/27/30	0/1/1/1
2	GLA	g	2	2	-	1/2/19/22	0/1/1/1
2	DT6	h	1	2,1	-	1/10/27/30	0/1/1/1
2	GLA	h	2	2	-	1/2/19/22	0/1/1/1
2	DT6	i	1	2,1	-	1/10/27/30	0/1/1/1
2	GLA	i	2	2	-	1/2/19/22	0/1/1/1
2	DT6	j	1	2,1	-	1/10/27/30	0/1/1/1
2	GLA	j	2	2	-	1/2/19/22	0/1/1/1

There are no bond length outliers.

The worst 5 of 18 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	d	1	DT6	C2-N2-C7	-2.19	119.96	122.90
2	b	1	DT6	C2-N2-C7	-2.18	119.98	122.90
2	e	1	DT6	C2-N2-C7	-2.17	120.00	122.90
2	f	1	DT6	C2-N2-C7	-2.17	120.00	122.90
2	c	1	DT6	C2-N2-C7	-2.16	120.01	122.90

There are no chirality outliers.

5 of 36 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	W	2	GLA	O5-C5-C6-O6
2	X	2	GLA	O5-C5-C6-O6
2	h	2	GLA	O5-C5-C6-O6
2	i	2	GLA	O5-C5-C6-O6
2	S	2	GLA	O5-C5-C6-O6


There are no ring outliers.

16 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	Z	2	GLA	1	0
2	Y	1	DT6	1	0
2	W	1	DT6	1	0
2	T	2	GLA	1	0
2	T	1	DT6	1	0
2	V	2	GLA	1	0
2	X	2	GLA	1	0
2	Z	1	DT6	1	0
2	V	1	DT6	1	0
2	W	2	GLA	1	0
2	Y	2	GLA	1	0
2	S	2	GLA	1	0
2	U	2	GLA	1	0
2	S	1	DT6	1	0
2	X	1	DT6	1	0
2	U	1	DT6	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.























































## 5.6 Ligand geometry [i](#)

18 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	OPE	C	824	1	7,7,7	0.92	0	9,9,9	0.98	0
3	OPE	E	824	1	7,7,7	0.92	0	9,9,9	0.99	0
3	OPE	I	824	1	7,7,7	0.91	0	9,9,9	0.98	0
3	OPE	D	824	1	7,7,7	0.92	0	9,9,9	0.99	0
3	OPE	F	824	1	7,7,7	0.91	0	9,9,9	0.98	0
3	OPE	P	824	1	7,7,7	0.92	0	9,9,9	0.99	0



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	OPE	N	824	1	7,7,7	0.92	0	9,9,9	0.99	0
3	OPE	O	824	1	7,7,7	0.92	0	9,9,9	0.99	0
3	OPE	Q	824	1	7,7,7	0.92	0	9,9,9	0.99	0
3	OPE	L	824	1	7,7,7	0.92	0	9,9,9	0.99	0
3	OPE	B	824	1	7,7,7	0.92	0	9,9,9	0.99	0
3	OPE	H	824	1	7,7,7	0.91	0	9,9,9	0.98	0
3	OPE	R	824	1	7,7,7	0.92	0	9,9,9	0.99	0
3	OPE	G	824	1	7,7,7	0.91	0	9,9,9	0.98	0
3	OPE	M	824	1	7,7,7	0.93	0	9,9,9	0.99	0
3	OPE	A	824	1	7,7,7	0.92	0	9,9,9	0.99	0
3	OPE	J	824	1	7,7,7	0.91	0	9,9,9	0.99	0
3	OPE	K	824	1	7,7,7	0.92	0	9,9,9	0.99	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	OPE	C	824	1	-	0/5/5/5	-
3	OPE	E	824	1	-	0/5/5/5	-
3	OPE	I	824	1	-	0/5/5/5	-
3	OPE	D	824	1	-	0/5/5/5	-
3	OPE	F	824	1	-	0/5/5/5	-
3	OPE	P	824	1	-	0/5/5/5	-
3	OPE	N	824	1	-	0/5/5/5	-
3	OPE	O	824	1	-	0/5/5/5	-
3	OPE	Q	824	1	-	0/5/5/5	-
3	OPE	L	824	1	-	0/5/5/5	-
3	OPE	B	824	1	-	0/5/5/5	-
3	OPE	H	824	1	-	0/5/5/5	-
3	OPE	R	824	1	-	0/5/5/5	-
3	OPE	G	824	1	-	0/5/5/5	-
3	OPE	M	824	1	-	0/5/5/5	-
3	OPE	A	824	1	-	0/5/5/5	-
3	OPE	J	824	1	-	0/5/5/5	-
3	OPE	K	824	1	-	0/5/5/5	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-1236. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 18



Y Index: 18



Z Index: 27

The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)

### 6.3.1 Primary map



X Index: 26



Y Index: 26




Z Index: 52


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 2.05. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 60 nm<sup>3</sup>; this corresponds to an approximate mass of 55 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

## 7.3 Rotationally averaged power spectrum [i](#)

This section was not generated. The rotationally averaged power spectrum is only generated for cubic maps.

## 8 Fourier-Shell correlation


This section was not generated. No FSC curve or half-maps provided.



## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-1236 and PDB model 2HIL. Per-residue inclusion information can be found in [section 3](#) on [page 10](#).

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 2.05 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (2.05).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 14% of all backbone atoms, 12% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary ⓘ





The table lists the average atom inclusion at the recommended contour level (2.05) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.1220	0.0340
A	0.1750	0.0520
B	0.1780	0.0520
C	0.1760	0.0470
D	0.1670	0.0560
E	0.1660	0.0530
F	0.1400	0.0400
G	0.1010	0.0250
H	0.0640	0.0070
I	0.0080	-0.0050
J	0.1760	0.0520
K	0.1740	0.0480
L	0.1710	0.0470
M	0.1800	0.0520
N	0.1680	0.0500
O	0.1030	0.0310
P	0.0670	0.0190
Q	0.0240	-0.0100
R	0.0010	-0.0050
S	0.0000	0.0700
T	0.0000	0.0790
U	0.0000	0.0680
V	0.0000	0.0810
W	0.0000	0.0730
X	0.0000	0.0860
Y	0.0000	0.1040
Z	0.0360	0.0940
a	0.0000	0.0140
b	0.0000	0.0590
c	0.0000	0.0710
d	0.0000	0.0460
e	0.0000	0.0390
f	0.0000	-0.0740
g	0.0000	0.0000
h	0.0000	0.0000



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
i	 0.0000	 0.0000
j	 0.0000	 0.0000