



wwPDB EM Validation Summary Report i

Nov 13, 2024 – 10:22 AM JST

PDB ID : 8HPQ
EMDB ID : EMD-34940
Title : Cryo-EM structure of SARS-CoV-2 Omicron BA.4 S-trimer in complex with fab L4.65 and L5.34
Authors : Gao, G.F.; Liu, S.
Deposited on : 2022-12-12
Resolution : 2.85 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) i) were used in the production of this report:


EMDB validation analysis : **FAILED**
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY


The reported resolution of this entry is 2.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	E	224	 80% 20%
4	M	224	 81% 19%
4	R	224	 80% 20%
5	F	216	 71% 29%
5	N	216	 71% 29%
5	S	216	 72% 28%

2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 44355 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike protein S2'.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1029	Total	C	N	O	S		
			8059	5158	1342	1522	37	1	0
1	B	1029	Total	C	N	O	S		
			8059	5158	1342	1522	37	1	0
1	C	1029	Total	C	N	O	S		
			8059	5158	1342	1522	37	1	0

There are 111 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	38	ILE	THR	conflict	UNP P0DTC2
A	?	-	LEU	deletion	UNP P0DTC2
A	?	-	PRO	deletion	UNP P0DTC2
A	?	-	PRO	deletion	UNP P0DTC2
A	43	SER	ALA	variant	UNP P0DTC2
A	?	-	HIS	deletion	UNP P0DTC2
A	?	-	VAL	deletion	UNP P0DTC2
A	156	ASP	GLY	variant	UNP P0DTC2
A	353	ASP	GLY	variant	UNP P0DTC2
A	385	PHE	SER	variant	UNP P0DTC2
A	387	PRO	SER	variant	UNP P0DTC2
A	389	PHE	SER	variant	UNP P0DTC2
A	390	ALA	THR	variant	UNP P0DTC2
A	419	ASN	ASP	variant	UNP P0DTC2
A	422	SER	ARG	variant	UNP P0DTC2
A	431	ASN	LYS	variant	UNP P0DTC2
A	454	LYS	ASN	variant	UNP P0DTC2
A	466	ARG	LEU	variant	UNP P0DTC2
A	491	ASN	SER	variant	UNP P0DTC2
A	492	LYS	THR	variant	UNP P0DTC2
A	498	ALA	GLU	variant	UNP P0DTC2
A	500	VAL	PHE	variant	UNP P0DTC2
A	512	ARG	GLN	variant	UNP P0DTC2
A	515	TYR	ASN	variant	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	519	HIS	TYR	variant	UNP P0DTC2
A	628	GLY	ASP	variant	UNP P0DTC2
A	669	TYR	HIS	variant	UNP P0DTC2
A	778	LYS	ASN	variant	UNP P0DTC2
A	810	TYR	ASP	variant	UNP P0DTC2
A	831	PRO	PHE	conflict	UNP P0DTC2
A	906	PRO	ALA	conflict	UNP P0DTC2
A	913	PRO	ALA	conflict	UNP P0DTC2
A	956	PRO	ALA	conflict	UNP P0DTC2
A	968	HIS	GLN	variant	UNP P0DTC2
A	983	LYS	ASN	variant	UNP P0DTC2
A	1000	PRO	LYS	conflict	UNP P0DTC2
A	1001	PRO	VAL	conflict	UNP P0DTC2
B	38	ILE	THR	conflict	UNP P0DTC2
B	?	-	LEU	deletion	UNP P0DTC2
B	?	-	PRO	deletion	UNP P0DTC2
B	?	-	PRO	deletion	UNP P0DTC2
B	43	SER	ALA	variant	UNP P0DTC2
B	?	-	HIS	deletion	UNP P0DTC2
B	?	-	VAL	deletion	UNP P0DTC2
B	156	ASP	GLY	variant	UNP P0DTC2
B	353	ASP	GLY	variant	UNP P0DTC2
B	385	PHE	SER	variant	UNP P0DTC2
B	387	PRO	SER	variant	UNP P0DTC2
B	389	PHE	SER	variant	UNP P0DTC2
B	390	ALA	THR	variant	UNP P0DTC2
B	419	ASN	ASP	variant	UNP P0DTC2
B	422	SER	ARG	variant	UNP P0DTC2
B	431	ASN	LYS	variant	UNP P0DTC2
B	454	LYS	ASN	variant	UNP P0DTC2
B	466	ARG	LEU	variant	UNP P0DTC2
B	491	ASN	SER	variant	UNP P0DTC2
B	492	LYS	THR	variant	UNP P0DTC2
B	498	ALA	GLU	variant	UNP P0DTC2
B	500	VAL	PHE	variant	UNP P0DTC2
B	512	ARG	GLN	variant	UNP P0DTC2
B	515	TYR	ASN	variant	UNP P0DTC2
B	519	HIS	TYR	variant	UNP P0DTC2
B	628	GLY	ASP	variant	UNP P0DTC2
B	669	TYR	HIS	variant	UNP P0DTC2
B	778	LYS	ASN	variant	UNP P0DTC2
B	810	TYR	ASP	variant	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	831	PRO	PHE	conflict	UNP P0DTC2
B	906	PRO	ALA	conflict	UNP P0DTC2
B	913	PRO	ALA	conflict	UNP P0DTC2
B	956	PRO	ALA	conflict	UNP P0DTC2
B	968	HIS	GLN	variant	UNP P0DTC2
B	983	LYS	ASN	variant	UNP P0DTC2
B	1000	PRO	LYS	conflict	UNP P0DTC2
B	1001	PRO	VAL	conflict	UNP P0DTC2
C	38	ILE	THR	conflict	UNP P0DTC2
C	?	-	LEU	deletion	UNP P0DTC2
C	?	-	PRO	deletion	UNP P0DTC2
C	?	-	PRO	deletion	UNP P0DTC2
C	43	SER	ALA	variant	UNP P0DTC2
C	?	-	HIS	deletion	UNP P0DTC2
C	?	-	VAL	deletion	UNP P0DTC2
C	156	ASP	GLY	variant	UNP P0DTC2
C	353	ASP	GLY	variant	UNP P0DTC2
C	385	PHE	SER	variant	UNP P0DTC2
C	387	PRO	SER	variant	UNP P0DTC2
C	389	PHE	SER	variant	UNP P0DTC2
C	390	ALA	THR	variant	UNP P0DTC2
C	419	ASN	ASP	variant	UNP P0DTC2
C	422	SER	ARG	variant	UNP P0DTC2
C	431	ASN	LYS	variant	UNP P0DTC2
C	454	LYS	ASN	variant	UNP P0DTC2
C	466	ARG	LEU	variant	UNP P0DTC2
C	491	ASN	SER	variant	UNP P0DTC2
C	492	LYS	THR	variant	UNP P0DTC2
C	498	ALA	GLU	variant	UNP P0DTC2
C	500	VAL	PHE	variant	UNP P0DTC2
C	512	ARG	GLN	variant	UNP P0DTC2
C	515	TYR	ASN	variant	UNP P0DTC2
C	519	HIS	TYR	variant	UNP P0DTC2
C	628	GLY	ASP	variant	UNP P0DTC2
C	669	TYR	HIS	variant	UNP P0DTC2
C	778	LYS	ASN	variant	UNP P0DTC2
C	810	TYR	ASP	variant	UNP P0DTC2
C	831	PRO	PHE	conflict	UNP P0DTC2
C	906	PRO	ALA	conflict	UNP P0DTC2
C	913	PRO	ALA	conflict	UNP P0DTC2
C	956	PRO	ALA	conflict	UNP P0DTC2
C	968	HIS	GLN	variant	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	983	LYS	ASN	variant	UNP P0DTC2
C	1000	PRO	LYS	conflict	UNP P0DTC2
C	1001	PRO	VAL	conflict	UNP P0DTC2

- Molecule 2 is a protein called fab L4.65.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	H	231	Total	C	N	O	S		
			1756	1115	287	347	7	0	0
2	P	231	Total	C	N	O	S		
			1756	1115	287	347	7	0	0
2	I	231	Total	C	N	O	S		
			1756	1115	287	347	7	0	0

- Molecule 3 is a protein called fab L4.65.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	L	215	Total	C	N	O	S		
			1658	1036	281	336	5	0	0
3	Q	215	Total	C	N	O	S		
			1658	1036	281	336	5	0	0
3	J	215	Total	C	N	O	S		
			1658	1036	281	336	5	0	0

- Molecule 4 is a protein called fab L5.34.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	M	224	Total	C	N	O	S		
			1656	1040	279	329	8	0	0
4	E	224	Total	C	N	O	S		
			1656	1040	279	329	8	0	0
4	R	224	Total	C	N	O	S		
			1656	1040	279	329	8	0	0

- Molecule 5 is a protein called fab L5.34.


Mol	Chain	Residues	Atoms					AltConf	Trace
5	N	216	Total	C	N	O	S		
			1642	1020	280	336	6	0	0
5	F	216	Total	C	N	O	S		
			1642	1020	280	336	6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
5	S	216	Total	C	N	O	S	0	0
			1642	1020	280	336	6		

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).





Mol	Chain	Residues	Atoms					AltConf
6	A	1	Total	C	N	O		0
			14	8	1	5		
6	B	1	Total	C	N	O		0
			14	8	1	5		
6	C	1	Total	C	N	O		0
			14	8	1	5		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Spike protein S2'






- Molecule 2: fab L4.65




- Molecule 2: fab L4.65




- Molecule 2: fab L4.65



- Molecule 3: fab L4.65




- Molecule 3: fab L4.65




- Molecule 3: fab L4.65

Chain J: 73% 27%



- Molecule 4: fab L5.34

Chain M: 81% 19%




- Molecule 4: fab L5.34

Chain E: 80% 20%




- Molecule 4: fab L5.34

Chain R: 80% 20%



- Molecule 5: fab L5.34

Chain N: 71% 29%



- Molecule 5: fab L5.34

Chain F:  71%

29%



- Molecule 5: fab L5.34

Chain S:  72%

28%



4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	593563	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	1.39	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	5000	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section:
NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.48	2/8248 (0.0%)	0.64	9/11214 (0.1%)
1	B	0.48	4/8249 (0.0%)	0.61	6/11217 (0.1%)
1	C	0.36	2/8249 (0.0%)	0.63	7/11217 (0.1%)
2	H	0.27	0/1805	0.54	1/2471 (0.0%)
2	I	0.27	0/1805	0.54	1/2471 (0.0%)
2	P	0.27	0/1805	0.54	1/2471 (0.0%)
3	J	0.28	0/1694	0.53	0/2294
3	L	0.28	0/1694	0.53	0/2294
3	Q	0.28	0/1694	0.53	0/2294
4	E	0.28	0/1694	0.53	0/2308
4	M	0.28	0/1694	0.53	0/2308
4	R	0.28	0/1694	0.53	0/2308
5	F	0.27	0/1676	0.51	0/2272
5	N	0.27	0/1676	0.51	0/2272
5	S	0.27	0/1676	0.51	0/2272
All	All	0.38	8/45353 (0.0%)	0.58	25/61683 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	3
1	C	0	3
2	H	0	1
2	I	0	1
2	P	0	1
All	All	0	11

The worst 5 of 8 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	343	PHE	C-N	28.21	1.87	1.34
1	A	343	PHE	C-N	27.58	1.86	1.34
1	C	43	SER	CB-OG	8.66	1.53	1.42
1	A	43	SER	CB-OG	8.60	1.53	1.42
1	B	43	SER	CB-OG	8.59	1.53	1.42

The worst 5 of 25 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	321	THR	O-C-N	-15.98	97.13	122.70
1	A	321	THR	O-C-N	-14.09	100.16	122.70
1	C	321	THR	CA-C-N	10.39	140.06	117.20
1	C	321	THR	C-N-CA	9.82	146.24	121.70
1	B	321	THR	O-C-N	-9.27	107.87	122.70

There are no chirality outliers.

5 of 11 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	321	THR	Mainchain
1	A	393	CYS	Peptide
1	B	321	THR	Mainchain
1	B	393	CYS	Peptide
2	H	116	ASP	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8059	0	7855	182	0
1	B	8059	0	7856	207	0
1	C	8059	0	7857	207	0
2	H	1756	0	1713	36	0
2	I	1756	0	1713	36	0
2	P	1756	0	1713	35	0
3	J	1658	0	1599	41	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	L	1658	0	1599	42	0
3	Q	1658	0	1599	39	0
4	E	1656	0	1620	33	0
4	M	1656	0	1620	31	0
4	R	1656	0	1620	31	0
5	F	1642	0	1599	40	0
5	N	1642	0	1599	42	0
5	S	1642	0	1599	39	0
6	A	14	0	13	0	0
6	B	14	0	13	0	0
6	C	14	0	13	0	0
All	All	44355	0	43200	849	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 849 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:182:PHE:CE1	1:C:374:ASN:ND2	1.73	1.54
1:B:181:THR:CA	1:C:371:ARG:NH1	1.67	1.50
1:B:181:THR:CB	1:C:371:ARG:HH22	1.22	1.48
1:B:182:PHE:HE1	1:C:374:ASN:ND2	0.95	1.43
1:B:181:THR:HB	1:C:371:ARG:NH2	1.27	1.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1006/1129 (89%)	974 (97%)	31 (3%)	1 (0%)	48 69

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	B	1008/1129 (89%)	977 (97%)	29 (3%)	2 (0%)	44 63
1	C	1008/1129 (89%)	982 (97%)	26 (3%)	0	100 100
2	H	229/231 (99%)	213 (93%)	16 (7%)	0	100 100
2	I	229/231 (99%)	213 (93%)	16 (7%)	0	100 100
2	P	229/231 (99%)	213 (93%)	16 (7%)	0	100 100
3	J	213/215 (99%)	208 (98%)	5 (2%)	0	100 100
3	L	213/215 (99%)	208 (98%)	5 (2%)	0	100 100
3	Q	213/215 (99%)	208 (98%)	5 (2%)	0	100 100
4	E	222/224 (99%)	210 (95%)	12 (5%)	0	100 100
4	M	222/224 (99%)	210 (95%)	12 (5%)	0	100 100
4	R	222/224 (99%)	210 (95%)	12 (5%)	0	100 100
5	F	214/216 (99%)	205 (96%)	9 (4%)	0	100 100
5	N	214/216 (99%)	205 (96%)	9 (4%)	0	100 100
5	S	214/216 (99%)	205 (96%)	9 (4%)	0	100 100
All	All	5656/6045 (94%)	5441 (96%)	212 (4%)	3 (0%)	50 69

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	337	THR
1	B	344	PRO
1	B	716	GLU

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	898/983 (91%)	891 (99%)	7 (1%)	79 90
1	B	898/983 (91%)	889 (99%)	9 (1%)	73 87
1	C	898/983 (91%)	891 (99%)	7 (1%)	79 90

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	H	204/204 (100%)	204 (100%)	0	100	100
2	I	204/204 (100%)	204 (100%)	0	100	100
2	P	204/204 (100%)	204 (100%)	0	100	100
3	J	186/186 (100%)	186 (100%)	0	100	100
3	L	186/186 (100%)	186 (100%)	0	100	100
3	Q	186/186 (100%)	186 (100%)	0	100	100
4	E	187/187 (100%)	187 (100%)	0	100	100
4	M	187/187 (100%)	187 (100%)	0	100	100
4	R	187/187 (100%)	187 (100%)	0	100	100
5	F	189/189 (100%)	188 (100%)	1 (0%)	86	94
5	N	189/189 (100%)	188 (100%)	1 (0%)	86	94
5	S	189/189 (100%)	188 (100%)	1 (0%)	86	94
All	All	4992/5247 (95%)	4966 (100%)	26 (0%)	85	94

5 of 26 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	545	THR
5	F	144	ARG
1	C	713	LEU
1	B	547	LEU
1	C	334	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 13 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	1025	GLN
5	F	126	GLN
5	S	126	GLN
1	C	940	GLN
1	C	1025	GLN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	NAG	C	1201	1	14,14,15	0.22	0	17,19,21	0.43	0
6	NAG	A	1201	1	14,14,15	0.22	0	17,19,21	0.43	0
6	NAG	B	1201	1	14,14,15	0.22	0	17,19,21	0.43	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	C	1201	1	-	2/6/23/26	0/1/1/1
6	NAG	A	1201	1	-	2/6/23/26	0/1/1/1
6	NAG	B	1201	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 6 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	1201	NAG	O5-C5-C6-O6
6	B	1201	NAG	O5-C5-C6-O6
6	C	1201	NAG	O5-C5-C6-O6
6	A	1201	NAG	C4-C5-C6-O6
6	C	1201	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	4
1	B	3
1	C	2

The worst 5 of 9 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	43:SER	C	44:TYR	N	10.12
1	B	43:SER	C	44:TYR	N	10.12
1	C	43:SER	C	44:TYR	N	10.12
1	A	330:SER	C	331:ASN	N	2.69
1	A	605:SER	C	606:PHE	N	2.52