



## Full wwPDB EM Validation Report ⓘ

Mar 25, 2025 – 08:21 PM JST

PDB ID : 8I4Y  
EMDB ID : EMD-35188  
Title : CalA3 complex structure with amidation product  
Authors : Wang, J.; Wang, Z.  
Deposited on : 2023-01-21  
Resolution : 3.84 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev117  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.41.4


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.84 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1719	<div> <div>19%</div> <div>92%</div> <div>5% •</div> </div>
1	B	1719	<div> <div>21%</div> <div>92%</div> <div>6% •</div> </div>

## 2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 49070 atoms, of which 24402 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-ketoacyl-acyl-carrier-protein synthase I.


Mol	Chain	Residues	Atoms						AltConf	Trace
1	A	1687	Total	C	H	N	O	S	0	0
			24479	7665	12174	2281	2336	23		
1	B	1687	Total	C	H	N	O	S	0	0
			24479	7665	12174	2281	2336	23		

- Molecule 2 is 11-oxidanylidene-11-(1 {H}-pyrrol-2-yl)undecanoic acid (three-letter code: ONF) (formula: C<sub>15</sub>H<sub>23</sub>NO<sub>3</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
2	A	1	Total	C	H	N	O	0
			40	15	22	1	2	
2	B	1	Total	C	H	N	O	0
			40	15	22	1	2	


- Molecule 3 is 3-HYDROXYANTHRANILIC ACID (three-letter code: 3HA) (formula: C<sub>7</sub>H<sub>7</sub>NO<sub>3</sub>) (labeled as "Ligand of Interest" by depositor).




### 3 Residue-property plots



These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Beta-ketoacyl-acyl-carrier-protein synthase I





• Molecule 1: Beta-ketoacyl-acyl-carrier-protein synthase I





## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	223652	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	48.06	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.046	Depositor
Minimum map value	-0.020	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.001	Depositor
Recommended contour level	0.0089	Depositor
Map size (Å)	341.76, 341.76, 341.76	wwPDB
Map dimensions	384, 384, 384	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.89000005, 0.89000005, 0.89000005	Depositor



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 3HA, ONF

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.64	0/12570	1.08	84/17166 (0.5%)
1	B	0.64	0/12570	1.09	95/17166 (0.6%)
All	All	0.64	0/25140	1.08	179/34332 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	0	3
All	All	0	6

There are no bond length outliers.

All (179) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	810	ARG	NE-CZ-NH2	9.95	125.28	120.30
1	B	44	ARG	NE-CZ-NH2	9.21	124.90	120.30
1	B	845	ARG	NE-CZ-NH2	9.08	124.84	120.30
1	B	810	ARG	NE-CZ-NH2	9.03	124.81	120.30
1	B	1569	ARG	NE-CZ-NH2	8.66	124.63	120.30
1	A	1569	ARG	NE-CZ-NH2	8.64	124.62	120.30
1	B	998	ARG	NE-CZ-NH2	8.41	124.51	120.30
1	B	1083	ARG	NE-CZ-NH2	8.01	124.31	120.30
1	B	541	ARG	NE-CZ-NH2	7.90	124.25	120.30
1	A	44	ARG	NE-CZ-NH2	7.86	124.23	120.30
1	B	1059	ARG	NE-CZ-NH2	7.77	124.19	120.30
1	B	573	ARG	NE-CZ-NH2	7.68	124.14	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	605	ARG	NE-CZ-NH2	7.58	124.09	120.30
1	A	480	ARG	NE-CZ-NH2	7.57	124.09	120.30
1	A	1017	ARG	NE-CZ-NH2	7.51	124.05	120.30
1	A	565	ARG	NE-CZ-NH2	7.36	123.98	120.30
1	B	779	ARG	NE-CZ-NH2	7.33	123.97	120.30
1	A	998	ARG	NE-CZ-NH2	7.29	123.95	120.30
1	B	605	ARG	NE-CZ-NH2	7.24	123.92	120.30
1	B	115	ARG	NE-CZ-NH2	7.21	123.91	120.30
1	B	1025	ARG	NE-CZ-NH2	7.16	123.88	120.30
1	A	682	ARG	NE-CZ-NH2	7.10	123.85	120.30
1	B	271	ARG	NE-CZ-NH2	7.07	123.83	120.30
1	B	1054	ARG	NE-CZ-NH2	7.00	123.80	120.30
1	A	1434	ARG	NE-CZ-NH2	6.98	123.79	120.30
1	B	1613	ARG	NE-CZ-NH2	6.97	123.78	120.30
1	A	823	ARG	NE-CZ-NH2	6.96	123.78	120.30
1	B	1552	ARG	NE-CZ-NH2	6.96	123.78	120.30
1	B	1017	ARG	NE-CZ-NH2	6.96	123.78	120.30
1	A	238	ARG	NE-CZ-NH2	6.92	123.76	120.30
1	A	779	ARG	NE-CZ-NH2	6.91	123.76	120.30
1	A	1192	ARG	NE-CZ-NH2	6.90	123.75	120.30
1	B	431	ARG	NE-CZ-NH2	6.90	123.75	120.30
1	A	1294	ARG	NE-CZ-NH2	6.89	123.74	120.30
1	A	1296	ARG	NE-CZ-NH2	6.85	123.72	120.30
1	B	635	ARG	NE-CZ-NH2	6.83	123.72	120.30
1	B	1460	ARG	NE-CZ-NH2	6.83	123.72	120.30
1	A	800	ARG	NE-CZ-NH2	6.80	123.70	120.30
1	B	179	ARG	NE-CZ-NH2	6.79	123.69	120.30
1	A	271	ARG	NE-CZ-NH2	6.76	123.68	120.30
1	B	821	ARG	NE-CZ-NH2	6.73	123.67	120.30
1	A	1123	ARG	NE-CZ-NH2	6.68	123.64	120.30
1	A	1211	ARG	NE-CZ-NH2	6.67	123.63	120.30
1	A	1025	ARG	NE-CZ-NH2	6.66	123.63	120.30
1	A	1703	ARG	NE-CZ-NH2	6.63	123.61	120.30
1	B	1270	ARG	NE-CZ-NH2	6.62	123.61	120.30
1	B	1718	ARG	NE-CZ-NH2	6.61	123.60	120.30
1	B	800	ARG	NE-CZ-NH2	6.59	123.60	120.30
1	A	845	ARG	NE-CZ-NH2	6.55	123.58	120.30
1	B	1447	ARG	NE-CZ-NH2	6.55	123.57	120.30
1	B	1434	ARG	NE-CZ-NH2	6.52	123.56	120.30
1	A	1693	ARG	NE-CZ-NH2	6.50	123.55	120.30
1	A	430	ARG	NE-CZ-NH2	6.45	123.53	120.30
1	B	1211	ARG	NE-CZ-NH2	6.40	123.50	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1616	ARG	NE-CZ-NH2	6.39	123.50	120.30
1	A	754	ARG	NE-CZ-NH2	6.38	123.49	120.30
1	B	428	ARG	NE-CZ-NH2	6.36	123.48	120.30
1	B	754	ARG	NE-CZ-NH2	6.33	123.47	120.30
1	A	428	ARG	NE-CZ-NH2	6.32	123.46	120.30
1	B	1192	ARG	NE-CZ-NH2	6.32	123.46	120.30
1	A	1460	ARG	NE-CZ-NH2	6.31	123.46	120.30
1	B	1194	ARG	NE-CZ-NH2	6.31	123.45	120.30
1	B	678	ARG	NE-CZ-NH2	6.29	123.44	120.30
1	A	1054	ARG	NE-CZ-NH2	6.29	123.44	120.30
1	B	1430	ARG	NE-CZ-NH2	6.26	123.43	120.30
1	B	485	ARG	NE-CZ-NH2	6.26	123.43	120.30
1	B	287	ARG	NE-CZ-NH2	6.23	123.42	120.30
1	A	829	ARG	NE-CZ-NH2	6.20	123.40	120.30
1	B	1475	ARG	NE-CZ-NH2	6.20	123.40	120.30
1	B	520	ARG	NE-CZ-NH2	6.20	123.40	120.30
1	A	431	ARG	NE-CZ-NH2	6.17	123.39	120.30
1	B	1294	ARG	NE-CZ-NH2	6.17	123.38	120.30
1	A	1328	ARG	NE-CZ-NH2	6.15	123.38	120.30
1	B	1043	ARG	NE-CZ-NH2	6.12	123.36	120.30
1	B	867	ARG	NE-CZ-NH2	6.11	123.36	120.30
1	A	1531	ARG	NE-CZ-NH2	6.11	123.36	120.30
1	B	682	ARG	NE-CZ-NH2	6.11	123.36	120.30
1	A	541	ARG	NE-CZ-NH2	6.11	123.35	120.30
1	B	1527	ARG	NE-CZ-NH2	6.09	123.34	120.30
1	B	1531	ARG	NE-CZ-NH2	6.08	123.34	120.30
1	A	1337	ARG	NE-CZ-NH2	6.07	123.33	120.30
1	B	393	ARG	NE-CZ-NH2	6.06	123.33	120.30
1	B	1337	ARG	NE-CZ-NH2	6.05	123.32	120.30
1	B	1079	ARG	NE-CZ-NH2	6.04	123.32	120.30
1	B	735	ARG	NE-CZ-NH2	6.04	123.32	120.30
1	B	390	ARG	NE-CZ-NH2	6.01	123.31	120.30
1	A	1486	ARG	NE-CZ-NH2	6.01	123.30	120.30
1	A	1447	ARG	NE-CZ-NH2	5.97	123.29	120.30
1	A	814	ARG	NE-CZ-NH2	5.96	123.28	120.30
1	A	1211	ARG	NE-CZ-NH1	-5.95	117.33	120.30
1	B	823	ARG	NE-CZ-NH2	5.93	123.27	120.30
1	A	485	ARG	NE-CZ-NH2	5.92	123.26	120.30
1	B	576	ARG	NE-CZ-NH2	5.91	123.25	120.30
1	A	1518	ARG	NE-CZ-NH2	5.90	123.25	120.30
1	A	287	ARG	NE-CZ-NH2	5.89	123.25	120.30
1	A	573	ARG	NE-CZ-NH2	5.88	123.24	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1443	ARG	NE-CZ-NH2	5.84	123.22	120.30
1	A	390	ARG	NE-CZ-NH2	5.82	123.21	120.30
1	B	1150	ARG	NE-CZ-NH2	5.81	123.20	120.30
1	B	1486	ARG	NE-CZ-NH2	5.80	123.20	120.30
1	B	1443	ARG	NE-CZ-NH2	5.79	123.19	120.30
1	A	678	ARG	NE-CZ-NH2	5.78	123.19	120.30
1	A	247	ARG	NE-CZ-NH2	5.77	123.19	120.30
1	B	431	ARG	NE-CZ-NH1	-5.76	117.42	120.30
1	B	1412	ARG	NE-CZ-NH2	5.74	123.17	120.30
1	B	829	ARG	NE-CZ-NH2	5.73	123.17	120.30
1	B	1418	ARG	NE-CZ-NH2	5.72	123.16	120.30
1	A	355	ARG	NE-CZ-NH2	5.70	123.15	120.30
1	B	430	ARG	NE-CZ-NH2	5.69	123.15	120.30
1	B	751	ARG	NE-CZ-NH2	5.67	123.13	120.30
1	B	50	ARG	NE-CZ-NH2	5.66	123.13	120.30
1	A	1083	ARG	NE-CZ-NH2	5.66	123.13	120.30
1	B	1472	ARG	NE-CZ-NH2	5.65	123.12	120.30
1	A	751	ARG	NE-CZ-NH2	5.63	123.11	120.30
1	A	1527	ARG	NE-CZ-NH2	5.63	123.11	120.30
1	B	271	ARG	NE-CZ-NH1	-5.61	117.50	120.30
1	B	565	ARG	NE-CZ-NH2	5.58	123.09	120.30
1	B	1027	ARG	NE-CZ-NH2	5.57	123.09	120.30
1	A	1552	ARG	NE-CZ-NH2	5.56	123.08	120.30
1	A	1418	ARG	NE-CZ-NH2	5.55	123.07	120.30
1	A	635	ARG	NE-CZ-NH2	5.53	123.06	120.30
1	B	355	ARG	NE-CZ-NH2	5.51	123.06	120.30
1	B	1693	ARG	NE-CZ-NH2	5.49	123.05	120.30
1	B	1349	ARG	NE-CZ-NH2	5.49	123.05	120.30
1	B	1164	ARG	NE-CZ-NH2	5.47	123.04	120.30
1	A	867	ARG	NE-CZ-NH2	5.47	123.03	120.30
1	B	1502	ARG	NE-CZ-NH2	5.47	123.03	120.30
1	B	1493	ARG	NE-CZ-NH2	5.46	123.03	120.30
1	B	1518	ARG	NE-CZ-NH2	5.45	123.03	120.30
1	B	277	ARG	NE-CZ-NH2	5.45	123.03	120.30
1	B	73	ARG	NE-CZ-NH2	5.45	123.02	120.30
1	A	899	ARG	NE-CZ-NH2	5.44	123.02	120.30
1	A	1194	ARG	NE-CZ-NH2	5.43	123.01	120.30
1	A	1080	ARG	NE-CZ-NH2	5.43	123.01	120.30
1	A	320	ARG	NE-CZ-NH2	5.42	123.01	120.30
1	B	694	ARG	NE-CZ-NH2	5.41	123.01	120.30
1	B	1211	ARG	NE-CZ-NH1	-5.41	117.59	120.30
1	B	1562	ARG	NE-CZ-NH2	5.40	123.00	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	855	ARG	NE-CZ-NH2	5.35	122.97	120.30
1	A	1079	ARG	NE-CZ-NH2	5.35	122.97	120.30
1	B	814	ARG	NE-CZ-NH2	5.35	122.97	120.30
1	B	900	ARG	NE-CZ-NH2	5.35	122.97	120.30
1	A	393	ARG	NE-CZ-NH2	5.33	122.97	120.30
1	B	1552	ARG	NE-CZ-NH1	-5.31	117.65	120.30
1	A	506	ARG	NE-CZ-NH2	5.30	122.95	120.30
1	B	1096	ARG	NE-CZ-NH2	5.30	122.95	120.30
1	A	271	ARG	NE-CZ-NH1	-5.30	117.65	120.30
1	B	320	ARG	NE-CZ-NH2	5.29	122.94	120.30
1	B	821	ARG	NE-CZ-NH1	-5.29	117.66	120.30
1	A	1043	ARG	NE-CZ-NH2	5.28	122.94	120.30
1	B	643	ARG	NE-CZ-NH2	5.28	122.94	120.30
1	A	745	ARG	NE-CZ-NH2	5.27	122.94	120.30
1	A	277	ARG	NE-CZ-NH2	5.25	122.92	120.30
1	A	512	ARG	NE-CZ-NH2	5.25	122.92	120.30
1	B	1703	ARG	NE-CZ-NH2	5.22	122.91	120.30
1	A	821	ARG	NE-CZ-NH2	5.21	122.91	120.30
1	A	1096	ARG	NE-CZ-NH2	5.21	122.91	120.30
1	A	1027	ARG	NE-CZ-NH2	5.21	122.90	120.30
1	B	487	ARG	NE-CZ-NH2	5.20	122.90	120.30
1	B	745	ARG	NE-CZ-NH2	5.20	122.90	120.30
1	B	512	ARG	NE-CZ-NH2	5.18	122.89	120.30
1	A	900	ARG	NE-CZ-NH2	5.17	122.89	120.30
1	A	1150	ARG	NE-CZ-NH2	5.17	122.89	120.30
1	B	899	ARG	NE-CZ-NH2	5.17	122.89	120.30
1	B	1199	ARG	NE-CZ-NH2	5.17	122.88	120.30
1	A	1327	ARG	NE-CZ-NH2	5.16	122.88	120.30
1	A	179	ARG	NE-CZ-NH2	5.15	122.88	120.30
1	A	247	ARG	NE-CZ-NH1	-5.15	117.73	120.30
1	B	1244	ARG	NE-CZ-NH2	5.13	122.86	120.30
1	B	506	ARG	NE-CZ-NH2	5.12	122.86	120.30
1	B	1328	ARG	NE-CZ-NH2	5.09	122.84	120.30
1	A	1486	ARG	NE-CZ-NH1	-5.07	117.77	120.30
1	A	424	ARG	NE-CZ-NH2	5.07	122.83	120.30
1	A	820	ARG	NE-CZ-NH2	5.04	122.82	120.30
1	A	1552	ARG	CD-NE-CZ	5.04	130.66	123.60
1	A	1616	ARG	NE-CZ-NH2	5.03	122.81	120.30
1	A	975	ARG	NE-CZ-NH2	5.01	122.80	120.30
1	A	1059	ARG	NE-CZ-NH2	5.01	122.80	120.30
1	A	694	ARG	NE-CZ-NH2	5.00	122.80	120.30

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1328	ARG	Sidechain
1	A	823	ARG	Sidechain
1	A	829	ARG	Sidechain
1	B	1651	TYR	Sidechain
1	B	506	ARG	Sidechain
1	B	998	ARG	Sidechain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	12305	12174	12171	1	0
1	B	12305	12174	12171	1	0
2	A	18	22	0	0	0
2	B	18	22	0	0	0
3	A	11	5	3	0	0
3	B	11	5	3	0	0
All	All	24668	24402	24348	2	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

All (2) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1112:ALA:HB1	1:B:1126:ALA:HB3	1.82	0.61
1:A:1112:ALA:HB1	1:A:1126:ALA:HB3	1.97	0.45

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1685/1719 (98%)	1623 (96%)	61 (4%)	1 (0%)	48	80
1	B	1685/1719 (98%)	1616 (96%)	69 (4%)	0	100	100
All	All	3370/3438 (98%)	3239 (96%)	130 (4%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	744	GLY

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1210/1237 (98%)	1192 (98%)	18 (2%)	60	74
1	B	1210/1237 (98%)	1202 (99%)	8 (1%)	81	86
All	All	2420/2474 (98%)	2394 (99%)	26 (1%)	69	79

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	41	ILE
1	A	438	THR
1	A	479	LEU
1	A	623	GLN
1	A	636	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	720	GLU
1	A	862	VAL
1	A	964	LEU
1	A	967	THR
1	A	1054	ARG
1	A	1206	GLU
1	A	1501	GLU
1	A	1519	LEU
1	A	1580	THR
1	A	1637	SER
1	A	1693	ARG
1	A	1708	GLU
1	A	1716	GLN
1	B	92	VAL
1	B	164	LEU
1	B	311	VAL
1	B	439	LEU
1	B	442	THR
1	B	479	LEU
1	B	1054	ARG
1	B	1580	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.



In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	ONF	A	1801	3	18,18,19	0.83	1 (5%)	17,20,22	0.94	1 (5%)
3	3HA	A	1802	2	10,11,11	1.28	1 (10%)	14,15,15	1.34	2 (14%)
3	3HA	B	1802	2	10,11,11	1.19	1 (10%)	14,15,15	1.10	1 (7%)
2	ONF	B	1801	3	18,18,19	0.74	0	17,20,22	0.96	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ONF	A	1801	3	-	2/10/15/16	0/1/1/1
3	3HA	A	1802	2	-	0/4/4/4	0/1/1/1
3	3HA	B	1802	2	-	0/4/4/4	0/1/1/1
2	ONF	B	1801	3	-	0/10/15/16	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1802	3HA	O8-C7	-2.83	1.21	1.30
3	B	1802	3HA	O8-C7	-2.76	1.22	1.30
2	A	1801	ONF	C13-C12	-2.37	1.48	1.50

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1802	3HA	C3-C2-C7	2.91	122.87	120.90
3	B	1802	3HA	C2-C3-N10	-2.71	116.86	121.43
3	A	1802	3HA	C2-C3-N10	-2.34	117.50	121.43
2	B	1801	ONF	C16-N17-C13	2.18	110.16	104.44
2	A	1801	ONF	C16-N17-C13	2.06	109.85	104.44
2	B	1801	ONF	C15-C16-N17	-2.00	106.27	111.33

There are no chirality outliers.


All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1801	ONF	C10-C11-C12-C13
2	A	1801	ONF	C08-C09-C10-C11


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-35188. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 192




Y Index: 192




Z Index: 192


### 6.2.2 Raw map



X Index: 192



Y Index: 192




Z Index: 192


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 219




Y Index: 191




Z Index: 192


### 6.3.2 Raw map



X Index: 219



Y Index: 191




Z Index: 192

The images above show the largest variance slices of the map in three orthogonal directions.




## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0089. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 140  $\text{nm}^3$ ; this corresponds to an approximate mass of 127 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of 0.260  $\text{\AA}^{-1}$

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.260  $\text{\AA}^{-1}$

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.84	-	-
Author-provided FSC curve	3.82	4.25	3.87
Unmasked-calculated*	4.18	5.02	4.25

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-35188 and PDB model 8I4Y. Per-residue inclusion information can be found in section 3 on page 5.


### 9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.0089 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.




## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0089).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 66% of all backbone atoms, 65% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0089) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.6480	<div></div> 0.4160
A	<div></div> 0.6500	<div></div> 0.4190
B	<div></div> 0.6540	<div></div> 0.4130

