



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 22, 2025 – 04:40 PM EDT

PDB ID : 4INH  
Title : Structural Basis of Substrate Specificity and Protease Inhibition in Norwalk Virus  
Authors : Prasad, B.V.V.; Muhaxhiri, Z.; Deng, L.; Shanker, S.; Sankaran, B.; Estes, M.K.; Palzkill, T.; Song, Y.  
Deposited on : 2013-01-04  
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.21
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.004 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.41.4

# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:  
*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R <sub>free</sub>	164625	5161 (1.70-1.70)
Clashscore	180529	5671 (1.70-1.70)
Ramachandran outliers	177936	5594 (1.70-1.70)
Sidechain outliers	177891	5594 (1.70-1.70)
RSRZ outliers	164620	5159 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	185	<div><div>77%</div><div>15%<div>••</div>7%</div></div>
1	B	185	<div><div>77%</div><div>14%<div>•</div>8%</div></div>
1	C	185	<div><div>75%</div><div>14%<div>•</div>10%</div></div>
1	D	185	<div><div>79%</div><div>10%<div>•</div>10%</div></div>
1	E	185	<div><div>80%</div><div>10%<div>•</div>10%</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	185	 77% 12% • 10%
1	G	185	 76% 13% • 10%
1	H	185	 76% 13% • 9%
2	J	4	 50% 25% 25%
2	M	4	 75% 25%
2	N	4	 50% 25% 25%
2	O	4	 50% 25% 25%
2	P	4	 50% 25% 25%
2	Q	4	 50% 25% 25%
2	S	4	 50% 25% 25%
2	T	4	 75% 25%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	DMS	A	201	-	X	-	-

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 11854 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Genome polypeptide.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	172	Total	C	N	O	S	0	0	0
			1278	810	225	233	10			
1	B	170	Total	C	N	O	S	0	0	0
			1268	804	223	231	10			
1	C	166	Total	C	N	O	S	0	0	0
			1241	792	219	220	10			
1	D	167	Total	C	N	O	S	0	0	0
			1248	794	220	224	10			
1	E	167	Total	C	N	O	S	0	0	0
			1242	792	219	221	10			
1	F	167	Total	C	N	O	S	0	0	0
			1249	795	220	224	10			
1	G	167	Total	C	N	O	S	0	0	0
			1245	793	219	223	10			
1	H	168	Total	C	N	O	S	0	0	0
			1254	799	220	224	11			

There are 32 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	ASP	-	expression tag	UNP Q83883
A	-2	ASP	-	expression tag	UNP Q83883
A	-1	ASP	-	expression tag	UNP Q83883
A	0	LYS	-	expression tag	UNP Q83883
B	-3	ASP	-	expression tag	UNP Q83883
B	-2	ASP	-	expression tag	UNP Q83883
B	-1	ASP	-	expression tag	UNP Q83883
B	0	LYS	-	expression tag	UNP Q83883
C	-3	ASP	-	expression tag	UNP Q83883
C	-2	ASP	-	expression tag	UNP Q83883
C	-1	ASP	-	expression tag	UNP Q83883
C	0	LYS	-	expression tag	UNP Q83883
D	-3	ASP	-	expression tag	UNP Q83883

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	-2	ASP	-	expression tag	UNP Q83883
D	-1	ASP	-	expression tag	UNP Q83883
D	0	LYS	-	expression tag	UNP Q83883
E	-3	ASP	-	expression tag	UNP Q83883
E	-2	ASP	-	expression tag	UNP Q83883
E	-1	ASP	-	expression tag	UNP Q83883
E	0	LYS	-	expression tag	UNP Q83883
F	-3	ASP	-	expression tag	UNP Q83883
F	-2	ASP	-	expression tag	UNP Q83883
F	-1	ASP	-	expression tag	UNP Q83883
F	0	LYS	-	expression tag	UNP Q83883
G	-3	ASP	-	expression tag	UNP Q83883
G	-2	ASP	-	expression tag	UNP Q83883
G	-1	ASP	-	expression tag	UNP Q83883
G	0	LYS	-	expression tag	UNP Q83883
H	-3	ASP	-	expression tag	UNP Q83883
H	-2	ASP	-	expression tag	UNP Q83883
H	-1	ASP	-	expression tag	UNP Q83883
H	0	LYS	-	expression tag	UNP Q83883

- Molecule 2 is a protein called peptide inhibitor, syc59.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	J	4	Total	C	N	O	0	0	0
			34	24	4	6			
2	M	4	Total	C	N	O	0	0	0
			34	24	4	6			
2	S	4	Total	C	N	O	0	0	0
			34	24	4	6			
2	T	4	Total	C	N	O	0	0	0
			34	24	4	6			
2	N	4	Total	C	N	O	0	0	0
			34	24	4	6			
2	O	4	Total	C	N	O	0	0	0
			34	24	4	6			
2	P	4	Total	C	N	O	0	0	0
			34	24	4	6			
2	Q	4	Total	C	N	O	0	0	0
			34	24	4	6			

- Molecule 3 is DIMETHYL SULFOXIDE (three-letter code: DMS) (formula: C<sub>2</sub>H<sub>6</sub>OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	S	0	0
			4	2	1	1		
3	B	1	Total	C	O	S	0	0
			4	2	1	1		
3	D	1	Total	C	O	S	0	0
			4	2	1	1		
3	H	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	187	Total	O	0	0
			187	187		
4	B	191	Total	O	0	0
			191	191		
4	C	188	Total	O	0	0
			188	188		
4	D	207	Total	O	0	0
			207	207		
4	E	183	Total	O	0	0
			183	183		
4	F	203	Total	O	0	0
			203	203		
4	G	177	Total	O	0	0
			177	177		
4	H	178	Total	O	0	0
			178	178		

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	J	3	Total 3	O 3	0	0
4	M	1	Total 1	O 1	0	0
4	S	5	Total 5	O 5	0	0
4	T	2	Total 2	O 2	0	0
4	N	4	Total 4	O 4	0	0
4	O	2	Total 2	O 2	0	0
4	P	5	Total 5	O 5	0	0
4	Q	5	Total 5	O 5	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Genome polyprotein




- Molecule 1: Genome polyprotein



- Molecule 1: Genome polyprotein




- Molecule 1: Genome polyprotein



- Molecule 1: Genome polyprotein




Chain E:  80% 10% 10%





- Molecule 1: Genome polyprotein

Chain F:  77% 12% 10%




- Molecule 1: Genome polyprotein

Chain G:  76% 13% 10%



- Molecule 1: Genome polyprotein

Chain H:  76% 13% 9%



- Molecule 2: peptide inhibitor, syc59

Chain J:  50% 25% 25%



- Molecule 2: peptide inhibitor, syc59

Chain M:  75% 25%



- Molecule 2: peptide inhibitor, syc59

Chain S:  50% 25% 25%



- Molecule 2: peptide inhibitor, syc59

Chain T:  75% 25%



- Molecule 2: peptide inhibitor, syc59

Chain N:  50% 25% 25%



- Molecule 2: peptide inhibitor, syc59

Chain O:  50% 25% 25%



- Molecule 2: peptide inhibitor, syc59

Chain P:  50% 25% 25%



- Molecule 2: peptide inhibitor, syc59

Chain Q:  50% 25% 25%



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	56.34Å 66.92Å 100.46Å 89.99° 90.09° 75.93°	Depositor
Resolution (Å)	32.45 – 1.70 32.45 – 1.70	Depositor EDS
% Data completeness (in resolution range)	96.1 (32.45-1.70) 96.7 (32.45-1.70)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.36 (at 1.64Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7_650)	Depositor
R, $R_{free}$	0.176 , 0.208 0.171 , 0.201	Depositor DCC
$R_{free}$ test set	7588 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	19.0	Xtriage
Anisotropy	0.158	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 31.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.447 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.98	EDS
Total number of atoms	11854	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 60.79 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.4429e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 1HB, DMS, PHQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.49	0/1308	0.77	1/1774 (0.1%)
1	B	0.52	0/1298	0.76	0/1760
1	C	0.49	0/1271	0.68	0/1723
1	D	0.47	0/1278	0.68	0/1733
1	E	0.51	0/1272	0.69	0/1726
1	F	0.51	0/1279	0.71	0/1735
1	G	0.47	0/1275	0.69	0/1730
1	H	0.48	0/1284	0.70	0/1742
2	J	0.78	0/12	2.28	1/15 (6.7%)
2	M	0.96	0/12	2.18	0/15
2	N	1.10	0/12	2.28	1/15 (6.7%)
2	O	1.06	0/12	1.80	1/15 (6.7%)
2	P	0.55	0/12	1.50	0/15
2	Q	1.60	1/12 (8.3%)	1.61	0/15
2	S	0.73	0/12	1.90	0/15
2	T	0.85	0/12	1.97	0/15
All	All	0.50	1/10361 (0.0%)	0.73	4/14043 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	Q	2	ALA	C-N	-5.33	1.21	1.34

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	101	MET	CG-SD-CE	7.32	111.92	100.20
2	N	2	ALA	O-C-N	-5.54	113.84	122.70
2	J	2	ALA	O-C-N	-5.31	114.20	122.70
2	O	2	ALA	N-CA-CB	-5.11	102.94	110.10

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1278	0	1269	45	0
1	B	1268	0	1265	30	0
1	C	1241	0	1252	23	0
1	D	1248	0	1254	33	0
1	E	1242	0	1245	23	0
1	F	1249	0	1253	34	1
1	G	1245	0	1247	20	2
1	H	1254	0	1255	27	0
2	J	34	0	34	3	0
2	M	34	0	34	3	0
2	N	34	0	34	1	0
2	O	34	0	34	2	0
2	P	34	0	34	2	0
2	Q	34	0	34	1	0
2	S	34	0	34	3	0
2	T	34	0	34	2	0
3	A	4	0	6	0	0
3	B	4	0	6	1	0
3	D	4	0	6	0	0
3	H	4	0	6	0	0
4	A	187	0	0	4	0
4	B	191	0	0	4	0
4	C	188	0	0	4	0
4	D	207	0	0	6	0
4	E	183	0	0	5	0
4	F	203	0	0	7	1
4	G	177	0	0	1	0
4	H	178	0	0	7	0
4	J	3	0	0	0	0
4	M	1	0	0	0	0
4	N	4	0	0	0	0
4	O	2	0	0	0	0
4	P	5	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	Q	5	0	0	0	0
4	S	5	0	0	0	0
4	T	2	0	0	0	0
All	All	11854	0	10336	219	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (219) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:80:GLY:O	1:H:100:ARG:NH1	1.79	1.14
1:D:162:LYS:H	1:D:162:LYS:CD	1.62	1.12
1:B:162:LYS:H	1:B:162:LYS:CD	1.57	1.11
1:B:162:LYS:N	1:B:162:LYS:HD2	1.55	1.08
1:A:101:MET:CE	1:A:119:GLY:HA3	1.87	1.04
4:G:353:HOH:O	1:H:130:MET:SD	2.16	1.03
1:D:162:LYS:H	1:D:162:LYS:HD2	1.23	1.02
1:A:-3:ASP:CG	1:A:-2:ASP:HA	1.81	1.01
1:A:101:MET:HE3	1:A:119:GLY:HA3	1.41	1.01
1:C:99:VAL:HG22	1:C:121:LEU:HD23	1.42	0.99
1:H:120:MET:SD	4:H:449:HOH:O	2.19	0.98
1:B:-3:ASP:OD2	1:B:-2:ASP:HA	1.64	0.98
1:A:-3:ASP:CB	1:A:-2:ASP:HA	1.93	0.97
1:H:99:VAL:HG22	1:H:121:LEU:HD23	1.41	0.97
1:A:162:LYS:CD	1:A:162:LYS:H	1.76	0.96
1:E:99:VAL:HG22	1:E:121:LEU:HD23	1.49	0.94
1:H:39:PHE:CE2	1:H:44:LEU:HD21	2.03	0.93
1:D:162:LYS:HD2	1:D:162:LYS:N	1.84	0.93
1:B:162:LYS:H	1:B:162:LYS:HD2	0.79	0.93
1:F:108:ARG:HD2	1:F:111:GLY:HA2	1.50	0.92
1:A:162:LYS:H	1:A:162:LYS:HD2	1.34	0.92
1:F:161:THR:HB	1:F:162:LYS:HE3	1.50	0.92
1:A:101:MET:SD	4:A:445:HOH:O	2.26	0.91
1:A:0:LYS:HD2	1:H:110:GLN:HA	1.51	0.91
1:A:74:GLU:OE2	1:A:147:ARG:NH2	2.04	0.90
1:B:109:ILE:O	4:B:428:HOH:O	1.90	0.90
1:A:-3:ASP:CB	1:H:108:ARG:HG2	2.02	0.90
1:D:162:LYS:H	1:D:162:LYS:CE	1.83	0.90
1:C:147:ARG:HG2	1:C:147:ARG:HH11	1.35	0.89
1:F:108:ARG:NH1	1:F:113:LEU:N	2.20	0.89

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:108:ARG:NH1	1:F:112:ARG:C	2.26	0.89
1:F:108:ARG:HH11	1:F:112:ARG:C	1.76	0.89
1:H:93:GLU:OE2	1:H:95:LEU:HD21	1.74	0.87
1:A:162:LYS:H	1:A:162:LYS:CE	1.87	0.87
1:F:162:LYS:H	1:F:162:LYS:CD	1.88	0.86
1:A:-3:ASP:OD2	1:A:-2:ASP:HA	1.76	0.85
1:G:99:VAL:HG22	1:G:121:LEU:HD23	1.59	0.85
1:B:74:GLU:OE2	1:B:147:ARG:NH1	2.10	0.84
1:A:162:LYS:H	1:A:162:LYS:HE3	1.43	0.83
1:A:162:LYS:HD2	1:A:162:LYS:N	1.94	0.82
1:C:75:GLU:HG3	1:C:172:GLN:O	1.81	0.81
1:D:149:ASN:ND2	1:E:162:LYS:NZ	2.28	0.81
1:F:172:GLN:HB3	4:F:304:HOH:O	1.80	0.81
1:D:162:LYS:H	1:D:162:LYS:HE3	1.46	0.80
1:F:38:GLU:OE1	4:F:343:HOH:O	1.98	0.80
1:F:108:ARG:HH12	1:F:113:LEU:N	1.77	0.79
1:B:-3:ASP:CG	1:B:-2:ASP:HA	2.04	0.79
1:A:0:LYS:HE3	1:A:84:SER:OG	1.83	0.78
1:D:0:LYS:HD2	1:D:96:PRO:HB2	1.66	0.78
1:D:0:LYS:HE3	1:E:110:GLN:C	2.03	0.77
1:C:163:SER:OG	4:C:365:HOH:O	2.02	0.76
1:B:0:LYS:HE2	1:B:84:SER:OG	1.84	0.76
1:A:-3:ASP:HB2	1:H:108:ARG:HG2	1.67	0.76
1:B:0:LYS:HE2	1:B:84:SER:CB	2.17	0.75
1:D:149:ASN:HD22	1:E:162:LYS:NZ	1.85	0.74
1:F:0:LYS:HE3	1:F:96:PRO:HB2	1.67	0.74
1:B:147:ARG:NH2	4:B:483:HOH:O	1.87	0.74
1:F:162:LYS:H	1:F:162:LYS:CE	2.01	0.73
1:F:161:THR:CB	1:F:162:LYS:HE3	2.19	0.73
1:C:90:ASP:OD2	4:C:384:HOH:O	2.07	0.72
1:B:136:PRO:O	2:J:4:1HB:H17	1.91	0.71
1:C:161:THR:HA	2:S:1:PHQ:H21	1.72	0.71
1:F:59:ARG:NH1	4:F:350:HOH:O	2.07	0.71
1:H:75:GLU:HG3	1:H:172:GLN:O	1.90	0.71
1:F:162:LYS:HE3	1:F:162:LYS:H	1.56	0.71
1:A:-3:ASP:HB3	1:A:-2:ASP:HA	1.72	0.71
1:E:0:LYS:O	4:E:379:HOH:O	2.09	0.71
1:D:1:ALA:HB1	1:D:5:LEU:HD23	1.72	0.70
1:D:-1:ASP:O	1:D:0:LYS:HB2	1.90	0.70
1:C:99:VAL:HG22	1:C:121:LEU:CD2	2.20	0.70
1:A:136:PRO:O	2:M:4:1HB:H17	1.93	0.68

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:162:LYS:O	4:A:449:HOH:O	2.11	0.68
1:A:162:LYS:HE3	1:A:162:LYS:N	2.09	0.68
1:F:16:TRP:O	1:F:140:GLY:HA3	1.94	0.68
1:D:162:LYS:N	1:D:162:LYS:HE3	2.08	0.67
1:H:93:GLU:CD	1:H:95:LEU:HD21	2.15	0.67
1:D:149:ASN:HD22	1:E:162:LYS:HZ2	1.41	0.67
1:A:78:PRO:HB3	1:G:45:SER:HA	1.77	0.67
1:B:-3:ASP:CB	1:B:-2:ASP:HA	2.23	0.67
1:B:-3:ASP:OD2	1:B:-2:ASP:CA	2.42	0.66
1:D:38:GLU:OE1	4:D:430:HOH:O	2.13	0.66
1:F:108:ARG:HD2	1:F:111:GLY:CA	2.23	0.66
1:F:136:PRO:O	2:O:4:1HB:H17	1.96	0.66
1:F:162:LYS:CD	1:F:162:LYS:N	2.58	0.66
1:H:99:VAL:HG22	1:H:121:LEU:CD2	2.20	0.66
1:A:101:MET:CE	4:A:445:HOH:O	2.44	0.65
1:H:131:ASP:OD1	4:H:404:HOH:O	2.14	0.65
1:A:74:GLU:OE2	1:A:147:ARG:CZ	2.46	0.64
1:D:149:ASN:ND2	1:E:162:LYS:HZ1	1.93	0.64
1:F:1:ALA:HB1	1:F:5:LEU:HD23	1.78	0.64
1:D:162:LYS:CD	1:D:162:LYS:N	2.40	0.63
1:D:136:PRO:O	2:T:4:1HB:H17	1.98	0.62
1:E:63:LYS:HE3	4:E:338:HOH:O	1.99	0.62
1:E:14:SER:OG	4:E:352:HOH:O	2.16	0.62
1:B:160:ALA:HB3	2:J:4:1HB:H11	1.82	0.61
1:A:120:MET:HE2	4:H:474:HOH:O	2.00	0.61
1:H:39:PHE:CD2	1:H:44:LEU:HD21	2.35	0.60
1:F:108:ARG:HH11	1:F:112:ARG:CA	2.14	0.59
1:B:74:GLU:OE1	4:B:318:HOH:O	2.16	0.59
1:F:108:ARG:NH1	1:F:112:ARG:CA	2.66	0.59
1:D:-1:ASP:N	4:D:377:HOH:O	2.36	0.59
1:C:147:ARG:HG2	1:C:147:ARG:NH1	2.12	0.58
1:G:15:GLY:C	1:G:16:TRP:CD1	2.77	0.58
1:D:59:ARG:NH1	4:D:432:HOH:O	2.24	0.58
1:A:101:MET:CE	1:A:119:GLY:CA	2.75	0.57
1:A:-3:ASP:OD2	1:A:-2:ASP:CA	2.49	0.57
1:A:101:MET:HE2	4:A:445:HOH:O	2.03	0.57
1:H:18:PHE:CD1	1:H:142:PRO:HG3	2.40	0.57
1:E:95:LEU:HD22	1:E:97:LEU:CD2	2.35	0.56
1:E:131:ASP:N	4:E:354:HOH:O	2.38	0.56
1:G:161:THR:HA	2:P:1:PHQ:H21	1.86	0.56
1:A:74:GLU:OE2	1:A:147:ARG:NH1	2.38	0.56

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:95:LEU:HD22	1:E:97:LEU:HD21	1.87	0.55
1:H:160:ALA:HB3	2:Q:4:1HB:H11	1.88	0.55
1:A:146:LYS:HD2	1:A:151:TRP:CE2	2.44	0.53
1:B:161:THR:HB	1:B:162:LYS:HD2	1.89	0.53
1:G:48:ALA:HB2	4:H:412:HOH:O	2.08	0.53
1:C:87:ILE:HD12	1:C:97:LEU:HG	1.89	0.53
1:G:136:PRO:O	2:P:4:1HB:H17	2.09	0.53
1:A:147:ARG:O	1:A:147:ARG:HG2	2.08	0.53
1:E:99:VAL:HG22	1:E:121:LEU:CD2	2.33	0.53
1:F:66:PRO:HG3	1:G:62:LYS:HG3	1.90	0.53
1:A:99:VAL:HG22	1:A:121:LEU:HD23	1.91	0.52
1:F:161:THR:CA	1:F:162:LYS:HE3	2.39	0.52
1:F:87:ILE:HD12	1:F:97:LEU:HG	1.91	0.52
1:F:79:GLU:OE1	4:F:328:HOH:O	2.19	0.51
1:C:93:GLU:OE2	1:C:95:LEU:HD21	2.10	0.51
1:D:0:LYS:HE3	1:E:110:GLN:O	2.10	0.51
1:H:16:TRP:O	1:H:140:GLY:HA3	2.11	0.51
1:D:149:ASN:ND2	1:E:162:LYS:CE	2.73	0.51
1:A:3:ASP:CG	1:H:108:ARG:HG2	2.31	0.51
1:B:15:GLY:C	1:B:16:TRP:CD1	2.85	0.51
1:D:133:GLY:N	4:D:396:HOH:O	2.43	0.51
1:E:95:LEU:CD2	1:E:97:LEU:HD21	2.41	0.50
1:A:160:ALA:HB3	2:M:4:1HB:H11	1.93	0.50
1:B:87:ILE:HD12	1:B:97:LEU:CD1	2.42	0.50
1:H:80:GLY:O	1:H:100:ARG:HD2	2.12	0.50
1:A:1:ALA:HB1	1:A:5:LEU:HD23	1.94	0.50
1:D:107:MET:O	1:D:113:LEU:HD12	2.12	0.50
1:F:15:GLY:C	1:F:16:TRP:CD1	2.86	0.50
1:E:17:GLY:HA3	1:E:25:PHE:CZ	2.46	0.49
1:F:162:LYS:N	1:F:162:LYS:HD3	2.26	0.49
1:A:101:MET:HE3	1:A:119:GLY:CA	2.27	0.49
1:E:136:PRO:O	2:N:4:1HB:H17	2.12	0.49
1:D:149:ASN:HD21	1:E:162:LYS:HE3	1.78	0.49
1:F:145:HIS:HE1	4:F:377:HOH:O	1.95	0.48
1:D:1:ALA:CB	1:D:5:LEU:HD23	2.40	0.48
1:F:112:ARG:NH2	4:F:339:HOH:O	2.34	0.48
1:C:147:ARG:HH11	1:C:147:ARG:CG	2.15	0.48
1:C:161:THR:CG2	1:C:166:THR:HB	2.43	0.47
1:G:15:GLY:O	1:G:16:TRP:CG	2.68	0.47
1:B:147:ARG:O	1:B:147:ARG:HG2	2.14	0.47
1:C:95:LEU:HD23	4:C:324:HOH:O	2.13	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:160:ALA:HB3	2:T:4:1HB:H11	1.97	0.47
1:G:36:VAL:HG21	1:G:39:PHE:CE1	2.50	0.47
1:B:77:CYS:SG	1:B:101:MET:HG3	2.54	0.47
1:D:123:THR:O	1:E:112:ARG:NH2	2.46	0.47
1:B:1:ALA:HB1	1:B:5:LEU:HD23	1.97	0.47
1:H:59:ARG:NH2	4:H:473:HOH:O	2.47	0.46
1:B:99:VAL:HG22	1:B:121:LEU:HD23	1.98	0.46
1:C:1:ALA:HB1	1:C:5:LEU:HD23	1.97	0.46
1:G:17:GLY:HA3	1:G:25:PHE:CZ	2.50	0.46
1:B:87:ILE:HD11	1:B:134:THR:HG22	1.98	0.46
1:C:108:ARG:HD3	1:C:108:ARG:HA	1.74	0.46
1:A:161:THR:HG23	1:A:166:THR:HB	1.96	0.46
1:A:-3:ASP:CG	1:A:-2:ASP:CA	2.70	0.45
1:C:160:ALA:HB3	2:S:4:1HB:H11	1.99	0.45
1:G:15:GLY:C	1:G:16:TRP:CG	2.90	0.45
1:F:162:LYS:HE3	1:F:162:LYS:N	2.29	0.45
1:F:160:ALA:HB3	2:O:4:1HB:H11	1.99	0.44
1:H:59:ARG:NE	4:H:325:HOH:O	2.50	0.44
1:A:17:GLY:HA3	1:A:25:PHE:CZ	2.52	0.44
1:A:79:GLU:HG2	1:A:102:GLY:C	2.38	0.44
1:D:15:GLY:C	1:D:16:TRP:CD1	2.91	0.44
1:F:108:ARG:HH12	1:F:113:LEU:H	1.59	0.44
1:B:50:HIS:HB3	4:B:399:HOH:O	2.17	0.44
1:A:21:SER:HB2	1:A:22:PRO:CD	2.48	0.44
1:E:131:ASP:N	4:E:282:HOH:O	2.49	0.44
1:H:108:ARG:HA	1:H:108:ARG:HD3	1.80	0.44
1:C:18:PHE:CD1	1:C:142:PRO:HG3	2.52	0.44
1:A:101:MET:CE	1:A:101:MET:HA	2.48	0.43
1:A:77:CYS:SG	1:A:101:MET:HG3	2.58	0.43
1:B:7:SER:HA	3:B:201:DMS:H21	1.99	0.43
1:G:99:VAL:HG22	1:G:121:LEU:CD2	2.40	0.43
1:C:95:LEU:CD2	4:C:324:HOH:O	2.67	0.43
1:E:51:GLN:O	1:E:52:ALA:HB2	2.18	0.43
1:C:16:TRP:O	1:C:140:GLY:HA3	2.19	0.43
1:A:87:ILE:HD12	1:A:97:LEU:CD1	2.48	0.43
1:H:162:LYS:HE2	1:H:162:LYS:HB2	1.67	0.43
1:A:-3:ASP:CG	1:H:108:ARG:CG	2.87	0.43
1:G:53:GLY:O	1:G:54:GLU:CB	2.66	0.42
1:G:21:SER:HB2	1:G:22:PRO:CD	2.48	0.42
1:G:21:SER:HB2	1:G:22:PRO:HD2	2.01	0.42
1:C:143:TYR:CZ	1:C:169:CYS:HB3	2.54	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:101:MET:HE1	1:A:119:GLY:HA3	1.92	0.42
1:B:100:ARG:HB2	1:B:122:LEU:HD21	2.01	0.42
1:B:15:GLY:C	1:B:16:TRP:CG	2.92	0.42
1:G:15:GLY:O	1:G:16:TRP:CD1	2.73	0.42
1:H:17:GLY:HA3	1:H:25:PHE:CZ	2.55	0.42
1:D:149:ASN:HD21	1:E:162:LYS:CE	2.31	0.41
1:G:122:LEU:HD23	1:G:122:LEU:HA	1.77	0.41
1:F:-1:ASP:OD1	4:F:324:HOH:O	2.22	0.41
1:B:-3:ASP:OD2	1:B:-2:ASP:C	2.58	0.41
1:C:136:PRO:O	2:S:4:1HB:H17	2.20	0.41
1:C:143:TYR:CE2	1:C:169:CYS:HB3	2.56	0.41
1:D:172:GLN:HB3	4:D:380:HOH:O	2.20	0.41
1:H:44:LEU:HD23	1:H:44:LEU:HA	1.82	0.41
1:B:15:GLY:O	1:B:16:TRP:CG	2.73	0.41
1:B:16:TRP:O	1:B:140:GLY:HA3	2.21	0.41
1:D:113:LEU:HD13	1:G:149:ASN:CG	2.41	0.41
1:D:16:TRP:O	1:D:140:GLY:HA3	2.21	0.41
1:C:147:ARG:NH1	1:C:147:ARG:CG	2.78	0.41
1:G:51:GLN:O	1:G:52:ALA:HB2	2.20	0.41
2:M:4:1HB:H8	2:M:4:1HB:H1	1.82	0.41
1:D:63:LYS:NZ	4:D:478:HOH:O	2.46	0.40
1:H:59:ARG:NE	4:H:331:HOH:O	2.53	0.40
2:J:4:1HB:H8	2:J:4:1HB:H1	1.89	0.40
1:G:95:LEU:HD22	1:G:97:LEU:CD2	2.51	0.40
1:F:16:TRP:CD1	1:F:16:TRP:N	2.89	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:14:SER:CB	4:F:385:HOH:O[1_545]	2.14	0.06
1:F:149:ASN:ND2	1:G:162:LYS:NZ[1_565]	2.19	0.01

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	168/185 (91%)	160 (95%)	8 (5%)	0	100	100
1	B	166/185 (90%)	159 (96%)	7 (4%)	0	100	100
1	C	162/185 (88%)	160 (99%)	2 (1%)	0	100	100
1	D	163/185 (88%)	158 (97%)	4 (2%)	1 (1%)	22	10
1	E	163/185 (88%)	158 (97%)	5 (3%)	0	100	100
1	F	163/185 (88%)	159 (98%)	4 (2%)	0	100	100
1	G	163/185 (88%)	158 (97%)	5 (3%)	0	100	100
1	H	164/185 (89%)	162 (99%)	2 (1%)	0	100	100
2	J	1/4 (25%)	1 (100%)	0	0	100	100
2	M	1/4 (25%)	1 (100%)	0	0	100	100
2	N	1/4 (25%)	1 (100%)	0	0	100	100
2	O	1/4 (25%)	1 (100%)	0	0	100	100
2	P	1/4 (25%)	1 (100%)	0	0	100	100
2	Q	1/4 (25%)	1 (100%)	0	0	100	100
2	S	1/4 (25%)	1 (100%)	0	0	100	100
2	T	1/4 (25%)	1 (100%)	0	0	100	100
All	All	1320/1512 (87%)	1282 (97%)	37 (3%)	1 (0%)	48	32

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	0	LYS

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	136/146 (93%)	134 (98%)	2 (2%)	60	47

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	136/146 (93%)	134 (98%)	2 (2%)	60	47
1	C	133/146 (91%)	129 (97%)	4 (3%)	36	19
1	D	134/146 (92%)	132 (98%)	2 (2%)	60	47
1	E	132/146 (90%)	128 (97%)	4 (3%)	36	19
1	F	134/146 (92%)	131 (98%)	3 (2%)	47	30
1	G	133/146 (91%)	128 (96%)	5 (4%)	28	12
1	H	134/146 (92%)	128 (96%)	6 (4%)	23	9
2	J	1/1 (100%)	1 (100%)	0	100	100
2	M	1/1 (100%)	1 (100%)	0	100	100
2	N	1/1 (100%)	1 (100%)	0	100	100
2	O	1/1 (100%)	1 (100%)	0	100	100
2	P	1/1 (100%)	1 (100%)	0	100	100
2	Q	1/1 (100%)	1 (100%)	0	100	100
2	S	1/1 (100%)	1 (100%)	0	100	100
2	T	1/1 (100%)	1 (100%)	0	100	100
All	All	1080/1176 (92%)	1052 (97%)	28 (3%)	41	24

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	101	MET
1	A	162	LYS
1	B	-3	ASP
1	B	162	LYS
1	C	0	LYS
1	C	62	LYS
1	C	108	ARG
1	C	162	LYS
1	D	95	LEU
1	D	162	LYS
1	E	37	LYS
1	E	95	LEU
1	E	100	ARG
1	E	120	MET
1	F	108	ARG
1	F	113	LEU
1	F	162	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	G	37	LYS
1	G	45	SER
1	G	62	LYS
1	G	95	LEU
1	G	131	ASP
1	H	34	THR
1	H	108	ARG
1	H	112	ARG
1	H	120	MET
1	H	132	LEU
1	H	162	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	149	ASN
1	E	149	ASN
1	F	51	GLN
1	F	145	HIS
1	H	51	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	1HB	M	4	2,1	10,10,10	1.66	2 (20%)	11,12,12	1.75	3 (27%)
2	1HB	N	4	2,1	10,10,10	1.74	1 (10%)	11,12,12	1.64	2 (18%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	1HB	S	4	2,1	10,10,10	1.72	2 (20%)	11,12,12	1.46	1 (9%)
2	1HB	O	4	2,1	10,10,10	1.56	1 (10%)	11,12,12	1.52	2 (18%)
2	1HB	P	4	2,1	10,10,10	1.89	2 (20%)	11,12,12	1.71	2 (18%)
2	1HB	T	4	2,1	10,10,10	1.85	3 (30%)	11,12,12	1.67	2 (18%)
2	1HB	Q	4	2,1	10,10,10	1.61	2 (20%)	11,12,12	1.65	2 (18%)
2	1HB	J	4	2,1	10,10,10	1.61	1 (10%)	11,12,12	1.73	5 (45%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	1HB	M	4	2,1	-	0/11/11/11	-
2	1HB	N	4	2,1	-	0/11/11/11	-
2	1HB	S	4	2,1	-	0/11/11/11	-
2	1HB	O	4	2,1	-	0/11/11/11	-
2	1HB	P	4	2,1	-	0/11/11/11	-
2	1HB	T	4	2,1	-	0/11/11/11	-
2	1HB	Q	4	2,1	-	0/11/11/11	-
2	1HB	J	4	2,1	-	1/11/11/11	-

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	N	4	1HB	O-C	-4.64	1.22	1.42
2	Q	4	1HB	O-C	-4.44	1.23	1.42
2	S	4	1HB	O-C	-4.38	1.24	1.42
2	P	4	1HB	O-C	-4.32	1.24	1.42
2	M	4	1HB	O-C	-4.29	1.24	1.42
2	O	4	1HB	O-C	-4.28	1.24	1.42
2	T	4	1HB	O-C	-4.19	1.24	1.42
2	J	4	1HB	O-C	-4.15	1.25	1.42
2	P	4	1HB	CB-CA	3.12	1.57	1.53
2	S	4	1HB	C-CA	2.77	1.57	1.52
2	T	4	1HB	CB-CA	2.76	1.57	1.53
2	T	4	1HB	C-CA	2.43	1.56	1.52
2	M	4	1HB	C-CA	2.35	1.56	1.52
2	Q	4	1HB	C-CA	2.14	1.56	1.52

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	M	4	1HB	CG-CD-NE2	-3.21	113.39	118.03
2	T	4	1HB	O-C-CA	3.14	123.59	111.52
2	O	4	1HB	O-C-CA	2.96	122.89	111.52
2	Q	4	1HB	O-C-CA	2.88	122.61	111.52
2	S	4	1HB	O-C-CA	2.84	122.46	111.52
2	P	4	1HB	O-C-CA	2.79	122.27	111.52
2	M	4	1HB	O-C-CA	2.79	122.26	111.52
2	N	4	1HB	O-C-CA	2.75	122.09	111.52
2	Q	4	1HB	CG-CB-CA	-2.68	107.14	112.87
2	J	4	1HB	O-C-CA	2.62	121.61	111.52
2	P	4	1HB	CG-CB-CA	-2.54	107.44	112.87
2	J	4	1HB	CG-CD-NE2	-2.41	114.55	118.03
2	J	4	1HB	CG-CB-CA	-2.37	107.80	112.87
2	O	4	1HB	CG-CD-NE2	-2.29	114.72	118.03
2	N	4	1HB	CG-CB-CA	-2.24	108.09	112.87
2	T	4	1HB	CG-CD-NE2	-2.23	114.80	118.03
2	M	4	1HB	CB-CA-N	2.23	115.94	109.16
2	J	4	1HB	CB-CA-N	2.06	115.44	109.16
2	J	4	1HB	CB-CG-CD	-2.02	110.73	113.39

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	J	4	1HB	O-C-CA-N

There are no ring outliers.

8 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	M	4	1HB	3	0
2	N	4	1HB	1	0
2	S	4	1HB	2	0
2	O	4	1HB	2	0
2	P	4	1HB	1	0
2	T	4	1HB	2	0
2	Q	4	1HB	1	0
2	J	4	1HB	3	0

## 5.5 Carbohydrates

There are no oligosaccharides in this entry.



## 5.6 Ligand geometry

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	DMS	D	201	-	3,3,3	2.77	1 (33%)	3,3,3	1.81	1 (33%)
3	DMS	A	201	-	3,3,3	2.75	1 (33%)	3,3,3	1.87	2 (66%)
3	DMS	B	201	-	3,3,3	2.42	1 (33%)	3,3,3	0.84	0
3	DMS	H	201	-	3,3,3	2.76	1 (33%)	3,3,3	1.81	1 (33%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	201	DMS	O-S	4.54	1.80	1.50
3	H	201	DMS	O-S	4.53	1.80	1.50
3	A	201	DMS	O-S	4.52	1.80	1.50
3	B	201	DMS	O-S	4.12	1.77	1.50

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	201	DMS	O-S-C1	2.42	118.59	106.49
3	A	201	DMS	O-S-C1	2.37	118.37	106.49
3	D	201	DMS	O-S-C1	2.11	117.06	106.49
3	A	201	DMS	C2-S-C1	-2.03	88.02	98.42

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	201	DMS	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	172/185 (92%)	-1.16	0 100 100	13, 23, 46, 64	0
1	B	170/185 (91%)	-1.17	0 100 100	12, 23, 45, 63	0
1	C	166/185 (89%)	-1.24	0 100 100	12, 21, 40, 71	0
1	D	167/185 (90%)	-1.22	0 100 100	12, 19, 39, 55	0
1	E	167/185 (90%)	-1.21	0 100 100	11, 22, 44, 53	0
1	F	167/185 (90%)	-1.21	0 100 100	12, 20, 39, 59	0
1	G	167/185 (90%)	-1.22	0 100 100	11, 22, 44, 55	0
1	H	168/185 (90%)	-1.20	0 100 100	12, 22, 44, 70	0
2	J	2/4 (50%)	-1.14	0 100 100	26, 26, 26, 27	0
2	M	2/4 (50%)	-1.27	0 100 100	26, 26, 26, 27	0
2	N	2/4 (50%)	-0.68	0 100 100	18, 18, 18, 26	0
2	O	2/4 (50%)	-1.17	0 100 100	24, 24, 24, 26	0
2	P	2/4 (50%)	-1.16	0 100 100	19, 19, 19, 26	0
2	Q	2/4 (50%)	-1.36	0 100 100	21, 21, 21, 26	0
2	S	2/4 (50%)	-0.73	0 100 100	23, 23, 23, 26	0
2	T	2/4 (50%)	-0.95	0 100 100	22, 22, 22, 26	0
All	All	1360/1512 (89%)	-1.20	0 100 100	11, 22, 44, 71	0

There are no RSRZ outliers to report.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	1HB	Q	4	11/11	0.98	0.04	16,18,24,25	0
2	1HB	M	4	11/11	0.99	0.04	15,21,24,27	0
2	1HB	S	4	11/11	0.99	0.03	15,17,23,23	0
2	1HB	T	4	11/11	0.99	0.03	15,16,24,26	0
2	1HB	N	4	11/11	0.99	0.03	13,15,17,17	0
2	1HB	O	4	11/11	0.99	0.03	17,19,23,24	0
2	1HB	P	4	11/11	0.99	0.03	12,14,18,19	0
2	1HB	J	4	11/11	0.99	0.04	16,21,25,28	0

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	DMS	A	201	4/4	0.98	0.09	11,11,35,88	0
3	DMS	D	201	4/4	0.98	0.09	13,13,36,94	0
3	DMS	H	201	4/4	0.98	0.10	11,12,35,90	0
3	DMS	B	201	4/4	0.99	0.07	11,13,19,101	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.