



wwPDB EM Validation Summary Report ⓘ

Oct 22, 2024 – 08:29 PM EDT

PDB ID : 3J15
EMDB ID : EMD-2009
Title : Model of ribosome-bound archaeal Pelota and ABCE1
Authors : Becker, T.; Franckenberg, S.; Wickles, S.; Shoemaker, C.J.; Anger, A.M.; Armache, J.-P.; Sieber, H.; Ungewickell, C.; Berninghausen, O.; Daberkow, I.; Karcher, A.; Thomm, M.; Hopfner, K.-P.; Green, R.; Beckmann, R.
Deposited on : 2011-12-12
Resolution : 6.60 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 6.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	357	
2	B	593	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	ADP	B	601	-	-	X	-
3	ADP	B	602	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 7660 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein pelota.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	357	2861	1818	503	533	7	0	0


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	2	GLU	GLN	conflict	UNP Q5JIB9

- Molecule 2 is a protein called ABC transporter ATP-binding protein.


Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	593	4729	3003	826	880	20	0	0

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					AltConf
3	B	1	Total	C	N	O	P	0
			27	10	5	10	2	
3	B	1	Total	C	N	O	P	0
			27	10	5	10	2	

- Molecule 4 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe₄S₄).




Mol	Chain	Residues	Atoms			AltConf
4	B	1	Total	Fe	S	0
			8	4	4	
4	B	1	Total	Fe	S	0
			8	4	4	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Protein pelota



- Molecule 2: ABC transporter ATP-binding protein



R587	G588	E589	Y590	Y591	Y592	A593	E133	D134	R135	D136	S137	W138	I142	R143	A144	F145	R146	G147	N148	E149	L150	Q151	N152	Y153	F154	E155	R156	L157	K158	N159	G160	E161	I162	R163	P164	V165	V166	K167	P168	Q169	Y170	V171	D172	L173	L174	P175	K176	A177	V178	K179	G180	K181	V182	R183	L186	K187	K188	E191	V192	G193	K194	F195																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
							E196	E197	V198	V199	K200	E201	L202	E203	L204	E205	N206	V207	L208	D209	R210	E211	L212	H213	Q214	L215	S216	G217	G218	E219	L220	Q221	R222	I225	A226	A227	R231	K232	A233	H234	F235	Y236	F237	F238	D239	E240	P241	S242	S243	Y244	L245	D246	I247	R248	Q249	R250	L251	A254	R255	V256	I257	R258	R259																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
							L260	A261	N262	E263	V267	L268	V269	V270	E271	H272	D273	L274	A275	V276	Y279	L280	S281	D282	V283	I284	H285	V286	V287	Y288	G289	V293	Y294	F297	S298	K299	P300	K301	G302	T303	R304	N305	G306	T307	N308	E309	F310	L311	Q312	G313	Y314	L315	K316	D317	E318	N319	V320	R321	F322	R323	P324	Y325																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
							E326	I327	R328	F329	T330	K331	L332	S333	E334	R335	V336	D337	V338	E339	R340	E341	T342	L343	V344	E345	L349	Y353	G354	S355	F356	V360	E361	P362	G363	E364	I365	R366	K367	G368	E369	I373	V374	G375	P376	N377	G378	I379	G380	K381	T382	T383	F384	V385	L388	A389	G390	V391	E392	E393	P394																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
							T395	E396	V399	E400	W401	D402	L403	T404	V405	A406	Y407	K408	P409	Q410	Y411	I412	K413	A414	T419	V420	Y421	E422	L423	L424	S425	K426	I427	D428	S429	S430	K431	L432	N433	S434	N435	F436	Y437	K438	T439	E440	L441	L442	K443	P444	L445	G446	I447	I448	D449	L450	Y451	D452	R453	N454	Y455	E456	D457	L458																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
							S459	G460	G461	E462	L463	Q464	R465	V466	A467	L468	A469	A470	T471	L472	L473	R474	D475	A476	D477	Y478	Y479	L480	L481	D482	E483	P484	S485	A486	Y487	L488	D489	V490	E491	Q492	R493	L494	A495	V496	S497	R498	D567	A499	S568	G569	R570	P571	R572	A573	N574	K575	E576	V579	K580	D581	R582	E583	Q584	K585	A586																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
							M520	I521	D522	Y523	V524	S525	D526	R527	L528	I529	V530	F531	E532	G533	E534	R537	H538	G539	B540	M545	G546	M547	R548	E549	R553	F554	L555	A556	S557	Y558	G559	I560	T561	F562	R563	R564	D565	P566	D567	S568	G569	R570	P571	R572	A573	N574	K575	E576	V579	K580	D581	R582	E583	Q584	K585	A586																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													</

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	51000	Depositor
Resolution determination method	Not provided	
CTF correction method	Not provided	
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	25	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	3600	Depositor
Magnification	75000	Depositor
Image detector	TVIPS TEMCAM-F416 (4k x 4k)	Depositor
Maximum map value	0.745	Depositor
Minimum map value	-0.497	Depositor
Average map value	0.004	Depositor
Map value standard deviation	0.040	Depositor
Recommended contour level	0.13	Depositor
Map size (\AA)	455.4, 455.4, 455.4	wwPDB
Map dimensions	368, 368, 368	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.2375, 1.2375, 1.2375	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ADP, SF4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.72	33/2903 (1.1%)	2.05	83/3904 (2.1%)
2	B	1.66	43/4815 (0.9%)	1.89	106/6499 (1.6%)
All	All	1.68	76/7718 (1.0%)	1.95	189/10403 (1.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	11
2	B	0	19
All	All	0	30

The worst 5 of 76 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	135	ARG	CD-NE	8.13	1.60	1.46
2	B	453	ARG	NE-CZ	7.92	1.43	1.33
1	A	154	TYR	CG-CD1	7.66	1.49	1.39
1	A	353	ARG	CZ-NH2	7.02	1.42	1.33
1	A	253	ARG	CZ-NH2	6.93	1.42	1.33

The worst 5 of 189 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	353	ARG	NE-CZ-NH1	15.93	128.27	120.30
1	A	98	TYR	CB-CG-CD1	15.88	130.53	121.00
1	A	253	ARG	NE-CZ-NH1	15.54	128.07	120.30
1	A	239	ARG	NE-CZ-NH1	-15.17	112.71	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	453	ARG	NE-CZ-NH1	-14.70	112.95	120.30

There are no chirality outliers.

5 of 30 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	133	ARG	Sidechain
1	A	147	ASP	Peptide
1	A	154	TYR	Sidechain
1	A	31	ASP	Peptide
1	A	73	HIS	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2861	0	2947	46	0
2	B	4729	0	4777	96	0
3	B	54	0	24	27	0
4	B	16	0	0	1	0
All	All	7660	0	7748	134	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

The worst 5 of 134 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:42:ARG:HB2	1:A:99:HIS:NE2	1.21	1.46
2:B:355:SER:OG	3:B:601:ADP:N3	1.65	1.26
1:A:40:THR:OG1	1:A:101:ILE:HD11	1.38	1.23
2:B:355:SER:OG	3:B:601:ADP:C2	1.92	1.21
1:A:42:ARG:HB2	1:A:99:HIS:CE1	1.76	1.20

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	355/357 (99%)	293 (82%)	36 (10%)	26 (7%)	1	10
2	B	591/593 (100%)	524 (89%)	51 (9%)	16 (3%)	4	25
All	All	946/950 (100%)	817 (86%)	87 (9%)	42 (4%)	3	17

5 of 42 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	46	GLN
1	A	55	LYS
1	A	60	PRO
1	A	61	VAL
1	A	63	LEU

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	305/305 (100%)	287 (94%)	18 (6%)	16	37
2	B	512/512 (100%)	499 (98%)	13 (2%)	42	61
All	All	817/817 (100%)	786 (96%)	31 (4%)	30	49

5 of 31 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	236	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	408	LYS
1	A	331	VAL
2	B	458	LEU
2	B	167	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 9 such sidechains are listed below:

Mol	Chain	Res	Type
2	B	85	HIS
2	B	249	GLN
1	A	164	HIS
1	A	165	ASN
2	B	16	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SF4	B	603	2	0,12,12	-	-	-		
3	ADP	B	601	-	24,29,29	1.22	5 (20%)	29,45,45	1.10	2 (6%)
4	SF4	B	604	2	0,12,12	-	-	-		
3	ADP	B	602	-	24,29,29	1.58	5 (20%)	29,45,45	1.12	3 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	SF4	B	603	2	-	-	0/6/5/5
3	ADP	B	601	-	-	4/12/32/32	0/3/3/3
4	SF4	B	604	2	-	-	0/6/5/5
3	ADP	B	602	-	-	5/12/32/32	0/3/3/3

The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	602	ADP	PB-O1B	4.31	1.63	1.50
3	B	602	ADP	C4-N3	3.17	1.39	1.35
3	B	602	ADP	C8-N7	-2.74	1.29	1.34
3	B	601	ADP	PB-O3B	2.72	1.64	1.54
3	B	601	ADP	C4-N3	2.53	1.39	1.35

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	602	ADP	O3B-PB-O2B	2.87	118.55	107.80
3	B	601	ADP	O2B-PB-O3A	2.82	114.11	104.64
3	B	602	ADP	C4-C5-N7	2.46	111.94	109.34
3	B	601	ADP	C4-C5-N7	2.43	111.90	109.34
3	B	602	ADP	O2B-PB-O3A	2.36	112.56	104.64

There are no chirality outliers.

5 of 9 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	601	ADP	C5'-O5'-PA-O1A
3	B	601	ADP	C5'-O5'-PA-O3A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	B	602	ADP	PA-O3A-PB-O3B
3	B	602	ADP	C5'-O5'-PA-O2A
3	B	602	ADP	C5'-O5'-PA-O1A


There are no ring outliers.

3 monomers are involved in 28 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	603	SF4	1	0
3	B	601	ADP	10	0
3	B	602	ADP	17	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-2009. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 184



Y Index: 184




Z Index: 184


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 207



Y Index: 187




Z Index: 178


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.13. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1275 nm³; this corresponds to an approximate mass of 1152 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.152 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-2009 and PDB model 3J15. Per-residue inclusion information can be found in [section 3](#) on [page 5](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.13 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.13).

9.4 Atom inclusion [i](#)



At the recommended contour level, 52% of all backbone atoms, 33% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.13) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.3310	<div></div> 0.1070
A	<div></div> 0.3170	<div></div> 0.1090
B	<div></div> 0.3400	<div></div> 0.1050

