



wwPDB EM Validation Summary Report ⓘ

Nov 2, 2024 – 06:25 pm GMT

PDB ID : 5J7Y
EMDB ID : EMD-8128
Title : Architecture of loose respirasome
Authors : Letts, J.A.; Fiedorczuk, F.; Sazanov, L.A.
Deposited on : 2016-04-07
Resolution : 6.70 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 6.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	102	100%
2	B	154	98%
3	C	194	97%
4	D	384	100%
5	E	189	100%
6	F	429	99%
7	G	652	98%
8	H	297	100%
9	I	171	96%


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
10	J	171	
11	K	93	
12	L	575	
13	M	455	
14	N	345	
15	O	104	
16	P	85	
17	Q	66	
18	R	29	
19	S	80	
19	d	80	
20	T	53	
21	U	96	
22	V	112	
23	W	103	
24	X	309	
25	Y	322	
26	Z	119	
27	a	111	
28	b	92	
29	c	79	
30	e	55	
31	f	59	
32	g	130	
33	9	63	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	h	63	 98%
33	z	63	 40% 59%
34	i	70	 99%
35	j	44	 100%
36	k	83	 96%
37	0	36	 6% 100%
38	1	30	 97%
39	2	38	 100%
40	3	28	 100%
40	4	28	 18% 100%
41	5	34	 100%
42	6	21	 100%
43	7	39	 5% 100%
44	8	27	 100%
45	y	46	 100%
46	x	13	 100%
47	w	24	 100%
48	v	18	 100%
49	u	16	 100%
50	t	12	 100%
51	AA	446	 95%
51	AL	446	 7% 95%
52	AB	423	 6% 95% 5%
52	AM	423	 12% 95% 5%
53	AC	378	 95% 5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
53	AN	378	
54	AD	241	
54	AO	241	
55	AE	196	
55	AP	196	
56	AF	105	
56	AQ	105	
57	AG	75	
57	AR	75	
58	AH	67	
58	AS	67	
59	AI	57	
59	AT	57	
60	AJ	60	
60	AU	60	
61	AK	51	
61	AV	51	
62	BN	514	
63	BO	227	
64	BC	259	
65	BD	144	
66	BE	105	
67	BP	98	
68	BG	84	
69	BH	79	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
70	BI	73	<div><div>52%</div><div>100%</div></div>
71	BJ	58	<div><div>26%</div><div>100%</div></div>
72	BK	49	<div><div>39%</div><div>100%</div></div>
73	BL	46	<div><div>28%</div><div>100%</div></div>
74	BM	43	<div><div>56%</div><div>100%</div></div>

2 Entry composition

There are 80 unique types of molecules in this entry. The entry contains 64743 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called COMPLEX I ND3.

Mol	Chain	Residues	Atoms				AltConf	Trace
1	A	102	Total	C	N	O	0	0
			510	306	102	102		

- Molecule 2 is a protein called COMPLEX I PSST/NDUFS7.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	154	Total	C	N	O	S	0	0
			774	462	154	154	4		

- Molecule 3 is a protein called COMPLEX I 30KDA/NDUFS3.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	C	194	Total	C	N	O	0	0
			970	582	194	194		

- Molecule 4 is a protein called COMPLEX I 49KDA/NDUFS2.

Mol	Chain	Residues	Atoms				AltConf	Trace
4	D	384	Total	C	N	O	0	0
			1920	1152	384	384		

- Molecule 5 is a protein called COMPLEX I 24KDA/NDUFV2.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	189	Total	C	N	O	S	0	0
			949	567	189	189	4		

- Molecule 6 is a protein called COMPLEX I 51KDA/NDUFV1.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	429	Total	C	N	O	S	0	0
			2149	1287	429	429	4		

- Molecule 7 is a protein called COMPLEX I 75KDA/NDUFS1.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	G	652	Total	C	N	O	S	0	0
			3276	1959	654	652	11		

- Molecule 8 is a protein called COMPLEX I ND1.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	297	Total	C	N	O		0	0
			1485	891	297	297			

- Molecule 9 is a protein called COMPLEX I TYKY/NDUFS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	I	171	Total	C	N	O	S	0	0
			863	513	171	171	8		

- Molecule 10 is a protein called COMPLEX I ND6.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	J	139	Total	C	N	O		0	0
			695	417	139	139			

- Molecule 11 is a protein called COMPLEX I ND4L.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	K	93	Total	C	N	O		0	0
			465	279	93	93			

- Molecule 12 is a protein called COMPLEX I ND5.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	L	575	Total	C	N	O		0	0
			2875	1725	575	575			

- Molecule 13 is a protein called COMPLEX I ND4.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	M	455	Total	C	N	O		0	0
			2275	1365	455	455			

- Molecule 14 is a protein called COMPLEX I ND2.

Mol	Chain	Residues	Atoms				AltConf	Trace
14	N	345	Total	C	N	O	0	0
			1725	1035	345	345		

- Molecule 15 is a protein called COMPLEX I 18KDA/NDUFS6.

Mol	Chain	Residues	Atoms				AltConf	Trace
15	O	104	Total	C	N	O	0	0
			520	312	104	104		

- Molecule 16 is a protein called COMPLEX I 13KDA/NDUFS6.

Mol	Chain	Residues	Atoms				AltConf	Trace
16	P	85	Total	C	N	O	0	0
			425	255	85	85		

- Molecule 17 is a protein called COMPLEX I 15KDA/NDUFS5.

Mol	Chain	Residues	Atoms				AltConf	Trace
17	Q	66	Total	C	N	O	0	0
			330	198	66	66		

- Molecule 18 is a protein called COMPLEX I MWFE/NDUFA1.

Mol	Chain	Residues	Atoms				AltConf	Trace
18	R	29	Total	C	N	O	0	0
			145	87	29	29		

- Molecule 19 is a protein called COMPLEX I B8/NDUFA2.

Mol	Chain	Residues	Atoms				AltConf	Trace
19	S	80	Total	C	N	O	0	0
			400	240	80	80		
19	d	80	Total	C	N	O	0	0
			400	240	80	80		

- Molecule 20 is a protein called COMPLEX I B9/NDUFA3.

Mol	Chain	Residues	Atoms				AltConf	Trace
20	T	53	Total	C	N	O	0	0
			265	159	53	53		

- Molecule 21 is a protein called COMPLEX I B13/NDUFA5.

Mol	Chain	Residues	Atoms				AltConf	Trace
21	U	96	Total	C	N	O	0	0
			480	288	96	96		

- Molecule 22 is a protein called COMPLEX I B14/NDUFA6.

Mol	Chain	Residues	Atoms				AltConf	Trace
22	V	112	Total	C	N	O	0	0
			560	336	112	112		

- Molecule 23 is a protein called COMPLEX I PGIV/NDUFA8.

Mol	Chain	Residues	Atoms				AltConf	Trace
23	W	103	Total	C	N	O	0	0
			515	309	103	103		

- Molecule 24 is a protein called COMPLEX I 39KDA/NDUFA9.

Mol	Chain	Residues	Atoms				AltConf	Trace
24	X	258	Total	C	N	O	0	0
			1290	774	258	258		

- Molecule 25 is a protein called COMPLEX I 42KDA/NDUFA10.

Mol	Chain	Residues	Atoms				AltConf	Trace
25	Y	322	Total	C	N	O	0	0
			1595	951	322	322		

- Molecule 26 is a protein called COMPLEX I B14.7/NDUFA11.

Mol	Chain	Residues	Atoms				AltConf	Trace
26	Z	119	Total	C	N	O	0	0
			595	357	119	119		

- Molecule 27 is a protein called COMPLEX I B17.2/NDUFA12.

Mol	Chain	Residues	Atoms				AltConf	Trace
27	a	111	Total	C	N	O	0	0
			555	333	111	111		

- Molecule 28 is a protein called COMPLEX I B16.6/NDUFA13.

Mol	Chain	Residues	Atoms				AltConf	Trace
28	b	92	Total	C	N	O	0	0
			460	276	92	92		

- Molecule 29 is a protein called COMPLEX I SDAP/NDUFAB1.

Mol	Chain	Residues	Atoms				AltConf	Trace
29	c	71	Total	C	N	O	0	0
			355	213	71	71		

- Molecule 30 is a protein called COMPLEX I SDAP/NDUFAB1.

Mol	Chain	Residues	Atoms				AltConf	Trace
30	e	55	Total	C	N	O	0	0
			275	165	55	55		

- Molecule 31 is a protein called COMPLEX I SDAP/NDUFAB1.

Mol	Chain	Residues	Atoms				AltConf	Trace
31	f	58	Total	C	N	O	0	0
			290	174	58	58		

- Molecule 32 is a protein called COMPLEX I B15/NDUFB4.

Mol	Chain	Residues	Atoms				AltConf	Trace
32	g	130	Total	C	N	O	0	0
			650	390	130	130		

- Molecule 33 is a protein called COMPLEX I B18/NDUFB7.

Mol	Chain	Residues	Atoms				AltConf	Trace
33	h	63	Total	C	N	O	0	0
			315	189	63	63		
33	9	63	Total	C	N	O	0	0
			315	189	63	63		
33	z	26	Total	C	N	O	0	0
			130	78	26	26		

- Molecule 34 is a protein called COMPLEX I B22/NDUFB9.

Mol	Chain	Residues	Atoms				AltConf	Trace
34	i	70	Total	C	N	O	0	0
			350	210	70	70		

- Molecule 35 is a protein called COMPLEX I PDSW/NDUFB10.

Mol	Chain	Residues	Atoms				AltConf	Trace
35	j	44	Total	C	N	O	0	0
			220	132	44	44		

- Molecule 36 is a protein called COMPLEX I ESSS/NDUFB11.

Mol	Chain	Residues	Atoms				AltConf	Trace
36	k	80	Total	C	N	O	0	0
			400	240	80	80		

- Molecule 37 is a protein called COMPLEX I KFYI/NDUFC1.

Mol	Chain	Residues	Atoms				AltConf	Trace
37	0	36	Total	C	N	O	0	0
			180	108	36	36		

- Molecule 38 is a protein called COMPLEX I B14.5B/NDUFC2.

Mol	Chain	Residues	Atoms				AltConf	Trace
38	1	30	Total	C	N	O	0	0
			150	90	30	30		

- Molecule 39 is a protein called COMPLEX I UNKNOWN SUBUNIT FRAGMENT 1.

Mol	Chain	Residues	Atoms				AltConf	Trace
39	2	38	Total	C	N	O	0	0
			190	114	38	38		

- Molecule 40 is a protein called COMPLEX I UNKNOWN SUBUNIT FRAGMENT 2.

Mol	Chain	Residues	Atoms				AltConf	Trace
40	3	28	Total	C	N	O	0	0
			140	84	28	28		
40	4	28	Total	C	N	O	0	0
			140	84	28	28		

- Molecule 41 is a protein called COMPLEX I UNKNOWN SUBUNIT FRAGMENT 3.

Mol	Chain	Residues	Atoms				AltConf	Trace
41	5	34	Total	C	N	O	0	0
			170	102	34	34		

- Molecule 42 is a protein called COMPLEX I UNKNOWN SUBUNIT FRAGMENT 4.

Mol	Chain	Residues	Atoms				AltConf	Trace
42	6	21	Total	C	N	O	0	0
			105	63	21	21		

- Molecule 43 is a protein called COMPLEX I UNKNOWN SUBUNIT FRAGMENT 5.

Mol	Chain	Residues	Atoms				AltConf	Trace
43	7	39	Total	C	N	O	0	0
			195	117	39	39		

- Molecule 44 is a protein called COMPLEX I UNKNOWN SUBUNIT FRAGMENT 6.

Mol	Chain	Residues	Atoms				AltConf	Trace
44	8	27	Total	C	N	O	0	0
			135	81	27	27		

- Molecule 45 is a protein called COMPLEX I UNKNOWN SUBUNIT FRAGMENT 11.

Mol	Chain	Residues	Atoms				AltConf	Trace
45	y	46	Total	C	N	O	0	0
			230	138	46	46		

- Molecule 46 is a protein called COMPLEX I UNKNOWN SUBUNIT FRAGMENT 12.

Mol	Chain	Residues	Atoms				AltConf	Trace
46	x	13	Total	C	N	O	0	0
			65	39	13	13		

- Molecule 47 is a protein called COMPLEX I UNKNOWN SUBUNIT FRAGMENT 13.

Mol	Chain	Residues	Atoms				AltConf	Trace
47	w	24	Total	C	N	O	0	0
			120	72	24	24		

- Molecule 48 is a protein called COMPLEX I UNKNOWN SUBUNIT FRAGMENT 14.

Mol	Chain	Residues	Atoms				AltConf	Trace
48	v	18	Total	C	N	O	0	0
			90	54	18	18		

- Molecule 49 is a protein called COMPLEX I UNKNOWN SUBUNIT FRAGMENT 15.

Mol	Chain	Residues	Atoms				AltConf	Trace
49	u	16	Total	C	N	O	0	0
			80	48	16	16		

- Molecule 50 is a protein called COMPLEX I UNKNOWN SUBUNIT FRAGMENT 16.

Mol	Chain	Residues	Atoms				AltConf	Trace
50	t	12	Total	C	N	O	0	0
			60	36	12	12		

- Molecule 51 is a protein called COMPLEX III SUBUNIT 1 / CORE 1.

Mol	Chain	Residues	Atoms				AltConf	Trace
51	AA	446	Total	C	N	O	0	0
			2198	1306	446	446		
51	AL	446	Total	C	N	O	0	0
			2198	1306	446	446		

There are 32 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AA	241	ILE	LEU	conflict	UNP W5Q5G6
AA	242	ARG	CYS	conflict	UNP W5Q5G6
AA	244	ARG	PRO	conflict	UNP W5Q5G6
AA	245	GLU	TRP	conflict	UNP W5Q5G6
AA	246	ASP	GLY	conflict	UNP W5Q5G6
AA	?	-	ALA	deletion	UNP W5Q5G6
AA	?	-	VAL	deletion	UNP W5Q5G6
AA	?	-	PRO	deletion	UNP W5Q5G6
AA	249	PRO	GLN	conflict	UNP W5Q5G6
AA	251	ALA	TRP	conflict	UNP W5Q5G6
AA	254	ALA	PRO	conflict	UNP W5Q5G6
AA	255	ILE	PHE	conflict	UNP W5Q5G6
AA	256	ALA	GLN	conflict	UNP W5Q5G6
AA	257	VAL	ILE	conflict	UNP W5Q5G6
AA	258	GLU	ARG	conflict	UNP W5Q5G6
AA	259	GLY	HIS	conflict	UNP W5Q5G6
AL	241	ILE	LEU	conflict	UNP W5Q5G6
AL	242	ARG	CYS	conflict	UNP W5Q5G6
AL	244	ARG	PRO	conflict	UNP W5Q5G6
AL	245	GLU	TRP	conflict	UNP W5Q5G6
AL	246	ASP	GLY	conflict	UNP W5Q5G6
AL	?	-	ALA	deletion	UNP W5Q5G6
AL	?	-	VAL	deletion	UNP W5Q5G6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
AL	?	-	PRO	deletion	UNP W5Q5G6
AL	249	PRO	GLN	conflict	UNP W5Q5G6
AL	251	ALA	TRP	conflict	UNP W5Q5G6
AL	254	ALA	PRO	conflict	UNP W5Q5G6
AL	255	ILE	PHE	conflict	UNP W5Q5G6
AL	256	ALA	GLN	conflict	UNP W5Q5G6
AL	257	VAL	ILE	conflict	UNP W5Q5G6
AL	258	GLU	ARG	conflict	UNP W5Q5G6
AL	259	GLY	HIS	conflict	UNP W5Q5G6

- Molecule 52 is a protein called COMPLEX III SUBUNIT 2 / CORE 2.

Mol	Chain	Residues	Atoms				AltConf	Trace
52	AB	423	Total	C	N	O	0	0
			2081	1235	423	423		
52	AM	423	Total	C	N	O	0	0
			2081	1235	423	423		

- Molecule 53 is a protein called Cytochrome b.

Mol	Chain	Residues	Atoms				AltConf	Trace
53	AC	378	Total	C	N	O	0	0
			1866	1110	378	378		
53	AN	378	Total	C	N	O	0	0
			1866	1110	378	378		

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AC	185	SER	PHE	conflict	UNP P24959
AC	295	ILE	VAL	conflict	UNP P24959
AC	303	LEU	ILE	conflict	UNP P24959
AC	359	ILE	PHE	conflict	UNP P24959
AC	361	LEU	ILE	conflict	UNP P24959
AC	363	MET	LEU	conflict	UNP P24959
AN	185	SER	PHE	conflict	UNP P24959
AN	295	ILE	VAL	conflict	UNP P24959
AN	303	LEU	ILE	conflict	UNP P24959
AN	359	ILE	PHE	conflict	UNP P24959
AN	361	LEU	ILE	conflict	UNP P24959
AN	363	MET	LEU	conflict	UNP P24959

- Molecule 54 is a protein called COMPLEX III SUBUNIT 4 / CYTOCHROME C1.

Mol	Chain	Residues	Atoms				AltConf	Trace
54	AD	241	Total	C	N	O	0	0
			1188	706	241	241		
54	AO	241	Total	C	N	O	0	0
			1188	706	241	241		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AD	139	THR	-	insertion	UNP W5Q0A9
AD	140	GLY	ARG	conflict	UNP W5Q0A9
AO	139	THR	-	insertion	UNP W5Q0A9
AO	140	GLY	ARG	conflict	UNP W5Q0A9

- Molecule 55 is a protein called Cytochrome b-c1 complex subunit Rieske, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
55	AE	196	Total	C	N	O	0	0
			967	575	196	196		
55	AP	196	Total	C	N	O	0	0
			967	575	196	196		

- Molecule 56 is a protein called COMPLEX III SUBUNIT 7 / 14KDA.

Mol	Chain	Residues	Atoms				AltConf	Trace
56	AF	105	Total	C	N	O	0	0
			522	312	105	105		
56	AQ	105	Total	C	N	O	0	0
			522	312	105	105		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AF	56	ASP	ASN	conflict	UNP W5P642
AF	108	ALA	THR	conflict	UNP W5P642
AQ	56	ASP	ASN	conflict	UNP W5P642
AQ	108	ALA	THR	conflict	UNP W5P642

- Molecule 57 is a protein called COMPLEX III SUBUNIT 8 / QP-C.

Mol	Chain	Residues	Atoms				AltConf	Trace
57	AG	75	Total	C	N	O	0	0
			371	221	75	75		
57	AR	75	Total	C	N	O	0	0
			371	221	75	75		

- Molecule 58 is a protein called Cytochrome b-c1 complex subunit 6.

Mol	Chain	Residues	Atoms				AltConf	Trace
58	AH	67	Total	C	N	O	0	0
			335	201	67	67		
58	AS	67	Total	C	N	O	0	0
			335	201	67	67		

- Molecule 59 is a protein called Cytochrome b-c1 complex subunit Rieske, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
59	AI	57	Total	C	N	O	0	0
			281	167	57	57		
59	AT	57	Total	C	N	O	0	0
			281	167	57	57		

- Molecule 60 is a protein called COMPLEX III SUBUNIT 9 / 7.2KDA.

Mol	Chain	Residues	Atoms				AltConf	Trace
60	AJ	60	Total	C	N	O	0	0
			297	177	60	60		
60	AU	60	Total	C	N	O	0	0
			297	177	60	60		

- Molecule 61 is a protein called COMPLEX III SUBUNIT 10 / 6.4KDA.

Mol	Chain	Residues	Atoms				AltConf	Trace
61	AK	51	Total	C	N	O	0	0
			250	148	51	51		
61	AV	51	Total	C	N	O	0	0
			250	148	51	51		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AK	22	GLN	SER	conflict	UNP W5PSD1
AV	22	GLN	SER	conflict	UNP W5PSD1

- Molecule 62 is a protein called Cytochrome c oxidase subunit 1.

Mol	Chain	Residues	Atoms				AltConf	Trace
62	BN	514	Total	C	N	O	0	0
			2523	1495	514	514		

- Molecule 63 is a protein called Cytochrome c oxidase subunit 2.

Mol	Chain	Residues	Atoms				AltConf	Trace
63	BO	227	Total	C	N	O	0	0
			1127	673	227	227		

- Molecule 64 is a protein called Cytochrome c oxidase subunit 3.

Mol	Chain	Residues	Atoms				AltConf	Trace
64	BC	259	Total	C	N	O	0	0
			1275	757	259	259		

- Molecule 65 is a protein called COMPLEX IV COX4.

Mol	Chain	Residues	Atoms				AltConf	Trace
65	BD	144	Total	C	N	O	0	0
			716	428	144	144		

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BD	97	ILE	LEU	conflict	UNP W5PPE8
BD	99	GLU	GLY	conflict	UNP W5PPE8
BD	100	LYS	TRP	conflict	UNP W5PPE8
BD	101	HIS	THR	conflict	UNP W5PPE8
BD	102	TYR	ALA	conflict	UNP W5PPE8

- Molecule 66 is a protein called COMPLEX IV COX5A.

Mol	Chain	Residues	Atoms				AltConf	Trace
66	BE	105	Total	C	N	O	0	0
			520	310	105	105		

- Molecule 67 is a protein called COMPLEX IV COX5B.

Mol	Chain	Residues	Atoms				AltConf	Trace
67	BP	98	Total	C	N	O	0	0
			481	285	98	98		

- Molecule 68 is a protein called Cytochrome c oxidase subunit 6A, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
68	BG	84	Total	C	N	O	0	0
			412	244	84	84		

- Molecule 69 is a protein called COMPLEX IV COX6B1.

Mol	Chain	Residues	Atoms				AltConf	Trace
69	BH	79	Total	C	N	O	0	0
			391	233	79	79		

- Molecule 70 is a protein called COMPLEX IV COX6C.

Mol	Chain	Residues	Atoms				AltConf	Trace
70	BI	73	Total	C	N	O	0	0
			361	215	73	73		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BI	26	MET	VAL	conflict	UNP W5PXG3
BI	31	PHE	SER	conflict	UNP W5PXG3
BI	36	LYS	ASN	conflict	UNP W5PXG3

- Molecule 71 is a protein called Cytochrome c oxidase subunit 7A1, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
71	BJ	58	Total	C	N	O	0	0
			284	168	58	58		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BJ	1	PHE	LEU	conflict	UNP W5P5H0
BJ	36	LEU	MET	conflict	UNP W5P5H0

- Molecule 72 is a protein called COMPLEX IV COX7B.

Mol	Chain	Residues	Atoms				AltConf	Trace
72	BK	49	Total	C	N	O	0	0
			241	143	49	49		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BK	9	PHE	CYS	conflict	UNP W5QE72
BK	30	ILE	VAL	conflict	UNP W5QE72
BK	47	ARG	THR	conflict	UNP W5QE72

- Molecule 73 is a protein called COMPLEX IV COX7C.

Mol	Chain	Residues	Atoms				AltConf	Trace
73	BL	46	Total	C	N	O	0	0
			226	134	46	46		


- Molecule 74 is a protein called COMPLEX IV COX8B.

Mol	Chain	Residues	Atoms				AltConf	Trace
74	BM	43	Total	C	N	O	0	0
			213	127	43	43		

There are 5 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
BM	?	-	THR	deletion	UNP W5PFK9
BM	?	-	GLN	deletion	UNP W5PFK9
BM	18	GLY	ALA	conflict	UNP W5PFK9
BM	21	VAL	ALA	conflict	UNP W5PFK9
BM	39	ASN	HIS	conflict	UNP W5PFK9

- Molecule 75 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe₄S₄).




Mol	Chain	Residues	Atoms			AltConf
75	B	1	Total	Fe	S	0
			8	4	4	
75	F	1	Total	Fe	S	0
			8	4	4	
75	G	1	Total	Fe	S	0
			8	4	4	
75	G	1	Total	Fe	S	0
			8	4	4	
75	I	1	Total	Fe	S	0
			8	4	4	
75	I	1	Total	Fe	S	0
			8	4	4	

- Molecule 76 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe_2S_2).



Mol	Chain	Residues	Atoms			AltConf
76	E	1	Total	Fe	S	0
			4	2	2	
76	G	1	Total	Fe	S	0
			4	2	2	
76	AE	1	Total	Fe	S	0
			4	2	2	
76	AP	1	Total	Fe	S	0
			4	2	2	

- Molecule 77 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					AltConf
77	AC	1	Total 43	C 34	Fe 1	N 4	O 4	0
77	AC	1	Total 43	C 34	Fe 1	N 4	O 4	0
77	AD	1	Total 43	C 34	Fe 1	N 4	O 4	0
77	AN	1	Total 43	C 34	Fe 1	N 4	O 4	0
77	AN	1	Total 43	C 34	Fe 1	N 4	O 4	0
77	AO	1	Total 43	C 34	Fe 1	N 4	O 4	0

- Molecule 78 is COPPER (II) ION (three-letter code: CU) (formula: Cu).


Mol	Chain	Residues	Atoms		AltConf
78	BN	1	Total	Cu	0
			1	1	

- Molecule 79 is HEME-A (three-letter code: HEA) (formula: C₄₉H₅₆FeN₄O₆).



Mol	Chain	Residues	Atoms				AltConf	
79	BN	1	Total 60	C 49	Fe 1	N 4	O 6	0
79	BN	1	Total 60	C 49	Fe 1	N 4	O 6	0

- Molecule 80 is DINUCLEAR COPPER ION (three-letter code: CUA) (formula: Cu₂).




Mol	Chain	Residues	Atoms		AltConf
80	BO	1	Total	Cu	0
			2	2	

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: COMPLEX I ND3

Chain A:  100%




- Molecule 2: COMPLEX I PSST/NDUFS7

Chain B:  98%




- Molecule 3: COMPLEX I 30KDA/NDUFS3

Chain C:  97%




- Molecule 4: COMPLEX I 49KDA/NDUFS2

Chain D:  100%




- Molecule 5: COMPLEX I 24KDA/NDUFV2

Chain E:  100%




- Molecule 6: COMPLEX I 51KDA/NDUFV1

Chain F:  6% 99%




- Molecule 7: COMPLEX I 75KDA/NDUFS1

Chain G:  7% 98%



- Molecule 8: COMPLEX I ND1

Chain H:  1% 100%




- Molecule 9: COMPLEX I TYKY/NDUFS8

Chain I:  1% 96%




- Molecule 10: COMPLEX I ND6

Chain J:  1% 81% 19%




- Molecule 11: COMPLEX I ND4L

Chain K:  1% 100%




- Molecule 12: COMPLEX I ND5

Chain L:  99%




- Molecule 13: COMPLEX I ND4

Chain M:  99%




- Molecule 14: COMPLEX I ND2

Chain N:  99%




- Molecule 15: COMPLEX I 18KDA/NDUFS6

Chain O:  5% 100%




- Molecule 16: COMPLEX I 13KDA/NDUFS6

Chain P:  6% 100%




- Molecule 17: COMPLEX I 15KDA/NDUFS5

Chain Q:  98%




- Molecule 18: COMPLEX I MWFE/NDUFA1


Chain R:  10% 97%




• Molecule 19: COMPLEX I B8/NDUFA2




• Molecule 19: COMPLEX I B8/NDUFA2




• Molecule 20: COMPLEX I B9/NDUFA3




• Molecule 21: COMPLEX I B13/NDUFA5




• Molecule 22: COMPLEX I B14/NDUFA6




• Molecule 23: COMPLEX I PGIV/NDUFA8




• Molecule 24: COMPLEX I 39KDA/NDUFA9






- Molecule 25: COMPLEX I 42KDA/NDUFA10

Chain Y: 98%




- Molecule 26: COMPLEX I B14.7/NDUFA11

Chain Z: 7% 100%




- Molecule 27: COMPLEX I B17.2/NDUFA12

Chain a: 5% 100%




- Molecule 28: COMPLEX I B16.6/NDUFA13

Chain b: 100%




- Molecule 29: COMPLEX I SDAP/NDUFAB1

Chain c: 90% 10%



- Molecule 30: COMPLEX I SDAP/NDUFAB1

Chain e: 100%



- Molecule 31: COMPLEX I SDAP/NDUFAB1

Chain f: 98%




- Molecule 32: COMPLEX I B15/NDUFB4

Chain g: 99%




- Molecule 33: COMPLEX I B18/NDUFB7

Chain h: 98%



- Molecule 33: COMPLEX I B18/NDUFB7

Chain 9: 100%




- Molecule 33: COMPLEX I B18/NDUFB7

Chain z: 40% 59%



- Molecule 34: COMPLEX I B22/NDUFB9

Chain i: 99%




- Molecule 35: COMPLEX I PDSW/NDUFB10

Chain j:  100%

There are no outlier residues recorded for this chain.


- Molecule 36: COMPLEX I ESSS/NDUFB11

Chain k:  96%



- Molecule 37: COMPLEX I KFYI/NDUFC1

Chain 0:  6%  100%



- Molecule 38: COMPLEX I B14.5B/NDUFC2

Chain 1:  97%



- Molecule 39: COMPLEX I UNKNOWN SUBUNIT FRAGMENT 1

Chain 2:  100%

There are no outlier residues recorded for this chain.


- Molecule 40: COMPLEX I UNKNOWN SUBUNIT FRAGMENT 2

Chain 3:  100%

There are no outlier residues recorded for this chain.


- Molecule 40: COMPLEX I UNKNOWN SUBUNIT FRAGMENT 2

Chain 4:  18%  100%



- Molecule 41: COMPLEX I UNKNOWN SUBUNIT FRAGMENT 3

Chain 5:  100%




- Molecule 42: COMPLEX I UNKNOWN SUBUNIT FRAGMENT 4

Chain 6:  100%

There are no outlier residues recorded for this chain.

- Molecule 43: COMPLEX I UNKNOWN SUBUNIT FRAGMENT 5

Chain 7:  5%
 100%



- Molecule 44: COMPLEX I UNKNOWN SUBUNIT FRAGMENT 6

Chain 8:  100%

There are no outlier residues recorded for this chain.

- Molecule 45: COMPLEX I UNKNOWN SUBUNIT FRAGMENT 11

Chain y:  100%

There are no outlier residues recorded for this chain.

- Molecule 46: COMPLEX I UNKNOWN SUBUNIT FRAGMENT 12

Chain x:  100%

There are no outlier residues recorded for this chain.

- Molecule 47: COMPLEX I UNKNOWN SUBUNIT FRAGMENT 13

Chain w:  100%

There are no outlier residues recorded for this chain.

- Molecule 48: COMPLEX I UNKNOWN SUBUNIT FRAGMENT 14

Chain v:  100%

There are no outlier residues recorded for this chain.

- Molecule 49: COMPLEX I UNKNOWN SUBUNIT FRAGMENT 15

Chain u:  100%


There are no outlier residues recorded for this chain.

- Molecule 50: COMPLEX I UNKNOWN SUBUNIT FRAGMENT 16


Chain t:  100%

There are no outlier residues recorded for this chain.


● Molecule 51: COMPLEX III SUBUNIT 1 / CORE 1

Chain AA:  95%


● Molecule 51: COMPLEX III SUBUNIT 1 / CORE 1

Chain AL:  7% 95%

● Molecule 52: COMPLEX III SUBUNIT 2 / CORE 2

Chain AB:  6% 95% 5%

● Molecule 52: COMPLEX III SUBUNIT 2 / CORE 2


Chain AM:  12% 95% 5%

● Molecule 53: Cytochrome b


Chain AC:  95% 5%




• Molecule 53: Cytochrome b




• Molecule 54: COMPLEX III SUBUNIT 4 / CYTOCHROME C1




• Molecule 54: COMPLEX III SUBUNIT 4 / CYTOCHROME C1




• Molecule 55: Cytochrome b-c1 complex subunit Rieske, mitochondrial




• Molecule 55: Cytochrome b-c1 complex subunit Rieske, mitochondrial





- Molecule 56: COMPLEX III SUBUNIT 7 / 14KDA




- Molecule 56: COMPLEX III SUBUNIT 7 / 14KDA




- Molecule 57: COMPLEX III SUBUNIT 8 / QP-C



- Molecule 57: COMPLEX III SUBUNIT 8 / QP-C




- Molecule 58: Cytochrome b-c1 complex subunit 6




- Molecule 58: Cytochrome b-c1 complex subunit 6




- Molecule 59: Cytochrome b-c1 complex subunit Rieske, mitochondrial




- Molecule 59: Cytochrome b-c1 complex subunit Rieske, mitochondrial




- Molecule 60: COMPLEX III SUBUNIT 9 / 7.2KDA




- Molecule 60: COMPLEX III SUBUNIT 9 / 7.2KDA



- Molecule 61: COMPLEX III SUBUNIT 10 / 6.4KDA




- Molecule 61: COMPLEX III SUBUNIT 10 / 6.4KDA




- Molecule 62: Cytochrome c oxidase subunit 1






• Molecule 63: Cytochrome c oxidase subunit 2

Chain BO: 41% 99%




• Molecule 64: Cytochrome c oxidase subunit 3

Chain BC: 24% 100%




• Molecule 65: COMPLEX IV COX4

Chain BD: 51% 100%




• Molecule 66: COMPLEX IV COX5A




• Molecule 67: COMPLEX IV COX5B



• Molecule 68: Cytochrome c oxidase subunit 6A, mitochondrial




• Molecule 69: COMPLEX IV COX6B1




• Molecule 70: COMPLEX IV COX6C







- Molecule 71: Cytochrome c oxidase subunit 7A1, mitochondrial




- Molecule 72: COMPLEX IV COX7B



- Molecule 73: COMPLEX IV COX7C



- Molecule 74: COMPLEX IV COX8B



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	13910	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	34	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	5000	Depositor
Magnification	81395	Depositor
Image detector	FEI FALCON II (4k x 4k)	Depositor
Maximum map value	0.552	Depositor
Minimum map value	-0.173	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.017	Depositor
Recommended contour level	0.094	Depositor
Map size (Å)	853.12, 853.12, 853.12	wwPDB
Map dimensions	496, 496, 496	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.72, 1.72, 1.72	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: CU, CUA, SF4, FES, HEM, HEA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
2	B	1.51	1/21 (4.8%)	0.85	0/23
5	E	0.76	0/20	0.79	0/20
6	F	1.42	0/20	1.20	0/20
7	G	0.82	0/65	1.24	2/67 (3.0%)
9	I	1.63	2/40 (5.0%)	2.15	2/40 (5.0%)
51	AA	0.41	0/2197	0.68	3/3055 (0.1%)
51	AL	0.41	0/2197	0.67	3/3055 (0.1%)
52	AB	0.42	0/2080	0.66	1/2890 (0.0%)
52	AM	0.42	0/2080	0.65	1/2890 (0.0%)
53	AC	0.75	1/1865 (0.1%)	0.55	0/2595
53	AN	0.75	1/1865 (0.1%)	0.55	0/2595
54	AD	0.42	0/1187	0.69	1/1650 (0.1%)
54	AO	0.42	0/1187	0.69	1/1650 (0.1%)
55	AE	0.55	1/965 (0.1%)	1.17	2/1340 (0.1%)
55	AP	0.65	2/966 (0.2%)	1.19	3/1343 (0.2%)
56	AF	0.43	0/521	0.62	1/726 (0.1%)
56	AQ	0.43	0/521	0.62	1/726 (0.1%)
57	AG	0.38	0/370	0.52	0/514
57	AR	0.37	0/370	0.52	0/514
58	AH	0.37	0/334	0.47	0/466
58	AS	0.36	0/334	0.47	0/466
59	AI	0.49	0/280	1.17	4/388 (1.0%)
59	AT	0.50	0/280	1.17	4/388 (1.0%)
60	AJ	0.37	0/296	0.53	0/411
60	AU	0.37	0/296	0.53	0/411
61	AK	0.37	0/249	0.45	0/344
61	AV	0.38	0/249	0.45	0/344
62	BN	0.27	0/2522	0.47	0/3501
63	BO	0.28	0/1126	0.53	0/1570
64	BC	0.26	0/1274	0.39	0/1770
65	BD	0.25	0/715	0.41	0/997
66	BE	0.27	0/519	0.46	0/722

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
67	BP	0.30	0/480	0.51	0/665
68	BG	0.31	0/411	0.55	0/569
69	BH	0.26	0/390	0.43	0/542
70	BI	0.29	0/360	0.41	0/500
71	BJ	0.26	0/283	0.41	0/391
72	BK	0.29	0/240	0.47	0/332
73	BL	0.26	0/225	0.39	0/311
74	BM	0.28	0/212	0.45	0/294
All	All	0.46	8/29612 (0.0%)	0.65	29/41095 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	2
3	C	0	5
4	D	0	1
6	F	0	3
7	G	0	10
9	I	0	5
12	L	0	5
13	M	0	5
14	N	0	5
17	Q	0	1
18	R	0	1
19	d	0	2
22	V	0	1
23	W	0	1
24	X	0	3
25	Y	0	8
32	g	0	1
33	h	0	1
33	z	0	1
34	i	0	1
38	1	0	1
51	AA	0	13
51	AL	0	13
52	AB	0	17
52	AM	0	17
53	AC	0	2

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
53	AN	0	2
54	AD	0	8
54	AO	0	8
55	AE	0	3
55	AP	0	4
56	AF	0	5
56	AQ	0	5
57	AG	0	2
57	AR	0	2
59	AI	0	6
59	AT	0	6
60	AJ	0	1
60	AU	0	1
61	AK	0	1
61	AV	0	1
62	BN	0	1
63	BO	0	1
64	BC	0	1
68	BG	0	1
All	All	0	184

The worst 5 of 8 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
53	AC	56	THR	C-N	-26.55	0.83	1.34
53	AN	56	THR	C-N	-26.52	0.83	1.34
55	AP	44	THR	C-N	-10.61	1.09	1.34
9	I	122	CYS	CB-SG	-6.11	1.71	1.82
55	AP	56	SER	C-O	5.37	1.33	1.23

The worst 5 of 29 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	I	122	CYS	CA-CB-SG	-10.08	95.86	114.00
54	AO	159	GLY	N-CA-C	9.60	137.11	113.10
54	AD	159	GLY	N-CA-C	9.55	136.98	113.10
52	AB	231	GLY	N-CA-C	8.66	134.75	113.10
52	AM	231	GLY	N-CA-C	8.65	134.72	113.10

There are no chirality outliers.

5 of 184 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	151	UNK	Peptide
2	B	54	CYS	Peptide
3	C	115	UNK	Peptide
3	C	150	UNK	Peptide
3	C	68	UNK	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	4/154 (3%)	4 (100%)	0	0	100	100
5	E	4/189 (2%)	2 (50%)	2 (50%)	0	100	100
6	F	4/429 (1%)	4 (100%)	0	0	100	100
7	G	12/652 (2%)	6 (50%)	4 (33%)	2 (17%)	0	2
9	I	8/171 (5%)	4 (50%)	3 (38%)	1 (12%)	0	4
51	AA	444/446 (100%)	369 (83%)	68 (15%)	7 (2%)	8	38
51	AL	444/446 (100%)	370 (83%)	67 (15%)	7 (2%)	8	38
52	AB	421/423 (100%)	369 (88%)	47 (11%)	5 (1%)	11	44
52	AM	421/423 (100%)	369 (88%)	47 (11%)	5 (1%)	11	44
53	AC	376/378 (100%)	288 (77%)	73 (19%)	15 (4%)	2	18
53	AN	376/378 (100%)	287 (76%)	74 (20%)	15 (4%)	2	18
54	AD	239/241 (99%)	180 (75%)	52 (22%)	7 (3%)	3	23
54	AO	239/241 (99%)	180 (75%)	52 (22%)	7 (3%)	3	23
55	AE	192/196 (98%)	148 (77%)	36 (19%)	8 (4%)	2	17
55	AP	194/196 (99%)	151 (78%)	35 (18%)	8 (4%)	2	18

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
56	AF	103/105 (98%)	86 (84%)	17 (16%)	0	100	100
56	AQ	103/105 (98%)	86 (84%)	17 (16%)	0	100	100
57	AG	73/75 (97%)	59 (81%)	11 (15%)	3 (4%)	2	18
57	AR	73/75 (97%)	59 (81%)	11 (15%)	3 (4%)	2	18
58	AH	65/67 (97%)	53 (82%)	11 (17%)	1 (2%)	8	40
58	AS	65/67 (97%)	52 (80%)	13 (20%)	0	100	100
59	AI	55/57 (96%)	31 (56%)	17 (31%)	7 (13%)	0	4
59	AT	55/57 (96%)	31 (56%)	17 (31%)	7 (13%)	0	4
60	AJ	58/60 (97%)	47 (81%)	10 (17%)	1 (2%)	7	37
60	AU	58/60 (97%)	47 (81%)	10 (17%)	1 (2%)	7	37
61	AK	49/51 (96%)	44 (90%)	4 (8%)	1 (2%)	6	31
61	AV	49/51 (96%)	44 (90%)	4 (8%)	1 (2%)	6	31
62	BN	512/514 (100%)	485 (95%)	26 (5%)	1 (0%)	44	78
63	BO	225/227 (99%)	200 (89%)	24 (11%)	1 (0%)	30	68
64	BC	257/259 (99%)	249 (97%)	8 (3%)	0	100	100
65	BD	142/144 (99%)	136 (96%)	6 (4%)	0	100	100
66	BE	103/105 (98%)	97 (94%)	6 (6%)	0	100	100
67	BP	96/98 (98%)	89 (93%)	7 (7%)	0	100	100
68	BG	82/84 (98%)	70 (85%)	10 (12%)	2 (2%)	5	27
69	BH	77/79 (98%)	68 (88%)	8 (10%)	1 (1%)	10	43
70	BI	71/73 (97%)	65 (92%)	6 (8%)	0	100	100
71	BJ	56/58 (97%)	55 (98%)	1 (2%)	0	100	100
72	BK	47/49 (96%)	43 (92%)	4 (8%)	0	100	100
73	BL	44/46 (96%)	42 (96%)	2 (4%)	0	100	100
74	BM	41/43 (95%)	39 (95%)	2 (5%)	0	100	100
All	All	5937/7572 (78%)	5008 (84%)	812 (14%)	117 (2%)	8	31

5 of 117 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
51	AA	143	THR
52	AB	436	ILE
54	AD	79	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
55	AE	70	ALA
55	AE	177	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	4/4 (100%)	4 (100%)	0	100	100
5	E	4/4 (100%)	4 (100%)	0	100	100
6	F	4/4 (100%)	4 (100%)	0	100	100
7	G	12/12 (100%)	12 (100%)	0	100	100
9	I	8/8 (100%)	6 (75%)	2 (25%)	0	3
All	All	32/32 (100%)	30 (94%)	2 (6%)	17	36

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
9	I	116	CYS
9	I	119	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 1 is monoatomic - leaving 19 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
77	HEM	AC	401	-	41,50,50	3.05	20 (48%)	45,82,82	2.91	14 (31%)
75	SF4	G	802	7	0,12,12	-	-	-	-	-
79	HEA	BN	603	-	57,67,67	1.19	4 (7%)	61,103,103	1.25	6 (9%)
77	HEM	AN	402	-	41,50,50	2.90	18 (43%)	45,82,82	2.48	16 (35%)
75	SF4	I	202	9	0,12,12	-	-	-	-	-
77	HEM	AC	402	-	41,50,50	2.90	19 (46%)	45,82,82	2.48	16 (35%)
77	HEM	AO	301	-	41,50,50	3.02	19 (46%)	45,82,82	2.66	20 (44%)
76	FES	G	803	7	0,4,4	-	-	-	-	-
75	SF4	I	201	9	0,12,12	-	-	-	-	-
76	FES	E	201	5	0,4,4	-	-	-	-	-
75	SF4	G	801	7	0,12,12	-	-	-	-	-
79	HEA	BN	602	-	57,67,67	1.06	2 (3%)	61,103,103	1.32	7 (11%)
75	SF4	F	500	6	0,12,12	-	-	-	-	-
76	FES	AP	201	-	0,4,4	-	-	-	-	-
80	CUA	BO	301	63	0,1,1	-	-	-	-	-
76	FES	AE	201	-	0,4,4	-	-	-	-	-
77	HEM	AD	301	-	41,50,50	3.02	19 (46%)	45,82,82	2.66	19 (42%)
75	SF4	B	201	2	0,12,12	-	-	-	-	-
77	HEM	AN	401	-	41,50,50	3.04	19 (46%)	45,82,82	2.91	14 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
77	HEM	AC	401	-	-	6/12/54/54	-
75	SF4	G	801	7	-	-	0/6/5/5
75	SF4	G	802	7	-	-	0/6/5/5
77	HEM	AD	301	-	-	2/12/54/54	-
79	HEA	BN	602	-	-	7/32/76/76	-
75	SF4	B	201	2	-	-	0/6/5/5
75	SF4	F	500	6	-	-	0/6/5/5
79	HEA	BN	603	-	-	7/32/76/76	-
75	SF4	I	201	9	-	-	0/6/5/5
77	HEM	AN	402	-	-	7/12/54/54	-
76	FES	AP	201	-	-	-	0/1/1/1
77	HEM	AC	402	-	-	7/12/54/54	-
75	SF4	I	202	9	-	-	0/6/5/5
76	FES	E	201	5	-	-	0/1/1/1
76	FES	AE	201	-	-	-	0/1/1/1
77	HEM	AO	301	-	-	2/12/54/54	-
76	FES	G	803	7	-	-	0/1/1/1
77	HEM	AN	401	-	-	6/12/54/54	-

The worst 5 of 120 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
77	AC	401	HEM	C4D-C3D	-7.61	1.31	1.45
77	AN	401	HEM	C4D-C3D	-7.59	1.32	1.45
77	AD	301	HEM	C4D-C3D	-6.81	1.33	1.45
77	AO	301	HEM	C4D-C3D	-6.80	1.33	1.45
77	AC	401	HEM	C3C-C2C	-6.62	1.31	1.40

The worst 5 of 112 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
77	AN	402	HEM	C4C-CHD-C1D	-8.92	110.78	122.56
77	AC	402	HEM	C4C-CHD-C1D	-8.91	110.80	122.56
77	AC	401	HEM	C4B-CHC-C1C	-8.53	111.31	122.56
77	AN	401	HEM	C4B-CHC-C1C	-8.51	111.32	122.56
77	AO	301	HEM	C4B-CHC-C1C	-7.93	112.09	122.56

There are no chirality outliers.

5 of 44 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
77	AC	401	HEM	C2B-C3B-CAB-CBB
77	AC	401	HEM	C4B-C3B-CAB-CBB
77	AC	402	HEM	C1A-C2A-CAA-CBA
77	AC	402	HEM	C3A-C2A-CAA-CBA
77	AC	402	HEM	C2B-C3B-CAB-CBB

There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand HEM AC 401




Bond lengths




Bond angles




Torsions




Rings




Ligand HEM AN 402




Bond lengths



Bond angles




Torsions




Rings


Ligand HEM AC 402




Bond lengths



Bond angles




Torsions





Rings


Ligand HEM AO 301



Ligand HEA BN 602







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
7	G	3
12	L	3
24	X	2
10	J	1
1	A	1

Continued on next page...

Continued from previous page...

Mol	Chain	Number of breaks
36	k	1
8	H	1
29	c	1
55	AE	1
55	AP	1
53	AC	1
53	AN	1

The worst 5 of 17 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	J	107:UNK	C	140:UNK	N	31.95
1	X	250:UNK	C	285:UNK	N	27.39
1	G	632:UNK	C	637:UNK	N	21.00
1	X	185:UNK	C	203:UNK	N	20.68
1	A	37:UNK	C	49:UNK	N	20.22


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-8128. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 248



Y Index: 248




Z Index: 248


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 258



Y Index: 237




Z Index: 250


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.094. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1154 nm³; this corresponds to an approximate mass of 1043 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.149 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.149 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	6.70	-	-
Author-provided FSC curve	6.71	24.69	6.91
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-8128 and PDB model 5J7Y. Per-residue inclusion information can be found in [section 3](#) on [page 25](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.094 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.094).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 89% of all backbone atoms, 83% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ





















































































The table lists the average atom inclusion at the recommended contour level (0.094) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8280	 0.2650
0	 0.8670	 0.2770
1	 0.8930	 0.3010
2	 0.9260	 0.2940
3	 0.9500	 0.3360
4	 0.7640	 0.2660
5	 0.9000	 0.3060
6	 0.9810	 0.2890
7	 0.9080	 0.3100
8	 0.9410	 0.3000
9	 0.8860	 0.2980
A	 0.8290	 0.2950
AA	 0.8860	 0.2820
AB	 0.8690	 0.2750
AC	 0.8700	 0.2930
AD	 0.8790	 0.2870
AE	 0.5980	 0.1690
AF	 0.8620	 0.2900
AG	 0.8980	 0.2970
AH	 0.8720	 0.2890
AI	 0.3810	 0.1600
AJ	 0.8380	 0.2850
AK	 0.8280	 0.2820
AL	 0.8590	 0.2640
AM	 0.8260	 0.2550
AN	 0.8580	 0.2920
AO	 0.8670	 0.2650
AP	 0.6950	 0.2040
AQ	 0.8660	 0.2700
AR	 0.8790	 0.2970
AS	 0.8240	 0.2570
AT	 0.4060	 0.1240
AU	 0.8820	 0.2780
AV	 0.7080	 0.2490
B	 0.8490	 0.2780





























Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
BC	 0.6900	 0.2240
BD	 0.4860	 0.1170
BE	 0.4650	 0.1380
BG	 0.4300	 0.1560
BH	 0.5650	 0.1420
BI	 0.4820	 0.1260
BJ	 0.6830	 0.2230
BK	 0.5640	 0.1610
BL	 0.6420	 0.2070
BM	 0.4650	 0.1580
BN	 0.6250	 0.1880
BO	 0.5460	 0.1230
BP	 0.6530	 0.2060
C	 0.8900	 0.3000
D	 0.8860	 0.2990
E	 0.9090	 0.2540
F	 0.8940	 0.2440
G	 0.8720	 0.2550
H	 0.8670	 0.3010
I	 0.9150	 0.2870
J	 0.8480	 0.3000
K	 0.8770	 0.3110
L	 0.8720	 0.2970
M	 0.8860	 0.3030
N	 0.8810	 0.3000
O	 0.8940	 0.2940
P	 0.8870	 0.2840
Q	 0.9180	 0.2990
R	 0.8140	 0.2990
S	 0.8920	 0.2330
T	 0.8750	 0.2890
U	 0.9540	 0.3100
V	 0.8480	 0.2940
W	 0.9590	 0.2940
X	 0.8850	 0.2740
Y	 0.8990	 0.2990
Z	 0.8470	 0.3030
a	 0.9220	 0.3040
b	 0.9240	 0.2930
c	 0.8650	 0.2680
d	 0.9150	 0.3060
e	 0.9090	 0.3220

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
f	 0.9480	 0.2930
g	 0.9510	 0.3300
h	 0.9560	 0.3170
i	 0.9460	 0.3320
j	 0.9270	 0.2960
k	 0.9250	 0.3120
t	 1.0000	 0.3030
u	 0.9250	 0.3300
v	 1.0000	 0.3020
w	 0.9500	 0.3010
x	 0.9390	 0.3380
y	 0.9610	 0.3030
z	 0.9080	 0.3020