



# wwPDB X-ray Structure Validation Summary Report ⓘ

Oct 13, 2024 – 07:20 pm BST

PDB ID : 2JID  
Title : Human Dipeptidyl peptidase IV in complex with 1-(3,4-Dimethoxy-phenyl) -  
3-m-tolyl-piperidine-4-ylamine  
Authors : Hennig, M.; Stihle, M.; Luebbbers, T.; Thoma, R.  
Deposited on : 2007-02-28  
Resolution : 2.80 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	180529	4123 (2.80-2.80)
Ramachandran outliers	177936	4071 (2.80-2.80)
Sidechain outliers	177891	4073 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	736	
1	B	736	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	B	1770	X	-	-	-

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 12214 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DIPEPTIDYL PEPTIDASE 4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	728	Total	C	N	O	S	0	0	0
			5963	3827	982	1128	26			
1	B	728	Total	C	N	O	S	0	0	0
			5963	3827	982	1128	26			

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is (3R,4S)-1-(3,4-DIMETHOXYPHENYL)-3-(3-METHYLPHENYL)PIPERIDI  
N-4-AMINE (three-letter code: GVB) (formula: C<sub>20</sub>H<sub>26</sub>N<sub>2</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			24	20	2	2		
3	B	1	Total	C	N	O	0	0
			24	20	2	2		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	55	Total	O	0	0
			55	55		
4	B	73	Total	O	0	0
			73	73		

### 3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

#### • Molecule 1: DIPEPTIDYL PEPTIDASE 4



#### • Molecule 1: DIPEPTIDYL PEPTIDASE 4



V698	G599	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279	F698	T600	R492	E378	V279
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	65.25Å 66.82Å 423.95Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.80	Depositor
% Data completeness (in resolution range)	98.4 (20.00-2.80)	Depositor
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.223 , 0.303	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	12214	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	37.0	wwPDB-VP

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GVB, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.65	0/6135	0.77	3/8344 (0.0%)
1	B	0.68	1/6135 (0.0%)	0.78	4/8344 (0.0%)
All	All	0.67	1/12270 (0.0%)	0.78	7/16688 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	379	GLU	CG-CD	5.10	1.59	1.51

The worst 5 of 7 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	60	LEU	CA-CB-CG	6.71	130.72	115.30
1	A	60	LEU	CA-CB-CG	6.30	129.79	115.30
1	A	500	LEU	CA-CB-CG	6.21	129.59	115.30
1	B	111	GLY	N-CA-C	5.43	126.68	113.10
1	B	57	LEU	CA-CB-CG	5.34	127.59	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:



Mol	Chain	Res	Type	Group
1	B	111	GLY	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5963	0	5684	196	0
1	B	5963	0	5681	186	0
2	A	56	0	52	10	0
2	B	56	0	52	3	0
3	A	24	0	26	3	0
3	B	24	0	26	5	0
4	A	55	0	0	5	0
4	B	73	0	0	4	0
All	All	12214	0	11521	373	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

The worst 5 of 373 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:229:ASN:HD21	2:B:1769:NAG:C1	1.47	1.26
1:A:281:ASN:HD21	2:A:1769:NAG:C1	1.51	1.23
1:B:351:THR:HG22	1:B:592:HIS:ND1	1.67	1.09
1:B:193:ILE:HG22	1:B:194:ILE:HG12	1.30	1.07
1:A:608:GLU:HA	1:A:608:GLU:OE1	1.51	1.02

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	726/736 (99%)	639 (88%)	78 (11%)	9 (1%)	11	34
1	B	726/736 (99%)	637 (88%)	79 (11%)	10 (1%)	9	30
All	All	1452/1472 (99%)	1276 (88%)	157 (11%)	19 (1%)	10	32

5 of 19 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	110	ASP
1	A	486	VAL
1	A	73	GLU
1	A	604	GLU
1	B	94	THR

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	653/658 (99%)	584 (89%)	69 (11%)	5	18
1	B	653/658 (99%)	585 (90%)	68 (10%)	5	18
All	All	1306/1316 (99%)	1169 (90%)	137 (10%)	5	18

5 of 137 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	412	SER
1	B	479	LEU
1	B	679	ASN
1	A	487	ASN
1	A	485	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 41 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	383	HIS
1	B	679	ASN
1	B	420	ASN
1	B	483	HIS
1	B	694	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry ⓘ

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	NAG	A	1767	-	14,14,15	0.64	0	17,19,21	1.86	6 (35%)
2	NAG	A	1770	1	14,14,15	0.53	0	17,19,21	1.58	3 (17%)
2	NAG	B	1769	-	14,14,15	0.92	0	17,19,21	1.70	5 (29%)
2	NAG	A	1769	-	14,14,15	0.56	0	17,19,21	0.92	1 (5%)
2	NAG	B	1768	1	14,14,15	0.62	0	17,19,21	1.41	3 (17%)
3	GVB	A	1771	-	26,26,26	0.62	0	34,36,36	0.98	2 (5%)
3	GVB	B	1771	-	26,26,26	0.59	0	34,36,36	1.06	2 (5%)
2	NAG	B	1767	1	14,14,15	0.61	0	17,19,21	1.78	3 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAG	B	1770	1	14,14,15	0.75	1 (7%)	17,19,21	1.67	3 (17%)
2	NAG	A	1768	-	14,14,15	0.65	0	17,19,21	1.31	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	1767	-	-	5/6/23/26	0/1/1/1
2	NAG	A	1770	1	-	4/6/23/26	0/1/1/1
2	NAG	B	1769	-	-	0/6/23/26	0/1/1/1
2	NAG	A	1769	-	-	2/6/23/26	0/1/1/1
2	NAG	B	1768	1	-	2/6/23/26	0/1/1/1
3	GVB	A	1771	-	-	0/12/25/25	0/3/3/3
3	GVB	B	1771	-	-	0/12/25/25	0/3/3/3
2	NAG	B	1767	1	-	3/6/23/26	0/1/1/1
2	NAG	B	1770	1	1/1/5/7	4/6/23/26	0/1/1/1
2	NAG	A	1768	-	-	2/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1770	NAG	C1-C2	2.36	1.55	1.52

The worst 5 of 30 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1770	NAG	C1-O5-C5	4.61	118.44	112.19
2	B	1770	NAG	O5-C5-C6	4.41	114.11	107.20
2	B	1767	NAG	C1-O5-C5	4.31	118.03	112.19
2	A	1767	NAG	O5-C1-C2	-4.13	104.77	111.29
2	A	1767	NAG	C3-C4-C5	3.40	116.30	110.24

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	B	1770	NAG	C1

5 of 22 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1767	NAG	C3-C2-N2-C7
2	A	1767	NAG	C8-C7-N2-C2
2	A	1767	NAG	O7-C7-N2-C2
2	B	1767	NAG	C8-C7-N2-C2
2	B	1767	NAG	O7-C7-N2-C2

There are no ring outliers.

6 monomers are involved in 21 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1767	NAG	4	0
2	B	1769	NAG	3	0
2	A	1769	NAG	2	0
3	A	1771	GVB	3	0
3	B	1771	GVB	5	0
2	A	1768	NAG	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

### 6.4 Ligands

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers

EDS was not executed - this section is therefore empty.