



## Full wwPDB EM Validation Report ⓘ

Feb 26, 2025 – 01:11 PM JST

PDB ID : 9K9S  
EMDB ID : EMD-62197  
Title : MPXV DNA polymerase in complex with primer/4U template DNA  
Authors : Xie, Y.F.; Kuai, L.; Peng, Q.; Wang, Q.; Wang, H.; Li, X.M.; Qi, J.X.; Ding, Q.; Shi, Y.; Gao, F.  
Deposited on : 2024-10-27  
Resolution : 2.39 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev117  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.41.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.39 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1031	
2	B	218	
3	C	426	
4	P	25	
5	T	38	

## 2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 14241 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA polymerase.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1005	Total	C	N	O	S	0	0
			8207	5242	1375	1535	55		

There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-24	MET	-	initiating methionine	UNP A0A7H0DN44
A	-23	TRP	-	expression tag	UNP A0A7H0DN44
A	-22	SER	-	expression tag	UNP A0A7H0DN44
A	-21	HIS	-	expression tag	UNP A0A7H0DN44
A	-20	PRO	-	expression tag	UNP A0A7H0DN44
A	-19	GLN	-	expression tag	UNP A0A7H0DN44
A	-18	PHE	-	expression tag	UNP A0A7H0DN44
A	-17	GLU	-	expression tag	UNP A0A7H0DN44
A	-16	LYS	-	expression tag	UNP A0A7H0DN44
A	-15	GLY	-	expression tag	UNP A0A7H0DN44
A	-14	SER	-	expression tag	UNP A0A7H0DN44
A	-13	GLY	-	expression tag	UNP A0A7H0DN44
A	-12	SER	-	expression tag	UNP A0A7H0DN44
A	-11	TRP	-	expression tag	UNP A0A7H0DN44
A	-10	SER	-	expression tag	UNP A0A7H0DN44
A	-9	HIS	-	expression tag	UNP A0A7H0DN44
A	-8	PRO	-	expression tag	UNP A0A7H0DN44
A	-7	GLN	-	expression tag	UNP A0A7H0DN44
A	-6	PHE	-	expression tag	UNP A0A7H0DN44
A	-5	GLU	-	expression tag	UNP A0A7H0DN44
A	-4	LYS	-	expression tag	UNP A0A7H0DN44
A	-3	GLY	-	expression tag	UNP A0A7H0DN44
A	-2	SER	-	expression tag	UNP A0A7H0DN44
A	-1	GLY	-	expression tag	UNP A0A7H0DN44
A	0	SER	-	expression tag	UNP A0A7H0DN44
A	108	PHE	LEU	conflict	UNP A0A7H0DN44
A	166	ALA	ASP	engineered mutation	UNP A0A7H0DN44
A	168	ALA	GLU	engineered mutation	UNP A0A7H0DN44

- Molecule 2 is a protein called E4R.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	218	Total	C	N	O	S	0	0
			1773	1149	292	326	6		

- Molecule 3 is a protein called DNA polymerase processivity factor component A20.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	419	Total	C	N	O	S	0	0
			3418	2204	553	651	10		

- Molecule 4 is a DNA chain called DNA (25-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
4	P	14	Total	C	N	O	P	0	0
			287	138	51	84	14		


- Molecule 5 is a DNA chain called DNA (4U 38-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
5	T	26	Total	C	N	O	P	0	0
			526	251	96	153	26		

- Molecule 6 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
6	A	1	Total	Mg	0
			1	1	

- Molecule 7 is THYMIDINE-5'-TRIPHOSPHATE (three-letter code: TTP) (formula: C<sub>10</sub>H<sub>17</sub>N<sub>2</sub>O<sub>14</sub>P<sub>3</sub>) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
7	A	1	Total	C	N	O	P	0
			29	10	2	14	3	


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: DNA polymerase




#### • Molecule 2: E4R




#### • Molecule 3: DNA polymerase processivity factor component A20





• Molecule 4: DNA (25-MER)



• Molecule 5: DNA (4U 38-MER)



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	294718	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	50	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	1.791	Depositor
Minimum map value	-0.002	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.025	Depositor
Recommended contour level	0.01	Depositor
Map size (Å)	272.0, 272.0, 272.0	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.85, 0.85, 0.85	Depositor



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TTP, MG, ORP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.36	0/8383	0.52	0/11319
2	B	0.33	0/1823	0.48	0/2479
3	C	0.28	0/3484	0.52	0/4701
4	P	0.74	0/321	0.99	0/493
5	T	0.72	0/576	0.91	0/884
All	All	0.37	0/14587	0.55	0/19876

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8207	0	8172	82	0
2	B	1773	0	1764	13	0
3	C	3418	0	3425	103	0
4	P	287	0	158	1	0
5	T	526	0	291	6	0
6	A	1	0	0	0	0
7	A	29	0	13	1	0
All	All	14241	0	13823	199	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (199) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:96:ILE:HD11	2:B:212:TRP:HB3	1.54	0.89
3:C:322:LYS:NZ	3:C:360:CYS:SG	2.48	0.86
1:A:553:LEU:HD22	1:A:753:ASP:HB3	1.61	0.82
1:A:373:ASP:OD1	1:A:374:ASP:N	2.13	0.81
2:B:158:LEU:HD22	2:B:182:PRO:HD3	1.69	0.75
3:C:378:LYS:HB3	3:C:386:ASN:HB3	1.69	0.74
3:C:65:LYS:HB2	3:C:210:VAL:HG12	1.73	0.69
1:A:473:TYR:O	1:A:478:LYS:NZ	2.25	0.69
3:C:84:GLY:HA3	3:C:131:LEU:O	1.93	0.68
1:A:693:ARG:NH2	1:A:721:PRO:O	2.25	0.68
3:C:135:ARG:NH2	3:C:161:ASN:OD1	2.26	0.67
1:A:509:LEU:HD11	1:A:625:ARG:HB3	1.78	0.65
1:A:144:ASP:OD2	1:A:147:ASN:ND2	2.30	0.65
3:C:313:ILE:O	3:C:409:GLN:NE2	2.31	0.64
1:A:12:HIS:O	5:T:7:DG:N2	2.31	0.63
3:C:226:ASP:OD1	3:C:227:ARG:N	2.31	0.63
1:A:497:ARG:HG3	5:T:12:DA:H5"	1.81	0.62
1:A:530:GLY:O	1:A:692:ARG:NH1	2.32	0.62
3:C:176:PHE:HA	3:C:180:LEU:HD12	1.82	0.62
3:C:138:MET:SD	3:C:138:MET:N	2.73	0.61
3:C:185:GLU:HA	3:C:188:PHE:CE2	2.35	0.61
3:C:398:PRO:HA	3:C:401:GLU:HG2	1.82	0.61
3:C:251:ASP:HA	3:C:254:ILE:HD11	1.84	0.60
1:A:711:MET:HE1	1:A:732:ILE:HG23	1.83	0.59
3:C:152:PHE:HB3	3:C:162:ILE:HG21	1.82	0.59
1:A:51:SER:HB3	1:A:52:PRO:HD3	1.83	0.59
3:C:397:ASN:OD1	3:C:400:ILE:N	2.33	0.58
1:A:363:ARG:NH1	1:A:424:LEU:O	2.37	0.58
3:C:130:VAL:HG12	3:C:139:GLU:HB2	1.85	0.58
3:C:78:PHE:HB3	3:C:197:ILE:HD11	1.85	0.58
1:A:167:ILE:HG22	1:A:186:THR:HG23	1.86	0.57
1:A:26:ASN:ND2	1:A:28:GLU:OE2	2.39	0.56
3:C:130:VAL:HG13	3:C:137:ILE:HB	1.88	0.56
3:C:37:TRP:O	3:C:41:THR:HG22	2.06	0.55
3:C:87:PHE:HB2	3:C:129:PHE:HB2	1.89	0.55
3:C:233:PHE:HE2	3:C:310:LYS:HE3	1.71	0.55
3:C:181:TYR:OH	3:C:210:VAL:O	2.23	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:805:LYS:HA	1:A:826:LYS:O	2.06	0.55
3:C:388:ASN:N	3:C:388:ASN:OD1	2.39	0.55
1:A:607:ASN:OD1	1:A:607:ASN:N	2.40	0.55
3:C:140:ASP:OD1	3:C:207:ARG:NH1	2.40	0.54
3:C:107:PRO:HD2	3:C:110:ILE:HD12	1.88	0.54
3:C:420:VAL:O	3:C:424:LEU:HG	2.08	0.54
3:C:367:ASP:N	3:C:367:ASP:OD1	2.41	0.54
3:C:160:LEU:HD22	3:C:161:ASN:H	1.73	0.54
3:C:235:PRO:HG3	3:C:250:VAL:HG12	1.89	0.53
1:A:550:TYR:HB2	1:A:753:ASP:HB2	1.89	0.53
1:A:751:ASP:OD2	1:A:804:LYS:NZ	2.36	0.53
1:A:943:LYS:NZ	1:A:998:GLY:O	2.40	0.53
2:B:185:ARG:O	2:B:186:ASP:HB2	2.09	0.53
3:C:399:SER:O	3:C:403:ILE:HG12	2.09	0.53
3:C:292:ARG:HE	3:C:296:THR:HG1	1.56	0.53
3:C:306:LYS:HG3	3:C:307:TYR:HD1	1.73	0.52
1:A:725:ASP:OD2	1:A:727:ARG:NH1	2.42	0.52
3:C:88:ILE:HD11	3:C:98:LEU:HD12	1.92	0.52
1:A:746:ARG:NH2	1:A:758:GLU:OE1	2.43	0.52
1:A:23:ARG:NH1	1:A:29:THR:OG1	2.43	0.52
1:A:863:GLN:NE2	1:A:867:ASP:OD2	2.42	0.52
1:A:976:THR:HG21	1:A:997:PHE:CE2	2.45	0.52
3:C:353:VAL:HG22	3:C:421:LYS:HD3	1.92	0.52
3:C:363:TYR:CD2	3:C:403:ILE:HG23	2.45	0.52
3:C:249:ASP:OD1	3:C:250:VAL:N	2.43	0.51
3:C:302:TYR:HB3	3:C:402:THR:HG21	1.90	0.51
1:A:105:ASP:OD1	1:A:105:ASP:N	2.33	0.51
3:C:292:ARG:NH2	3:C:296:THR:OG1	2.44	0.51
1:A:860:ASN:OD1	1:A:861:SER:N	2.39	0.51
1:A:938:VAL:HG13	1:A:965:ARG:HH21	1.76	0.50
3:C:415:ASN:O	3:C:418:THR:HG22	2.11	0.50
1:A:372:GLY:O	1:A:414:GLY:HA3	2.12	0.49
3:C:239:THR:OG1	3:C:243:LYS:N	2.44	0.49
3:C:254:ILE:HG21	3:C:290:ILE:HD12	1.94	0.49
3:C:331:VAL:HA	3:C:334:LEU:HD12	1.95	0.49
3:C:363:TYR:OH	3:C:406:ASN:ND2	2.45	0.49
3:C:345:LYS:HA	3:C:348:ILE:HG22	1.94	0.49
1:A:266:ASN:OD1	1:A:270:ARG:NH1	2.45	0.49
1:A:803:LYS:HD3	5:T:17:DA:H5"	1.95	0.49
3:C:294:ILE:HD12	3:C:398:PRO:HG2	1.95	0.49
1:A:551:ASN:O	1:A:556:ASN:ND2	2.47	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:916:LYS:HB2	1:A:916:LYS:NZ	2.29	0.48
1:A:718:LEU:HD22	1:A:782:VAL:HG22	1.94	0.48
3:C:257:LYS:HG2	3:C:289:VAL:HG21	1.96	0.48
3:C:292:ARG:CZ	3:C:296:THR:OG1	2.61	0.48
2:B:93:ALA:HA	2:B:96:ILE:HG22	1.94	0.48
3:C:292:ARG:NE	3:C:296:THR:OG1	2.46	0.48
2:B:46:PRO:HA	2:B:49:PHE:CE2	2.49	0.48
3:C:288:GLU:O	3:C:291:LYS:HG3	2.13	0.48
3:C:306:LYS:HG3	3:C:307:TYR:CD1	2.48	0.48
2:B:18:ASP:OD1	2:B:18:ASP:N	2.47	0.47
3:C:90:SER:HB3	3:C:93:LYS:HB2	1.96	0.47
1:A:365:VAL:HG22	1:A:366:ARG:H	1.79	0.47
1:A:936:ALA:HA	1:A:965:ARG:HG2	1.97	0.47
3:C:361:LEU:HB3	3:C:363:TYR:CE1	2.49	0.47
5:T:10:DT:H5"	5:T:10:DT:H6	1.78	0.47
3:C:3:SER:OG	3:C:4:SER:N	2.47	0.47
3:C:4:SER:O	3:C:8:THR:HG23	2.15	0.47
3:C:135:ARG:HH12	3:C:161:ASN:HD21	1.61	0.47
1:A:249:LYS:NZ	1:A:283:LYS:O	2.47	0.47
2:B:51:ILE:HD11	2:B:76:GLY:HA3	1.96	0.47
1:A:577:ARG:NH2	3:C:373:ASN:O	2.47	0.46
1:A:340:LYS:O	1:A:340:LYS:HG3	2.16	0.46
1:A:808:THR:OG1	1:A:809:MET:N	2.48	0.46
1:A:945:VAL:HG23	1:A:946:ASN:H	1.79	0.46
3:C:292:ARG:NE	3:C:296:THR:HG1	2.14	0.46
1:A:77:ASP:O	1:A:79:LYS:NZ	2.49	0.46
1:A:654:ASP:O	1:A:657:GLN:HG3	2.15	0.46
3:C:14:LEU:O	3:C:18:LYS:HG2	2.15	0.46
3:C:34:LEU:HD23	3:C:34:LEU:HA	1.71	0.46
3:C:92:GLY:H	3:C:118:LEU:HD13	1.80	0.46
1:A:420:SER:O	1:A:420:SER:OG	2.31	0.46
3:C:339:ASN:HA	3:C:345:LYS:HE3	1.97	0.46
1:A:541:PHE:HE1	1:A:748:VAL:HG11	1.81	0.46
1:A:796:LYS:HD3	1:A:811:TYR:CE1	2.50	0.46
3:C:355:ASP:OD1	3:C:358:ARG:NH2	2.49	0.46
1:A:136:ASN:OD1	1:A:137:ASN:N	2.49	0.45
3:C:148:PRO:HA	3:C:151:ILE:HD11	1.97	0.45
1:A:711:MET:CE	1:A:732:ILE:HG23	2.45	0.45
3:C:71:ILE:HG13	3:C:174:THR:HG23	1.98	0.45
3:C:225:VAL:HG13	3:C:297:ILE:HD11	1.99	0.45
1:A:587:LEU:HD21	1:A:598:THR:HG21	1.99	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:309:GLY:C	1:A:311:CYS:H	2.20	0.45
3:C:164:ASN:OD1	3:C:164:ASN:N	2.48	0.45
4:P:18:DC:H2"	4:P:19:DG:C8	2.52	0.45
1:A:340:LYS:O	1:A:341:LEU:HD23	2.18	0.44
3:C:91:LYS:HD2	3:C:118:LEU:HD22	1.99	0.44
1:A:730:ASN:ND2	1:A:732:ILE:HB	2.33	0.44
3:C:270:ASN:N	3:C:270:ASN:OD1	2.51	0.44
3:C:313:ILE:HD12	3:C:314:ALA:O	2.17	0.44
3:C:353:VAL:HG13	3:C:417:VAL:HG12	2.00	0.44
3:C:292:ARG:HE	3:C:292:ARG:C	2.20	0.44
2:B:200:VAL:HG11	3:C:10:LEU:HB3	1.99	0.44
1:A:286:PHE:HB2	1:A:295:VAL:HG23	1.99	0.44
1:A:796:LYS:HD3	1:A:811:TYR:HE1	1.83	0.44
1:A:835:VAL:O	1:A:836:SER:HB2	2.18	0.43
3:C:225:VAL:HB	3:C:233:PHE:HB3	2.00	0.43
3:C:237:VAL:HG23	3:C:245:ILE:HG23	2.01	0.43
1:A:378:ALA:HB3	1:A:381:LYS:HG3	2.00	0.43
1:A:836:SER:HB3	1:A:839:HIS:H	1.83	0.43
1:A:588:LEU:HD12	1:A:588:LEU:HA	1.83	0.43
2:B:109:ASN:HB2	2:B:217:ILE:HD11	2.00	0.43
1:A:634:ARG:NH2	7:A:1102:TTP:O1G	2.52	0.42
1:A:555:PRO:HA	1:A:627:LEU:HD13	2.00	0.42
3:C:321:ASN:OD1	3:C:321:ASN:N	2.52	0.42
1:A:681:TYR:CZ	1:A:685:LYS:HD2	2.54	0.42
1:A:695:ILE:HD13	1:A:752:THR:O	2.18	0.42
1:A:763:ASP:N	1:A:763:ASP:OD1	2.51	0.42
1:A:985:ASN:OD1	1:A:986:LYS:N	2.52	0.42
3:C:135:ARG:NH1	3:C:161:ASN:HD21	2.15	0.42
3:C:160:LEU:HD22	3:C:161:ASN:N	2.33	0.42
3:C:376:ARG:HD3	3:C:376:ARG:HA	1.83	0.42
3:C:184:MET:HE2	3:C:187:SER:HB3	2.01	0.42
3:C:90:SER:OG	3:C:91:LYS:N	2.51	0.42
3:C:198:SER:HB2	3:C:209:VAL:HG12	2.02	0.42
3:C:300:ASP:OD1	3:C:311:VAL:HG12	2.20	0.42
1:A:935:PRO:O	1:A:938:VAL:HG12	2.20	0.42
1:A:374:ASP:OD1	1:A:379:LYS:HA	2.19	0.42
1:A:783:LEU:HD13	1:A:787:PHE:HB3	2.02	0.42
3:C:417:VAL:HA	3:C:420:VAL:HG12	2.02	0.42
1:A:11:SER:HB3	1:A:19:TYR:HE2	1.84	0.42
1:A:365:VAL:HG13	1:A:366:ARG:N	2.34	0.42
3:C:361:LEU:HB3	3:C:363:TYR:HE1	1.85	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:233:PHE:N	3:C:308:PHE:O	2.49	0.41
1:A:604:ARG:HE	1:A:604:ARG:HB2	1.61	0.41
1:A:739:ILE:HD12	1:A:739:ILE:H	1.85	0.41
3:C:106:ILE:HD12	3:C:106:ILE:O	2.19	0.41
1:A:707:LEU:CD2	1:A:743:PHE:HB2	2.49	0.41
1:A:424:LEU:HA	1:A:425:PRO:HD3	1.95	0.41
3:C:180:LEU:HD23	3:C:180:LEU:HA	1.88	0.41
3:C:259:ARG:O	3:C:262:THR:OG1	2.36	0.41
3:C:277:ASP:OD1	3:C:277:ASP:N	2.45	0.41
1:A:652:ILE:O	1:A:656:MET:HG3	2.20	0.41
3:C:223:ILE:HG21	3:C:293:ILE:HD11	2.03	0.41
2:B:106:LYS:HE3	2:B:106:LYS:HB3	1.94	0.41
3:C:226:ASP:HB3	3:C:234:ILE:HG23	2.01	0.41
1:A:446:ASP:OD1	1:A:446:ASP:N	2.53	0.41
2:B:48:LYS:HB2	2:B:48:LYS:HE3	1.85	0.41
1:A:128:ASP:OD1	1:A:128:ASP:N	2.47	0.41
3:C:12:GLU:OE1	3:C:34:LEU:HD12	2.21	0.41
3:C:336:ASP:OD1	3:C:336:ASP:N	2.53	0.41
1:A:788:LYS:HZ3	1:A:788:LYS:HB2	1.86	0.41
3:C:223:ILE:HG13	3:C:237:VAL:HG12	2.03	0.41
5:T:15:DC:H2"	5:T:16:DA:C8	2.56	0.41
1:A:407:ARG:HG2	1:A:407:ARG:HH11	1.86	0.40
3:C:24:ASP:OD1	3:C:26:VAL:N	2.52	0.40
5:T:6:DC:H2"	5:T:7:DG:H5"	2.01	0.40
1:A:42:VAL:O	1:A:88:MET:HE3	2.21	0.40
1:A:457:ARG:O	1:A:460:ILE:HG22	2.21	0.40
3:C:16:LEU:HD23	3:C:31:TYR:HB2	2.03	0.40
3:C:87:PHE:HB2	3:C:129:PHE:CB	2.51	0.40
3:C:113:ALA:O	3:C:116:LYS:HG2	2.21	0.40
3:C:330:THR:OG1	3:C:333:GLU:HB2	2.21	0.40
1:A:302:ARG:HE	1:A:302:ARG:HB3	1.74	0.40
2:B:124:SER:HB3	2:B:137:TRP:HE1	1.84	0.40
2:B:167:ARG:CZ	3:C:43:TRP:HB2	2.51	0.40
3:C:375:MET:HG2	3:C:377:PHE:CE1	2.56	0.40
3:C:70:ASN:OD1	3:C:70:ASN:N	2.54	0.40
3:C:297:ILE:HG13	3:C:301:TYR:CE2	2.57	0.40
1:A:509:LEU:HD21	1:A:625:ARG:HB2	2.04	0.40
1:A:541:PHE:CE1	1:A:748:VAL:HG11	2.57	0.40
3:C:28:ILE:HD13	3:C:28:ILE:HA	1.91	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1003/1031 (97%)	950 (95%)	50 (5%)	3 (0%)	37	51
2	B	216/218 (99%)	202 (94%)	14 (6%)	0	100	100
3	C	415/426 (97%)	392 (94%)	21 (5%)	2 (0%)	25	38
All	All	1634/1675 (98%)	1544 (94%)	85 (5%)	5 (0%)	38	51

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	310	VAL
1	A	365	VAL
3	C	72	ASP
1	A	902	SER
3	C	53	VAL

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	926/947 (98%)	885 (96%)	41 (4%)	24	41
2	B	200/200 (100%)	186 (93%)	14 (7%)	12	21
3	C	391/396 (99%)	358 (92%)	33 (8%)	9	14
All	All	1517/1543 (98%)	1429 (94%)	88 (6%)	19	29

All (88) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	53	PRO
1	A	82	LYS
1	A	84	SER
1	A	95	LYS
1	A	97	ARG
1	A	105	ASP
1	A	143	ASP
1	A	151	LYS
1	A	155	ARG
1	A	207	MET
1	A	218	ASP
1	A	223	ARG
1	A	226	SER
1	A	228	MET
1	A	238	LEU
1	A	280	THR
1	A	292	LYS
1	A	357	MET
1	A	366	ARG
1	A	375	THR
1	A	445	LYS
1	A	538	GLN
1	A	564	SER
1	A	589	GLN
1	A	633	GLU
1	A	668	TYR
1	A	707	LEU
1	A	724	MET
1	A	774	LEU
1	A	816	ASN
1	A	823	ARG
1	A	832	ARG
1	A	844	LYS
1	A	871	SER
1	A	878	SER
1	A	884	SER
1	A	898	SER
1	A	956	ARG
1	A	959	LYS
1	A	967	PHE
2	B	3	SER
2	B	7	SER

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
2	B	10	PRO
2	B	18	ASP
2	B	28	GLU
2	B	81	SER
2	B	84	PHE
2	B	106	LYS
2	B	125	CYS
2	B	131	LYS
2	B	150	LYS
2	B	185	ARG
2	B	203	GLU
2	B	207	LYS
3	C	21	ARG
3	C	22	PHE
3	C	30	LYS
3	C	31	TYR
3	C	82	TYR
3	C	117	VAL
3	C	126	PHE
3	C	135	ARG
3	C	174	THR
3	C	181	TYR
3	C	184	MET
3	C	188	PHE
3	C	208	GLN
3	C	224	LYS
3	C	291	LYS
3	C	292	ARG
3	C	302	TYR
3	C	303	VAL
3	C	306	LYS
3	C	310	LYS
3	C	322	LYS
3	C	334	LEU
3	C	335	VAL
3	C	336	ASP
3	C	339	ASN
3	C	355	ASP
3	C	359	GLU
3	C	376	ARG
3	C	388	ASN
3	C	393	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	C	397	ASN
3	C	404	TYR
3	C	407	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
3	C	406	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
5	ORP	T	4	5	9,12,13	4.36	5 (55%)	8,16,19	0.68	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	ORP	T	4	5	-	0/3/17/18	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	T	4	ORP	O4-C4	7.26	1.61	1.45
5	T	4	ORP	C3-C4	-6.65	1.34	1.53
5	T	4	ORP	O4-C1	-6.60	1.29	1.41
5	T	4	ORP	C2-C1	4.48	1.58	1.52
5	T	4	ORP	O3-C3	2.75	1.49	1.43

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
7	TTP	A	1102	6	26,30,30	1.28	4 (15%)	39,47,47	2.04	9 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	TTP	A	1102	6	-	4/22/34/34	0/2/2/2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	1102	TTP	C4-N3	-2.97	1.33	1.38
7	A	1102	TTP	C6-N1	-2.63	1.33	1.38
7	A	1102	TTP	C6-C5	2.52	1.38	1.34
7	A	1102	TTP	C2-N3	-2.43	1.33	1.38

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	1102	TTP	C4-N3-C2	-5.39	120.37	127.35
7	A	1102	TTP	N3-C2-N1	5.12	121.69	114.89
7	A	1102	TTP	C5-C4-N3	4.67	119.29	115.31
7	A	1102	TTP	C5-C6-N1	-3.93	119.30	123.34
7	A	1102	TTP	O4-C4-C5	-3.83	120.46	124.90
7	A	1102	TTP	PB-O3A-PA	-3.33	121.39	132.83
7	A	1102	TTP	PB-O3B-PG	-2.97	122.62	132.83
7	A	1102	TTP	C2'-C1'-N1	-2.92	107.05	113.77
7	A	1102	TTP	O2-C2-N1	-2.72	119.16	122.79

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	1102	TTP	C5'-O5'-PA-O1A
7	A	1102	TTP	C5'-O5'-PA-O3A
7	A	1102	TTP	C5'-O5'-PA-O2A
7	A	1102	TTP	PB-O3A-PA-O1A


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	1102	TTP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring

in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-62197. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y



Z

The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)

### 6.2.1 Primary map



X Index: 160




Y Index: 160




Z Index: 160


### 6.2.2 Raw map



X Index: 160



Y Index: 160



Z Index: 160

The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)

### 6.3.1 Primary map



X Index: 166




Y Index: 160




Z Index: 166


### 6.3.2 Raw map



X Index: 166



Y Index: 160




Z Index: 165

The images above show the largest variance slices of the map in three orthogonal directions.




## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.01. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 3331 nm<sup>3</sup>; this corresponds to an approximate mass of 3009 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of 0.418 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of  $0.418 \text{ \AA}^{-1}$

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.39	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.06	3.54	3.12

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.06 differs from the reported value 2.39 by more than 10 %


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-62197 and PDB model 9K9S. Per-residue inclusion information can be found in section [3](#) on page [6](#).


### 9.1 Map-model overlay [i](#)



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.01 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.



## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.01).

## 9.4 Atom inclusion ⓘ



At the recommended contour level, 98% of all backbone atoms, 92% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.01) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.9200	<div></div> 0.5030
A	<div></div> 0.9730	<div></div> 0.5970
B	<div></div> 0.9580	<div></div> 0.5550
C	<div></div> 0.7710	<div></div> 0.2400
P	<div></div> 0.9550	<div></div> 0.5380
T	<div></div> 0.9320	<div></div> 0.5440

