



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 25, 2024 – 03:16 PM EST

PDB ID : 1KEM  
Title : CATALYTIC ANTIBODY 28B4 FAB FRAGMENT  
Authors : Hsieh-Wilson, L.C.; Schultz, P.G.; Stevens, R.C.  
Deposited on : 1996-04-16  
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.21
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.004 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.40


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	180529	6634 (2.20-2.20)
Ramachandran outliers	177936	6560 (2.20-2.20)
Sidechain outliers	177891	6561 (2.20-2.20)
RSRZ outliers	164620	5791 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Mol	Chain	Length	Quality of chain
1	L	217	<div> <div>7%</div> <div>66%</div> <div>32%</div> <div>.</div> </div>
2	H	218	<div> <div>11%</div> <div>56%</div> <div>39%</div> <div>..</div> </div>

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4113 atoms, of which 778 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 28B4 FAB.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	L	217	Total	C	H	N	O	S	0	0	0
			2091	1055	403	288	339	6			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
L	25	PHE	SER	conflict	PIR PC4203
L	32	SER	THR	conflict	PIR PC4203
L	45	SER	PRO	conflict	PIR PC4203


- Molecule 2 is a protein called 28B4 FAB.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	H	218	Total	C	H	N	O	S	0	0	0
			2022	1043	375	275	322	7			


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: 28B4 FAB



#### • Molecule 2: 28B4 FAB



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	47.20Å 58.60Å 43.40Å 95.30° 103.20° 93.60°	Depositor
Resolution (Å)	20.00 – 2.20 20.00 – 2.20	Depositor EDS
% Data completeness (in resolution range)	98.0 (20.00-2.20) 89.5 (20.00-2.20)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.61 (at 2.19Å)	Xtriage
Refinement program	X-PLOR 3.1	Depositor
R, $R_{free}$	0.183 , 0.288 0.252 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	29.3	Xtriage
Anisotropy	0.722	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 52.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.54$ , $\langle L^2 \rangle = 0.38$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	4113	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.57% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	L	0.60	1/1726 (0.1%)	0.80	0/2338
2	H	0.56	0/1692	0.82	2/2309 (0.1%)
All	All	0.58	1/3418 (0.0%)	0.81	2/4647 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	L	70	SER	CB-OG	5.42	1.49	1.42

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	194	ARG	NE-CZ-NH1	7.63	124.12	120.30
2	H	57	GLY	N-CA-C	5.36	126.49	113.10

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	1688	403	1631	48	0
2	H	1647	375	1604	78	0
All	All	3335	778	3235	124	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 19.

All (124) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:190:PRO:O	2:H:193:PRO:HD2	1.70	0.92
2:H:194:ARG:HH11	2:H:194:ARG:HG3	1.39	0.85
2:H:162:SER:H	2:H:202:ASN:HD21	1.23	0.84
2:H:20:LEU:HD12	2:H:83:LEU:HD23	1.61	0.81
2:H:194:ARG:HH11	2:H:194:ARG:CG	1.96	0.78
2:H:138:THR:HB	2:H:141:MET:HB2	1.65	0.77
2:H:51:ILE:HG13	2:H:60:THR:HG22	1.66	0.76
1:L:18:GLN:HE21	1:L:79:LYS:HG2	1.51	0.75
1:L:120:VAL:O	2:H:137:GLN:HG2	1.89	0.73
2:H:193:PRO:O	2:H:197:GLU:HB2	1.89	0.72
2:H:101:TRP:CD1	2:H:105:ALA:HA	2.24	0.72
2:H:62:TYR:CE2	2:H:72:ILE:HG12	2.25	0.72
2:H:125:PRO:HB3	2:H:151:TYR:HB3	1.71	0.70
2:H:30:THR:HG22	2:H:54:LYS:HB2	1.73	0.69
1:L:6:GLN:HE21	1:L:104:GLY:HA3	1.59	0.67
2:H:161:ASN:ND2	2:H:200:THR:H	1.93	0.67
2:H:34:PHE:HB3	2:H:81:LEU:HD22	1.76	0.66
2:H:153:PRO:O	2:H:205:HIS:HE1	1.79	0.66
2:H:19:ARG:HB2	2:H:84:GLN:OE1	1.97	0.64
2:H:120:ALA:HB2	2:H:179:ASP:HB3	1.79	0.64
2:H:136:ALA:O	2:H:137:GLN:HB2	1.98	0.63
2:H:36:TRP:HD1	2:H:72:ILE:HD12	1.64	0.62
1:L:174:LYS:HG2	1:L:174:LYS:O	2.00	0.61
2:H:136:ALA:HB1	2:H:142:VAL:HG23	1.83	0.61
2:H:18:LEU:O	2:H:85:MET:HG2	2.01	0.60
2:H:162:SER:H	2:H:202:ASN:ND2	1.98	0.59
1:L:129:GLN:HG2	1:L:134:GLY:O	2.03	0.59
2:H:89:ARG:HG3	2:H:91:GLU:HG2	1.85	0.58
1:L:66:ARG:HD2	1:L:82:ARG:O	2.03	0.57
1:L:160:ARG:CD	1:L:184:LEU:HD11	2.34	0.57
2:H:192:SER:OG	2:H:193:PRO:HD3	2.04	0.57
2:H:84:GLN:HE21	2:H:86:ASN:HD21	1.52	0.56
2:H:11:LEU:HD12	2:H:12:GLY:H	1.69	0.56
2:H:162:SER:N	2:H:202:ASN:HD21	1.98	0.55
2:H:69:ARG:HD2	2:H:87:THR:HB	1.87	0.55
2:H:53:ASN:OD1	2:H:55:ALA:HB3	2.07	0.55
1:L:200:GLU:HG3	1:L:211:VAL:HG22	1.88	0.54
1:L:82:ARG:HG2	1:L:82:ARG:HH11	1.71	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:194:ARG:HG3	2:H:194:ARG:NH1	2.13	0.54
1:L:88:LEU:HD23	1:L:109:LEU:O	2.07	0.54
2:H:40:PRO:HB2	2:H:43:LYS:HB2	1.89	0.54
2:H:6:GLU:OE2	2:H:110:GLY:HA3	2.09	0.54
2:H:101:TRP:NE1	2:H:105:ALA:HA	2.22	0.54
1:L:146:PRO:O	1:L:203:HIS:HE1	1.90	0.53
1:L:203:HIS:HD2	1:L:205:THR:OG1	1.91	0.53
2:H:34:PHE:HB3	2:H:81:LEU:CD2	2.39	0.53
1:L:82:ARG:HG2	1:L:82:ARG:NH1	2.24	0.53
2:H:33:TYR:CE2	2:H:52:ARG:HG2	2.43	0.53
2:H:62:TYR:HB3	2:H:66:VAL:CG2	2.39	0.53
1:L:4:MET:HG2	1:L:5:THR:N	2.23	0.52
2:H:3:LYS:O	2:H:24:THR:HA	2.09	0.52
2:H:85:MET:HG3	2:H:88:LEU:HD21	1.92	0.52
1:L:21:ILE:HD12	1:L:21:ILE:N	2.26	0.51
2:H:161:ASN:HD21	2:H:199:VAL:HA	1.75	0.51
2:H:4:LEU:HD23	2:H:22:CYS:SG	2.50	0.51
1:L:216:ARG:O	1:L:217:ASN:HB2	2.10	0.51
2:H:96:TYR:O	2:H:112:GLY:HA2	2.11	0.51
2:H:52:ARG:O	2:H:58:TYR:HA	2.11	0.51
1:L:152:LYS:HD3	1:L:159:GLU:CD	2.30	0.51
2:H:36:TRP:CD1	2:H:72:ILE:HD12	2.45	0.51
2:H:138:THR:HG22	2:H:139:ASN:N	2.26	0.51
2:H:160:TRP:CB	2:H:165:LEU:HB2	2.41	0.50
1:L:53:ILE:HG13	1:L:59:ARG:HA	1.93	0.50
1:L:18:GLN:HE22	1:L:79:LYS:HZ3	1.60	0.50
2:H:160:TRP:HB2	2:H:165:LEU:HB2	1.94	0.50
1:L:6:GLN:NE2	1:L:104:GLY:HA3	2.24	0.50
2:H:36:TRP:CZ3	2:H:98:CYS:HB3	2.47	0.50
1:L:59:ARG:HH11	1:L:59:ARG:HG2	1.77	0.49
2:H:47:TRP:CH2	2:H:49:GLY:HA2	2.47	0.49
2:H:4:LEU:HG	2:H:24:THR:HG22	1.94	0.49
1:L:146:PRO:CD	1:L:204:LYS:HD3	2.43	0.49
2:H:161:ASN:HD21	2:H:200:THR:H	1.59	0.49
1:L:160:ARG:HD3	1:L:184:LEU:HD11	1.95	0.48
2:H:29:PHE:HZ	2:H:74:ARG:HB2	1.78	0.48
2:H:51:ILE:CG1	2:H:60:THR:HG22	2.41	0.48
2:H:84:GLN:HE21	2:H:86:ASN:ND2	2.11	0.48
2:H:11:LEU:HD12	2:H:12:GLY:N	2.29	0.47
1:L:92:TYR:HD2	1:L:104:GLY:O	1.98	0.47
1:L:86:GLU:N	1:L:86:GLU:OE1	2.48	0.46

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:190:PRO:HD2	2:H:193:PRO:HG2	1.97	0.46
1:L:125:PRO:HD2	1:L:191:TYR:CZ	2.51	0.45
2:H:52:ARG:HD3	2:H:56:LYS:HG2	1.99	0.45
1:L:52:LEU:HA	1:L:63:VAL:HG21	1.98	0.45
2:H:53:ASN:ND2	2:H:53:ASN:H	2.15	0.45
2:H:62:TYR:HE2	2:H:72:ILE:HG12	1.80	0.45
2:H:194:ARG:HD2	2:H:195:PRO:HA	1.98	0.45
2:H:53:ASN:H	2:H:53:ASN:HD22	1.65	0.44
2:H:138:THR:CB	2:H:141:MET:HB2	2.40	0.44
1:L:146:PRO:HD3	1:L:204:LYS:HD3	1.99	0.44
2:H:1:GLU:O	2:H:26:GLY:HA3	2.18	0.43
1:L:51:LEU:HD23	1:L:60:PHE:CD1	2.53	0.43
2:H:136:ALA:HB1	2:H:142:VAL:CG2	2.48	0.43
1:L:165:LEU:HG	2:H:175:VAL:HG21	2.00	0.43
2:H:29:PHE:O	2:H:74:ARG:NH2	2.51	0.43
2:H:136:ALA:HB1	2:H:142:VAL:CB	2.49	0.43
1:L:96:GLY:O	1:L:101:ARG:HD3	2.19	0.43
2:H:17:SER:OG	2:H:86:ASN:ND2	2.52	0.43
2:H:168:GLY:O	2:H:187:VAL:HA	2.18	0.43
1:L:18:GLN:NE2	1:L:79:LYS:HG2	2.28	0.43
1:L:102:THR:OG1	1:L:103:PHE:N	2.52	0.43
1:L:7:THR:HB	1:L:8:PRO:HA	2.01	0.42
1:L:118:PRO:HB3	1:L:144:PHE:HB3	2.01	0.42
2:H:194:ARG:CG	2:H:194:ARG:NH1	2.64	0.42
1:L:40:TRP:CZ3	1:L:93:CYS:HB3	2.55	0.42
1:L:81:SER:O	1:L:82:ARG:HB2	2.19	0.42
2:H:125:PRO:HD3	2:H:205:HIS:CD2	2.54	0.42
1:L:85:ALA:O	1:L:88:LEU:HD12	2.20	0.42
2:H:29:PHE:CE2	2:H:76:ASN:HA	2.54	0.42
1:L:51:LEU:HD23	1:L:60:PHE:CG	2.55	0.42
1:L:96:GLY:HA2	1:L:101:ARG:HG2	2.01	0.42
2:H:6:GLU:HA	2:H:21:SER:O	2.19	0.42
2:H:34:PHE:CB	2:H:81:LEU:HD22	2.45	0.42
1:L:18:GLN:HE22	1:L:79:LYS:NZ	2.18	0.41
2:H:47:TRP:CZ2	2:H:49:GLY:HA2	2.55	0.41
2:H:62:TYR:CE2	2:H:71:THR:HA	2.56	0.41
1:L:36:THR:O	1:L:55:LYS:HA	2.21	0.41
1:L:160:ARG:HH11	1:L:160:ARG:HG3	1.85	0.41
1:L:113:ARG:HD2	1:L:176:SER:HB2	2.03	0.40
1:L:216:ARG:HG2	1:L:216:ARG:HH11	1.86	0.40
1:L:31:HIS:HB3	1:L:33:ASN:OD1	2.21	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:24:ARG:HA	1:L:74:THR:O	2.22	0.40
1:L:41:TYR:CD1	1:L:51:LEU:HA	2.56	0.40
2:H:132:PRO:HB2	2:H:133:GLY:H	1.65	0.40
2:H:208:SER:OG	2:H:210:THR:HG23	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	215/217 (99%)	207 (96%)	6 (3%)	2 (1%)	14	14
2	H	216/218 (99%)	196 (91%)	14 (6%)	6 (3%)	4	2
All	All	431/435 (99%)	403 (94%)	20 (5%)	8 (2%)	6	4

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	L	82	ARG
2	H	132	PRO
2	H	138	THR
2	H	29	PHE
2	H	137	GLN
2	H	134	SER
1	L	56	VAL
2	H	155	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	194/194 (100%)	179 (92%)	15 (8%)	10	11
2	H	182/182 (100%)	167 (92%)	15 (8%)	9	9
All	All	376/376 (100%)	346 (92%)	30 (8%)	10	10

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	14	SER
1	L	45	SER
1	L	47	GLN
1	L	53	ILE
1	L	57	SER
1	L	61	SER
1	L	68	SER
1	L	81	SER
1	L	86	GLU
1	L	110	GLU
1	L	147	LYS
1	L	181	SER
1	L	189	ASP
1	L	207	THR
1	L	208	SER
2	H	17	SER
2	H	25	SER
2	H	30	THR
2	H	46	GLU
2	H	50	PHE
2	H	59	THR
2	H	87	THR
2	H	137	GLN
2	H	146	CYS
2	H	155	PRO
2	H	194	ARG
2	H	197	GLU
2	H	201	CYS
2	H	210	THR
2	H	217	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	L	6	GLN
1	L	18	GLN
1	L	27	GLN
1	L	203	HIS
2	H	86	ASN
2	H	161	ASN
2	H	202	ASN
2	H	205	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

**Warning:** The R factor obtained from EDS is 0.2613, which does not match the depositor's R factor of 0.183. Please interpret the results in this section carefully.

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	L	217/217 (100%)	0.83	16 (7%) 22 20	11, 23, 36, 48	0
2	H	218/218 (100%)	1.11	25 (11%) 11 9	14, 27, 43, 63	0
All	All	435/435 (100%)	0.97	41 (9%) 15 13	11, 25, 40, 63	0

All (41) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	H	136	ALA	5.5
2	H	137	GLN	5.5
2	H	135	ALA	5.0
2	H	138	THR	4.9
1	L	104	GLY	4.7
1	L	61	SER	3.9
1	L	217	ASN	3.7
1	L	81	SER	3.6
2	H	9	GLY	3.6
1	L	162	ASN	3.6
2	H	165	LEU	3.3
2	H	139	ASN	3.2
1	L	102	THR	3.2
2	H	133	GLY	3.1
2	H	66	VAL	2.9
2	H	76	ASN	2.9
2	H	111	GLN	2.8
1	L	145	TYR	2.7
2	H	89	ARG	2.7
1	L	127	SER	2.7
2	H	82	TYR	2.6
2	H	65	SER	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	H	62	TYR	2.6
2	H	77	SER	2.5
2	H	15	GLY	2.5
2	H	68	GLY	2.5
2	H	36	TRP	2.4
2	H	41	PRO	2.2
1	L	149	ILE	2.2
2	H	207	ALA	2.2
2	H	13	GLN	2.2
2	H	134	SER	2.2
1	L	7	THR	2.2
1	L	32	SER	2.1
1	L	150	ASN	2.1
1	L	79	LYS	2.1
2	H	5	VAL	2.1
1	L	193	ARG	2.1
1	L	13	VAL	2.1
2	H	72	ILE	2.1
1	L	183	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.