



Full wwPDB EM Validation Report ⓘ

Oct 6, 2024 – 01:23 AM JST

PDB ID : 6LFO
EMDB ID : EMD-0879
Title : Cryo-EM structure of a class A GPCR monomer
Authors : Liu, Z.J.; Hua, T.; Liu, K.W.; Wu, L.J.
Deposited on : 2019-12-03
Resolution : 3.40 Å(reported)
Based on initial model : 6N4B

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	353	 5% 57% 8% 35%
2	B	346	 80% 18%
3	C	71	 68% 13% 20%
4	D	65	 57% 65% 32%
5	R	360	 22% 66% 19% 15%
6	S	259	 76% 14% 10%

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 9573 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Guanine nucleotide-binding protein G(i) subunit alpha-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	230	Total	C	N	O	S	0	0
			1805	1152	299	340	14		

- Molecule 2 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	338	Total	C	N	O	S	0	0
			2579	1595	465	498	21		

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-5	ILE	-	expression tag	UNP P62873
B	-4	GLY	-	expression tag	UNP P62873
B	-3	ARG	-	expression tag	UNP P62873
B	-2	ALA	-	expression tag	UNP P62873
B	-1	ARG	-	expression tag	UNP P62873
B	0	GLY	-	expression tag	UNP P62873
B	1	PHE	-	expression tag	UNP P62873

- Molecule 3 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	57	Total	C	N	O	S	0	0
			435	273	77	82	3		

- Molecule 4 is a protein called Interleukin-8.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	64	Total	C	N	O	S	0	0
			525	336	93	92	4		


- Molecule 5 is a protein called C-X-C chemokine receptor type 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	R	307	Total	C	N	O	S	0	0
			2451	1629	404	402	16		

- Molecule 6 is a protein called scFv16.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	S	232	Total	C	N	O	S	0	0
			1750	1116	294	330	10		

- Molecule 7 is CHOLESTEROL (three-letter code: CLR) (formula: $C_{27}H_{46}O$).




Mol	Chain	Residues	Atoms			AltConf
7	R	1	Total	C	O	0
			28	27	1	


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Guanine nucleotide-binding protein G(i) subunit alpha-1




- Molecule 2: Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1




- Molecule 3: Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2








- Molecule 4: Interleukin-8



- Molecule 5: C-X-C chemokine receptor type 2



- Molecule 6: scFv16



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	276958	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION; Patch CTF refinement	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	8	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	130000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	1.155	Depositor
Minimum map value	-0.693	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.033	Depositor
Recommended contour level	0.1708	Depositor
Map size (Å)	266.24, 266.24, 266.24	wwPDB
Map dimensions	192, 192, 192	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.3866667, 1.3866667, 1.3866667	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CLR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.59	0/1835	0.61	1/2470 (0.0%)
2	B	0.76	0/2626	0.69	0/3561
3	C	0.46	0/441	0.54	0/595
4	D	0.41	0/536	0.71	3/720 (0.4%)
5	R	0.44	0/2508	0.67	2/3415 (0.1%)
6	S	0.78	0/1794	0.61	1/2437 (0.0%)
All	All	0.63	0/9740	0.65	7/13198 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
6	S	0	1

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	R	44	LEU	CA-CB-CG	6.96	131.31	115.30
1	A	240	MET	CA-CB-CG	6.61	124.54	113.30
6	S	225	LEU	CA-CB-CG	5.90	128.86	115.30
4	D	43	LEU	CA-CB-CG	5.61	128.21	115.30
4	D	49	LEU	CA-CB-CG	5.43	127.79	115.30
4	D	52	ASP	CB-CG-OD1	5.42	123.17	118.30
5	R	96	LEU	CA-CB-CG	5.39	127.70	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
6	S	178	TYR	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1805	0	1770	19	0
2	B	2579	0	2480	40	0
3	C	435	0	445	8	0
4	D	525	0	537	13	0
5	R	2451	0	2584	42	0
6	S	1750	0	1667	21	0
7	R	28	0	46	1	0
All	All	9573	0	9529	131	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:234:LEU:HA	1:A:242:ARG:HE	1.54	0.70
2:B:49:ARG:HH21	3:C:61:PHE:HA	1.59	0.68
1:A:251:ASP:OD1	1:A:255:ASN:ND2	2.30	0.64
4:D:26:ARG:HB3	4:D:40:ILE:HB	1.80	0.64
6:S:149:SER:OG	6:S:150:SER:N	2.31	0.63
1:A:242:ARG:HA	1:A:245:GLU:HB3	1.81	0.62
1:A:8:GLU:OE2	6:S:179:ARG:NH1	2.32	0.62
4:D:10:ILE:HG13	4:D:11:LYS:HG2	1.81	0.61
5:R:89:ASN:ND2	5:R:166:CYS:SG	2.73	0.61
2:B:186:ASP:N	2:B:186:ASP:OD1	2.35	0.60
4:D:53:PRO:O	4:D:59:GLN:NE2	2.35	0.60
5:R:58:VAL:HG13	5:R:101:LEU:HD21	1.83	0.58
6:S:88:SER:HA	6:S:119:VAL:HG21	1.85	0.58
2:B:95:LEU:HD13	2:B:100:VAL:HG21	1.86	0.57
2:B:51:LEU:HD11	2:B:338:ILE:HD11	1.86	0.57
1:A:228:SER:OG	1:A:277:LYS:NZ	2.37	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:240:ALA:HA	2:B:254:ASP:HA	1.87	0.56
5:R:96:LEU:HB3	5:R:129:ASN:HD21	1.70	0.56
2:B:245:SER:H	2:B:273:ILE:HD12	1.71	0.56
6:S:9:GLY:O	6:S:18:ARG:NH1	2.40	0.55
2:B:233:CYS:SG	2:B:234:PHE:N	2.80	0.55
2:B:86:THR:OG1	2:B:88:ASN:ND2	2.39	0.54
2:B:227:SER:OG	2:B:228:ASP:N	2.41	0.54
5:R:212:ARG:HG2	5:R:271:LEU:HD21	1.90	0.54
4:D:4:GLU:OE2	5:R:289:ARG:NH2	2.41	0.53
5:R:212:ARG:NH2	5:R:275:THR:OG1	2.40	0.53
1:A:206:SER:OG	1:A:207:GLU:N	2.41	0.53
2:B:217:MET:HE1	3:C:21:MET:HG3	1.90	0.53
5:R:82:VAL:HG21	5:R:158:LYS:HD2	1.89	0.53
2:B:290:ASP:OD1	2:B:290:ASP:N	2.41	0.53
2:B:49:ARG:HE	3:C:61:PHE:HD1	1.57	0.52
2:B:340:ASN:HD21	3:C:59:ASN:HD21	1.57	0.52
6:S:47:TRP:NE1	6:S:49:ALA:O	2.42	0.52
1:A:293:SER:OG	1:A:294:ASN:N	2.42	0.52
2:B:151:PHE:HE1	2:B:157:ILE:HD12	1.75	0.51
2:B:106:ALA:HA	2:B:151:PHE:HD2	1.75	0.51
5:R:66:ASN:HD21	5:R:94:ASP:HB3	1.75	0.51
5:R:180:VAL:HG13	5:R:184:ARG:HH21	1.76	0.51
5:R:124:LEU:HD22	5:R:181:LEU:HD22	1.92	0.50
2:B:16:ASN:OD1	2:B:19:ARG:NH2	2.45	0.50
5:R:230:CYS:SG	5:R:231:TYR:N	2.84	0.50
1:A:321:THR:OG1	1:A:322:HIS:N	2.45	0.50
2:B:228:ASP:N	2:B:228:ASP:OD1	2.44	0.50
1:A:42:GLY:HA2	1:A:46:LYS:HE3	1.92	0.50
5:R:45:GLU:HB2	5:R:48:LYS:HB2	1.93	0.50
5:R:51:VAL:HG12	5:R:301:ILE:HD11	1.94	0.50
4:D:25:LEU:HB3	4:D:65:PHE:HE2	1.78	0.49
5:R:228:LEU:HD21	5:R:257:VAL:HG21	1.95	0.49
6:S:61:ALA:HB3	6:S:64:VAL:HG22	1.95	0.48
5:R:217:SER:O	5:R:221:ILE:N	2.44	0.48
2:B:54:HIS:NE2	2:B:72:SER:OG	2.44	0.48
2:B:118:ASP:OD1	2:B:118:ASP:N	2.36	0.48
2:B:320:VAL:HG22	2:B:327:VAL:HG12	1.96	0.47
2:B:184:THR:OG1	2:B:205:ASP:OD2	2.31	0.47
6:S:140:GLY:H	6:S:207:LEU:HD23	1.80	0.47
1:A:44:SER:OG	1:A:226:ALA:N	2.47	0.47
5:R:302:LEU:HD23	5:R:305:LEU:HD21	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:S:205:SER:OG	6:S:206:ARG:N	2.46	0.47
2:B:198:LEU:HB3	2:B:210:LEU:HD11	1.96	0.47
5:R:297:ASP:N	5:R:297:ASP:OD1	2.47	0.47
1:A:347:ASN:ND2	5:R:147:ALA:O	2.48	0.47
1:A:16:SER:OG	2:B:89:LYS:N	2.47	0.46
4:D:23:LYS:HG2	4:D:43:LEU:HD12	1.96	0.46
5:R:331:ILE:HG13	5:R:332:HIS:HD2	1.80	0.46
6:S:53:SER:HA	6:S:72:ARG:HH12	1.81	0.46
5:R:34:LEU:HD11	5:R:36:ALA:HB2	1.98	0.46
4:D:5:LEU:O	5:R:289:ARG:NH2	2.49	0.46
6:S:164:TRP:HB2	6:S:177:ILE:HB	1.98	0.46
6:S:109:ASP:N	6:S:109:ASP:OD1	2.46	0.46
6:S:190:ARG:NH2	6:S:211:ASP:OD1	2.49	0.46
5:R:279:THR:OG1	5:R:280:GLN:N	2.50	0.45
2:B:102:THR:OG1	2:B:103:CYS:N	2.49	0.45
3:C:18:GLN:NE2	3:C:22:GLU:OE2	2.49	0.45
4:D:18:HIS:HB2	4:D:21:PHE:HB2	1.98	0.45
5:R:134:ILE:HD12	5:R:260:PHE:HE1	1.80	0.45
5:R:96:LEU:HA	5:R:99:LEU:HD23	1.98	0.45
2:B:284:LEU:HD12	2:B:296:VAL:HG12	1.99	0.45
5:R:44:LEU:HD12	5:R:46:ILE:HB	1.99	0.45
6:S:69:THR:HG23	6:S:82:GLN:HB3	1.99	0.45
2:B:266:HIS:HB3	2:B:269:ILE:HG12	1.99	0.44
2:B:128:THR:HG1	2:B:134:ARG:HH12	1.62	0.44
5:R:172:LEU:HD21	5:R:218:PHE:HE2	1.81	0.44
6:S:23:SER:O	6:S:23:SER:OG	2.35	0.44
6:S:106:SER:O	6:S:106:SER:OG	2.31	0.44
6:S:130:GLN:HE21	6:S:228:GLY:HA3	1.81	0.44
5:R:274:ASP:HA	5:R:277:MET:HB3	1.99	0.44
2:B:23:LYS:HA	2:B:23:LYS:HD2	1.74	0.44
6:S:52:SER:O	6:S:72:ARG:NH1	2.50	0.44
2:B:266:HIS:HB2	2:B:297:TRP:HH2	1.83	0.44
4:D:19:PRO:HG3	4:D:61:VAL:HG12	1.99	0.44
3:C:19:LEU:HA	3:C:22:GLU:HG2	2.00	0.43
7:R:401:CLR:H162	7:R:401:CLR:H222	1.54	0.43
5:R:90:LEU:HG	5:R:310:ASN:HD21	1.83	0.43
2:B:160:SER:OG	2:B:161:SER:N	2.50	0.43
5:R:94:ASP:OD1	5:R:307:SER:OG	2.32	0.43
5:R:224:LEU:HD21	5:R:261:LEU:HD21	2.00	0.43
2:B:283:ARG:HG2	3:C:51:LEU:HD21	2.01	0.43
2:B:78:LYS:HA	2:B:78:LYS:HD3	1.86	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:210:LEU:HD22	2:B:255:LEU:HD22	2.01	0.43
6:S:219:GLN:OE1	6:S:221:LEU:N	2.47	0.43
6:S:160:THR:O	6:S:160:THR:OG1	2.36	0.42
1:A:210:LYS:HD3	1:A:210:LYS:HA	1.86	0.42
2:B:119:ASN:ND2	2:B:144:GLY:O	2.50	0.42
2:B:187:VAL:HA	2:B:203:ALA:HA	2.01	0.42
5:R:100:THR:HB	5:R:122:VAL:HG13	2.01	0.42
5:R:93:ALA:O	5:R:129:ASN:ND2	2.48	0.42
6:S:105:SER:O	6:S:179:ARG:NH2	2.53	0.42
1:A:253:ILE:HD13	1:A:253:ILE:HA	1.91	0.42
4:D:5:LEU:HD23	5:R:197:TYR:CZ	2.55	0.42
4:D:36:ASN:OD1	4:D:37:THR:N	2.49	0.42
2:B:102:THR:O	2:B:115:GLY:N	2.49	0.42
5:R:243:MET:SD	5:R:243:MET:N	2.92	0.42
3:C:57:SER:OG	3:C:58:GLU:N	2.52	0.41
5:R:136:LEU:HD23	5:R:136:LEU:HA	1.92	0.41
5:R:39:CYS:HB2	5:R:286:CYS:HB2	1.66	0.41
5:R:127:GLU:HG2	5:R:180:VAL:HG21	2.03	0.41
1:A:287:TYR:HA	1:A:288:PRO:HD3	1.94	0.41
6:S:153:LEU:HD23	6:S:153:LEU:HA	1.89	0.41
1:A:343:ILE:HD13	1:A:343:ILE:HA	1.89	0.41
2:B:250:CYS:HB2	2:B:264:TYR:HD2	1.85	0.41
1:A:27:GLY:HA3	2:B:55:LEU:HD22	2.01	0.41
1:A:194:LEU:HD12	1:A:194:LEU:HA	1.90	0.41
5:R:277:MET:HA	5:R:282:ILE:HB	2.02	0.40
2:B:225:HIS:CE1	2:B:251:ARG:HD2	2.56	0.40
5:R:235:LEU:HD23	5:R:235:LEU:HA	1.91	0.40
5:R:291:HIS:O	5:R:295:ALA:N	2.54	0.40
4:D:13:TYR:HD1	5:R:34:LEU:HD13	1.85	0.40
4:D:54:LYS:HE2	4:D:54:LYS:HB2	1.77	0.40
1:A:36:LEU:HD13	1:A:222:ILE:HD11	2.04	0.40
2:B:62:HIS:CD2	2:B:105:TYR:H	2.39	0.40
5:R:138:ALA:HB2	5:R:223:PRO:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	226/353 (64%)	214 (95%)	12 (5%)	0	100	100
2	B	336/346 (97%)	305 (91%)	31 (9%)	0	100	100
3	C	55/71 (78%)	53 (96%)	2 (4%)	0	100	100
4	D	62/65 (95%)	56 (90%)	6 (10%)	0	100	100
5	R	305/360 (85%)	287 (94%)	18 (6%)	0	100	100
6	S	228/259 (88%)	210 (92%)	18 (8%)	0	100	100
All	All	1212/1454 (83%)	1125 (93%)	87 (7%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	193/304 (64%)	193 (100%)	0	100	100
2	B	274/286 (96%)	272 (99%)	2 (1%)	81	88
3	C	45/58 (78%)	45 (100%)	0	100	100
4	D	60/61 (98%)	60 (100%)	0	100	100
5	R	271/321 (84%)	269 (99%)	2 (1%)	81	88
6	S	185/209 (88%)	185 (100%)	0	100	100
All	All	1028/1239 (83%)	1024 (100%)	4 (0%)	88	93

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	223	THR
2	B	228	ASP
5	R	119	CYS
5	R	185	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	204	GLN
1	A	213	HIS
1	A	306	GLN
2	B	62	HIS
2	B	75	GLN
2	B	88	ASN
2	B	340	ASN
5	R	66	ASN
5	R	89	ASN
5	R	268	ASN
5	R	310	ASN
5	R	332	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	CLR	R	401	-	31,31,31	0.28	0	48,48,48	0.33	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	CLR	R	401	-	-	4/10/68/68	0/4/4/4

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	R	401	CLR	C13-C17-C20-C21
7	R	401	CLR	C16-C17-C20-C21
7	R	401	CLR	C16-C17-C20-C22
7	R	401	CLR	C13-C17-C20-C22


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	R	401	CLR	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-0879. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 96



Y Index: 96




Z Index: 96


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 98



Y Index: 104




Z Index: 80


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.1708. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 81 nm³; this corresponds to an approximate mass of 74 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.294 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-0879 and PDB model 6LFO. Per-residue inclusion information can be found in section 3 on page 5.


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.1708 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1708).

9.4 Atom inclusion [i](#)



At the recommended contour level, 84% of all backbone atoms, 69% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.1708) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div><div></div>0.6910</div>	<div><div></div>0.4410</div>
A	<div><div></div>0.7240</div>	<div><div></div>0.4630</div>
B	<div><div></div>0.8050</div>	<div><div></div>0.5010</div>
C	<div><div></div>0.6990</div>	<div><div></div>0.4250</div>
D	<div><div></div>0.3690</div>	<div><div></div>0.2420</div>
R	<div><div></div>0.5390</div>	<div><div></div>0.3730</div>
S	<div><div></div>0.7960</div>	<div><div></div>0.4890</div>

1.0

0.0

<0.0