



wwPDB EM Validation Summary Report ⓘ

Nov 9, 2024 – 10:30 am GMT

PDB ID : 5LMN
EMDB ID : EMD-4073
Title : Structure of bacterial 30S-IF1-IF3-mRNA translation pre-initiation complex (state-1A)
Authors : Hussain, T.; Llacer, J.L.; Wimberly, B.T.; Ramakrishnan, V.
Deposited on : 2016-08-01
Resolution : 3.55 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev113
MolProbity	:	4.02b-467
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




















Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1522	
2	B	256	
3	C	239	
4	D	209	
5	E	162	
6	F	101	
7	G	156	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	H	138	
9	I	128	
10	J	105	
11	K	129	
12	L	132	
13	M	126	
14	N	61	
15	O	89	
16	P	88	
17	Q	105	
18	R	88	
19	S	93	
20	T	106	
21	V	27	
22	W	72	
23	X	171	
24	Y	42	

2 Entry composition

There are 26 unique types of molecules in this entry. The entry contains 54149 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1514	Total	C	N	O	P	0	0
			32527	14481	6019	10515	1512		

- Molecule 2 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	234	Total	C	N	O	S	0	0
			1900	1213	341	341	5		

- Molecule 3 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	206	Total	C	N	O	S	0	0
			1612	1016	314	281	1		

- Molecule 4 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	208	Total	C	N	O	S	0	0
			1703	1066	339	291	7		

- Molecule 5 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	150	Total	C	N	O	S	0	0
			1146	724	217	201	4		

- Molecule 6 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	101	Total	C	N	O	S	0	0
			843	531	155	154	3		

- Molecule 7 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	G	155	Total	C	N	O	S	0	0
			1257	781	252	218	6		

- Molecule 8 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	138	Total	C	N	O	S	0	0
			1116	705	215	193	3		

- Molecule 9 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms				AltConf	Trace
9	I	127	Total	C	N	O	0	0
			999	633	193	173		

- Molecule 10 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	J	98	Total	C	N	O	S	0	0
			792	498	156	137	1		

- Molecule 11 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	K	120	Total	C	N	O	S	0	0
			892	554	169	166	3		

- Molecule 12 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	L	124	Total	C	N	O	S	0	0
			970	611	195	163	1		

- Molecule 13 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	M	117	Total	C	N	O	S	0	0
			933	577	192	162	2		

- Molecule 14 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	N	60	Total	C	N	O	S	0	0
			492	312	104	72	4		

- Molecule 15 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	O	88	Total	C	N	O	S	0	0
			734	459	147	126	2		

- Molecule 16 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	P	83	Total	C	N	O	S	0	0
			700	443	139	117	1		

- Molecule 17 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	Q	99	Total	C	N	O	S	0	0
			823	528	151	142	2		

- Molecule 18 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				AltConf	Trace
18	R	73	Total	C	N	O	0	0
			598	381	118	99		

- Molecule 19 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	S	80	Total	C	N	O	S	0	0
			647	414	119	112	2		

- Molecule 20 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	T	99	Total	C	N	O	S	0	0
			763	470	162	129	2		

- Molecule 21 is a protein called 30S ribosomal protein Thx.

Mol	Chain	Residues	Atoms				AltConf	Trace
21	V	24	Total	C	N	O	0	0
			208	128	50	30		

- Molecule 22 is a protein called Translation initiation factor IF-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	W	71	Total	C	N	O	S	0	0
			570	362	103	103	2		

- Molecule 23 is a protein called Translation initiation factor IF-3.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	X	168	Total	C	N	O	S	0	0
			1356	853	249	245	9		

- Molecule 24 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	Y	20	Total	C	N	O	P	0	0
			439	196	89	134	20		


- Molecule 25 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
25	A	126	Total	Mg	0
			126	126	
25	N	1	Total	Mg	0
			1	1	


- Molecule 26 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
26	D	1	Total	Zn	0
			1	1	
26	N	1	Total	Zn	0
			1	1	


C	A1534	C1536	U1537	U1538	U1541	U1542	C	U	G1467	G1468	G1469	G1470	G1471	G1472	G1473	G1474	G1475	G1476	G1477	G1478	G1479	G1480	G1481	G1482	G1483	G1484	G1485	G1486	G1487	G1488	G1489	G1490	G1491	G1492	G1493	G1494	G1495	G1496	G1497	G1498	G1499	A1500	C1501	C1502	A1503	G1504	G1505	U1506	A1507	G1508	C1509	U1510	G1511	G1512	A1513	C1514	G1517	A1518	A1519	G1520	G1521	U1522	G1523	C1524	G1525	G1526	G1527	U1528	G1529	G1530	A1531	U1532	C1336	C1337	A1340	G1343	C1344	G1345	A1346	G1347	A1348	A1349	A1350	C1351	C1352	G1353	C1354	G1355	G1356	A1357	G1358	C1359	A1360	G1361	C1362	C1363	A1363A	G1364	G1365	C1366	C1367	G1368	C1369	G1370	G1371	U1372	G1373	A1377	C1378	G1379	G1380	U1381	C1382	C1383	C1384	G1385	G1386	G1387	C1388	C1389	U1390	U1391	G1392	U1393	A1394	C1395	A1396	C1397	G1271	G1272	G1273	G1276	G1277	U1278	A1279	A1280	G1281	C1282	G1283	C1284	A1285	A1286	A1287	A1288	A1289	U1292	G1293	G1294	G1295	G1296	C1297	C1298	A1299	G1300	U1301	U1302	G1305	A1306	U1307	C1308	G1309	G1310	G1311	G1312	U1313	C1314	U1315	G1316	C1317	A1318	A1319	C1320	C1321	G1322	G1323	A1324	C1325	C1326	C1327	C1328	A1329	U1330	A1394	C1395	A1396	C1397	G1206	C1209	U1210	U1211	U1212	A1213	C1214	G1215	G1216	C1217	C1218	U1219	G1220	G1221	G1222	A1225	C1226	A1227	G1231	U1232	G1233	C1234	U1235	A1236	C1237	U1238	A1239	U1240	G1241	C1242	C1243	C1244	A1245	A1248	C1249	A1250	A1251	U1252	G1253	C1254	G1255	A1256	U1257	G1258	C1259	C1260	A1261	C1262	C1263	C1264	G1265	G1266	C1267	A1268	C1269	C1270	C1271	G1142	G1143	C1145	A1146	U1147	U1148	C1149	U1150	A1151	C1152	G1153	A1154	A1157	A1158	U1159	G1160	C1161	C1162	C1163	G1164	C1165	G1166	A1168	A1169	C1172	G1173	G1174	G1175	A1176	G1177	G1178	A1179	A1180	G1181	G1182	A1183	G1184	G1185	G1186	G1187	A1188	C1189	G1190	A1191	C1192	G1193	U1194	C1195	U1196	G1197	G1198	U1199	A1201	C1202	C1203	C1101	G1081	U1082	U1083	A1084	U1085	U1086	U1087	U1088	U1089	U1090	U1091	A1092	A1093	U1094	U1095	G1096	C1097	C1098	C1099	C1100	A1101	A1102	C1103	G1104	A1105	G1106	C1107	C1108	A1111	C1112	C1113	C1114	C1115	C1116	G1117	C1118	C1119	U1122	A1123	G1124	U1125	U1126	G1127	C1128	C1129	A1130	G1131	C1132	G1133	G1134	U1135	U1136	C1137	G1138	C1139	C1140	C1141	C1019	G1022	G1023	A1024	U1025	U1026	C1027	C1028	C1029	C1030	G1030C	A1030D	G1031	G1032	G1033	G1034	A1035	C1038	C1039	U1040	A1041	G1042	C1043	A1044	U1045	A1046	C1047	G1048	U1049	G1050	C1051	U1052	G1053	C1054	A1055	U1056	G1057	C1058	G1059	C1060	U1061	U1062	C1063	G1064	U1065	C1066	C1069	U1070	G1071	G1072	U1073	U1074	C1075	U1078	G1079	G094	U891	A892	G894	G895	C896	C897	A900	A901	G902	G903	C904	U905	A908	C910	A909	U910	U911	C912	A913	A914	A915	G916	G917	A918	A919	U920	A921	G922	C923	A924	G925	G926	U927	C928	G929	C930	C931	C932	G933	C934	A935	A938	G939	C940	G941	G942	G945	A946	G947	C948	A949	U950	G951	U952	G953	U820	G821	C824	G825	C826	U827	A828	G829	U830	U831	U832	U833	C834	U835	G836	G837	G838	A839	C840	U841	C848	U850	G851	G852	G853	G854	U855	C856	C857	U858	G859	A860	G861	C862	U863	A864	A865	C866	C867	G868	G869	U870	U871	G872	A873	U874	C875	G876	C877	C880	C881	U882	C883	U884	U885	A886	C887	A889	G754	G755	U757	A759	U760	G761	G762	G763	G764	G765	A766	A767	A768	C770	G774	A777	G778	C779	A782	G783	G784	G785	U786	U787	U788	C857	G725	G726	G727	A728	U729	U793	A794	C795	C796	C797	G734	C735	C736	U737	C738	C739	U740	G741	C805	C806	U743	C744	C810	C811	U812	U813	C814	A815	A816	C817	G752	A753	G691	U692	G693	A694	G695	U696	U697	G698	C701	A702	G703	C707	G708	G709	G710	G713	G714	A715	A716	C717	G718	C719	G720	G721	U722	U723	U724	G725	G726	G727	A728	U729	U793	A794	C795	C796	C797	G734	C735	C736	U737	C738	C739	U740	G741	C805	C806	U743	C744	C810	C811	U812	U813	C814	A815	A816	C817	G752	A753	G691	U692	G693	A694	G695	U696	U697	G698	C701	A702	G703	C707	G708	G709	G710	G713	G714	A715	A716	C717	G718	C719	G720	G721	U722	U723	U724	G725	G726	G727	A728	U729	U793	A794	C795	C796	C797	G734	C735	C736	U737	C738	C739	U740	G741	C805	C806	U743	C744	C810	C811	U812	U813	C814	A815	A816	C817	G752	A753	G691	U692	G693	A694	G695	U696	U697	G698	C701	A702	G703	C707	G708	G709	G710	G713	G714	A715	A716	C717	G718	C719	G720	G721	U722	U723	U724	G725	G726	G727	A728	U729	U793	A794	C795	C796	C797	G734	C735	C736	U737	C738	C739	U740	G741	C805	C806	U743	C744	C810	C811	U812	U813	C814	A815	A816	C817	G752	A753	G691	U692	G693	A694	G695	U696	U697	G698	C701	A702	G703	C707	G708	G709	G710	G713	G714	A715	A716	C717	G718	C719	G720	G721	U722	U723	U724	G725	G726	G727	A728	U729	U793	A794	C795	C796	C797	G734	C735	C736	U737	C738	C739	U740	G741	C805	C806	U743	C744	C810	C811	U812	U813	C814	A815	A816	C817	G752	A753	G691	U692	G693	A694	G695	U696	U697	G698	C701	A702	G703	C707	G708	G709	G710	G713	G714	A715	A716	C717	G718	C719	G720	G721	U722	U723	U724	G725	G726	G727	A728	U729	U793	A794	C795	C796	C797	G734	C735	C736	U737	C738	C739	U740	G741	C805	C806	U743	C744	C810	C811	U812	U813	C814	A815	A816	C817	G752	A753	G691	U692	G693	A694	G695	U696	U697	G698	C701	A702	G703	C707	G708	G709	G710	G713	G714	A715	A716	C717	G718	C719	G720	G721	U722	U723	U724	G725	G726	G727	A728	U729	U793	A794	C795	C796	C797	G734	C735	C736	U737	C738	C739	U740	G741	C805	C806	U743	C744	C810	C811	U812	U813	C814	A815	A816	C817	G752	A753	G691	U692	G693	A694	G695	U696	U697	G698	C701	A702	G703	C707	G708	G709	G710	G713	G714	A715	A716	C717	G718	C719	G720	G721	U722	U723	U724	G725	G726	G727	A728	U729	U793	A794	C795	C796	C797	G734	C735	C736	U737	C738	C739	U740	G741	C805	C806	U743	C744	C810	C811	U812	U813	C814	A815	A816	C817	G752	A753	G691	U692	G693	A694	G695	U696	U697	G698	C701	A702	G703	C707	G708	G709	G710	G713	G714	A715	A716	C717	G718	C719	G720	G721	U722	U723	U724	G725	G726	G727	A728	U729	U793	A794	C795	C796	C797	G734	C735	C736	U737	C738	C739	U740	G741	C805	C806	U743	C744	C810	C811	U812	U813	C814	A815	A816	C817	G752	A753	G691	U692	G693	A694	G695	U696	U697	G698	C701	A702	G703	C707	G708	G709	G710	G713	G714	A715	A716	C717	G718	C719	G720	G721	U722	U723	U724	G725	G726	G727	A728	U729	U793	A794	C795	C796	C797	G734	C735	C736	U737	C738	C739	U740	G741	C805	C806	U743	C744	C810	C811	U812	U813	C814	A815	A816	C817	G752	A753	G691	U692	G693	A694	G695	U696	U697	G698	C701	A702	G703	C707	G708	G709	G710	G713	G714	A715	A716	C717	G718	C719	G720	G721	U722	U723	U724	G725	G726	G727	A728	U729	U793	A794	C795	C796	C797	G734	C735	C736	U737	C738	C739	U740	G741	C805	C806	U743	C744	C810	C811	U812	U813	C814	A815	A816	C817	G752	A753	G691	U692	G693	A694	G695	U696	U697	G698	C701	A702	G703	C707	G708	G709	G710	G713	G714	A715	A716	C717	G718	C719	G720	G721	U722	U723	U724	G725	G726	G727	A728	U729	U793	A794	C795	C796	C797	G734	C735	C736	U737	C738	C739	U740	G741	C805	C806	U743	C744	C810	C811	U812	U813	C814	A815	A816	C817	G752	A753	G691	U692	G693	A694	G695	U696	U697	G698	C701	A702	G703	C707	G708	G709	G710	G713	G714	A715	A716	C717	G718	C719	G720	G721	U722	U723	U724	G725	G726	G727	A728	U729	U793	A794	C795	C796	C797	G734	C735	C736	U737	C738	C739	U740	G741	C805	C806	U743	C744	C810	C811	U812	U813	C814	A815	A816	C817	G752	A753	G691	U692	G693	A694	G695	U696	U697	G698	C701	A702	G703	C707	G708	G709	G710	G713	G714	A715	A716	C717	G718	C719	G720	G721	U722	U723	U724	G725	G726	G727	A728	U729	U793	A794	C795	C796	C797	G734	C735	C736	U737	C738	C739	U740	G741	C805	C806	U743	C744	C810	C811	U812	U813	C814	A815	A816	C817	G752	A753	G691	U692	G693	A694	G695	U696	U697	G698	C701	A702	G703	C707	G708	G709	G710	G713	G714	A715	A716	C717	G718	C719	G720	G721	U722	U723	U724	G725	G726	G727	A728	U729	U793	A794	C795	C796	C797	G734	C735	C736	U737	C738	C739	U740	G741	C805	C806	U743	C744	C810	C811	U812	U813	C814	A815	A816	C817	G752	A753	G691	U692	G693	A694	G695	U696	U697	G698	C701	A702	G703	C707	G708	G709	G710	G713	G714	A715	A716	C717	G718	C719	G720	G721	U722	U723	U724	G725	G726	G727	A728	U729	U793	A7
---	-------	-------	-------	-------	-------	-------	---	---	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	--------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	--------	--------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	----




• Molecule 6: 30S ribosomal protein S6




• Molecule 7: 30S ribosomal protein S7



• Molecule 8: 30S ribosomal protein S8





• Molecule 9: 30S ribosomal protein S9







- Molecule 10: 30S ribosomal protein S10




- Molecule 11: 30S ribosomal protein S11




- Molecule 12: 30S ribosomal protein S12




- Molecule 13: 30S ribosomal protein S13



- Molecule 14: 30S ribosomal protein S14 type Z




- Molecule 15: 30S ribosomal protein S15




- Molecule 16: 30S ribosomal protein S16




- Molecule 17: 30S ribosomal protein S17



- Molecule 18: 30S ribosomal protein S18



- Molecule 19: 30S ribosomal protein S19





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	86892	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI POLARA 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	30	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	3500	Depositor
Magnification	104478	Depositor
Image detector	OTHER	Depositor
Maximum map value	0.928	Depositor
Minimum map value	-0.364	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.029	Depositor
Recommended contour level	0.09	Depositor
Map size (\AA)	348.4, 348.4, 348.4	wwPDB
Map dimensions	260, 260, 260	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.34, 1.34, 1.34	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.38	5/36403 (0.0%)	0.76	22/56800 (0.0%)
2	B	0.43	0/1935	0.77	2/2609 (0.1%)
3	C	0.45	0/1636	0.79	0/2205
4	D	0.45	0/1733	0.84	1/2318 (0.0%)
5	E	0.50	0/1162	0.86	0/1564
6	F	0.42	0/856	0.81	1/1154 (0.1%)
7	G	0.43	0/1276	0.79	0/1709
8	H	0.47	0/1136	0.89	2/1527 (0.1%)
9	I	0.43	0/1018	0.73	0/1368
10	J	0.44	0/805	0.73	0/1082
11	K	0.43	0/907	0.71	0/1223
12	L	0.47	0/986	0.86	0/1320
13	M	0.43	0/943	0.76	0/1265
14	N	0.43	0/501	0.82	0/664
15	O	0.46	0/745	0.90	1/992 (0.1%)
16	P	0.55	0/716	0.85	1/963 (0.1%)
17	Q	0.46	0/836	0.82	0/1117
18	R	0.44	0/604	0.83	0/801
19	S	0.41	0/661	0.70	0/890
20	T	0.46	0/765	0.90	0/1007
21	V	0.47	0/212	0.79	0/277
22	W	0.44	0/580	0.76	0/782
23	X	0.42	0/1375	0.77	0/1844
24	Y	0.33	0/494	0.79	0/770
All	All	0.41	5/58285 (0.0%)	0.78	30/86251 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
8	H	0	1
All	All	0	2

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1459	C	O3'-P	-8.53	1.50	1.61
1	A	1458	G	O3'-P	7.51	1.70	1.61
1	A	999	C	O3'-P	-5.64	1.54	1.61
1	A	559	A	O3'-P	5.30	1.67	1.61
1	A	79	G	O3'-P	-5.17	1.54	1.61

The worst 5 of 30 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	93	G	O3'-P-O5'	-26.72	53.24	104.00
1	A	93	G	OP1-P-O3'	-22.17	56.43	105.20
1	A	93	G	P-O3'-C3'	-10.18	107.49	119.70
1	A	93	G	OP2-P-O3'	8.72	124.37	105.20
1	A	266	G	C2'-C3'-O3'	8.44	128.07	109.50

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1458	G	Sidechain
8	H	3	THR	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	32527	0	16428	1137	0
2	B	1900	0	1951	112	0
3	C	1612	0	1677	58	0
4	D	1703	0	1766	65	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	E	1146	0	1207	50	0
6	F	843	0	857	18	0
7	G	1257	0	1296	29	0
8	H	1116	0	1177	33	0
9	I	999	0	1015	79	0
10	J	792	0	829	37	0
11	K	892	0	913	38	0
12	L	970	0	1057	43	0
13	M	933	0	992	19	0
14	N	492	0	527	52	0
15	O	734	0	771	17	0
16	P	700	0	720	14	0
17	Q	823	0	891	29	0
18	R	598	0	670	34	0
19	S	647	0	673	27	0
20	T	763	0	861	31	0
21	V	208	0	221	11	0
22	W	570	0	599	37	0
23	X	1356	0	1401	40	0
24	Y	439	0	218	17	0
25	A	126	0	0	0	0
25	N	1	0	0	0	0
26	D	1	0	0	1	0
26	N	1	0	0	0	0
All	All	54149	0	38717	1807	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

The worst 5 of 1807 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:563:A:N6	1:A:884:U:H3	1.13	1.44
23:X:91:ARG:N	23:X:94:ILE:HD11	1.33	1.41
5:E:15:ARG:CG	5:E:28:PHE:CE1	2.06	1.38
23:X:91:ARG:H	23:X:94:ILE:CD1	1.39	1.35
1:A:89:C:C2'	1:A:90:U:H5'	1.57	1.32

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	232/256 (91%)	194 (84%)	28 (12%)	10 (4%)	2	19
3	C	204/239 (85%)	176 (86%)	23 (11%)	5 (2%)	4	29
4	D	206/209 (99%)	180 (87%)	23 (11%)	3 (2%)	8	39
5	E	148/162 (91%)	135 (91%)	10 (7%)	3 (2%)	6	34
6	F	99/101 (98%)	91 (92%)	8 (8%)	0	100	100
7	G	153/156 (98%)	142 (93%)	8 (5%)	3 (2%)	6	34
8	H	136/138 (99%)	127 (93%)	7 (5%)	2 (2%)	8	39
9	I	125/128 (98%)	108 (86%)	13 (10%)	4 (3%)	3	25
10	J	96/105 (91%)	76 (79%)	16 (17%)	4 (4%)	2	19
11	K	118/129 (92%)	98 (83%)	16 (14%)	4 (3%)	3	25
12	L	122/132 (92%)	103 (84%)	15 (12%)	4 (3%)	3	25
13	M	115/126 (91%)	97 (84%)	15 (13%)	3 (3%)	4	28
14	N	58/61 (95%)	44 (76%)	10 (17%)	4 (7%)	1	11
15	O	86/89 (97%)	80 (93%)	5 (6%)	1 (1%)	11	43
16	P	81/88 (92%)	73 (90%)	6 (7%)	2 (2%)	4	29
17	Q	97/105 (92%)	82 (84%)	10 (10%)	5 (5%)	1	15
18	R	71/88 (81%)	61 (86%)	9 (13%)	1 (1%)	9	40
19	S	78/93 (84%)	66 (85%)	9 (12%)	3 (4%)	2	22
20	T	97/106 (92%)	84 (87%)	10 (10%)	3 (3%)	3	26
21	V	22/27 (82%)	20 (91%)	1 (4%)	1 (4%)	2	18
22	W	69/72 (96%)	55 (80%)	11 (16%)	3 (4%)	2	19
23	X	166/171 (97%)	145 (87%)	16 (10%)	5 (3%)	3	26
All	All	2579/2781 (93%)	2237 (87%)	269 (10%)	73 (3%)	6	27

5 of 73 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	9	GLU
2	B	29	ALA
3	C	192	THR
4	D	37	PRO
17	Q	66	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	202/220 (92%)	142 (70%)	60 (30%)	0	2
3	C	160/188 (85%)	131 (82%)	29 (18%)	1	8
4	D	180/181 (99%)	146 (81%)	34 (19%)	1	7
5	E	115/123 (94%)	90 (78%)	25 (22%)	1	5
6	F	90/90 (100%)	72 (80%)	18 (20%)	1	6
7	G	126/127 (99%)	106 (84%)	20 (16%)	2	12
8	H	119/119 (100%)	90 (76%)	29 (24%)	0	4
9	I	96/99 (97%)	76 (79%)	20 (21%)	1	6
10	J	87/92 (95%)	75 (86%)	12 (14%)	3	17
11	K	91/99 (92%)	72 (79%)	19 (21%)	1	6
12	L	104/109 (95%)	79 (76%)	25 (24%)	0	4
13	M	94/101 (93%)	79 (84%)	15 (16%)	2	12
14	N	49/50 (98%)	41 (84%)	8 (16%)	2	11
15	O	79/80 (99%)	64 (81%)	15 (19%)	1	7
16	P	72/74 (97%)	59 (82%)	13 (18%)	1	8
17	Q	94/97 (97%)	76 (81%)	18 (19%)	1	7
18	R	64/77 (83%)	52 (81%)	12 (19%)	1	7
19	S	71/80 (89%)	59 (83%)	12 (17%)	1	10
20	T	76/82 (93%)	55 (72%)	21 (28%)	0	3
21	V	19/22 (86%)	15 (79%)	4 (21%)	1	5

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
22	W	62/63 (98%)	51 (82%)	11 (18%)	1	9
23	X	145/150 (97%)	123 (85%)	22 (15%)	2	14
All	All	2195/2323 (94%)	1753 (80%)	442 (20%)	3	6

5 of 442 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
9	I	118	LYS
12	L	97	ARG
23	X	160	ASP
20	T	68	LYS
10	J	61	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 34 such sidechains are listed below:

Mol	Chain	Res	Type
15	O	37	ASN
15	O	62	GLN
20	T	75	ASN
5	E	20	GLN
4	D	201	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	1508/1522 (99%)	447 (29%)	99 (6%)
24	Y	19/42 (45%)	12 (63%)	2 (10%)
All	All	1527/1564 (97%)	459 (30%)	101 (6%)

5 of 459 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	6	G
1	A	7	G
1	A	8	A
1	A	9	G
1	A	13	U

5 of 101 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	A	993	G
1	A	1190	G
24	Y	32	A
1	A	1049	U
1	A	1126	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 129 ligands modelled in this entry, 129 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	4

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	84:U	O3'	88:A	P	5.75
1	A	1442(A):G	O3'	1442(B):A	P	5.10
1	A	841:U	O3'	848:C	P	4.14
1	A	204:U	O3'	216:G	P	3.78


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-4073. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 130




Y Index: 130




Z Index: 130


6.2.2 Raw map



X Index: 130



Y Index: 130




Z Index: 130


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 95




Y Index: 130




Z Index: 128


6.3.2 Raw map



X Index: 96



Y Index: 130




Z Index: 136


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.09. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 454 nm³; this corresponds to an approximate mass of 410 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.282 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.282 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.55	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.36	6.95	4.51

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.36 differs from the reported value 3.55 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-4073 and PDB model 5LMN. Per-residue inclusion information can be found in [section 3](#) on [page 8](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.09 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.09).



















































9.4 Atom inclusion [i](#)



At the recommended contour level, 92% of all backbone atoms, 85% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.09) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8490	 0.4180
A	 0.9280	 0.4200
B	 0.5420	 0.3790
C	 0.7660	 0.4400
D	 0.7930	 0.4340
E	 0.8060	 0.4730
F	 0.7360	 0.4150
G	 0.7400	 0.4120
H	 0.8320	 0.4700
I	 0.7490	 0.4150
J	 0.6730	 0.3930
K	 0.7560	 0.4210
L	 0.8060	 0.4790
M	 0.7440	 0.3800
N	 0.8120	 0.4450
O	 0.8010	 0.4360
P	 0.8460	 0.4810
Q	 0.8370	 0.4740
R	 0.7040	 0.4100
S	 0.7340	 0.3680
T	 0.7550	 0.4170
V	 0.8380	 0.4660
W	 0.5270	 0.3760
X	 0.5130	 0.3180
Y	 0.5220	 0.2420

