



wwPDB EM Validation Summary Report ⓘ

Apr 1, 2025 – 06:36 pm BST

PDB ID : 5LNK / pdb_00005lnk
EMDB ID : EMD-4093
Title : Entire ovine respiratory complex I
Authors : Fiedorczuk, K.; Letts, J.A.; Kaszuba, K.; Sazanov, L.A.
Deposited on : 2016-08-04
Resolution : 3.90 Å (reported)
Based on initial model : 4HEA

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev117
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.42

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	445	<div> <div>15%</div> <div>97%</div> <div>.</div> </div>
2	2	217	<div> <div>19%</div> <div>97%</div> <div>..</div> </div>
3	3	704	<div> <div>12%</div> <div>98%</div> <div>.</div> </div>
4	4	412	<div> <div>14%</div> <div>93%</div> <div>6%</div> </div>
5	5	228	<div> <div>6%</div> <div>91%</div> <div>9%</div> </div>
6	6	179	<div> <div>13%</div> <div>86%</div> <div>13%</div> </div>
7	9	176	<div> <div>11%</div> <div>98%</div> <div>.</div> </div>
8	H	318	<div> <div>13%</div> <div>98%</div> <div>.</div> </div>
9	N	347	<div> <div>5%</div> <div>99%</div> <div>.</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
10	A	115	
11	M	459	
12	K	98	
13	L	599	
14	J	175	
15	a	75	
16	b	96	
17	c	133	
18	d	338	
19	e	98	
20	f	115	
21	g	127	
22	h	112	
23	i	145	
24	X	88	
24	j	88	
25	k	320	
26	l	105	
27	m	83	
28	n	97	
29	o	120	
30	p	128	
31	q	143	
32	r	127	
33	s	136	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	t	178	
35	u	72	
36	v	158	
37	w	125	
38	x	49	
39	y	57	
40	z	70	
41	Z	175	
42	Y	171	
43	W	143	
44	V	119	

2 Entry composition

There are 54 unique types of molecules in this entry. The entry contains 63760 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Mitochondrial complex I, 51 kDa subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	1	432	Total	C	N	O	S	0	0
			3328	2097	596	615	20		

- Molecule 2 is a protein called Mitochondrial complex I, 24 kDa subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	2	214	Total	C	N	O	S	0	0
			1655	1056	279	310	10		

- Molecule 3 is a protein called Mitochondrial complex I, 75 kDa subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	3	688	Total	C	N	O	S	0	0
			5275	3301	922	1011	41		

- Molecule 4 is a protein called Mitochondrial complex I, 49 kDa subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	4	387	Total	C	N	O	S	0	0
			3098	1974	535	565	24		

- Molecule 5 is a protein called Mitochondrial complex I, 30 kDa subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	5	208	Total	C	N	O	S	0	0
			1726	1112	296	315	3		

- Molecule 6 is a protein called Mitochondrial complex I, PSST subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	6	155	Total	C	N	O	S	0	0
			1241	792	224	211	14		

- Molecule 7 is a protein called Mitochondrial complex I, TYKY subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	9	176	Total	C	N	O	S	0	0
			1414	889	243	270	12		

- Molecule 8 is a protein called Mitochondrial complex I, ND1 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	318	Total	C	N	O	S	0	0
			2528	1704	384	421	19		

- Molecule 9 is a protein called Mitochondrial complex I, ND2 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	N	347	Total	C	N	O	S	0	0
			2723	1808	416	459	40		

- Molecule 10 is a protein called Mitochondrial complex I, ND3 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	A	115	Total	C	N	O	S	0	0
			922	621	133	161	7		

- Molecule 11 is a protein called Mitochondrial complex I, ND4 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	M	459	Total	C	N	O	S	0	0
			3645	2428	571	606	40		

- Molecule 12 is a protein called Mitochondrial complex I, ND4L subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	K	86	Total	C	N	O	S	0	0
			649	428	96	111	14		

- Molecule 13 is a protein called Mitochondrial complex I, ND5 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	L	599	Total	C	N	O	S	0	0
			4456	2926	714	777	39		

- Molecule 14 is a protein called Mitochondrial complex I, ND6 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	J	175	Total	C	N	O	S	0	0
			1188	780	184	214	10		

- Molecule 15 is a protein called Mitochondrial complex I, 10 kDa subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	a	41	Total	C	N	O	S	0	0
			343	213	61	68	1		

- Molecule 16 is a protein called Mitochondrial complex I, 13 kDa subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	b	95	Total	C	N	O	S	0	0
			737	451	139	144	3		

- Molecule 17 is a protein called Mitochondrial complex I, 18 kDa subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	c	123	Total	C	N	O	S	0	0
			1000	631	178	188	3		

- Molecule 18 is a protein called Mitochondrial complex I, 39 kDa subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	d	314	Total	C	N	O	S	0	0
			2473	1585	448	435	5		

- Molecule 19 is a protein called Mitochondrial complex I, B8 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	e	84	Total	C	N	O	S	0	0
			677	425	126	124	2		

- Molecule 20 is a protein called Mitochondrial complex I, B13 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	f	112	Total	C	N	O	S	0	0
			909	589	152	166	2		

- Molecule 21 is a protein called Mitochondrial complex I, B14 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	g	114	Total	C	N	O	S	0	0
			969	619	180	166	4		

- Molecule 22 is a protein called Mitochondrial complex I, B14.5a subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	h	95	Total	C	N	O	S	0	0
			757	473	144	137	3		

- Molecule 23 is a protein called Mitochondrial complex I, B17.2 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	i	144	Total	C	N	O	S	0	0
			1200	772	214	209	5		

- Molecule 24 is a protein called Acyl carrier protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	j	85	Total	C	N	O	S	0	0
			684	442	101	136	5		
24	X	88	Total	C	N	O	S	0	0
			707	454	104	144	5		

- Molecule 25 is a protein called Mitochondrial complex I, 42 kDa subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	k	320	Total	C	N	O	S	0	0
			2268	1430	394	435	9		

- Molecule 26 is a protein called Mitochondrial complex I, 15 kDa subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	l	95	Total	C	N	O	S	0	0
			792	503	146	137	6		

- Molecule 27 is a protein called Mitochondrial complex I, B9 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	m	80	Total	C	N	O	S	0	0
			626	411	103	110	2		

- Molecule 28 is a protein called Mitochondrial complex I, B12 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	n	74	Total	C	N	O	S	0	0
			578	378	100	98	2		

- Molecule 29 is a protein called Mitochondrial complex I, B14.5b subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	o	120	Total	C	N	O	S	0	0
			1004	652	175	172	5		

- Molecule 30 is a protein called Mitochondrial complex I, B15 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	p	112	Total	C	N	O	S	0	0
			841	526	162	152	1		

- Molecule 31 is a protein called Mitochondrial complex I, B16.6 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	q	140	Total	C	N	O	S	0	0
			1151	739	202	201	9		

- Molecule 32 is a protein called Mitochondrial complex I, B17 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	r	93	Total	C	N	O	S	0	0
			752	491	131	130			

- Molecule 33 is a protein called Mitochondrial complex I, B18 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	s	118	Total	C	N	O	S	0	0
			988	616	187	176	9		

- Molecule 34 is a protein called Mitochondrial complex I, B22 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	t	166	Total	C	N	O	S	0	0
			1434	916	265	247	6		

- Molecule 35 is a protein called Mitochondrial complex I, AGGG subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	u	66	Total	C	N	O	S	0	0
			563	372	94	96	1		

- Molecule 36 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	v	143	Total	C	N	O	S	0	0
			861	544	155	158	4		

- Molecule 37 is a protein called Mitochondrial complex I, ESSS subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	w	86	Total	C	N	O	S	0	0
			715	462	119	130	4		

- Molecule 38 is a protein called Mitochondrial complex I, KFYI subunit.

Mol	Chain	Residues	Atoms				AltConf	Trace
38	x	48	Total	C	N	O	0	0
			403	266	69	68		

- Molecule 39 is a protein called Mitochondrial complex I, MNLL subunit.

Mol	Chain	Residues	Atoms				AltConf	Trace
39	y	53	Total	C	N	O	0	0
			457	301	80	76		

- Molecule 40 is a protein called Mitochondrial complex I, MWFE subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	z	69	Total	C	N	O	S	0	0
			568	364	105	95	4		

- Molecule 41 is a protein called Mitochondrial complex I, PDSW subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	Z	171	Total	C	N	O	S	0	0
			1441	905	266	262	8		

- Molecule 42 is a protein called Mitochondrial complex I, PGIV subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	Y	171	Total	C	N	O	S	0	0
			1403	889	253	251	10		


- Molecule 43 is a protein called Mitochondrial complex I, SGD1 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	W	139	Total	C	N	O	S	0	0
			1155	761	194	198	2		

- Molecule 44 is a protein called Mitochondrial complex I, B14.7 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	V	119	Total	C	N	O	S	0	0
			595	357	119	119			

- Molecule 45 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe₄S₄).




Mol	Chain	Residues	Atoms			AltConf
45	1	1	Total	Fe	S	0
			8	4	4	
45	3	1	Total	Fe	S	0
			8	4	4	
45	3	1	Total	Fe	S	0
			8	4	4	
45	6	1	Total	Fe	S	0
			8	4	4	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			AltConf
45	9	1	Total	Fe	S	0
			8	4	4	
45	9	1	Total	Fe	S	0
			8	4	4	

- Molecule 46 is FLAVIN MONONUCLEOTIDE (CCD ID: FMN) (formula: $C_{17}H_{21}N_4O_9P$).




Mol	Chain	Residues	Atoms					AltConf
46	1	1	Total	C	N	O	P	0
			31	17	4	9	1	

- Molecule 47 is FE2/S2 (INORGANIC) CLUSTER (CCD ID: FES) (formula: Fe_2S_2).



Mol	Chain	Residues	Atoms			AltConf
47	2	1	Total	Fe	S	0
			4	2	2	
47	3	1	Total	Fe	S	0
			4	2	2	

- Molecule 48 is 1,2-Distearoyl-sn-glycerophosphoethanolamine (CCD ID: 3PE) (formula: $C_{41}H_{82}NO_8P$).




Mol	Chain	Residues	Atoms					AltConf
48	9	1	Total	C	N	O	P	0
			51	41	1	8	1	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
48	J	1	Total	C	N	O	P	0
			51	41	1	8	1	
48	o	1	Total	C	N	O	P	0
			41	31	1	8	1	
48	o	1	Total	C	N	O	P	0
			46	36	1	8	1	

- Molecule 49 is 1,2-DIACYL-SN-GLYCERO-3-PHOSPHOCHOLINE (CCD ID: PC1) (formula: $C_{44}H_{88}NO_8P$).



Mol	Chain	Residues	Atoms					AltConf
49	N	1	Total	C	N	O	P	0
			46	36	1	8	1	
49	A	1	Total	C	N	O	P	0
			47	37	1	8	1	
49	M	1	Total	C	N	O	P	0
			46	36	1	8	1	
49	o	1	Total	C	N	O	P	0
			39	29	1	8	1	

- Molecule 50 is CARDIOLIPIN (CCD ID: CDL) (formula: $C_{81}H_{156}O_{17}P_2$).




Mol	Chain	Residues	Atoms				AltConf
50	M	1	Total	C	O	P	0
			82	63	17	2	
50	L	1	Total	C	O	P	0
			84	65	17	2	
50	J	1	Total	C	O	P	0
			79	60	17	2	
50	i	1	Total	C	O	P	0
			58	39	17	2	

- Molecule 51 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
51	b	1	Total	Zn	0
			1	1	

- Molecule 52 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NDP) (formula: C₂₁H₃₀N₇O₁₇P₃).




Mol	Chain	Residues	Atoms					AltConf
52	d	1	Total 48	C 21	N 7	O 17	P 3	0

- Molecule 53 is S-[2-($\{N-[(2S)-2\text{-hydroxy-}3,3\text{-dimethyl-}4\text{-(phosphonooxy)butanoyl}]\text{-beta-alaninyl}\}$ amino)ethyl] tetradecanethioate (CCD ID: ZMP) (formula: $C_{25}H_{49}N_2O_8PS$).



Mol	Chain	Residues	Atoms						AltConf
53	j	1	Total	C	N	O	P	S	0
			34	23	2	7	1	1	

- Molecule 54 is 4'-PHOSPHOPANTETHEINE (CCD ID: PNS) (formula: $C_{11}H_{23}N_2O_7PS$).




Mol	Chain	Residues	Atoms						AltConf
			Total	C	N	O	P	S	
54	X	1	21	11	2	6	1	1	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Mitochondrial complex I, 51 kDa subunit




- Molecule 2: Mitochondrial complex I, 24 kDa subunit




- Molecule 3: Mitochondrial complex I, 75 kDa subunit






- Molecule 4: Mitochondrial complex I, 49 kDa subunit

Chain 4: 14% 93% 6%




- Molecule 5: Mitochondrial complex I, 30 kDa subunit

Chain 5: 6% 91% 9%




- Molecule 6: Mitochondrial complex I, PSST subunit

Chain 6: 13% 86% 13%




- Molecule 7: Mitochondrial complex I, TYKY subunit

Chain 9: 11% 98% 1%




- Molecule 8: Mitochondrial complex I, ND1 subunit


Chain H: 13% 98% 1%




- Molecule 9: Mitochondrial complex I, ND2 subunit





- Molecule 10: Mitochondrial complex I, ND3 subunit




- Molecule 11: Mitochondrial complex I, ND4 subunit




- Molecule 12: Mitochondrial complex I, ND4L subunit




- Molecule 13: Mitochondrial complex I, ND5 subunit






- Molecule 14: Mitochondrial complex I, ND6 subunit

Chain J: 46% 99%




- Molecule 15: Mitochondrial complex I, 10 kDa subunit

Chain a: 12% 55% 45%




- Molecule 16: Mitochondrial complex I, 13 kDa subunit

Chain b: 22% 99%




- Molecule 17: Mitochondrial complex I, 18 kDa subunit


Chain c: 9% 92% 8%





- Molecule 18: Mitochondrial complex I, 39 kDa subunit

Chain d: 25% 93% 7%








- Molecule 19: Mitochondrial complex I, B8 subunit





- Molecule 20: Mitochondrial complex I, B13 subunit




- Molecule 21: Mitochondrial complex I, B14 subunit




- Molecule 22: Mitochondrial complex I, B14.5a subunit





- Molecule 23: Mitochondrial complex I, B17.2 subunit







- Molecule 24: Acyl carrier protein





- Molecule 24: Acyl carrier protein




- Molecule 25: Mitochondrial complex I, 42 kDa subunit




- Molecule 26: Mitochondrial complex I, 15 kDa subunit




- Molecule 27: Mitochondrial complex I, B9 subunit





- Molecule 28: Mitochondrial complex I, B12 subunit





- Molecule 29: Mitochondrial complex I, B14.5b subunit




- Molecule 30: Mitochondrial complex I, B15 subunit




- Molecule 31: Mitochondrial complex I, B16.6 subunit





- Molecule 32: Mitochondrial complex I, B17 subunit









- Molecule 33: Mitochondrial complex I, B18 subunit





- Molecule 34: Mitochondrial complex I, B22 subunit



- Molecule 35: Mitochondrial complex I, AGGG subunit



- Molecule 36: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial




- Molecule 37: Mitochondrial complex I, ESSS subunit






- Molecule 38: Mitochondrial complex I, KFYI subunit

Chain x: 16% 98%




- Molecule 39: Mitochondrial complex I, MNLL subunit

Chain y: 25% 93% 7%




- Molecule 40: Mitochondrial complex I, MWFE subunit

Chain z: 7% 99%




- Molecule 41: Mitochondrial complex I, PDSW subunit

Chain Z: 14% 97%




- Molecule 42: Mitochondrial complex I, PGIV subunit

Chain Y: 11% 99%



- Molecule 43: Mitochondrial complex I, SGDHD subunit

Chain W: 6% 97%



- Molecule 44: Mitochondrial complex I, B14.7 subunit



X7	X8	X9	X10	X11	X12	X13	X14	X15	X16	X17	X18	X19	X20	X21	X22	X23	X24	X25	X26	X27	X28	X29	X30	X31	X32	X33	X34	X35	X36	X37	X38	X39	X40	X41	X42	X43	X44	X45	X46	X47	X48	X49	X50	X51	X52	X53	X54	X55	X56	X57	X58	X59	X60	X61	X62	X63	X64	X65	X66
X67	X68	X69	X70	X71	X72	X73	X74	X75	X76	X77	X78	X79	X80	X81	X82	X83	X84	X85	X86	X87	X88	X89	X90	X91	X92	X93	X94	X95	X96	X97	X98	X99	X100	X101	X102	X103	X104	X105	X106	X107	X108	X109	X110	X111	X112	X113	X114	X115	X116	X117	X118	X119	X120	X121	X122	X123	X124	X125	

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	82000	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	26	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	3500	Depositor
Magnification	100720	Depositor
Image detector	FEI FALCON II (4k x 4k)	Depositor
Maximum map value	1.314	Depositor
Minimum map value	-0.549	Depositor
Average map value	0.009	Depositor
Map value standard deviation	0.051	Depositor
Recommended contour level	0.15	Depositor
Map size (Å)	179.31, 195.99, 290.51	wwPDB
Map dimensions	209, 141, 129	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.39, 1.39, 1.3900001	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: PC1, NDP, CDL, PNS, FMN, ZMP, 3PE, FES, ZN, SF4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	1	0.34	0/3403	0.52	0/4597
2	2	0.35	0/1695	0.59	1/2305 (0.0%)
3	3	0.34	0/5362	0.53	0/7266
4	4	0.41	0/3172	0.57	1/4288 (0.0%)
5	5	0.40	0/1776	0.52	0/2417
6	6	0.42	0/1272	0.54	0/1720
7	9	0.45	1/1445 (0.1%)	0.64	1/1956 (0.1%)
8	H	0.43	0/2603	0.63	1/3561 (0.0%)
9	N	0.42	1/2787 (0.0%)	0.62	0/3795
10	A	0.42	1/947 (0.1%)	0.61	0/1296
11	M	0.38	0/3739	0.62	0/5095
12	K	0.36	0/658	0.62	0/888
13	L	0.37	0/4563	0.64	3/6227 (0.0%)
14	J	0.41	0/1212	0.57	0/1652
15	a	0.29	0/352	0.53	0/476
16	b	0.38	0/749	0.50	0/1009
17	c	0.36	0/1023	0.56	0/1382
18	d	0.33	0/2532	0.59	0/3430
19	e	0.47	1/688 (0.1%)	0.53	0/927
20	f	0.32	0/929	0.51	0/1260
21	g	0.34	0/993	0.49	0/1336
22	h	0.33	0/775	0.61	0/1048
23	i	0.32	0/1241	0.54	0/1687
24	X	0.32	0/719	0.55	0/971
24	j	0.30	0/696	0.53	0/940
25	k	0.34	1/2309 (0.0%)	0.56	0/3141
26	l	0.36	0/811	0.57	0/1085
27	m	0.34	0/647	0.49	0/890
28	n	0.34	0/595	0.66	0/805
29	o	0.38	0/1035	0.55	0/1398
30	p	0.30	0/855	0.54	1/1155 (0.1%)
31	q	0.36	0/1180	0.63	1/1590 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	r	0.37	0/774	0.62	1/1058 (0.1%)
33	s	0.32	0/1011	0.58	0/1356
34	t	0.41	1/1483 (0.1%)	0.56	1/2006 (0.0%)
35	u	0.35	0/590	0.59	0/809
36	v	0.30	0/877	0.65	0/1208
37	w	0.38	0/737	0.57	0/999
38	x	0.31	0/416	0.46	0/564
39	y	0.34	0/470	0.47	0/636
40	z	0.38	0/583	0.55	0/785
41	Z	0.38	0/1475	0.55	0/1989
42	Y	0.39	0/1440	0.68	0/1942
43	W	0.39	0/1188	0.54	0/1607
All	All	0.37	6/63807 (0.0%)	0.58	11/86552 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	2	0	1
4	4	0	1
7	9	0	1
8	H	0	3
9	N	0	3
10	A	0	2
13	L	0	6
17	c	0	1
19	e	0	1
20	f	0	1
23	i	0	1
25	k	0	3
29	o	0	1
31	q	0	2
33	s	0	2
34	t	0	1
36	v	0	7
42	Y	0	1
All	All	0	38

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
19	e	50	LEU	C-N	-9.90	1.15	1.34
34	t	163	PRO	C-N	9.08	1.51	1.34
25	k	174	VAL	C-N	-8.55	1.18	1.34
9	N	304	MET	C-N	-7.74	1.16	1.34
10	A	42	ASP	C-N	5.94	1.45	1.34

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	t	74	GLN	C-N-CA	-6.59	105.21	121.70
4	4	47	LEU	CA-CB-CG	6.59	130.45	115.30
7	9	34	LEU	CA-CB-CG	-6.21	101.03	115.30
13	L	9	LEU	CA-CB-CG	6.18	129.52	115.30
30	p	64	LEU	CA-CB-CG	5.77	128.57	115.30

There are no chirality outliers.

5 of 38 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	2	151	ALA	Peptide
4	4	54	GLN	Peptide
7	9	64	GLU	Peptide
8	H	216	ALA	Peptide
8	H	62	ARG	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1	430/445 (97%)	405 (94%)	24 (6%)	1 (0%)	44	75
2	2	212/217 (98%)	189 (89%)	22 (10%)	1 (0%)	25	60
3	3	686/704 (97%)	616 (90%)	70 (10%)	0	100	100
4	4	385/412 (93%)	337 (88%)	46 (12%)	2 (0%)	25	60
5	5	206/228 (90%)	183 (89%)	23 (11%)	0	100	100
6	6	153/179 (86%)	138 (90%)	15 (10%)	0	100	100
7	9	174/176 (99%)	150 (86%)	24 (14%)	0	100	100
8	H	316/318 (99%)	278 (88%)	37 (12%)	1 (0%)	37	70
9	N	345/347 (99%)	315 (91%)	30 (9%)	0	100	100
10	A	113/115 (98%)	97 (86%)	15 (13%)	1 (1%)	14	48
11	M	457/459 (100%)	392 (86%)	64 (14%)	1 (0%)	44	75
12	K	84/98 (86%)	72 (86%)	12 (14%)	0	100	100
13	L	597/599 (100%)	518 (87%)	75 (13%)	4 (1%)	19	54
14	J	173/175 (99%)	142 (82%)	29 (17%)	2 (1%)	11	43
15	a	39/75 (52%)	33 (85%)	6 (15%)	0	100	100
16	b	93/96 (97%)	90 (97%)	3 (3%)	0	100	100
17	c	121/133 (91%)	109 (90%)	12 (10%)	0	100	100
18	d	310/338 (92%)	253 (82%)	56 (18%)	1 (0%)	37	70
19	e	82/98 (84%)	74 (90%)	8 (10%)	0	100	100
20	f	110/115 (96%)	95 (86%)	15 (14%)	0	100	100
21	g	112/127 (88%)	102 (91%)	10 (9%)	0	100	100
22	h	91/112 (81%)	73 (80%)	17 (19%)	1 (1%)	12	45
23	i	142/145 (98%)	116 (82%)	24 (17%)	2 (1%)	9	39
24	X	86/88 (98%)	77 (90%)	9 (10%)	0	100	100
24	j	83/88 (94%)	70 (84%)	13 (16%)	0	100	100
25	k	318/320 (99%)	263 (83%)	50 (16%)	5 (2%)	8	37
26	l	93/105 (89%)	83 (89%)	10 (11%)	0	100	100
27	m	78/83 (94%)	72 (92%)	6 (8%)	0	100	100
28	n	72/97 (74%)	50 (69%)	18 (25%)	4 (6%)	1	17
29	o	118/120 (98%)	105 (89%)	13 (11%)	0	100	100
30	p	110/128 (86%)	83 (76%)	26 (24%)	1 (1%)	14	48
31	q	138/143 (96%)	126 (91%)	12 (9%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
32	r	89/127 (70%)	75 (84%)	12 (14%)	2 (2%)	5	32
33	s	116/136 (85%)	93 (80%)	21 (18%)	2 (2%)	7	36
34	t	164/178 (92%)	142 (87%)	22 (13%)	0	100	100
35	u	64/72 (89%)	58 (91%)	6 (9%)	0	100	100
36	v	141/158 (89%)	103 (73%)	33 (23%)	5 (4%)	3	24
37	w	84/125 (67%)	67 (80%)	15 (18%)	2 (2%)	5	30
38	x	46/49 (94%)	45 (98%)	1 (2%)	0	100	100
39	y	51/57 (90%)	50 (98%)	1 (2%)	0	100	100
40	z	67/70 (96%)	62 (92%)	5 (8%)	0	100	100
41	Z	169/175 (97%)	147 (87%)	21 (12%)	1 (1%)	22	57
42	Y	169/171 (99%)	137 (81%)	32 (19%)	0	100	100
43	W	137/143 (96%)	115 (84%)	21 (15%)	1 (1%)	19	54
All	All	7824/8344 (94%)	6800 (87%)	984 (13%)	40 (0%)	27	60

5 of 40 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	2	106	THR
28	n	63	VAL
33	s	14	VAL
13	L	71	ILE
13	L	319	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1	346/354 (98%)	346 (100%)	0	100	100
2	2	182/183 (100%)	182 (100%)	0	100	100
3	3	578/588 (98%)	578 (100%)	0	100	100
4	4	334/358 (93%)	334 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	5	189/204 (93%)	189 (100%)	0	100	100
6	6	131/150 (87%)	130 (99%)	1 (1%)	79	84
7	9	151/151 (100%)	151 (100%)	0	100	100
8	H	278/278 (100%)	278 (100%)	0	100	100
9	N	315/315 (100%)	315 (100%)	0	100	100
10	A	103/103 (100%)	103 (100%)	0	100	100
11	M	412/412 (100%)	412 (100%)	0	100	100
12	K	75/87 (86%)	75 (100%)	0	100	100
13	L	445/532 (84%)	445 (100%)	0	100	100
14	J	101/144 (70%)	101 (100%)	0	100	100
15	a	40/68 (59%)	40 (100%)	0	100	100
16	b	79/80 (99%)	79 (100%)	0	100	100
17	c	110/119 (92%)	110 (100%)	0	100	100
18	d	257/292 (88%)	257 (100%)	0	100	100
19	e	75/81 (93%)	75 (100%)	0	100	100
20	f	100/101 (99%)	100 (100%)	0	100	100
21	g	107/113 (95%)	107 (100%)	0	100	100
22	h	83/94 (88%)	83 (100%)	0	100	100
23	i	130/131 (99%)	130 (100%)	0	100	100
24	X	81/81 (100%)	81 (100%)	0	100	100
24	j	78/81 (96%)	78 (100%)	0	100	100
25	k	199/284 (70%)	199 (100%)	0	100	100
26	l	85/94 (90%)	85 (100%)	0	100	100
27	m	69/71 (97%)	69 (100%)	0	100	100
28	n	53/75 (71%)	53 (100%)	0	100	100
29	o	107/107 (100%)	107 (100%)	0	100	100
30	p	71/114 (62%)	71 (100%)	0	100	100
31	q	120/121 (99%)	120 (100%)	0	100	100
32	r	80/121 (66%)	80 (100%)	0	100	100
33	s	100/119 (84%)	100 (100%)	0	100	100
34	t	151/160 (94%)	149 (99%)	2 (1%)	65	76

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
35	u	58/62 (94%)	58 (100%)	0	100	100
36	v	38/142 (27%)	38 (100%)	0	100	100
37	w	77/112 (69%)	77 (100%)	0	100	100
38	x	43/44 (98%)	43 (100%)	0	100	100
39	y	49/53 (92%)	49 (100%)	0	100	100
40	z	58/59 (98%)	58 (100%)	0	100	100
41	Z	155/157 (99%)	154 (99%)	1 (1%)	84	88
42	Y	154/154 (100%)	154 (100%)	0	100	100
43	W	122/125 (98%)	122 (100%)	0	100	100
All	All	6569/7274 (90%)	6565 (100%)	4 (0%)	92	95

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
6	6	54	CYS
34	t	153	LEU
34	t	165	LEU
41	Z	145	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 80 such sidechains are listed below:

Mol	Chain	Res	Type
27	m	70	GLN
35	u	21	GLN
29	o	59	HIS
33	s	42	GLN
37	w	119	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 25 ligands modelled in this entry, 1 is monoatomic - leaving 24 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
47	FES	2	300	2	0,4,4	-	-	-		
45	SF4	1	500	1	0,12,12	-	-	-		
48	3PE	9	501	-	50,50,50	0.31	0	53,55,55	0.41	0
49	PC1	A	200	-	46,46,53	0.32	0	52,54,61	0.34	0
52	NDP	d	401	-	45,52,52	0.59	0	53,80,80	0.64	1 (1%)
45	SF4	3	802	3	0,12,12	-	-	-		
45	SF4	6	300	6	0,12,12	-	-	-		
50	CDL	L	601	-	83,83,99	0.32	0	89,95,111	0.41	0
45	SF4	3	801	3	0,12,12	-	-	-		
48	3PE	J	301	-	50,50,50	0.31	0	53,55,55	0.33	0
48	3PE	o	202	-	40,40,50	0.36	0	43,45,55	0.36	0
53	ZMP	j	101	24	27,33,36	0.72	2 (7%)	32,40,45	1.11	1 (3%)
48	3PE	o	203	-	45,45,50	0.34	0	48,50,55	0.39	0
49	PC1	N	401	-	45,45,53	0.32	0	51,53,61	0.35	0
46	FMN	1	501	-	33,33,33	0.26	0	48,50,50	0.47	0
45	SF4	9	503	7	0,12,12	-	-	-		
47	FES	3	803	3	0,4,4	-	-	-		
49	PC1	o	201	-	38,38,53	0.34	0	44,46,61	0.34	0
50	CDL	J	300	-	78,78,99	0.34	0	84,90,111	0.38	0
54	PNS	X	401	24	13,20,21	0.51	0	18,26,29	0.90	1 (5%)
49	PC1	M	501	-	45,45,53	0.31	0	51,53,61	0.35	0
50	CDL	M	502	-	81,81,99	0.33	0	87,93,111	0.37	0
50	CDL	i	201	-	57,57,99	0.38	0	63,69,111	0.39	0
45	SF4	9	502	7	0,12,12	-	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
47	FES	2	300	2	-	-	0/1/1/1
45	SF4	1	500	1	-	-	0/6/5/5
48	3PE	9	501	-	-	14/54/54/54	-
49	PC1	A	200	-	-	18/50/50/57	-
52	NDP	d	401	-	-	8/30/77/77	0/5/5/5
45	SF4	3	802	3	-	-	0/6/5/5
45	SF4	6	300	6	-	-	0/6/5/5
50	CDL	L	601	-	-	24/94/94/110	-
48	3PE	J	301	-	-	7/54/54/54	-
48	3PE	o	202	-	-	8/44/44/54	-
45	SF4	3	801	3	-	-	0/6/5/5
53	ZMP	j	101	24	-	9/38/40/43	-
48	3PE	o	203	-	-	11/49/49/54	-
49	PC1	N	401	-	-	10/49/49/57	-
46	FMN	1	501	-	-	7/18/18/18	0/3/3/3
45	SF4	9	503	7	-	-	0/6/5/5
47	FES	3	803	3	-	-	0/1/1/1
49	PC1	o	201	-	-	10/42/42/57	-
50	CDL	J	300	-	-	18/89/89/110	-
54	PNS	X	401	24	-	7/24/26/27	-
49	PC1	M	501	-	-	13/49/49/57	-
50	CDL	M	502	-	-	22/92/92/110	-
50	CDL	i	201	-	-	15/68/68/110	-
45	SF4	9	502	7	-	-	0/6/5/5

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
53	j	101	ZMP	C10-S1	-2.23	1.70	1.76
53	j	101	ZMP	C9-C10	2.07	1.53	1.50

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
53	j	101	ZMP	O1-C10-C9	-2.78	120.71	123.99
52	d	401	NDP	C5A-C6A-N6A	2.34	123.91	120.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
54	X	401	PNS	C37-C38-C39	-2.22	108.66	112.36

There are no chirality outliers.


5 of 201 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
46	1	501	FMN	C5'-O5'-P-O1P
46	1	501	FMN	C5'-O5'-P-O2P
48	9	501	3PE	C11-O13-P-O14
48	9	501	3PE	O13-C11-C12-N
48	J	301	3PE	C1-O11-P-O14


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
25	k	1
9	N	1
19	e	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	k	174:VAL	C	175:PRO	N	1.18
1	N	304:MET	C	305:PHE	N	1.16
1	e	50:LEU	C	51:PRO	N	1.15

6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-4093. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 64



Y Index: 70




Z Index: 104


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 46



Y Index: 80




Z Index: 145


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.15. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

7.2 Volume estimate [i](#)



The volume at the recommended contour level is 304 nm³; this corresponds to an approximate mass of 275 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)

This section was not generated. The rotationally averaged power spectrum is only generated for cubic maps.


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-4093 and PDB model 5LNK. Per-residue inclusion information can be found in section 3 on page 18.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.15 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.15).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 75% of all backbone atoms, 56% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ























The table lists the average atom inclusion at the recommended contour level (0.15) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5640	 0.4080
1	 0.5680	 0.4170
2	 0.5520	 0.4100
3	 0.5970	 0.4350
4	 0.5970	 0.4320
5	 0.6410	 0.4560
6	 0.6280	 0.4200
9	 0.6450	 0.4310
A	 0.5470	 0.4270
H	 0.6250	 0.4320
J	 0.4000	 0.4110
K	 0.5820	 0.4330
L	 0.5520	 0.3890
M	 0.6440	 0.4460
N	 0.6540	 0.4480
V	 0.0120	 0.0190
W	 0.6680	 0.4390
X	 0.5330	 0.3640
Y	 0.6240	 0.4060
Z	 0.6260	 0.4120
a	 0.5210	 0.4050
b	 0.5780	 0.4570
c	 0.5970	 0.4570
d	 0.5280	 0.3940
e	 0.5790	 0.3900
f	 0.5920	 0.3920
g	 0.5780	 0.4250
h	 0.4940	 0.4070
i	 0.3370	 0.3900
j	 0.4760	 0.3610
k	 0.3010	 0.3100
l	 0.6180	 0.4400
m	 0.6010	 0.4360
n	 0.5550	 0.3680
o	 0.5800	 0.4420



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
p	 0.4730	 0.3660
q	 0.5880	 0.4050
r	 0.5360	 0.3660
s	 0.5210	 0.3630
t	 0.6030	 0.3700
u	 0.5420	 0.3750
v	 0.4940	 0.3360
w	 0.6350	 0.4340
x	 0.5860	 0.3870
y	 0.5110	 0.3860
z	 0.6550	 0.4260