



wwPDB X-ray Structure Validation Summary Report ⓘ

Oct 29, 2024 – 07:25 PM EDT

PDB ID : 4LSK
Title : Crystal Structure of tRNA Proline (CGG) Bound to Codon CCG-G on the Ribosome
Authors : Maehigashi, T.; Dunkle, J.A.; Dunham, C.M.
Deposited on : 2013-07-22
Resolution : 3.48 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.20.1
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.48 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1099 (3.54-3.42)
Clashscore	180529	1048 (3.52-3.44)
Ramachandran outliers	177936	1033 (3.52-3.44)
Sidechain outliers	177891	1034 (3.52-3.44)
RSRZ outliers	164620	1098 (3.54-3.42)
RNA backbone	3690	1070 (3.96-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	QA	1522	<div> <div>5%</div> <div> <div></div> <div>52%</div> <div>36%</div> <div>9%</div> <div>..</div> </div> </div>
1	XA	1522	<div> <div>4%</div> <div> <div></div> <div>51%</div> <div>36%</div> <div>10%</div> <div>..</div> </div> </div>
2	QB	256	<div> <div>19%</div> <div> <div></div> <div>17%</div> <div>59%</div> <div>16%</div> <div>• 7%</div> </div> </div>
2	XB	256	<div> <div>16%</div> <div> <div></div> <div>17%</div> <div>59%</div> <div>16%</div> <div>• 7%</div> </div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	QC	239	
3	XC	239	
4	QD	209	
4	XD	209	
5	QE	162	
5	XE	162	
6	QF	101	
6	XF	101	
7	QG	156	
7	XG	156	
8	QH	138	
8	XH	138	
9	QI	128	
9	XI	128	
10	QJ	105	
10	XJ	105	
11	QK	129	
11	XK	129	
12	QL	132	
12	XL	132	
13	QM	126	
13	XM	126	
14	QN	61	
14	XN	61	
15	QO	89	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
15	XO	89	
16	QP	88	
16	XP	88	
17	QQ	105	
17	XQ	105	
18	QR	88	
18	XR	88	
19	QS	93	
19	XS	93	
20	QT	106	
20	XT	106	
21	QU	27	
21	XU	27	
22	QV	77	
22	XV	77	
23	QY	17	
23	XY	17	
24	QX	25	
24	XX	25	
25	RA	2916	
25	YA	2916	
26	RB	122	
26	YB	122	
27	RD	276	
27	YD	276	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
28	RE	206	
28	YE	206	
29	RF	210	
29	YF	210	
30	RG	182	
30	YG	182	
31	RH	180	
31	YH	180	
32	RI	148	
32	YI	148	
33	RN	140	
33	YN	140	
34	RO	122	
34	YO	122	
35	RP	150	
35	YP	150	
36	RQ	141	
36	YQ	141	
37	RR	118	
37	YR	118	
38	RS	112	
38	YS	112	
39	RT	146	
39	YT	146	
40	RU	118	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
40	YU	118	
41	RV	101	
41	YV	101	
42	RW	113	
42	YW	113	
43	RX	96	
43	YX	96	
44	RY	110	
44	YY	110	
45	RZ	206	
45	YZ	206	
46	R0	85	
46	Y0	85	
47	R1	98	
47	Y1	98	
48	R2	72	
48	Y2	72	
49	R3	60	
49	Y3	60	
50	R4	71	
50	Y4	71	
51	R5	60	
51	Y5	60	
52	R6	54	
52	Y6	54	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
53	R7	49	
53	Y7	49	
54	R8	65	
54	Y8	65	
55	R9	37	
55	Y9	37	
56	Z6	3	
56	Z8	3	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
57	MG	YA	3082	-	-	-	X
57	MG	YA	3085	-	-	-	X
57	MG	YA	3122	-	-	-	X

2 Entry composition

There are 59 unique types of molecules in this entry. The entry contains 292002 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	QA	1500	Total	C	N	O	P	0	0	0
			32247	14353	5981	10414	1499			
1	XA	1500	Total	C	N	O	P	0	0	0
			32249	14354	5984	10412	1499			

- Molecule 2 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	QB	237	Total	C	N	O	S	0	0	0
			1924	1228	344	347	5			
2	XB	237	Total	C	N	O	S	0	0	0
			1924	1228	344	347	5			

- Molecule 3 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	QC	205	Total	C	N	O	S	0	0	0
			1605	1011	313	280	1			
3	XC	205	Total	C	N	O	S	0	0	0
			1605	1011	313	280	1			

- Molecule 4 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	QD	208	Total	C	N	O	S	0	0	0
			1703	1066	339	291	7			
4	XD	208	Total	C	N	O	S	0	0	0
			1703	1066	339	291	7			

- Molecule 5 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	QE	151	Total	C	N	O	S	0	0	0
			1155	729	218	204	4			
5	XE	151	Total	C	N	O	S	0	0	0
			1155	729	218	204	4			

- Molecule 6 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	QF	101	Total	C	N	O	S	0	0	0
			843	531	155	154	3			
6	XF	101	Total	C	N	O	S	0	0	0
			843	531	155	154	3			

- Molecule 7 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	QG	155	Total	C	N	O	S	0	0	0
			1257	781	252	218	6			
7	XG	155	Total	C	N	O	S	0	0	0
			1257	781	252	218	6			

- Molecule 8 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	QH	138	Total	C	N	O	S	0	0	0
			1116	705	215	193	3			
8	XH	138	Total	C	N	O	S	0	0	0
			1116	705	215	193	3			

- Molecule 9 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	QI	127	Total	C	N	O		0	0	0
			1010	639	197	174				
9	XI	127	Total	C	N	O		0	0	0
			1010	639	197	174				

- Molecule 10 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	QJ	99	Total	C	N	O	S	0	0	0
			801	504	157	139	1			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	XJ	99	Total	C	N	O	S	0	0	0
			801	504	157	139	1			

- Molecule 11 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	QK	119	Total	C	N	O	S	0	0	0
			885	549	168	165	3			
11	XK	119	Total	C	N	O	S	0	0	0
			885	549	168	165	3			

- Molecule 12 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	QL	125	Total	C	N	O	S	0	0	0
			975	614	196	164	1			
12	XL	125	Total	C	N	O	S	0	0	0
			975	614	196	164	1			

- Molecule 13 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	QM	121	Total	C	N	O	S	0	0	0
			964	597	199	166	2			
13	XM	121	Total	C	N	O	S	0	0	0
			964	597	199	166	2			

- Molecule 14 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	QN	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			
14	XN	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			

- Molecule 15 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	QO	88	Total	C	N	O	S	0	0	0
			734	459	147	126	2			
15	XO	88	Total	C	N	O	S	0	0	0
			734	459	147	126	2			

- Molecule 16 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	QP	84	Total	C	N	O	S	0	0	0
			705	446	140	118	1			
16	XP	84	Total	C	N	O	S	0	0	0
			705	446	140	118	1			

- Molecule 17 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	QQ	100	Total	C	N	O	S	0	0	0
			834	534	155	143	2			
17	XQ	100	Total	C	N	O	S	0	0	0
			834	534	155	143	2			

- Molecule 18 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
18	QR	70	Total	C	N	O	0	0	0
			574	367	112	95			
18	XR	70	Total	C	N	O	0	0	0
			574	367	112	95			

- Molecule 19 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	QS	84	Total	C	N	O	S	0	0	0
			674	430	126	116	2			
19	XS	84	Total	C	N	O	S	0	0	0
			674	430	126	116	2			

- Molecule 20 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	QT	99	Total	C	N	O	S	0	0	0
			763	470	162	129	2			
20	XT	99	Total	C	N	O	S	0	0	0
			763	470	162	129	2			

- Molecule 21 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
21	QU	25	Total	C	N	O	0	0	0
			217	134	52	31			
21	XU	25	Total	C	N	O	0	0	0
			217	134	52	31			

- Molecule 22 is a RNA chain called P-site tRNA fMet.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	QV	77	Total	C	N	O	P	0	0	0
			1644	732	297	538	77			
22	XV	77	Total	C	N	O	P	0	0	0
			1644	732	297	538	77			

- Molecule 23 is a RNA chain called messenger RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	QY	15	Total	C	N	O	P	0	0	0
			323	144	58	106	15			
23	XY	15	Total	C	N	O	P	0	0	0
			323	144	58	106	15			

- Molecule 24 is a RNA chain called A-site ASL SufA6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	QX	8	Total	C	N	O	P	0	0	0
			173	77	33	55	8			
24	XX	8	Total	C	N	O	P	0	0	0
			173	77	33	55	8			

- Molecule 25 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
25	RA	2882	Total	C	N	O	P	0	0	0
			62071	27627	11611	19952	2881			
25	YA	2883	Total	C	N	O	P	0	0	0
			62091	27636	11613	19960	2882			

- Molecule 26 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	RB	120	Total	C	N	O	P	0	0	0
			2573	1146	476	832	119			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	YB	120	Total	C	N	O	P	0	0	0
			2573	1146	476	832	119			

- Molecule 27 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	RD	272	Total	C	N	O	S	0	0	0
			2115	1335	420	357	3			
27	YD	272	Total	C	N	O	S	0	0	0
			2115	1335	420	357	3			

- Molecule 28 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	RE	205	Total	C	N	O	S	0	0	0
			1568	991	300	271	6			
28	YE	205	Total	C	N	O	S	0	0	0
			1568	991	300	271	6			

- Molecule 29 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	RF	202	Total	C	N	O	S	0	0	0
			1585	1011	297	275	2			
29	YF	202	Total	C	N	O	S	0	0	0
			1585	1011	297	275	2			

- Molecule 30 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	RG	181	Total	C	N	O	S	0	0	0
			1474	942	268	260	4			
30	YG	181	Total	C	N	O	S	0	0	0
			1474	942	268	260	4			

- Molecule 31 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	RH	170	Total	C	N	O	S	0	0	0
			1307	829	245	232	1			
31	YH	170	Total	C	N	O	S	0	0	0
			1307	829	245	232	1			

- Molecule 32 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	RI	146	Total	C	N	O	S	0	0	0
			1136	726	201	208	1			
32	YI	146	Total	C	N	O	S	0	0	0
			1136	726	201	208	1			

- Molecule 33 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	RN	138	Total	C	N	O	S	0	0	0
			1104	712	206	182	4			
33	YN	138	Total	C	N	O	S	0	0	0
			1104	712	206	182	4			

- Molecule 34 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
34	RO	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			
34	YO	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			

- Molecule 35 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
35	RP	150	Total	C	N	O	S	0	0	0
			1145	712	232	198	3			
35	YP	150	Total	C	N	O	S	0	0	0
			1145	712	232	198	3			

- Molecule 36 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
36	RQ	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			
36	YQ	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			

- Molecule 37 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
37	RR	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			
37	YR	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			

- Molecule 38 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
38	RS	111	Total	C	N	O	S	0	0	0
			882	556	176	150				
38	YS	111	Total	C	N	O	S	0	0	0
			882	556	176	150				

- Molecule 39 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
39	RT	137	Total	C	N	O	S	0	0	0
			1141	710	234	196	1			
39	YT	137	Total	C	N	O	S	0	0	0
			1141	710	234	196	1			

- Molecule 40 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
40	RU	117	Total	C	N	O	S	0	0	0
			964	610	202	151	1			
40	YU	117	Total	C	N	O	S	0	0	0
			964	610	202	151	1			

- Molecule 41 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
41	RV	101	Total	C	N	O	S	0	0	0
			779	501	142	135	1			
41	YV	101	Total	C	N	O	S	0	0	0
			779	501	142	135	1			

- Molecule 42 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	RW	113	Total	C	N	O	S	0	0	0
			900	566	177	155	2			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	YW	113	Total	C	N	O	S	0	0	0
			900	566	177	155	2			

- Molecule 43 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
43	RX	92	Total	C	N	O		0	0	0
			725	471	131	123				
43	YX	92	Total	C	N	O		0	0	0
			725	471	131	123				

- Molecule 44 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
44	RY	102	Total	C	N	O	S	0	0	0
			785	505	150	125	5			
44	YY	102	Total	C	N	O	S	0	0	0
			785	505	150	125	5			

- Molecule 45 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
45	RZ	183	Total	C	N	O	S	0	0	0
			1461	933	260	265	3			
45	YZ	183	Total	C	N	O	S	0	0	0
			1461	933	260	265	3			

- Molecule 46 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
46	R0	82	Total	C	N	O	S	0	0	0
			648	401	138	108	1			
46	Y0	82	Total	C	N	O	S	0	0	0
			648	401	138	108	1			

- Molecule 47 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
47	R1	97	Total	C	N	O	S	0	0	0
			763	481	150	131	1			
47	Y1	97	Total	C	N	O	S	0	0	0
			763	481	150	131	1			

- Molecule 48 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	R2	69	Total	C	N	O	S	0	0	0
			581	358	118	104	1			
48	Y2	69	Total	C	N	O	S	0	0	0
			581	358	118	104	1			

- Molecule 49 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
49	R3	59	Total	C	N	O	0	0	0
			469	298	90	81			
49	Y3	59	Total	C	N	O	0	0	0
			469	298	90	81			

- Molecule 50 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
50	R4	71	Total	C	N	O	S	0	0	0
			581	364	108	104	5			
50	Y4	71	Total	C	N	O	S	0	0	0
			581	364	108	104	5			

- Molecule 51 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
51	R5	59	Total	C	N	O	S	0	0	0
			459	288	90	76	5			
51	Y5	59	Total	C	N	O	S	0	0	0
			459	288	90	76	5			

- Molecule 52 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
52	R6	49	Total	C	N	O	S	0	0	0
			424	264	87	69	4			
52	Y6	49	Total	C	N	O	S	0	0	0
			424	264	87	69	4			

- Molecule 53 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
53	R7	49	Total	C	N	O	S	0	0	0
			430	263	108	57	2			
53	Y7	49	Total	C	N	O	S	0	0	0
			430	263	108	57	2			

- Molecule 54 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
54	R8	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			
54	Y8	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			

- Molecule 55 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
55	R9	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			
55	Y9	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			

- Molecule 56 is a RNA chain called tRNA acceptor end mimic.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
56	Z6	3	Total	C	N	O	P	0	0	0
			74	40	13	19	2			
56	Z8	3	Total	C	N	O	P	0	0	0
			74	40	13	19	2			

- Molecule 57 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	QA	65	Total	Mg	0	0
			65	65		
57	QF	1	Total	Mg	0	0
			1	1		
57	QH	1	Total	Mg	0	0
			1	1		
57	QM	1	Total	Mg	0	0
			1	1		
57	QV	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	QX	1	Total 1	Mg 1	0	0
57	RA	241	Total 241	Mg 241	0	0
57	RB	2	Total 2	Mg 2	0	0
57	RD	1	Total 1	Mg 1	0	0
57	RE	2	Total 2	Mg 2	0	0
57	RF	1	Total 1	Mg 1	0	0
57	RR	2	Total 2	Mg 2	0	0
57	R0	1	Total 1	Mg 1	0	0
57	R5	1	Total 1	Mg 1	0	0
57	XA	74	Total 74	Mg 74	0	0
57	YA	268	Total 268	Mg 268	0	0
57	YB	4	Total 4	Mg 4	0	0
57	YE	1	Total 1	Mg 1	0	0
57	YP	2	Total 2	Mg 2	0	0
57	Y0	1	Total 1	Mg 1	0	0
57	Y5	1	Total 1	Mg 1	0	0


- Molecule 58 is PAROMOMYCIN (three-letter code: PAR) (formula: $C_{23}H_{45}N_5O_{14}$).


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 16S rRNA









• Molecule 2: 30S ribosomal protein S2




• Molecule 2: 30S ribosomal protein S2




• Molecule 3: 30S ribosomal protein S3







• Molecule 3: 30S ribosomal protein S3




• Molecule 4: 30S ribosomal protein S4




• Molecule 4: 30S ribosomal protein S4







• Molecule 5: 30S ribosomal protein S5



• Molecule 5: 30S ribosomal protein S5




• Molecule 6: 30S ribosomal protein S6





• Molecule 6: 30S ribosomal protein S6









• Molecule 7: 30S ribosomal protein S7



• Molecule 7: 30S ribosomal protein S7



• Molecule 8: 30S ribosomal protein S8



Chain XH:

Item	Category
M1	Red
L2	Red
T3	Red
D4	Red
P5	Green
I6	Green
A7	Green
D8	Green
M9	Green
L10	Green
T11	Green
R12	Green
I13	Green
R14	Green
N15	Green
A16	Green
T17	Green
R18	Green
V19	Green
Y20	Green
S23	Yellow
T24	Yellow
P27	Yellow
A28	Yellow
S29	Yellow
R30	Yellow
F31	Yellow
K32	Yellow
E33	Yellow
V34	Yellow
R35	Yellow
L36	Yellow
R37	Yellow
I38	Yellow
L39	Yellow
A40	Yellow
R41	Yellow
E42	Yellow
G43	Yellow
F44	Yellow
I45	Yellow
K46	Yellow
E49	Orange
R50	Orange
V51	Orange
D52	Orange
V53	Orange
D54	Orange
G55	Orange
K56	Orange
P57	Orange
Y58	Orange
L59	Orange
R60	Orange
V61	Orange
Y62	Orange
E63	Orange
K64	Red
Y65	Red
R68	Red
R69	Red
G70	Red
G71	Red
P74	Green
R75	Green
P76	Green
E77	Green
Q78	Green
V79	Green
H81	Green
H82	Green
I83	Green
R84	Green
R85	Green
I86	Green
S87	Green
K88	Green
P89	Green
G90	Green
R91	Green
R92	Green
V93	Green
Y94	Green
V95	Green
G96	Green
V97	Green
K98	Green
E99	Orange
I100	Orange
P101	Orange
R102	Orange
V103	Orange
R104	Orange
G106	Orange
L107	Orange
G108	Orange
I109	Orange
A110	Orange
I111	Orange
L112	Orange
S113	Orange
T114	Orange
S115	Orange
K116	Orange
G117	Orange
V118	Orange
L119	Orange
T120	Orange
D121	Orange
R122	Orange
E123	Orange
A124	Orange
R125	Orange
G128	Green
V129	Red
L133	Green
I134	Green
C136	Green
V137	Green
W138	Green

Chain QI:

32% 21% 64% 13%

MET E2 Q3 Y4 Y5 G6 T7 G8 R9 R10 K11 E12 A13 V14 R16 V17 F18 L19 R20 P21 G22 N23 G24 K25 V26 T27 V28 N29 G30 Q31 D32 F33 N34 E35 Y36 G39 L40 V41 R42 A43 V44 A45 A46 L47 E48 P49 L50 V53 L56 F59 D60 A61 Y62 I63 T64

V65 R66 G67 G68 G69 K70 S71 G72 Q73 I74 D75 A76 I77 K78 G80 I81 A82 R83 A84 L85 V86 Q87 Y88 N89 Y92 R93 A94 K95 L96 K97 P98 L99 G100 F101 L102 T103 D105 A106 R107 V108 E109 I110 R111 K112 K113 Y114 G115 K116 H117 K118 A119 R120 R121 A122 P123 Q124 Y125

S126 K127 R128

Chain XI:

27%

20%

66%

13%

..

MET

E2

Q3

Y4

Y5

G6

T7

R9

R10

K11

E12

A13

V14

A15

R16

V17

F18

L19

R20

P21

G22

N23

G24

V26

T27

V28

N29

G30

Q31

D32

F33

N34

E35

G39

V41

R42

A43

V44

A45

A46

L47

E48

P49

L50

V53

L56

F59

D60

A61

V62

I63

T64

V65

R66

G67

G68

G69

K70

S71

G72

G73

I74

D75

A76

I77

K78

L79

G80

L81

A82

R83

A84

L85

V86

G87

Y88

M89

Y92

R93

A94

R95

L96

K97

P98

L99

G100

F101

L102

T103

D104

D105

A106

R107

V108

V109

E110

K111

K112

K113

I114

G115

K116

H117

K118

A119

R120

R121

I122


S126

V128


Chain QJ:

Amino Acid	Percentage
Met	0%
Pro	0%
K3	0%
I4	0%
R5	0%
I6	0%
K7	0%
L8	0%
R9	0%
G10	0%
F11	0%
D12	0%
H13	0%
K14	0%
T15	0%
N16	0%
D17	0%
A18	0%
S19	0%
A20	0%
K21	0%
K22	0%
I23	0%
V24	0%
E25	0%
A26	0%
A27	0%
R28	0%
R29	0%
S30	0%
G31	0%
A32	0%
Q33	0%
V34	0%
S35	0%
G36	0%
P37	0%
I38	0%
P39	0%
L40	0%
P41	0%
T42	0%
R43	0%
V44	0%
R45	0%
R46	0%
F47	0%
T48	0%
V49	0%
I50	0%
R51	0%
G52	0%
P53	0%
F54	0%
K55	0%
H56	0%
K57	0%
D58	0%
S59	0%
P60	0%


- Molecule 10: 30S ribosomal protein S10




- Molecule 11: 30S ribosomal protein S11



- Molecule 11: 30S ribosomal protein S11




- Molecule 12: 30S ribosomal protein S12




- Molecule 12: 30S ribosomal protein S12








• Molecule 13: 30S ribosomal protein S13





• Molecule 13: 30S ribosomal protein S13




• Molecule 14: 30S ribosomal protein S14




• Molecule 14: 30S ribosomal protein S14




• Molecule 15: 30S ribosomal protein S15




• Molecule 15: 30S ribosomal protein S15




• Molecule 16: 30S ribosomal protein S16




• Molecule 16: 30S ribosomal protein S16





• Molecule 17: 30S ribosomal protein S17







- Molecule 17: 30S ribosomal protein S17






- Molecule 18: 30S ribosomal protein S18




- Molecule 18: 30S ribosomal protein S18




- Molecule 19: 30S ribosomal protein S19




- Molecule 19: 30S ribosomal protein S19




- Molecule 20: 30S ribosomal protein S20




- Molecule 20: 30S ribosomal protein S20



- Molecule 21: 30S ribosomal protein S21



- Molecule 21: 30S ribosomal protein S21




- Molecule 22: P-site tRNA fMet









- Molecule 22: P-site tRNA fMet



- Molecule 23: messenger RNA



- Molecule 23: messenger RNA



- Molecule 24: A-site ASL SufA6




- Molecule 24: A-site ASL SufA6




- Molecule 25: 23S rRNA











● Molecule 25: 23S rRNA




G1728	A1609	C1513	C1428	G1338	G1228	A1127	G972	A890	A802	G708	G647
A1729	A1610	U1514	G1429	U1341	G1238	A1128	A973	G892	U802	C709	C650
U1730	C1617	C1515	U1430	U1340	G1239	A1129	C974A	A896	A804	U710	C651
A1732	A1618	G1516	U1431	A1349	U1240	C1053	G975	C897	G805	G717	C652
G1733	C1636	G1518	U1433	U1352	A1241	A1054	C976	C898	C806		A653
C1742	A1637	G1519	A1434	U1353		G1055	A980	A899	U807	A722	A654
G1743	C1648	U1520	G1441	A1354	G1250	G1056	A980	A900	C812	A726	C654A
G1750		G1525	G1442	U1357	C1251	A1057	A983	A901	A819	G727	G
C1754	G1651		G1443	U1358	G1252	G1058	A987	C902		G728	G
A1755	A1652		G1444	U1359	A1253	U1060	G887	C903	A819	G729	C
A1756	G1653		G1445	G1358	G1256	U1061	G888	U905	U826	G730	C
U1757	A1654		G1446	A1359	C1257	U1062	G889	G906	U827	C730	C
	C1657		A1449	G1364		G1063	A990	U907	U828	A734	G
	G1658		G1449A	A1365	A1262	U1066	C991	U908	A830		
	C1659		G1450	U1366	U1263	A1067	G992	U909	G831	U740	A
	G1667		G1451	G1368	G1264	G1068	G993	A910		G741	C
	A1668		G1452	G1369	A1265	A1069	G994			G742	C
	A1669		G1453	A1372	G1266	A1070	C995			G743	G
	C1672		G1454	U1370	U1267	G1071	A996			G744	C
	U1673		G1455	A1379	A1268	C1075	A1000			G745	G
	G1674		G1456	A1384	G1270	A1076	G1003			G746	C
	C1675		G1457	G1385	A1271	U1077	C1004			G747	C
	A1676		G1458	G1386	A1272	U1078	C1005			G748	C
	G1677		G1459	U1390	U1273	C1079	C1006			G749	C
	A1678		G1460	A1391	G1278	U1082	C923			A750	A654U
	C1679		G1461	U1392	G1279	U1083	C924			A751	A654V
	U1681		G1462	A1393	A1287	U1084	C925			C753	A655
	G1682		G1463	U1394	C1291	A1085	U1012			C754	G656
	C1683		G1464	A1395	U1292	A1086	C1013			C755	U657
	G1684		G1465	U1396	U1293	G1087	U1014			C756	G660
	U1688		G1466	A1397	C1293	G1088	G1015			A761	C665
	A1689		G1467	G1398		G1089	G1016			A764	U667
	C1691		G1468	U1403	U1300	U1093	U1019			G769	G668
	U1692		G1469	C1403	A1301	U1094	A1020			A771	G669
	G1693		G1470	C1404	A1302	A1095	A1021			G770	A670
	C1694		G1471	U1405	G1309	U1096	G1022			A774	G674
	U1695		G1472	U1406	U1312	U1097	U1023			G775	A675
	G1696		G1473	A1407	U1313	A1098	G1024			G776	A676
	A1697		G1474	C1408	C1314	G1099	U1025			A781	G680
	C1698		G1475	U1411	G1315	U1101	A1026			G780	G681
	U1699		G1476	A1412	C1316	C1102	A1028			A782	G686
	G1700		G1477	G1413	A1317	A1103	A1029			A783	C691
	C1703		G1478	U1416	G1318	U1104	G1030			G785	C692
	G1704		G1479	C1417	G1319	U1105	G1031			G786	C698
	U1705		G1480	U1418	U1320	G1106	A1032			A788	G702
	G1706		G1481	A1419	A1321	C1109	U1033			C790	U703
	U1716		G1482	U1420	U1329	G1110	G1036			G791	G704
	G1717		G1483	G1421	C1330	A1111	U1042			A792	A705
	C1718		G1484	U1422	G1331	G1112					
	G1719		G1485	G1423	G1332	U1113					
	U1720		G1486	U1424	A1336	G1122					
	C1721		G1487	G1425	G1337						
	G1722		G1488	U1426							
	A1723		G1489	A1427							
	U1724		G1490								
	C1725		G1491								
	G1726		G1492								
	A1727		G1493								
	U1728		G1494								
	C1729		G1495								
	G1730		G1496								
	A1731		G1497								
	U1732		G1498								
	G1733		G1499								
	C1734		G1500								
	A1735		G1501								
	U1736		G1502								
	G1737		G1503								
	A1738		G1504								
	U1739		G1505								
	C1740		G1506								
	G1741		G1507								
	A1742		G1508								
	U1743		G1509								
	C1744		G1510								
	A1745		G1511								
	U1746		G1512								
	G1747										
	A1748										
	U1749										
	C1750										
	G1751										
	A1752										
	U1753										
	C1754										
	A1755										
	U1756										
	G1757										
	A1758										
	U1759										
	C1760										
	G1761										
	A1762										
	U1763										
	G1764										
	A1765										
	U1766										
	C1767										
	A1768										
	U1769										
	G1770										
	A1771										
	U1772										
	C1773										
	G1774										
	A1775										
	U1776										
	C1777										
	A1778										
	U1779										
	G1780										
	A1781										
	U1782										
	C1783										
	G1784										
	A1785										
	U1786										
	C1787										
	A1788										
	U1789										
	G1790										
	A1791										
	U1792										
	C1793										
	G1794										
	A1795										
	U1796										
	C1797										
	A1798										
	U1799										
	G1800										
	A1801										
	U1802										
	C1803										
	G1812										
	A1813										
	U1814										
	C1815										
	G1816										
	A1819										
	U1820										
	C1821										
	G1822										
	A1823										
	U1824										
	C1825										
	G1826										




• Molecule 26: 5S rRNA







• Molecule 26: 5S rRNA




• Molecule 27: 50S ribosomal protein L2




• Molecule 27: 50S ribosomal protein L2






- Molecule 28: 50S ribosomal protein L3




- Molecule 28: 50S ribosomal protein L3




- Molecule 29: 50S ribosomal protein L4








• Molecule 29: 50S ribosomal protein L4




• Molecule 30: 50S ribosomal protein L5




• Molecule 30: 50S ribosomal protein L5



- Molecule 31: 50S ribosomal protein L6




- Molecule 31: 50S ribosomal protein L6





- Molecule 32: 50S ribosomal protein L9








• Molecule 32: 50S ribosomal protein L9





• Molecule 33: 50S ribosomal protein L13




• Molecule 33: 50S ribosomal protein L13





• Molecule 34: 50S ribosomal protein L14





• Molecule 34: 50S ribosomal protein L14




• Molecule 35: 50S ribosomal protein L15




• Molecule 35: 50S ribosomal protein L15




• Molecule 36: 50S ribosomal protein L16




• Molecule 36: 50S ribosomal protein L16




• Molecule 37: 50S ribosomal protein L17




• Molecule 37: 50S ribosomal protein L17




• Molecule 38: 50S ribosomal protein L18




- Molecule 38: 50S ribosomal protein L18




- Molecule 39: 50S ribosomal protein L19




- Molecule 39: 50S ribosomal protein L19




- Molecule 40: 50S ribosomal protein L20




• Molecule 40: 50S ribosomal protein L20




• Molecule 41: 50S ribosomal protein L21




• Molecule 41: 50S ribosomal protein L21




• Molecule 42: 50S ribosomal protein L22







• Molecule 42: 50S ribosomal protein L22




• Molecule 43: 50S ribosomal protein L23




• Molecule 43: 50S ribosomal protein L23




• Molecule 44: 50S ribosomal protein L24




• Molecule 44: 50S ribosomal protein L24







• Molecule 45: 50S ribosomal protein L25




• Molecule 45: 50S ribosomal protein L25




• Molecule 46: 50S ribosomal protein L27




• Molecule 46: 50S ribosomal protein L27




- Molecule 47: 50S ribosomal protein L28




- Molecule 47: 50S ribosomal protein L28




- Molecule 48: 50S ribosomal protein L29




- Molecule 48: 50S ribosomal protein L29




- Molecule 49: 50S ribosomal protein L30




- Molecule 49: 50S ribosomal protein L30




- Molecule 50: 50S ribosomal protein L31




- Molecule 50: 50S ribosomal protein L31




- Molecule 51: 50S ribosomal protein L32




- Molecule 51: 50S ribosomal protein L32




- Molecule 52: 50S ribosomal protein L33




- Molecule 52: 50S ribosomal protein L33




- Molecule 53: 50S ribosomal protein L34




- Molecule 53: 50S ribosomal protein L34




- Molecule 54: 50S ribosomal protein L35




- Molecule 54: 50S ribosomal protein L35




- Molecule 55: 50S ribosomal protein L36




- Molecule 55: 50S ribosomal protein L36



- Molecule 56: tRNA acceptor end mimic



- Molecule 56: tRNA acceptor end mimic



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	208.25Å 448.40Å 624.58Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	34.97 – 3.48 34.97 – 3.48	Depositor EDS
% Data completeness (in resolution range)	99.6 (34.97-3.48) 99.5 (34.97-3.48)	Depositor EDS
R_{merge}	0.32	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.61 (at 3.32Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.230 , 0.270 0.231 , 0.269	Depositor DCC
R_{free} test set	33695 reflections (4.57%)	wwPDB-VP
Wilson B-factor (Å ²)	61.1	Xtriage
Anisotropy	0.303	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 73.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.42$, $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	292002	wwPDB-VP
Average B, all atoms (Å ²)	86.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.67% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: PPU, PAR, ZN, MG, 1MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	QA	0.31	0/36098	0.83	43/56341 (0.1%)
1	XA	0.35	0/36101	0.86	41/56346 (0.1%)
2	QB	0.35	0/1959	0.65	0/2642
2	XB	0.36	0/1959	0.65	0/2642
3	QC	0.37	0/1629	0.60	0/2195
3	XC	0.37	0/1629	0.60	0/2195
4	QD	0.41	0/1733	0.68	1/2318 (0.0%)
4	XD	0.44	0/1733	0.68	1/2318 (0.0%)
5	QE	0.38	0/1171	0.66	0/1576
5	XE	0.39	0/1171	0.66	0/1576
6	QF	0.43	0/856	0.68	0/1154
6	XF	0.43	0/856	0.68	0/1154
7	QG	0.37	0/1276	0.60	0/1709
7	XG	0.36	0/1276	0.60	0/1709
8	QH	0.40	0/1136	0.69	0/1527
8	XH	0.40	0/1136	0.69	0/1527
9	QI	0.36	0/1029	0.67	0/1379
9	XI	0.36	0/1029	0.67	0/1379
10	QJ	0.36	0/814	0.61	0/1095
10	XJ	0.36	0/814	0.61	0/1095
11	QK	0.40	0/900	0.67	0/1213
11	XK	0.40	0/900	0.67	0/1213
12	QL	0.45	0/991	1.00	4/1327 (0.3%)
12	XL	0.46	0/991	1.00	4/1327 (0.3%)
13	QM	0.34	0/974	0.66	0/1303
13	XM	0.35	0/974	0.66	0/1303
14	QN	0.42	0/501	0.68	0/664
14	XN	0.53	0/501	0.67	0/664
15	QO	0.39	0/745	0.67	0/992
15	XO	0.39	0/745	0.67	0/992
16	QP	0.36	0/721	0.67	0/970
16	XP	0.37	0/721	0.67	0/970

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
17	QQ	0.37	0/847	0.68	0/1131
17	XQ	0.38	0/847	0.68	0/1131
18	QR	0.39	0/579	0.72	0/768
18	XR	0.39	0/579	0.72	0/768
19	QS	0.36	0/689	0.84	2/926 (0.2%)
19	XS	0.36	0/689	0.84	2/926 (0.2%)
20	QT	0.33	0/765	0.70	0/1007
20	XT	0.34	0/765	0.69	0/1007
21	QU	0.37	0/221	0.63	0/288
21	XU	0.38	0/221	0.63	0/288
22	QV	0.53	0/1836	0.99	6/2859 (0.2%)
22	XV	0.52	0/1836	0.99	6/2859 (0.2%)
23	QY	0.28	0/333	1.11	1/517 (0.2%)
23	XY	0.30	0/333	1.11	1/517 (0.2%)
24	QX	0.96	3/193 (1.6%)	1.43	3/299 (1.0%)
24	XX	0.96	3/193 (1.6%)	1.44	3/299 (1.0%)
25	RA	0.38	4/69521 (0.0%)	0.89	62/108529 (0.1%)
25	YA	0.44	4/69543 (0.0%)	0.95	91/108563 (0.1%)
26	RB	0.31	0/2878	0.82	1/4490 (0.0%)
26	YB	0.38	0/2878	0.89	0/4490
27	RD	0.59	2/2165 (0.1%)	0.90	4/2919 (0.1%)
27	YD	0.56	0/2165	0.90	4/2919 (0.1%)
28	RE	0.52	0/1601	0.91	2/2160 (0.1%)
28	YE	0.52	0/1601	0.91	2/2160 (0.1%)
29	RF	0.50	0/1620	0.76	0/2194
29	YF	0.50	0/1620	0.76	0/2194
30	RG	0.40	0/1499	0.66	0/2016
30	YG	0.40	0/1499	0.66	0/2016
31	RH	0.45	0/1332	0.85	3/1802 (0.2%)
31	YH	0.45	0/1332	0.85	3/1802 (0.2%)
32	RI	0.32	0/1151	0.58	0/1558
32	YI	0.32	0/1151	0.60	0/1558
33	RN	0.46	0/1131	0.77	1/1525 (0.1%)
33	YN	0.46	0/1131	0.78	1/1525 (0.1%)
34	RO	0.54	0/943	0.71	0/1269
34	YO	0.53	0/943	0.71	0/1269
35	RP	0.50	0/1162	0.95	3/1544 (0.2%)
35	YP	0.50	0/1162	0.95	3/1544 (0.2%)
36	RQ	0.54	0/1143	0.91	3/1527 (0.2%)
36	YQ	0.54	0/1143	0.90	3/1527 (0.2%)
37	RR	0.45	0/982	0.80	1/1312 (0.1%)
37	YR	0.45	0/982	0.80	1/1312 (0.1%)
38	RS	0.46	0/892	0.82	1/1187 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
38	YS	0.45	0/892	0.83	1/1187 (0.1%)
39	RT	0.47	0/1155	0.73	2/1542 (0.1%)
39	YT	0.47	0/1155	0.73	2/1542 (0.1%)
40	RU	0.48	0/982	0.78	0/1306
40	YU	0.48	0/982	0.78	0/1306
41	RV	0.47	0/790	0.82	0/1057
41	YV	0.47	0/790	0.81	0/1057
42	RW	0.45	0/911	0.75	0/1220
42	YW	0.45	0/911	0.75	0/1220
43	RX	0.56	0/739	0.77	0/993
43	YX	0.56	0/739	0.77	0/993
44	RY	0.52	0/798	0.80	0/1064
44	YY	0.52	0/798	0.80	0/1064
45	RZ	0.29	0/1493	0.53	0/2026
45	YZ	0.33	0/1493	0.56	0/2026
46	R0	0.30	0/657	0.54	1/874 (0.1%)
46	Y0	0.38	0/657	0.54	0/874
47	R1	0.49	0/770	0.85	1/1022 (0.1%)
47	Y1	0.49	0/770	0.85	1/1022 (0.1%)
48	R2	0.51	0/583	0.83	1/771 (0.1%)
48	Y2	0.51	0/583	0.84	1/771 (0.1%)
49	R3	0.47	0/474	0.72	0/635
49	Y3	0.43	0/474	0.71	0/635
50	R4	0.38	0/594	0.78	1/795 (0.1%)
50	Y4	0.38	0/594	0.78	1/795 (0.1%)
51	R5	0.51	0/473	0.74	0/639
51	Y5	0.51	0/473	0.74	0/639
52	R6	0.43	0/431	0.76	0/575
52	Y6	0.42	0/431	0.76	0/575
53	R7	0.56	0/438	0.76	0/575
53	Y7	0.56	0/438	0.76	0/575
54	R8	0.62	0/525	0.93	1/691 (0.1%)
54	Y8	0.62	0/525	0.93	1/691 (0.1%)
55	R9	0.35	0/310	0.60	0/407
55	Y9	0.37	0/310	0.61	0/407
56	Z6	0.80	0/40	1.78	1/60 (1.7%)
56	Z8	0.80	0/40	1.80	1/60 (1.7%)
All	All	0.41	16/316383 (0.0%)	0.86	323/473007 (0.1%)

The worst 5 of 16 bond length outliers are listed below:

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	RA	1472	A	N9-C8	-11.04	1.28	1.37
27	RD	236	GLY	C-N	8.56	1.53	1.34
25	RA	1472	A	C8-N7	-8.20	1.25	1.31
25	RA	1413	G	N9-C4	-7.25	1.32	1.38
25	YA	1473	G	C8-N7	-6.84	1.26	1.30

The worst 5 of 323 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	QL	47	LYS	C-N-CD	-20.49	75.52	120.60
12	XL	47	LYS	C-N-CD	-20.45	75.61	120.60
23	QY	40	G	P-O3'-C3'	-16.23	100.23	119.70
23	XY	40	G	P-O3'-C3'	-16.18	100.28	119.70
25	RA	1472	A	N7-C8-N9	12.07	119.84	113.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	QA	32247	0	16278	536	0
1	XA	32249	0	16279	560	0
2	QB	1924	0	1975	284	0
2	XB	1924	0	1975	290	0
3	QC	1605	0	1668	205	0
3	XC	1605	0	1668	207	0
4	QD	1703	0	1764	254	0
4	XD	1703	0	1765	212	1
5	QE	1155	0	1213	143	0
5	XE	1155	0	1213	136	0
6	QF	843	0	857	93	1
6	XF	843	0	857	98	0
7	QG	1257	0	1296	146	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	XG	1257	0	1294	143	0
8	QH	1116	0	1175	149	0
8	XH	1116	0	1177	148	0
9	QI	1010	0	1037	146	0
9	XI	1010	0	1037	158	0
10	QJ	801	0	849	150	0
10	XJ	801	0	849	135	0
11	QK	885	0	904	100	0
11	XK	885	0	904	109	0
12	QL	975	0	1062	107	0
12	XL	975	0	1062	103	0
13	QM	964	0	1034	151	0
13	XM	964	0	1034	160	0
14	QN	492	0	529	95	0
14	XN	492	0	529	96	0
15	QO	734	0	771	74	0
15	XO	734	0	771	73	0
16	QP	705	0	725	111	0
16	XP	705	0	725	107	0
17	QQ	834	0	904	81	0
17	XQ	834	0	904	73	0
18	QR	574	0	644	65	0
18	XR	574	0	644	68	0
19	QS	674	0	699	110	0
19	XS	674	0	699	133	0
20	QT	763	0	860	105	0
20	XT	763	0	861	100	0
21	QU	217	0	234	27	0
21	XU	217	0	234	24	0
22	QV	1644	0	836	35	0
22	XV	1644	0	836	35	0
23	QY	323	0	165	4	0
23	XY	323	0	165	7	0
24	QX	173	0	88	7	0
24	XX	173	0	88	6	0
25	RA	62071	0	31288	884	1
25	YA	62091	0	31294	903	1
26	RB	2573	0	1306	66	0
26	YB	2573	0	1306	33	0
27	RD	2115	0	2195	306	0
27	YD	2115	0	2195	331	0
28	RE	1568	0	1634	272	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
28	YE	1568	0	1634	263	0
29	RF	1585	0	1632	173	0
29	YF	1585	0	1632	171	0
30	RG	1474	0	1535	207	1
30	YG	1474	0	1535	201	1
31	RH	1307	0	1382	225	0
31	YH	1307	0	1382	226	0
32	RI	1136	0	1223	40	0
32	YI	1136	0	1223	50	0
33	RN	1104	0	1180	197	0
33	YN	1104	0	1180	186	0
34	RO	933	0	996	120	0
34	YO	933	0	996	127	0
35	RP	1145	0	1228	246	0
35	YP	1145	0	1228	239	1
36	RQ	1122	0	1179	153	0
36	YQ	1122	0	1179	150	0
37	RR	968	0	1033	113	0
37	YR	968	0	1033	105	0
38	RS	882	0	943	162	0
38	YS	882	0	943	162	0
39	RT	1141	0	1202	151	0
39	YT	1141	0	1202	154	0
40	RU	964	0	1022	128	0
40	YU	964	0	1022	136	0
41	RV	779	0	852	130	0
41	YV	779	0	852	131	13
42	RW	900	0	964	101	0
42	YW	900	0	964	102	0
43	RX	725	0	778	67	0
43	YX	725	0	778	67	0
44	RY	785	0	878	161	0
44	YY	785	0	878	153	0
45	RZ	1461	0	1493	52	0
45	YZ	1461	0	1493	40	0
46	R0	648	0	672	21	0
46	Y0	648	0	672	23	0
47	R1	763	0	848	143	0
47	Y1	763	0	848	136	0
48	R2	581	0	629	79	0
48	Y2	581	0	629	76	0
49	R3	469	0	518	39	1

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
49	Y3	469	0	518	42	0
50	R4	581	0	574	148	0
50	Y4	581	0	574	165	0
51	R5	459	0	480	73	0
51	Y5	459	0	480	76	13
52	R6	424	0	450	94	0
52	Y6	424	0	450	92	0
53	R7	430	0	480	39	0
53	Y7	430	0	480	44	0
54	R8	517	0	582	105	0
54	Y8	517	0	582	99	0
55	R9	307	0	335	20	0
55	Y9	307	0	335	18	0
56	Z6	74	0	51	7	0
56	Z8	74	0	51	6	0
57	QA	65	0	0	0	0
57	QF	1	0	0	0	0
57	QH	1	0	0	0	0
57	QM	1	0	0	0	0
57	QV	1	0	0	0	0
57	QX	1	0	0	0	0
57	R0	1	0	0	0	0
57	R5	1	0	0	0	0
57	RA	241	0	0	0	0
57	RB	2	0	0	0	0
57	RD	1	0	0	0	0
57	RE	2	0	0	0	0
57	RF	1	0	0	0	0
57	RR	2	0	0	0	0
57	XA	74	0	0	0	0
57	Y0	1	0	0	0	0
57	Y5	1	0	0	0	0
57	YA	268	0	0	0	0
57	YB	4	0	0	0	0
57	YE	1	0	0	0	0
57	YP	2	0	0	0	0
58	QA	42	0	45	0	0
58	XA	42	0	45	1	0
59	QD	1	0	0	0	0
59	QN	1	0	0	0	0
59	R9	1	0	0	0	0
59	XD	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
59	XN	1	0	0	0	0
59	Y9	1	0	0	0	0
All	All	292002	0	198357	14284	17

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 29.

The worst 5 of 14284 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
14:YN:32:SER:CB	14:YN:41:ARG:HB3	1.23	1.55
14:YN:32:SER:HB3	14:YN:41:ARG:CB	1.28	1.54
31:RH:127:GLU:CG	31:RH:128:PRO:HD3	1.36	1.53
31:YH:127:GLU:CG	31:YH:128:PRO:HD3	1.35	1.52
4:XD:22:LYS:CG	4:XD:26:CYS:SG	2.01	1.49

The worst 5 of 17 symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
41:YV:50:PRO:C	51:Y5:60:VAL:O[4_445]	1.47	0.73
41:YV:51:VAL:N	51:Y5:60:VAL:O[4_445]	1.50	0.70
41:YV:51:VAL:N	51:Y5:60:VAL:C[4_445]	1.60	0.60
41:YV:50:PRO:CG	51:Y5:60:VAL:CA[4_445]	1.78	0.42
41:YV:50:PRO:CA	51:Y5:60:VAL:O[4_445]	1.83	0.37

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
2	QB	235/256 (92%)	153 (65%)	52 (22%)	30 (13%)	0 4

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	XB	235/256 (92%)	153 (65%)	52 (22%)	30 (13%)	0	4
3	QC	203/239 (85%)	128 (63%)	56 (28%)	19 (9%)	0	6
3	XC	203/239 (85%)	129 (64%)	55 (27%)	19 (9%)	0	6
4	QD	206/209 (99%)	136 (66%)	50 (24%)	20 (10%)	0	6
4	XD	206/209 (99%)	135 (66%)	49 (24%)	22 (11%)	0	5
5	QE	149/162 (92%)	103 (69%)	31 (21%)	15 (10%)	0	6
5	XE	149/162 (92%)	103 (69%)	30 (20%)	16 (11%)	0	5
6	QF	99/101 (98%)	66 (67%)	24 (24%)	9 (9%)	0	7
6	XF	99/101 (98%)	66 (67%)	24 (24%)	9 (9%)	0	7
7	QG	153/156 (98%)	102 (67%)	36 (24%)	15 (10%)	0	6
7	XG	153/156 (98%)	103 (67%)	36 (24%)	14 (9%)	0	7
8	QH	136/138 (99%)	92 (68%)	29 (21%)	15 (11%)	0	5
8	XH	136/138 (99%)	92 (68%)	29 (21%)	15 (11%)	0	5
9	QI	125/128 (98%)	77 (62%)	32 (26%)	16 (13%)	0	4
9	XI	125/128 (98%)	77 (62%)	32 (26%)	16 (13%)	0	4
10	QJ	97/105 (92%)	68 (70%)	20 (21%)	9 (9%)	0	7
10	XJ	97/105 (92%)	68 (70%)	19 (20%)	10 (10%)	0	6
11	QK	117/129 (91%)	87 (74%)	22 (19%)	8 (7%)	1	11
11	XK	117/129 (91%)	87 (74%)	21 (18%)	9 (8%)	1	9
12	QL	123/132 (93%)	85 (69%)	24 (20%)	14 (11%)	0	5
12	XL	123/132 (93%)	85 (69%)	24 (20%)	14 (11%)	0	5
13	QM	119/126 (94%)	71 (60%)	28 (24%)	20 (17%)	0	2
13	XM	119/126 (94%)	71 (60%)	28 (24%)	20 (17%)	0	2
14	QN	58/61 (95%)	31 (53%)	15 (26%)	12 (21%)	0	1
14	XN	58/61 (95%)	32 (55%)	14 (24%)	12 (21%)	0	1
15	QO	86/89 (97%)	61 (71%)	19 (22%)	6 (7%)	1	10
15	XO	86/89 (97%)	61 (71%)	19 (22%)	6 (7%)	1	10
16	QP	82/88 (93%)	48 (58%)	23 (28%)	11 (13%)	0	3
16	XP	82/88 (93%)	48 (58%)	23 (28%)	11 (13%)	0	3
17	QQ	98/105 (93%)	75 (76%)	15 (15%)	8 (8%)	1	8
17	XQ	98/105 (93%)	75 (76%)	15 (15%)	8 (8%)	1	8

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
18	QR	68/88 (77%)	45 (66%)	15 (22%)	8 (12%)	0	5
18	XR	68/88 (77%)	45 (66%)	15 (22%)	8 (12%)	0	5
19	QS	82/93 (88%)	47 (57%)	17 (21%)	18 (22%)	0	1
19	XS	82/93 (88%)	46 (56%)	18 (22%)	18 (22%)	0	1
20	QT	97/106 (92%)	63 (65%)	15 (16%)	19 (20%)	0	1
20	XT	97/106 (92%)	63 (65%)	15 (16%)	19 (20%)	0	1
21	QU	23/27 (85%)	15 (65%)	4 (17%)	4 (17%)	0	2
21	XU	23/27 (85%)	16 (70%)	3 (13%)	4 (17%)	0	2
27	RD	270/276 (98%)	203 (75%)	48 (18%)	19 (7%)	1	10
27	YD	270/276 (98%)	204 (76%)	47 (17%)	19 (7%)	1	10
28	RE	203/206 (98%)	120 (59%)	41 (20%)	42 (21%)	0	1
28	YE	203/206 (98%)	120 (59%)	41 (20%)	42 (21%)	0	1
29	RF	200/210 (95%)	144 (72%)	36 (18%)	20 (10%)	0	6
29	YF	200/210 (95%)	143 (72%)	37 (18%)	20 (10%)	0	6
30	RG	179/182 (98%)	119 (66%)	39 (22%)	21 (12%)	0	5
30	YG	179/182 (98%)	120 (67%)	38 (21%)	21 (12%)	0	5
31	RH	168/180 (93%)	94 (56%)	36 (21%)	38 (23%)	0	1
31	YH	168/180 (93%)	94 (56%)	36 (21%)	38 (23%)	0	1
32	RI	144/148 (97%)	102 (71%)	29 (20%)	13 (9%)	0	7
32	YI	144/148 (97%)	101 (70%)	26 (18%)	17 (12%)	0	5
33	RN	136/140 (97%)	84 (62%)	30 (22%)	22 (16%)	0	2
33	YN	136/140 (97%)	84 (62%)	30 (22%)	22 (16%)	0	2
34	RO	120/122 (98%)	90 (75%)	21 (18%)	9 (8%)	1	9
34	YO	120/122 (98%)	90 (75%)	21 (18%)	9 (8%)	1	9
35	RP	148/150 (99%)	97 (66%)	19 (13%)	32 (22%)	0	1
35	YP	148/150 (99%)	97 (66%)	19 (13%)	32 (22%)	0	1
36	RQ	139/141 (99%)	95 (68%)	30 (22%)	14 (10%)	0	6
36	YQ	139/141 (99%)	97 (70%)	28 (20%)	14 (10%)	0	6
37	RR	116/118 (98%)	83 (72%)	19 (16%)	14 (12%)	0	4
37	YR	116/118 (98%)	82 (71%)	20 (17%)	14 (12%)	0	4
38	RS	109/112 (97%)	62 (57%)	28 (26%)	19 (17%)	0	2

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
38	YS	109/112 (97%)	63 (58%)	27 (25%)	19 (17%)	0	2
39	RT	135/146 (92%)	83 (62%)	32 (24%)	20 (15%)	0	3
39	YT	135/146 (92%)	83 (62%)	32 (24%)	20 (15%)	0	3
40	RU	115/118 (98%)	86 (75%)	20 (17%)	9 (8%)	1	8
40	YU	115/118 (98%)	86 (75%)	20 (17%)	9 (8%)	1	8
41	RV	99/101 (98%)	73 (74%)	16 (16%)	10 (10%)	0	6
41	YV	99/101 (98%)	73 (74%)	16 (16%)	10 (10%)	0	6
42	RW	111/113 (98%)	75 (68%)	22 (20%)	14 (13%)	0	4
42	YW	111/113 (98%)	75 (68%)	22 (20%)	14 (13%)	0	4
43	RX	90/96 (94%)	77 (86%)	8 (9%)	5 (6%)	1	14
43	YX	90/96 (94%)	77 (86%)	8 (9%)	5 (6%)	1	14
44	RY	100/110 (91%)	58 (58%)	16 (16%)	26 (26%)	0	0
44	YY	100/110 (91%)	57 (57%)	17 (17%)	26 (26%)	0	0
45	RZ	181/206 (88%)	126 (70%)	40 (22%)	15 (8%)	0	8
45	YZ	181/206 (88%)	125 (69%)	38 (21%)	18 (10%)	0	6
46	R0	80/85 (94%)	68 (85%)	9 (11%)	3 (4%)	2	21
46	Y0	80/85 (94%)	71 (89%)	9 (11%)	0	100	100
47	R1	95/98 (97%)	64 (67%)	20 (21%)	11 (12%)	0	5
47	Y1	95/98 (97%)	64 (67%)	20 (21%)	11 (12%)	0	5
48	R2	67/72 (93%)	46 (69%)	12 (18%)	9 (13%)	0	3
48	Y2	67/72 (93%)	47 (70%)	11 (16%)	9 (13%)	0	3
49	R3	57/60 (95%)	45 (79%)	9 (16%)	3 (5%)	1	14
49	Y3	57/60 (95%)	45 (79%)	9 (16%)	3 (5%)	1	14
50	R4	69/71 (97%)	23 (33%)	20 (29%)	26 (38%)	0	0
50	Y4	69/71 (97%)	23 (33%)	20 (29%)	26 (38%)	0	0
51	R5	57/60 (95%)	33 (58%)	9 (16%)	15 (26%)	0	0
51	Y5	57/60 (95%)	33 (58%)	9 (16%)	15 (26%)	0	0
52	R6	47/54 (87%)	15 (32%)	18 (38%)	14 (30%)	0	0
52	Y6	47/54 (87%)	15 (32%)	18 (38%)	14 (30%)	0	0
53	R7	47/49 (96%)	37 (79%)	7 (15%)	3 (6%)	1	12
53	Y7	47/49 (96%)	37 (79%)	7 (15%)	3 (6%)	1	12

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
54	R8	62/65 (95%)	36 (58%)	15 (24%)	11 (18%)	0	2
54	Y8	62/65 (95%)	36 (58%)	15 (24%)	11 (18%)	0	2
55	R9	35/37 (95%)	31 (89%)	4 (11%)	0	100	100
55	Y9	35/37 (95%)	31 (89%)	4 (11%)	0	100	100
All	All	11470/12128 (95%)	7650 (67%)	2346 (20%)	1474 (13%)	0	4

5 of 1474 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	QB	6	THR
2	QB	15	VAL
2	QB	26	PRO
2	QB	84	GLU
2	QB	88	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	QB	205/220 (93%)	181 (88%)	24 (12%)	4	21
2	XB	205/220 (93%)	181 (88%)	24 (12%)	4	21
3	QC	159/188 (85%)	143 (90%)	16 (10%)	6	26
3	XC	159/188 (85%)	143 (90%)	16 (10%)	6	26
4	QD	180/181 (99%)	160 (89%)	20 (11%)	5	23
4	XD	180/181 (99%)	165 (92%)	15 (8%)	9	32
5	QE	116/123 (94%)	108 (93%)	8 (7%)	13	39
5	XE	116/123 (94%)	108 (93%)	8 (7%)	13	39
6	QF	90/90 (100%)	76 (84%)	14 (16%)	2	13
6	XF	90/90 (100%)	76 (84%)	14 (16%)	2	13
7	QG	126/127 (99%)	114 (90%)	12 (10%)	7	28
7	XG	126/127 (99%)	115 (91%)	11 (9%)	8	32

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
8	QH	119/119 (100%)	106 (89%)	13 (11%)	5	24
8	XH	119/119 (100%)	106 (89%)	13 (11%)	5	24
9	QI	98/99 (99%)	87 (89%)	11 (11%)	5	22
9	XI	98/99 (99%)	87 (89%)	11 (11%)	5	22
10	QJ	89/92 (97%)	81 (91%)	8 (9%)	8	30
10	XJ	89/92 (97%)	81 (91%)	8 (9%)	8	30
11	QK	90/99 (91%)	81 (90%)	9 (10%)	6	26
11	XK	90/99 (91%)	81 (90%)	9 (10%)	6	26
12	QL	104/109 (95%)	90 (86%)	14 (14%)	3	17
12	XL	104/109 (95%)	90 (86%)	14 (14%)	3	17
13	QM	97/101 (96%)	81 (84%)	16 (16%)	2	11
13	XM	97/101 (96%)	81 (84%)	16 (16%)	2	11
14	QN	49/50 (98%)	40 (82%)	9 (18%)	1	7
14	XN	49/50 (98%)	44 (90%)	5 (10%)	6	26
15	QO	79/80 (99%)	73 (92%)	6 (8%)	11	35
15	XO	79/80 (99%)	73 (92%)	6 (8%)	11	35
16	QP	72/74 (97%)	63 (88%)	9 (12%)	3	19
16	XP	72/74 (97%)	63 (88%)	9 (12%)	3	19
17	QQ	95/97 (98%)	89 (94%)	6 (6%)	15	43
17	XQ	95/97 (98%)	89 (94%)	6 (6%)	15	43
18	QR	61/77 (79%)	54 (88%)	7 (12%)	4	22
18	XR	61/77 (79%)	54 (88%)	7 (12%)	4	22
19	QS	73/80 (91%)	62 (85%)	11 (15%)	2	14
19	XS	73/80 (91%)	62 (85%)	11 (15%)	2	14
20	QT	76/82 (93%)	68 (90%)	8 (10%)	5	25
20	XT	76/82 (93%)	68 (90%)	8 (10%)	5	25
21	QU	20/22 (91%)	19 (95%)	1 (5%)	20	49
21	XU	20/22 (91%)	19 (95%)	1 (5%)	20	49
27	RD	214/218 (98%)	177 (83%)	37 (17%)	1	9
27	YD	214/218 (98%)	177 (83%)	37 (17%)	1	9
28	RE	165/166 (99%)	128 (78%)	37 (22%)	1	4

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
28	YE	165/166 (99%)	127 (77%)	38 (23%)	0	3
29	RF	161/166 (97%)	140 (87%)	21 (13%)	3	18
29	YF	161/166 (97%)	140 (87%)	21 (13%)	3	18
30	RG	155/156 (99%)	130 (84%)	25 (16%)	2	12
30	YG	155/156 (99%)	130 (84%)	25 (16%)	2	12
31	RH	142/148 (96%)	114 (80%)	28 (20%)	1	6
31	YH	142/148 (96%)	114 (80%)	28 (20%)	1	6
32	RI	122/124 (98%)	98 (80%)	24 (20%)	1	6
32	YI	122/124 (98%)	98 (80%)	24 (20%)	1	6
33	RN	117/119 (98%)	98 (84%)	19 (16%)	2	11
33	YN	117/119 (98%)	98 (84%)	19 (16%)	2	11
34	RO	100/100 (100%)	90 (90%)	10 (10%)	6	26
34	YO	100/100 (100%)	90 (90%)	10 (10%)	6	26
35	RP	116/116 (100%)	89 (77%)	27 (23%)	0	3
35	YP	116/116 (100%)	89 (77%)	27 (23%)	0	3
36	RQ	111/111 (100%)	93 (84%)	18 (16%)	2	11
36	YQ	111/111 (100%)	93 (84%)	18 (16%)	2	11
37	RR	101/101 (100%)	84 (83%)	17 (17%)	1	10
37	YR	101/101 (100%)	84 (83%)	17 (17%)	1	10
38	RS	87/88 (99%)	74 (85%)	13 (15%)	2	15
38	YS	87/88 (99%)	74 (85%)	13 (15%)	2	15
39	RT	120/127 (94%)	97 (81%)	23 (19%)	1	6
39	YT	120/127 (94%)	98 (82%)	22 (18%)	1	7
40	RU	93/94 (99%)	80 (86%)	13 (14%)	3	16
40	YU	93/94 (99%)	80 (86%)	13 (14%)	3	16
41	RV	82/82 (100%)	71 (87%)	11 (13%)	3	18
41	YV	82/82 (100%)	71 (87%)	11 (13%)	3	18
42	RW	92/92 (100%)	77 (84%)	15 (16%)	2	11
42	YW	92/92 (100%)	77 (84%)	15 (16%)	2	11
43	RX	74/78 (95%)	63 (85%)	11 (15%)	2	15
43	YX	74/78 (95%)	63 (85%)	11 (15%)	2	15

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
44	RY	85/91 (93%)	70 (82%)	15 (18%)	1	8
44	YY	85/91 (93%)	70 (82%)	15 (18%)	1	8
45	RZ	162/179 (90%)	139 (86%)	23 (14%)	2	16
45	YZ	162/179 (90%)	139 (86%)	23 (14%)	2	16
46	R0	65/67 (97%)	61 (94%)	4 (6%)	15	43
46	Y0	65/67 (97%)	59 (91%)	6 (9%)	7	29
47	R1	82/83 (99%)	67 (82%)	15 (18%)	1	7
47	Y1	82/83 (99%)	67 (82%)	15 (18%)	1	7
48	R2	64/67 (96%)	57 (89%)	7 (11%)	5	24
48	Y2	64/67 (96%)	57 (89%)	7 (11%)	5	24
49	R3	51/52 (98%)	40 (78%)	11 (22%)	1	4
49	Y3	51/52 (98%)	40 (78%)	11 (22%)	1	4
50	R4	63/63 (100%)	44 (70%)	19 (30%)	0	2
50	Y4	63/63 (100%)	44 (70%)	19 (30%)	0	2
51	R5	51/52 (98%)	39 (76%)	12 (24%)	0	3
51	Y5	51/52 (98%)	39 (76%)	12 (24%)	0	3
52	R6	48/52 (92%)	38 (79%)	10 (21%)	1	5
52	Y6	48/52 (92%)	38 (79%)	10 (21%)	1	5
53	R7	42/42 (100%)	39 (93%)	3 (7%)	12	38
53	Y7	42/42 (100%)	39 (93%)	3 (7%)	12	38
54	R8	54/55 (98%)	39 (72%)	15 (28%)	0	2
54	Y8	54/55 (98%)	39 (72%)	15 (28%)	0	2
55	R9	34/34 (100%)	32 (94%)	2 (6%)	16	44
55	Y9	34/34 (100%)	32 (94%)	2 (6%)	16	44
All	All	9702/10066 (96%)	8296 (86%)	1406 (14%)	2	15

5 of 1406 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
27	YD	65	ILE
35	YP	144	GLU
27	YD	261	LYS
27	YD	61	LEU
31	YH	3	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 99 such sidechains are listed below:

Mol	Chain	Res	Type
7	XG	28	ASN
27	YD	166	GLN
7	XG	86	GLN
13	XM	77	ASN
28	YE	135	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	QA	1498/1522 (98%)	269 (17%)	42 (2%)
1	XA	1499/1522 (98%)	289 (19%)	46 (3%)
22	QV	76/77 (98%)	30 (39%)	1 (1%)
22	XV	76/77 (98%)	30 (39%)	1 (1%)
23	QY	14/17 (82%)	7 (50%)	1 (7%)
23	XY	14/17 (82%)	7 (50%)	1 (7%)
24	QX	7/25 (28%)	4 (57%)	1 (14%)
24	XX	7/25 (28%)	4 (57%)	1 (14%)
25	RA	2879/2916 (98%)	620 (21%)	66 (2%)
25	YA	2880/2916 (98%)	623 (21%)	60 (2%)
26	RB	119/122 (97%)	24 (20%)	2 (1%)
26	YB	119/122 (97%)	24 (20%)	1 (0%)
56	Z6	1/3 (33%)	0	0
56	Z8	1/3 (33%)	0	0
All	All	9190/9364 (98%)	1931 (21%)	223 (2%)

5 of 1931 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	QA	32	A
1	QA	39	G
1	QA	47	C
1	QA	48	C
1	QA	51	A

5 of 223 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	XA	60	A
25	YA	2867	G
1	XA	753	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	YA	2776	A
25	YA	1543	A

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
56	PPU	Z8	76	57,56	33,40,41	2.68	8 (24%)	33,57,60	2.63	8 (24%)
23	1MG	QY	37	23	19,26,27	2.43	3 (15%)	18,39,42	2.32	5 (27%)
56	PPU	Z6	76	25,56	33,40,41	2.67	8 (24%)	33,57,60	2.65	8 (24%)
23	1MG	XY	37	23	19,26,27	2.44	3 (15%)	18,39,42	2.30	5 (27%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
56	PPU	Z8	76	57,56	-	2/21/43/44	0/4/4/4
23	1MG	QY	37	23	-	0/3/25/26	0/3/3/3
56	PPU	Z6	76	25,56	-	2/21/43/44	0/4/4/4
23	1MG	XY	37	23	-	0/3/25/26	0/3/3/3

The worst 5 of 22 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
56	Z8	76	PPU	O-C	9.63	1.41	1.23
56	Z6	76	PPU	O-C	9.60	1.41	1.23
23	QY	37	1MG	C2-N2	7.61	1.47	1.34
23	XY	37	1MG	C2-N2	7.59	1.47	1.34
56	Z6	76	PPU	C9-N6	-6.22	1.32	1.45

The worst 5 of 26 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
56	Z8	76	PPU	C3'-N3'-C	-8.52	110.23	123.20
56	Z6	76	PPU	C3'-N3'-C	-8.50	110.27	123.20
23	QY	37	1MG	N2-C2-N1	6.79	124.25	118.79
23	XY	37	1MG	N2-C2-N1	6.71	124.18	118.79
56	Z8	76	PPU	N3-C2-N1	-5.42	121.31	128.67

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
56	Z6	76	PPU	O-C-CA-N
56	Z8	76	PPU	O-C-CA-N
56	Z6	76	PPU	N3'-C-CA-N
56	Z8	76	PPU	N3'-C-CA-N

There are no ring outliers.

2 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
56	Z8	76	PPU	5	0
56	Z6	76	PPU	7	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 680 ligands modelled in this entry, 678 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
58	PAR	QA	1666	-	44,45,45	1.27	6 (13%)	63,67,67	1.33	8 (12%)
58	PAR	XA	1675	-	44,45,45	1.32	5 (11%)	63,67,67	1.30	4 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
58	PAR	QA	1666	-	-	8/18/94/94	0/4/4/4
58	PAR	XA	1675	-	-	6/18/94/94	0/4/4/4

The worst 5 of 11 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
58	QA	1666	PAR	C52-C42	3.15	1.58	1.52
58	XA	1675	PAR	C52-C42	2.98	1.58	1.52
58	XA	1675	PAR	C11-C21	2.84	1.57	1.52
58	XA	1675	PAR	O54-C14	2.84	1.49	1.41
58	QA	1666	PAR	O54-C14	2.82	1.49	1.41

The worst 5 of 12 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
58	XA	1675	PAR	O33-C14-C24	5.00	116.27	108.08
58	XA	1675	PAR	C14-O54-C54	4.34	122.20	113.72
58	QA	1666	PAR	O33-C14-C24	4.05	114.70	108.08
58	QA	1666	PAR	C14-O54-C54	3.82	121.18	113.72
58	QA	1666	PAR	O11-C42-C52	3.15	115.42	107.42

There are no chirality outliers.

5 of 14 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
58	QA	1666	PAR	C44-C54-C64-N64
58	QA	1666	PAR	O54-C54-C64-N64
58	XA	1675	PAR	O51-C51-C61-O61
58	QA	1666	PAR	O51-C51-C61-O61
58	XA	1675	PAR	C41-C51-C61-O61


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
58	XA	1675	PAR	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	QA	1500/1522 (98%)	0.48	80 (5%) 33 24	43, 89, 165, 301	0
1	XA	1500/1522 (98%)	0.36	64 (4%) 40 28	33, 76, 161, 285	0
2	QB	237/256 (92%)	1.29	49 (20%) 3 3	74, 140, 206, 264	0
2	XB	237/256 (92%)	1.20	42 (17%) 4 5	68, 121, 186, 246	0
3	QC	205/239 (85%)	1.15	26 (12%) 9 7	66, 125, 179, 210	0
3	XC	205/239 (85%)	0.91	21 (10%) 13 10	46, 95, 150, 198	0
4	QD	208/209 (99%)	1.34	51 (24%) 2 3	47, 92, 146, 223	0
4	XD	208/209 (99%)	1.45	53 (25%) 2 2	45, 96, 162, 182	0
5	QE	151/162 (93%)	1.17	28 (18%) 4 4	42, 101, 170, 220	0
5	XE	151/162 (93%)	0.95	16 (10%) 13 10	35, 84, 142, 186	0
6	QF	101/101 (100%)	1.00	13 (12%) 9 7	40, 90, 127, 156	0
6	XF	101/101 (100%)	0.80	7 (6%) 24 19	38, 84, 127, 150	0
7	QG	155/156 (99%)	1.27	30 (19%) 4 4	56, 121, 175, 232	0
7	XG	155/156 (99%)	1.11	23 (14%) 7 6	51, 93, 148, 196	0
8	QH	138/138 (100%)	1.15	22 (15%) 6 6	51, 100, 142, 160	0
8	XH	138/138 (100%)	0.91	15 (10%) 12 10	51, 89, 134, 187	0
9	QI	127/128 (99%)	1.73	41 (32%) 1 1	71, 131, 189, 204	0
9	XI	127/128 (99%)	1.50	34 (26%) 2 2	46, 112, 165, 221	0
10	QJ	99/105 (94%)	2.37	51 (51%) 0 0	80, 153, 212, 237	0
10	XJ	99/105 (94%)	1.89	38 (38%) 1 1	42, 120, 186, 217	0
11	QK	119/129 (92%)	1.43	28 (23%) 2 3	42, 89, 165, 231	0
11	XK	119/129 (92%)	1.00	19 (15%) 6 6	49, 81, 135, 193	0
12	QL	125/132 (94%)	1.27	27 (21%) 3 3	40, 83, 150, 208	0
12	XL	125/132 (94%)	1.02	22 (17%) 4 5	29, 68, 134, 239	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å²)		Q<0.9	
13	QM	121/126 (96%)	1.68	36 (29%)	1	2	52, 130, 190, 269	0
13	XM	121/126 (96%)	1.49	34 (28%)	2	2	43, 98, 161, 256	0
14	QN	60/61 (98%)	2.09	28 (46%)	0	1	72, 121, 165, 182	0
14	XN	60/61 (98%)	1.87	22 (36%)	1	1	38, 87, 148, 182	0
15	QO	88/89 (98%)	1.12	15 (17%)	5	5	48, 95, 154, 187	0
15	XO	88/89 (98%)	0.80	6 (6%)	25	19	43, 82, 128, 167	0
16	QP	84/88 (95%)	1.50	20 (23%)	2	3	44, 86, 146, 195	0
16	XP	84/88 (95%)	1.38	20 (23%)	2	3	46, 92, 133, 208	0
17	QQ	100/105 (95%)	1.41	24 (24%)	2	3	63, 94, 151, 215	0
17	XQ	100/105 (95%)	1.34	23 (23%)	2	3	45, 95, 148, 188	0
18	QR	70/88 (79%)	0.89	5 (7%)	23	18	45, 85, 146, 166	0
18	XR	70/88 (79%)	0.72	2 (2%)	54	37	35, 81, 137, 153	0
19	QS	84/93 (90%)	1.74	29 (34%)	1	1	82, 137, 196, 229	0
19	XS	84/93 (90%)	1.40	18 (21%)	3	3	53, 96, 156, 198	0
20	QT	99/106 (93%)	1.45	27 (27%)	2	2	55, 103, 165, 201	0
20	XT	99/106 (93%)	1.18	21 (21%)	3	3	50, 101, 158, 190	0
21	QU	25/27 (92%)	3.01	19 (76%)	0	0	66, 117, 146, 190	0
21	XU	25/27 (92%)	2.27	13 (52%)	0	0	61, 89, 133, 169	0
22	QV	77/77 (100%)	1.03	3 (3%)	44	30	49, 99, 152, 188	0
22	XV	77/77 (100%)	0.92	5 (6%)	26	20	43, 82, 137, 198	0
23	QY	14/17 (82%)	1.59	4 (28%)	1	2	85, 123, 178, 179	0
23	XY	14/17 (82%)	1.14	2 (14%)	7	7	66, 108, 141, 145	0
24	QX	8/25 (32%)	2.64	5 (62%)	0	0	68, 91, 144, 227	0
24	XX	8/25 (32%)	2.25	4 (50%)	0	0	51, 69, 129, 197	0
25	RA	2882/2916 (98%)	0.29	157 (5%)	32	24	32, 68, 203, 342	0
25	YA	2883/2916 (98%)	0.06	108 (3%)	45	31	21, 52, 190, 313	0
26	RB	120/122 (98%)	0.69	6 (5%)	35	25	62, 105, 144, 172	0
26	YB	120/122 (98%)	0.11	2 (1%)	69	50	43, 68, 101, 139	0
27	RD	272/276 (98%)	0.85	34 (12%)	9	8	32, 60, 102, 187	0
27	YD	272/276 (98%)	1.02	37 (13%)	8	7	11, 55, 94, 228	0
28	RE	205/206 (99%)	1.22	41 (20%)	3	4	30, 74, 135, 220	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
28	YE	205/206 (99%)	0.85	26 (12%) 9 7	20, 58, 130, 245	0
29	RF	202/210 (96%)	1.01	30 (14%) 7 6	27, 82, 150, 199	0
29	YF	202/210 (96%)	0.65	17 (8%) 18 14	17, 58, 119, 164	0
30	RG	181/182 (99%)	3.46	140 (77%) 0 0	58, 182, 252, 270	0
30	YG	181/182 (99%)	2.79	124 (68%) 0 0	52, 114, 185, 251	0
31	RH	170/180 (94%)	1.46	43 (25%) 2 2	71, 144, 203, 244	0
31	YH	170/180 (94%)	1.48	48 (28%) 1 2	41, 86, 147, 171	0
32	RI	146/148 (98%)	0.80	15 (10%) 13 10	47, 100, 170, 202	0
32	YI	146/148 (98%)	0.77	13 (8%) 17 12	43, 98, 153, 180	0
33	RN	138/140 (98%)	0.98	15 (10%) 12 10	43, 83, 138, 196	0
33	YN	138/140 (98%)	0.87	17 (12%) 9 8	29, 60, 118, 171	0
34	RO	122/122 (100%)	1.17	24 (19%) 3 4	21, 75, 123, 179	0
34	YO	122/122 (100%)	0.46	3 (2%) 58 40	18, 59, 94, 134	0
35	RP	150/150 (100%)	1.61	44 (29%) 1 2	21, 86, 180, 219	0
35	YP	150/150 (100%)	1.23	35 (23%) 2 3	14, 67, 136, 235	0
36	RQ	141/141 (100%)	1.60	42 (29%) 1 2	45, 88, 145, 231	0
36	YQ	141/141 (100%)	1.16	25 (17%) 4 5	24, 65, 135, 196	0
37	RR	118/118 (100%)	0.95	15 (12%) 9 7	38, 69, 130, 147	0
37	YR	118/118 (100%)	0.56	3 (2%) 58 40	26, 55, 91, 142	0
38	RS	111/112 (99%)	1.31	26 (23%) 2 3	49, 104, 167, 222	0
38	YS	111/112 (99%)	0.82	13 (11%) 10 9	39, 71, 123, 181	0
39	RT	137/146 (93%)	1.31	29 (21%) 3 3	42, 86, 185, 226	0
39	YT	137/146 (93%)	0.75	17 (12%) 9 8	25, 70, 160, 220	0
40	RU	117/118 (99%)	1.09	18 (15%) 6 6	31, 69, 130, 222	0
40	YU	117/118 (99%)	0.93	16 (13%) 8 7	21, 50, 107, 201	0
41	RV	101/101 (100%)	0.97	13 (12%) 9 7	44, 92, 155, 249	0
41	YV	101/101 (100%)	1.19	21 (20%) 3 3	26, 71, 136, 264	0
42	RW	113/113 (100%)	0.64	7 (6%) 28 21	31, 63, 128, 188	0
42	YW	113/113 (100%)	0.48	5 (4%) 39 28	17, 54, 114, 186	0
43	RX	92/96 (95%)	1.04	12 (13%) 9 7	41, 78, 122, 150	0
43	YX	92/96 (95%)	0.73	8 (8%) 17 13	28, 56, 92, 122	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
44	RY	102/110 (92%)	2.15	51 (50%) 0 0	50, 106, 193, 237	0
44	YY	102/110 (92%)	1.43	31 (30%) 1 2	39, 82, 158, 234	0
45	RZ	183/206 (88%)	1.45	50 (27%) 2 2	56, 124, 189, 247	0
45	YZ	183/206 (88%)	0.93	26 (14%) 7 7	41, 86, 169, 257	0
46	R0	82/85 (96%)	0.55	4 (4%) 36 26	42, 72, 103, 131	0
46	Y0	82/85 (96%)	0.15	2 (2%) 59 42	26, 49, 80, 99	0
47	R1	97/98 (98%)	1.60	28 (28%) 1 2	34, 75, 194, 262	0
47	Y1	97/98 (98%)	1.06	16 (16%) 5 5	27, 61, 143, 210	0
48	R2	69/72 (95%)	1.05	9 (13%) 9 7	48, 94, 168, 184	0
48	Y2	69/72 (95%)	1.07	12 (17%) 5 5	22, 66, 131, 195	0
49	R3	59/60 (98%)	1.29	11 (18%) 4 4	42, 90, 161, 183	0
49	Y3	59/60 (98%)	0.52	1 (1%) 69 50	33, 61, 113, 179	0
50	R4	71/71 (100%)	2.18	36 (50%) 0 0	129, 204, 273, 302	0
50	Y4	71/71 (100%)	2.50	42 (59%) 0 0	84, 166, 258, 313	0
51	R5	59/60 (98%)	1.72	19 (32%) 1 1	25, 73, 191, 257	0
51	Y5	59/60 (98%)	1.56	21 (35%) 1 1	28, 62, 189, 319	0
52	R6	49/54 (90%)	3.14	31 (63%) 0 0	66, 147, 198, 224	0
52	Y6	49/54 (90%)	3.05	35 (71%) 0 0	59, 116, 196, 225	0
53	R7	49/49 (100%)	1.36	11 (22%) 3 3	27, 55, 129, 235	0
53	Y7	49/49 (100%)	0.81	6 (12%) 10 8	23, 42, 102, 186	0
54	R8	64/65 (98%)	1.81	21 (32%) 1 1	34, 73, 129, 210	0
54	Y8	64/65 (98%)	1.32	12 (18%) 4 4	24, 56, 101, 237	0
55	R9	37/37 (100%)	2.22	16 (43%) 1 1	64, 96, 157, 235	0
55	Y9	37/37 (100%)	2.38	20 (54%) 0 0	48, 83, 136, 176	0
56	Z6	2/3 (66%)	3.22	2 (100%) 0 0	77, 77, 77, 77	0
56	Z8	2/3 (66%)	3.36	2 (100%) 0 0	51, 51, 51, 60	0
All	All	20873/21492 (97%)	0.83	2949 (14%) 7 6	11, 79, 179, 342	0

The worst 5 of 2949 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
50	Y4	66	SER	11.8
52	R6	42	TRP	11.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
52	Y6	42	TRP	11.3
14	XN	2	ALA	10.9
52	R6	23	THR	10.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
56	PPU	Z8	76	37/38	0.84	0.27	70,70,70,70	0
56	PPU	Z6	76	37/38	0.86	0.25	73,73,73,73	0
23	1MG	QY	37	24/25	0.90	0.12	86,86,86,86	0
23	1MG	XY	37	24/25	0.93	0.11	62,62,62,62	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
57	MG	YA	3085	1/1	0.10	0.53	65,65,65,65	0
57	MG	RA	3193	1/1	0.16	0.22	114,114,114,114	0
57	MG	RA	3130	1/1	0.22	0.25	94,94,94,94	0
57	MG	RA	3194	1/1	0.32	0.28	96,96,96,96	0
57	MG	QA	1625	1/1	0.33	0.25	94,94,94,94	0
57	MG	QA	1657	1/1	0.33	0.26	108,108,108,108	0
57	MG	RA	3115	1/1	0.36	0.27	47,47,47,47	0
57	MG	RA	3120	1/1	0.36	0.39	89,89,89,89	0
57	MG	RA	3218	1/1	0.41	0.26	85,85,85,85	0
57	MG	YA	3132	1/1	0.41	0.30	49,49,49,49	0
57	MG	YA	3122	1/1	0.42	0.44	95,95,95,95	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
57	MG	QA	1608	1/1	0.42	0.24	68,68,68,68	0
57	MG	RA	3139	1/1	0.44	0.33	51,51,51,51	0
57	MG	XA	1608	1/1	0.46	0.17	60,60,60,60	0
57	MG	RA	3062	1/1	0.50	0.16	59,59,59,59	0
57	MG	YA	3167	1/1	0.51	0.29	42,42,42,42	0
57	MG	RA	3163	1/1	0.56	0.26	79,79,79,79	0
57	MG	QF	201	1/1	0.58	0.18	62,62,62,62	0
57	MG	YA	3129	1/1	0.59	0.21	38,38,38,38	0
57	MG	XA	1638	1/1	0.60	0.27	91,91,91,91	0
57	MG	QA	1617	1/1	0.61	0.35	50,50,50,50	0
57	MG	QX	101	1/1	0.61	0.15	67,67,67,67	0
57	MG	YA	3117	1/1	0.62	0.21	46,46,46,46	0
57	MG	YA	3141	1/1	0.63	0.23	79,79,79,79	0
57	MG	RA	3223	1/1	0.64	0.19	88,88,88,88	0
57	MG	RA	3156	1/1	0.64	0.17	22,22,22,22	0
57	MG	YP	201	1/1	0.64	0.16	153,153,153,153	0
57	MG	YA	3082	1/1	0.65	0.76	80,80,80,80	0
57	MG	QA	1609	1/1	0.66	0.03	14,14,14,14	0
57	MG	YA	3072	1/1	0.67	0.20	15,15,15,15	0
57	MG	RA	3207	1/1	0.68	0.39	105,105,105,105	0
57	MG	RA	3226	1/1	0.69	0.17	38,38,38,38	0
57	MG	XA	1664	1/1	0.69	0.27	84,84,84,84	0
57	MG	RA	3204	1/1	0.69	0.10	63,63,63,63	0
57	MG	XA	1673	1/1	0.70	0.17	56,56,56,56	0
57	MG	QH	201	1/1	0.71	0.09	74,74,74,74	0
57	MG	XA	1619	1/1	0.71	0.23	33,33,33,33	0
57	MG	YA	3220	1/1	0.71	0.16	53,53,53,53	0
57	MG	QA	1649	1/1	0.71	0.20	60,60,60,60	0
57	MG	YA	3180	1/1	0.72	0.18	31,31,31,31	0
57	MG	RA	3221	1/1	0.72	0.19	55,55,55,55	0
57	MG	R0	101	1/1	0.72	0.19	32,32,32,32	0
57	MG	RA	3220	1/1	0.73	0.16	58,58,58,58	0
57	MG	XA	1670	1/1	0.73	0.12	79,79,79,79	0
57	MG	RA	3228	1/1	0.73	0.19	91,91,91,91	0
57	MG	YA	3091	1/1	0.74	0.13	7,7,7,7	0
57	MG	RA	3091	1/1	0.74	0.30	65,65,65,65	0
57	MG	RA	3233	1/1	0.74	0.26	42,42,42,42	0
57	MG	YA	3195	1/1	0.74	0.24	44,44,44,44	0
57	MG	RA	3203	1/1	0.74	0.25	61,61,61,61	0
57	MG	YA	3242	1/1	0.74	0.17	58,58,58,58	0
57	MG	RA	3068	1/1	0.74	0.17	37,37,37,37	0
57	MG	RA	3157	1/1	0.75	0.21	48,48,48,48	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
57	MG	XA	1634	1/1	0.75	0.18	43,43,43,43	0
57	MG	RA	3135	1/1	0.75	0.19	55,55,55,55	0
57	MG	YA	3162	1/1	0.75	0.10	19,19,19,19	0
57	MG	RA	3199	1/1	0.75	0.24	72,72,72,72	0
57	MG	QA	1663	1/1	0.76	0.12	85,85,85,85	0
57	MG	YA	3155	1/1	0.76	0.12	48,48,48,48	0
57	MG	QA	1637	1/1	0.76	0.21	66,66,66,66	0
57	MG	YP	202	1/1	0.76	0.20	31,31,31,31	0
57	MG	YA	3191	1/1	0.77	0.13	22,22,22,22	0
57	MG	XA	1614	1/1	0.77	0.21	57,57,57,57	0
57	MG	RA	3177	1/1	0.77	0.17	47,47,47,47	0
57	MG	YA	3223	1/1	0.78	0.23	42,42,42,42	0
57	MG	QA	1627	1/1	0.78	0.32	92,92,92,92	0
57	MG	RA	3101	1/1	0.78	0.18	43,43,43,43	0
57	MG	XA	1620	1/1	0.78	0.20	30,30,30,30	0
57	MG	RA	3229	1/1	0.79	0.14	41,41,41,41	0
57	MG	XA	1660	1/1	0.79	0.19	54,54,54,54	0
57	MG	RA	3103	1/1	0.79	0.12	26,26,26,26	0
57	MG	RA	3173	1/1	0.79	0.19	90,90,90,90	0
57	MG	QA	1618	1/1	0.79	0.22	42,42,42,42	0
57	MG	YA	3248	1/1	0.80	0.13	32,32,32,32	0
57	MG	YB	202	1/1	0.80	0.21	52,52,52,52	0
57	MG	RA	3084	1/1	0.80	0.15	27,27,27,27	0
57	MG	XA	1624	1/1	0.80	0.27	39,39,39,39	0
57	MG	XA	1639	1/1	0.81	0.15	59,59,59,59	0
57	MG	YA	3253	1/1	0.81	0.19	25,25,25,25	0
57	MG	RA	3011	1/1	0.81	0.23	48,48,48,48	0
57	MG	YA	3150	1/1	0.81	0.13	31,31,31,31	0
57	MG	YA	3130	1/1	0.81	0.24	52,52,52,52	0
57	MG	YA	3221	1/1	0.82	0.41	42,42,42,42	0
57	MG	XA	1631	1/1	0.83	0.14	39,39,39,39	0
57	MG	RA	3044	1/1	0.83	0.24	37,37,37,37	0
57	MG	RA	3138	1/1	0.83	0.19	17,17,17,17	0
57	MG	RA	3078	1/1	0.83	0.19	34,34,34,34	0
57	MG	QA	1614	1/1	0.83	0.21	31,31,31,31	0
57	MG	XA	1629	1/1	0.83	0.23	44,44,44,44	0
57	MG	YB	204	1/1	0.83	0.18	45,45,45,45	0
57	MG	YA	3206	1/1	0.83	0.21	65,65,65,65	0
57	MG	YA	3106	1/1	0.83	0.14	3,3,3,3	0
57	MG	QA	1628	1/1	0.84	0.15	41,41,41,41	0
57	MG	XA	1665	1/1	0.84	0.21	46,46,46,46	0
57	MG	RA	3133	1/1	0.84	0.12	51,51,51,51	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
57	MG	YA	3224	1/1	0.84	0.09	35,35,35,35	0
57	MG	YA	3230	1/1	0.84	0.14	35,35,35,35	0
57	MG	RA	3222	1/1	0.84	0.14	50,50,50,50	0
57	MG	YA	3174	1/1	0.84	0.13	27,27,27,27	0
57	MG	YA	3175	1/1	0.84	0.12	42,42,42,42	0
57	MG	YA	3016	1/1	0.84	0.13	20,20,20,20	0
57	MG	RA	3169	1/1	0.84	0.18	44,44,44,44	0
57	MG	XA	1648	1/1	0.84	0.20	30,30,30,30	0
57	MG	QA	1656	1/1	0.84	0.14	100,100,100,100	0
58	PAR	QA	1666	42/42	0.84	0.26	84,84,84,84	0
58	PAR	XA	1675	42/42	0.84	0.21	74,74,74,74	0
57	MG	QA	1645	1/1	0.85	0.11	37,37,37,37	0
57	MG	YA	3182	1/1	0.85	0.32	55,55,55,55	0
57	MG	YA	3149	1/1	0.85	0.12	25,25,25,25	0
57	MG	YA	3250	1/1	0.85	0.11	37,37,37,37	0
57	MG	RA	3059	1/1	0.85	0.19	15,15,15,15	0
57	MG	YA	3201	1/1	0.85	0.32	23,23,23,23	0
57	MG	RA	3131	1/1	0.85	0.22	31,31,31,31	0
57	MG	XA	1661	1/1	0.85	0.15	28,28,28,28	0
57	MG	YA	3076	1/1	0.85	0.14	25,25,25,25	0
57	MG	RA	3075	1/1	0.85	0.10	39,39,39,39	0
57	MG	RB	202	1/1	0.85	0.13	46,46,46,46	0
57	MG	YA	3212	1/1	0.86	0.30	67,67,67,67	0
57	MG	YA	3143	1/1	0.86	0.23	66,66,66,66	0
57	MG	YA	3064	1/1	0.86	0.12	19,19,19,19	0
57	MG	RA	3188	1/1	0.86	0.17	53,53,53,53	0
57	MG	QA	1636	1/1	0.86	0.13	34,34,34,34	0
57	MG	YA	3157	1/1	0.86	0.16	49,49,49,49	0
57	MG	YA	3234	1/1	0.86	0.13	28,28,28,28	0
57	MG	XA	1650	1/1	0.86	0.14	31,31,31,31	0
57	MG	XA	1656	1/1	0.86	0.20	45,45,45,45	0
57	MG	RA	3118	1/1	0.86	0.15	49,49,49,49	0
57	MG	QA	1655	1/1	0.86	0.15	48,48,48,48	0
57	MG	RA	3166	1/1	0.86	0.12	53,53,53,53	0
57	MG	RA	3121	1/1	0.86	0.22	45,45,45,45	0
57	MG	QA	1660	1/1	0.86	0.15	35,35,35,35	0
57	MG	RA	3142	1/1	0.86	0.10	59,59,59,59	0
57	MG	YA	3011	1/1	0.86	0.22	25,25,25,25	0
57	MG	RA	3184	1/1	0.86	0.24	42,42,42,42	0
57	MG	QA	1629	1/1	0.87	0.16	47,47,47,47	0
57	MG	RA	3122	1/1	0.87	0.18	29,29,29,29	0
57	MG	YA	3154	1/1	0.87	0.14	38,38,38,38	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
57	MG	RA	3127	1/1	0.87	0.15	36,36,36,36	0
57	MG	RA	3019	1/1	0.87	0.17	21,21,21,21	0
57	MG	RA	3168	1/1	0.87	0.13	43,43,43,43	0
57	MG	QA	1654	1/1	0.87	0.20	69,69,69,69	0
57	MG	YA	3046	1/1	0.87	0.16	11,11,11,11	0
57	MG	YA	3065	1/1	0.88	0.16	25,25,25,25	0
57	MG	YA	3151	1/1	0.88	0.14	38,38,38,38	0
57	MG	RE	301	1/1	0.88	0.12	30,30,30,30	0
57	MG	RA	3212	1/1	0.88	0.17	37,37,37,37	0
57	MG	YA	3229	1/1	0.88	0.13	20,20,20,20	0
57	MG	RA	3155	1/1	0.88	0.18	41,41,41,41	0
57	MG	QA	1606	1/1	0.88	0.12	44,44,44,44	0
57	MG	RA	3023	1/1	0.88	0.26	8,8,8,8	0
57	MG	RA	3160	1/1	0.88	0.09	42,42,42,42	0
57	MG	XA	1621	1/1	0.88	0.28	32,32,32,32	0
57	MG	RA	3032	1/1	0.88	0.24	44,44,44,44	0
57	MG	QA	1650	1/1	0.88	0.15	27,27,27,27	0
57	MG	XA	1674	1/1	0.88	0.09	35,35,35,35	0
57	MG	RA	3008	1/1	0.88	0.20	47,47,47,47	0
57	MG	RA	3094	1/1	0.88	0.17	23,23,23,23	0
57	MG	QA	1646	1/1	0.88	0.16	46,46,46,46	0
57	MG	RA	3208	1/1	0.88	0.13	69,69,69,69	0
57	MG	YA	3092	1/1	0.89	0.15	25,25,25,25	0
57	MG	YA	3097	1/1	0.89	0.24	30,30,30,30	0
57	MG	RA	3185	1/1	0.89	0.08	45,45,45,45	0
57	MG	YA	3107	1/1	0.89	0.19	41,41,41,41	0
57	MG	RA	3165	1/1	0.89	0.30	43,43,43,43	0
57	MG	XA	1636	1/1	0.89	0.27	23,23,23,23	0
57	MG	YA	3127	1/1	0.89	0.10	13,13,13,13	0
57	MG	XA	1637	1/1	0.89	0.18	39,39,39,39	0
57	MG	YA	3218	1/1	0.89	0.18	47,47,47,47	0
57	MG	RA	3224	1/1	0.89	0.11	40,40,40,40	0
57	MG	QV	101	1/1	0.89	0.15	24,24,24,24	0
57	MG	YA	3136	1/1	0.89	0.16	29,29,29,29	0
57	MG	RA	3167	1/1	0.89	0.18	56,56,56,56	0
57	MG	YA	3030	1/1	0.89	0.31	19,19,19,19	0
57	MG	XA	1649	1/1	0.89	0.10	48,48,48,48	0
57	MG	RA	3195	1/1	0.89	0.23	85,85,85,85	0
57	MG	XA	1652	1/1	0.89	0.11	64,64,64,64	0
57	MG	YA	3152	1/1	0.89	0.15	43,43,43,43	0
57	MG	YA	3069	1/1	0.89	0.24	13,13,13,13	0
57	MG	RA	3180	1/1	0.89	0.10	33,33,33,33	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
57	MG	XA	1657	1/1	0.89	0.31	48,48,48,48	0
57	MG	XA	1658	1/1	0.89	0.25	61,61,61,61	0
57	MG	YA	3163	1/1	0.89	0.17	29,29,29,29	0
57	MG	YA	3166	1/1	0.89	0.25	55,55,55,55	0
57	MG	RA	3114	1/1	0.89	0.18	35,35,35,35	0
57	MG	RD	301	1/1	0.89	0.12	38,38,38,38	0
57	MG	RA	3217	1/1	0.90	0.21	49,49,49,49	0
57	MG	YA	3176	1/1	0.90	0.18	32,32,32,32	0
57	MG	QA	1644	1/1	0.90	0.19	36,36,36,36	0
57	MG	YA	3114	1/1	0.90	0.17	9,9,9,9	0
57	MG	QM	201	1/1	0.90	0.10	66,66,66,66	0
57	MG	YA	3193	1/1	0.90	0.19	35,35,35,35	0
57	MG	QA	1631	1/1	0.90	0.07	41,41,41,41	0
57	MG	RA	3026	1/1	0.90	0.09	3,3,3,3	0
57	MG	QA	1664	1/1	0.90	0.09	35,35,35,35	0
57	MG	YA	3207	1/1	0.90	0.29	52,52,52,52	0
57	MG	YA	3210	1/1	0.90	0.13	47,47,47,47	0
57	MG	RA	3041	1/1	0.90	0.16	20,20,20,20	0
57	MG	YA	3131	1/1	0.90	0.20	15,15,15,15	0
57	MG	RA	3088	1/1	0.90	0.22	25,25,25,25	0
57	MG	RA	3148	1/1	0.90	0.27	39,39,39,39	0
57	MG	YA	3045	1/1	0.90	0.26	2,2,2,2	0
57	MG	RA	3170	1/1	0.90	0.15	41,41,41,41	0
57	MG	YA	3148	1/1	0.90	0.27	39,39,39,39	0
57	MG	YA	3047	1/1	0.90	0.19	13,13,13,13	0
57	MG	RA	3171	1/1	0.90	0.15	46,46,46,46	0
57	MG	RA	3205	1/1	0.90	0.19	54,54,54,54	0
57	MG	YA	3243	1/1	0.90	0.27	32,32,32,32	0
57	MG	YA	3247	1/1	0.90	0.22	26,26,26,26	0
57	MG	QA	1640	1/1	0.90	0.20	37,37,37,37	0
57	MG	RA	3175	1/1	0.90	0.09	40,40,40,40	0
57	MG	YA	3252	1/1	0.90	0.33	41,41,41,41	0
57	MG	XA	1651	1/1	0.90	0.13	59,59,59,59	0
57	MG	RA	3210	1/1	0.90	0.20	51,51,51,51	0
57	MG	RA	3211	1/1	0.90	0.13	38,38,38,38	0
57	MG	XA	1611	1/1	0.90	0.19	8,8,8,8	0
57	MG	RA	3055	1/1	0.90	0.14	21,21,21,21	0
57	MG	XA	1618	1/1	0.90	0.24	33,33,33,33	0
57	MG	YA	3105	1/1	0.90	0.11	7,7,7,7	0
57	MG	RA	3196	1/1	0.91	0.12	46,46,46,46	0
57	MG	YA	3115	1/1	0.91	0.14	32,32,32,32	0
57	MG	YA	3177	1/1	0.91	0.31	71,71,71,71	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
57	MG	RA	3197	1/1	0.91	0.08	42,42,42,42	0
57	MG	RA	3230	1/1	0.91	0.15	15,15,15,15	0
57	MG	YA	3184	1/1	0.91	0.20	35,35,35,35	0
57	MG	YA	3124	1/1	0.91	0.11	16,16,16,16	0
57	MG	YA	3125	1/1	0.91	0.24	65,65,65,65	0
57	MG	XA	1654	1/1	0.91	0.18	58,58,58,58	0
57	MG	YA	3050	1/1	0.91	0.17	6,6,6,6	0
57	MG	YA	3061	1/1	0.91	0.16	16,16,16,16	0
57	MG	RA	3119	1/1	0.91	0.11	28,28,28,28	0
57	MG	RA	3236	1/1	0.91	0.20	34,34,34,34	0
57	MG	YA	3068	1/1	0.91	0.14	26,26,26,26	0
57	MG	YA	3139	1/1	0.91	0.10	33,33,33,33	0
57	MG	RB	201	1/1	0.91	0.09	54,54,54,54	0
57	MG	XA	1630	1/1	0.91	0.16	18,18,18,18	0
57	MG	YA	3222	1/1	0.91	0.27	40,40,40,40	0
57	MG	YA	3146	1/1	0.91	0.23	40,40,40,40	0
57	MG	RA	3200	1/1	0.91	0.11	36,36,36,36	0
57	MG	YA	3079	1/1	0.91	0.22	18,18,18,18	0
57	MG	RA	3137	1/1	0.91	0.17	36,36,36,36	0
57	MG	RA	3057	1/1	0.91	0.21	34,34,34,34	0
57	MG	RF	301	1/1	0.91	0.13	65,65,65,65	0
57	MG	RA	3189	1/1	0.91	0.23	33,33,33,33	0
57	MG	QA	1662	1/1	0.91	0.06	63,63,63,63	0
57	MG	YA	3103	1/1	0.91	0.21	26,26,26,26	0
57	MG	YA	3160	1/1	0.91	0.10	14,14,14,14	0
57	MG	YA	3161	1/1	0.91	0.08	29,29,29,29	0
57	MG	RA	3158	1/1	0.91	0.13	52,52,52,52	0
57	MG	YA	3265	1/1	0.91	0.16	36,36,36,36	0
57	MG	RA	3111	1/1	0.91	0.14	20,20,20,20	0
57	MG	YA	3021	1/1	0.91	0.20	17,17,17,17	0
57	MG	YA	3108	1/1	0.91	0.19	20,20,20,20	0
57	MG	YA	3168	1/1	0.91	0.29	52,52,52,52	0
57	MG	YA	3169	1/1	0.91	0.06	30,30,30,30	0
57	MG	YA	3110	1/1	0.91	0.24	11,11,11,11	0
57	MG	QA	1632	1/1	0.92	0.14	40,40,40,40	0
57	MG	RA	3013	1/1	0.92	0.22	26,26,26,26	0
57	MG	XA	1671	1/1	0.92	0.10	43,43,43,43	0
57	MG	RA	3066	1/1	0.92	0.18	11,11,11,11	0
57	MG	RA	3206	1/1	0.92	0.31	26,26,26,26	0
57	MG	YA	3186	1/1	0.92	0.26	44,44,44,44	0
57	MG	QA	1635	1/1	0.92	0.10	49,49,49,49	0
57	MG	RA	3126	1/1	0.92	0.49	39,39,39,39	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
57	MG	RA	3209	1/1	0.92	0.08	23,23,23,23	0
57	MG	YA	3198	1/1	0.92	0.10	21,21,21,21	0
57	MG	YA	3025	1/1	0.92	0.06	4,4,4,4	0
57	MG	YA	3202	1/1	0.92	0.15	33,33,33,33	0
57	MG	RA	3021	1/1	0.92	0.21	8,8,8,8	0
57	MG	RA	3077	1/1	0.92	0.18	24,24,24,24	0
57	MG	RA	3022	1/1	0.92	0.26	23,23,23,23	0
57	MG	XA	1626	1/1	0.92	0.14	27,27,27,27	0
57	MG	YA	3214	1/1	0.92	0.11	28,28,28,28	0
57	MG	RA	3216	1/1	0.92	0.10	31,31,31,31	0
57	MG	RA	3080	1/1	0.92	0.21	15,15,15,15	0
57	MG	RA	3176	1/1	0.92	0.11	27,27,27,27	0
57	MG	RA	3082	1/1	0.92	0.20	26,26,26,26	0
57	MG	RA	3179	1/1	0.92	0.15	29,29,29,29	0
57	MG	QA	1615	1/1	0.92	0.07	66,66,66,66	0
57	MG	RA	3181	1/1	0.92	0.20	43,43,43,43	0
57	MG	QA	1612	1/1	0.92	0.27	18,18,18,18	0
57	MG	YA	3233	1/1	0.92	0.19	32,32,32,32	0
57	MG	QA	1601	1/1	0.92	0.23	58,58,58,58	0
57	MG	YA	3239	1/1	0.92	0.15	27,27,27,27	0
57	MG	QA	1643	1/1	0.92	0.08	61,61,61,61	0
57	MG	RA	3042	1/1	0.92	0.16	18,18,18,18	0
57	MG	YA	3244	1/1	0.92	0.18	34,34,34,34	0
57	MG	QA	1619	1/1	0.92	0.14	43,43,43,43	0
57	MG	RA	3048	1/1	0.92	0.23	18,18,18,18	0
57	MG	RA	3235	1/1	0.92	0.24	29,29,29,29	0
57	MG	RA	3112	1/1	0.92	0.17	14,14,14,14	0
57	MG	YA	3164	1/1	0.92	0.11	22,22,22,22	0
57	MG	RA	3237	1/1	0.92	0.19	13,13,13,13	0
57	MG	YA	3268	1/1	0.92	0.28	21,21,21,21	0
57	MG	RA	3052	1/1	0.92	0.12	9,9,9,9	0
57	MG	RA	3159	1/1	0.92	0.29	40,40,40,40	0
57	MG	YE	301	1/1	0.92	0.13	8,8,8,8	0
57	MG	QA	1620	1/1	0.92	0.09	29,29,29,29	0
57	MG	YA	3172	1/1	0.92	0.09	48,48,48,48	0
57	MG	QA	1661	1/1	0.92	0.07	41,41,41,41	0
57	MG	YA	3112	1/1	0.92	0.17	23,23,23,23	0
57	MG	YA	3133	1/1	0.93	0.16	12,12,12,12	0
57	MG	YA	3134	1/1	0.93	0.08	37,37,37,37	0
57	MG	YA	3199	1/1	0.93	0.18	30,30,30,30	0
57	MG	QA	1665	1/1	0.93	0.16	29,29,29,29	0
57	MG	XA	1655	1/1	0.93	0.12	47,47,47,47	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
57	MG	YA	3203	1/1	0.93	0.09	18,18,18,18	0
57	MG	RA	3050	1/1	0.93	0.23	13,13,13,13	0
57	MG	YA	3142	1/1	0.93	0.19	14,14,14,14	0
57	MG	RA	3106	1/1	0.93	0.12	28,28,28,28	0
57	MG	YA	3211	1/1	0.93	0.13	29,29,29,29	0
57	MG	YA	3074	1/1	0.93	0.20	22,22,22,22	0
57	MG	YA	3075	1/1	0.93	0.10	23,23,23,23	0
57	MG	YA	3217	1/1	0.93	0.17	38,38,38,38	0
57	MG	RA	3109	1/1	0.93	0.10	21,21,21,21	0
57	MG	XA	1659	1/1	0.93	0.16	41,41,41,41	0
57	MG	RA	3125	1/1	0.93	0.17	29,29,29,29	0
57	MG	RA	3191	1/1	0.93	0.17	38,38,38,38	0
57	MG	XA	1627	1/1	0.93	0.11	24,24,24,24	0
57	MG	RA	3192	1/1	0.93	0.07	19,19,19,19	0
57	MG	YA	3225	1/1	0.93	0.16	21,21,21,21	0
57	MG	XA	1667	1/1	0.93	0.07	55,55,55,55	0
57	MG	RA	3149	1/1	0.93	0.13	28,28,28,28	0
57	MG	YA	3104	1/1	0.93	0.09	22,22,22,22	0
57	MG	RA	3214	1/1	0.93	0.11	44,44,44,44	0
57	MG	YA	3238	1/1	0.93	0.25	154,154,154,154	0
57	MG	XA	1633	1/1	0.93	0.23	30,30,30,30	0
57	MG	RA	3151	1/1	0.93	0.07	22,22,22,22	0
57	MG	YA	3003	1/1	0.93	0.12	9,9,9,9	0
57	MG	XA	1635	1/1	0.93	0.19	26,26,26,26	0
57	MG	YA	3014	1/1	0.93	0.19	3,3,3,3	0
57	MG	RA	3009	1/1	0.93	0.07	26,26,26,26	0
57	MG	YA	3249	1/1	0.93	0.16	34,34,34,34	0
57	MG	QA	1639	1/1	0.93	0.07	45,45,45,45	0
57	MG	YA	3251	1/1	0.93	0.34	60,60,60,60	0
57	MG	RE	302	1/1	0.93	0.10	11,11,11,11	0
57	MG	YA	3121	1/1	0.93	0.23	31,31,31,31	0
57	MG	YA	3256	1/1	0.93	0.14	11,11,11,11	0
57	MG	RA	3113	1/1	0.93	0.16	22,22,22,22	0
57	MG	XA	1640	1/1	0.93	0.09	187,187,187,187	0
57	MG	YB	201	1/1	0.93	0.06	51,51,51,51	0
57	MG	YA	3179	1/1	0.93	0.07	40,40,40,40	0
57	MG	RA	3043	1/1	0.93	0.11	14,14,14,14	0
57	MG	XA	1607	1/1	0.93	0.18	25,25,25,25	0
57	MG	YA	3048	1/1	0.93	0.27	6,6,6,6	0
57	MG	RA	3092	1/1	0.93	0.12	35,35,35,35	0
57	MG	RA	3027	1/1	0.93	0.21	3,3,3,3	0
57	MG	RA	3161	1/1	0.93	0.06	33,33,33,33	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
59	ZN	QN	101	1/1	0.93	0.07	87,87,87,87	0
59	ZN	R9	101	1/1	0.93	0.08	112,112,112,112	0
57	MG	RA	3083	1/1	0.94	0.17	13,13,13,13	0
57	MG	QA	1642	1/1	0.94	0.18	25,25,25,25	0
57	MG	QA	1603	1/1	0.94	0.22	22,22,22,22	0
57	MG	XA	1641	1/1	0.94	0.21	17,17,17,17	0
57	MG	XA	1645	1/1	0.94	0.20	30,30,30,30	0
57	MG	RA	3123	1/1	0.94	0.17	19,19,19,19	0
57	MG	QA	1607	1/1	0.94	0.07	21,21,21,21	0
57	MG	RA	3002	1/1	0.94	0.19	41,41,41,41	0
57	MG	RA	3007	1/1	0.94	0.19	11,11,11,11	0
57	MG	YA	3178	1/1	0.94	0.08	10,10,10,10	0
57	MG	RA	3201	1/1	0.94	0.09	22,22,22,22	0
57	MG	YA	3084	1/1	0.94	0.19	6,6,6,6	0
57	MG	XA	1653	1/1	0.94	0.20	62,62,62,62	0
57	MG	YA	3086	1/1	0.94	0.14	58,58,58,58	0
57	MG	RA	3128	1/1	0.94	0.15	55,55,55,55	0
57	MG	RA	3129	1/1	0.94	0.13	38,38,38,38	0
57	MG	YA	3095	1/1	0.94	0.19	5,5,5,5	0
57	MG	RA	3100	1/1	0.94	0.16	43,43,43,43	0
57	MG	YA	3102	1/1	0.94	0.28	11,11,11,11	0
57	MG	RA	3058	1/1	0.94	0.13	27,27,27,27	0
57	MG	YA	3200	1/1	0.94	0.11	39,39,39,39	0
57	MG	RR	202	1/1	0.94	0.11	20,20,20,20	0
57	MG	RA	3102	1/1	0.94	0.20	5,5,5,5	0
57	MG	R5	101	1/1	0.94	0.17	51,51,51,51	0
57	MG	YA	3204	1/1	0.94	0.10	32,32,32,32	0
57	MG	XA	1606	1/1	0.94	0.24	29,29,29,29	0
57	MG	QA	1610	1/1	0.94	0.22	22,22,22,22	0
57	MG	RA	3136	1/1	0.94	0.11	26,26,26,26	0
57	MG	RA	3028	1/1	0.94	0.16	37,37,37,37	0
57	MG	XA	1669	1/1	0.94	0.11	17,17,17,17	0
57	MG	YA	3213	1/1	0.94	0.08	31,31,31,31	0
57	MG	QA	1621	1/1	0.94	0.10	35,35,35,35	0
57	MG	XA	1616	1/1	0.94	0.23	14,14,14,14	0
57	MG	YA	3119	1/1	0.94	0.15	22,22,22,22	0
57	MG	RA	3035	1/1	0.94	0.18	27,27,27,27	0
57	MG	RA	3213	1/1	0.94	0.06	44,44,44,44	0
57	MG	YA	3001	1/1	0.94	0.19	7,7,7,7	0
57	MG	RA	3037	1/1	0.94	0.14	26,26,26,26	0
57	MG	YA	3006	1/1	0.94	0.20	1,1,1,1	0
57	MG	YA	3009	1/1	0.94	0.27	16,16,16,16	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
57	MG	RA	3144	1/1	0.94	0.19	11,11,11,11	0
57	MG	YA	3012	1/1	0.94	0.18	5,5,5,5	0
57	MG	YA	3231	1/1	0.94	0.14	23,23,23,23	0
57	MG	RA	3146	1/1	0.94	0.06	37,37,37,37	0
57	MG	RA	3183	1/1	0.94	0.10	44,44,44,44	0
57	MG	YA	3235	1/1	0.94	0.09	37,37,37,37	0
57	MG	YA	3018	1/1	0.94	0.21	6,6,6,6	0
57	MG	YA	3135	1/1	0.94	0.20	40,40,40,40	0
57	MG	YA	3019	1/1	0.94	0.11	0,0,0,0	0
57	MG	YA	3137	1/1	0.94	0.11	21,21,21,21	0
57	MG	RA	3219	1/1	0.94	0.18	36,36,36,36	0
57	MG	YA	3023	1/1	0.94	0.14	14,14,14,14	0
57	MG	YA	3024	1/1	0.94	0.28	1,1,1,1	0
57	MG	QA	1658	1/1	0.94	0.11	52,52,52,52	0
57	MG	YA	3027	1/1	0.94	0.19	9,9,9,9	0
57	MG	YA	3147	1/1	0.94	0.14	28,28,28,28	0
57	MG	RA	3012	1/1	0.94	0.09	14,14,14,14	0
57	MG	YA	3034	1/1	0.94	0.22	7,7,7,7	0
57	MG	YA	3035	1/1	0.94	0.23	12,12,12,12	0
57	MG	YA	3040	1/1	0.94	0.08	9,9,9,9	0
57	MG	YA	3267	1/1	0.94	0.18	40,40,40,40	0
57	MG	YA	3042	1/1	0.94	0.23	11,11,11,11	0
57	MG	YA	3153	1/1	0.94	0.35	33,33,33,33	0
57	MG	RA	3186	1/1	0.94	0.16	52,52,52,52	0
57	MG	YB	203	1/1	0.94	0.19	43,43,43,43	0
57	MG	RA	3150	1/1	0.94	0.23	32,32,32,32	0
57	MG	RA	3079	1/1	0.94	0.13	32,32,32,32	0
57	MG	YA	3158	1/1	0.94	0.17	16,16,16,16	0
57	MG	QA	1611	1/1	0.94	0.14	20,20,20,20	0
57	MG	RA	3227	1/1	0.94	0.10	64,64,64,64	0
57	MG	YA	3056	1/1	0.94	0.12	7,7,7,7	0
57	MG	YA	3060	1/1	0.94	0.19	24,24,24,24	0
57	MG	RA	3014	1/1	0.94	0.17	3,3,3,3	0
59	ZN	Y9	101	1/1	0.94	0.07	87,87,87,87	0
57	MG	QA	1613	1/1	0.95	0.14	22,22,22,22	0
57	MG	XA	1632	1/1	0.95	0.22	27,27,27,27	0
57	MG	RA	3046	1/1	0.95	0.13	19,19,19,19	0
57	MG	RA	3047	1/1	0.95	0.24	13,13,13,13	0
57	MG	QA	1659	1/1	0.95	0.10	24,24,24,24	0
57	MG	YA	3215	1/1	0.95	0.06	24,24,24,24	0
57	MG	YA	3088	1/1	0.95	0.25	17,17,17,17	0
57	MG	RA	3087	1/1	0.95	0.10	27,27,27,27	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
57	MG	YA	3219	1/1	0.95	0.08	33,33,33,33	0
57	MG	RA	3049	1/1	0.95	0.09	14,14,14,14	0
57	MG	RA	3001	1/1	0.95	0.07	2,2,2,2	0
57	MG	YA	3156	1/1	0.95	0.06	20,20,20,20	0
57	MG	RA	3164	1/1	0.95	0.11	27,27,27,27	0
57	MG	RA	3240	1/1	0.95	0.18	23,23,23,23	0
57	MG	RA	3202	1/1	0.95	0.07	31,31,31,31	0
57	MG	YA	3226	1/1	0.95	0.07	20,20,20,20	0
57	MG	RA	3024	1/1	0.95	0.08	17,17,17,17	0
57	MG	RA	3093	1/1	0.95	0.19	10,10,10,10	0
57	MG	QA	1648	1/1	0.95	0.10	47,47,47,47	0
57	MG	RA	3096	1/1	0.95	0.15	22,22,22,22	0
57	MG	YA	3165	1/1	0.95	0.06	21,21,21,21	0
57	MG	RA	3097	1/1	0.95	0.15	7,7,7,7	0
57	MG	YA	3236	1/1	0.95	0.14	40,40,40,40	0
57	MG	YA	3237	1/1	0.95	0.18	9,9,9,9	0
57	MG	YA	3031	1/1	0.95	0.27	26,26,26,26	0
57	MG	YA	3032	1/1	0.95	0.19	3,3,3,3	0
57	MG	RA	3132	1/1	0.95	0.19	14,14,14,14	0
57	MG	RA	3099	1/1	0.95	0.17	19,19,19,19	0
57	MG	YA	3039	1/1	0.95	0.11	14,14,14,14	0
57	MG	RA	3056	1/1	0.95	0.21	12,12,12,12	0
57	MG	YA	3120	1/1	0.95	0.17	18,18,18,18	0
57	MG	QA	1623	1/1	0.95	0.12	29,29,29,29	0
57	MG	QA	1624	1/1	0.95	0.14	58,58,58,58	0
57	MG	RA	3030	1/1	0.95	0.17	5,5,5,5	0
57	MG	QA	1652	1/1	0.95	0.13	31,31,31,31	0
57	MG	RA	3108	1/1	0.95	0.14	32,32,32,32	0
57	MG	YA	3254	1/1	0.95	0.24	11,11,11,11	0
57	MG	QA	1653	1/1	0.95	0.06	82,82,82,82	0
57	MG	YA	3259	1/1	0.95	0.23	14,14,14,14	0
57	MG	RA	3145	1/1	0.95	0.17	14,14,14,14	0
57	MG	YA	3187	1/1	0.95	0.05	19,19,19,19	0
57	MG	YA	3189	1/1	0.95	0.07	33,33,33,33	0
57	MG	YA	3058	1/1	0.95	0.22	11,11,11,11	0
57	MG	XA	1663	1/1	0.95	0.30	35,35,35,35	0
57	MG	QA	1616	1/1	0.95	0.14	18,18,18,18	0
57	MG	RA	3071	1/1	0.95	0.18	18,18,18,18	0
57	MG	RA	3038	1/1	0.95	0.10	8,8,8,8	0
57	MG	XA	1668	1/1	0.95	0.22	30,30,30,30	0
57	MG	QA	1634	1/1	0.95	0.07	39,39,39,39	0
57	MG	Y0	101	1/1	0.95	0.18	20,20,20,20	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
57	MG	QA	1626	1/1	0.95	0.05	29,29,29,29	0
57	MG	YA	3073	1/1	0.95	0.12	7,7,7,7	0
57	MG	RA	3152	1/1	0.95	0.08	33,33,33,33	0
57	MG	RA	3225	1/1	0.95	0.11	51,51,51,51	0
57	MG	QA	1604	1/1	0.95	0.19	10,10,10,10	0
57	MG	YA	3197	1/1	0.96	0.17	16,16,16,16	0
57	MG	YA	3033	1/1	0.96	0.17	10,10,10,10	0
57	MG	RA	3124	1/1	0.96	0.10	28,28,28,28	0
57	MG	YA	3123	1/1	0.96	0.14	28,28,28,28	0
57	MG	RA	3025	1/1	0.96	0.13	22,22,22,22	0
57	MG	RA	3053	1/1	0.96	0.15	13,13,13,13	0
57	MG	YA	3126	1/1	0.96	0.16	17,17,17,17	0
57	MG	RA	3182	1/1	0.96	0.23	55,55,55,55	0
57	MG	YA	3128	1/1	0.96	0.28	34,34,34,34	0
57	MG	XA	1602	1/1	0.96	0.10	16,16,16,16	0
57	MG	YA	3208	1/1	0.96	0.16	30,30,30,30	0
57	MG	YA	3209	1/1	0.96	0.11	29,29,29,29	0
57	MG	XA	1603	1/1	0.96	0.24	24,24,24,24	0
57	MG	RA	3054	1/1	0.96	0.11	14,14,14,14	0
57	MG	RA	3015	1/1	0.96	0.10	19,19,19,19	0
57	MG	RA	3016	1/1	0.96	0.15	4,4,4,4	0
57	MG	XA	1610	1/1	0.96	0.14	19,19,19,19	0
57	MG	YA	3053	1/1	0.96	0.09	11,11,11,11	0
57	MG	YA	3054	1/1	0.96	0.17	3,3,3,3	0
57	MG	YA	3055	1/1	0.96	0.15	37,37,37,37	0
57	MG	RA	3081	1/1	0.96	0.12	27,27,27,27	0
57	MG	XA	1612	1/1	0.96	0.14	18,18,18,18	0
57	MG	RA	3187	1/1	0.96	0.05	25,25,25,25	0
57	MG	XA	1615	1/1	0.96	0.31	30,30,30,30	0
57	MG	YA	3063	1/1	0.96	0.11	17,17,17,17	0
57	MG	XA	1662	1/1	0.96	0.05	47,47,47,47	0
57	MG	RA	3010	1/1	0.96	0.28	48,48,48,48	0
57	MG	RA	3005	1/1	0.96	0.24	11,11,11,11	0
57	MG	YA	3227	1/1	0.96	0.06	26,26,26,26	0
57	MG	YA	3228	1/1	0.96	0.08	4,4,4,4	0
57	MG	RA	3110	1/1	0.96	0.07	12,12,12,12	0
57	MG	YA	3070	1/1	0.96	0.14	5,5,5,5	0
57	MG	RA	3162	1/1	0.96	0.13	39,39,39,39	0
57	MG	YA	3232	1/1	0.96	0.15	28,28,28,28	0
57	MG	QA	1605	1/1	0.96	0.25	15,15,15,15	0
57	MG	XA	1622	1/1	0.96	0.11	33,33,33,33	0
57	MG	XA	1623	1/1	0.96	0.07	27,27,27,27	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
57	MG	RA	3085	1/1	0.96	0.15	11,11,11,11	0
57	MG	RA	3034	1/1	0.96	0.26	23,23,23,23	0
57	MG	RA	3065	1/1	0.96	0.15	23,23,23,23	0
57	MG	QA	1622	1/1	0.96	0.14	33,33,33,33	0
57	MG	YA	3002	1/1	0.96	0.21	9,9,9,9	0
57	MG	RA	3198	1/1	0.96	0.15	22,22,22,22	0
57	MG	RA	3141	1/1	0.96	0.15	34,34,34,34	0
57	MG	YA	3245	1/1	0.96	0.11	28,28,28,28	0
57	MG	YA	3089	1/1	0.96	0.14	5,5,5,5	0
57	MG	YA	3008	1/1	0.96	0.16	22,22,22,22	0
57	MG	RA	3036	1/1	0.96	0.13	4,4,4,4	0
57	MG	RA	3143	1/1	0.96	0.04	30,30,30,30	0
57	MG	YA	3096	1/1	0.96	0.18	7,7,7,7	0
57	MG	RA	3069	1/1	0.96	0.06	28,28,28,28	0
57	MG	YA	3098	1/1	0.96	0.14	19,19,19,19	0
57	MG	YA	3173	1/1	0.96	0.34	32,32,32,32	0
57	MG	YA	3013	1/1	0.96	0.15	2,2,2,2	0
57	MG	YA	3257	1/1	0.96	0.17	12,12,12,12	0
57	MG	RA	3172	1/1	0.96	0.13	31,31,31,31	0
57	MG	YA	3260	1/1	0.96	0.20	11,11,11,11	0
57	MG	YA	3262	1/1	0.96	0.32	24,24,24,24	0
57	MG	RA	3238	1/1	0.96	0.14	31,31,31,31	0
57	MG	QA	1647	1/1	0.96	0.08	58,58,58,58	0
57	MG	RA	3174	1/1	0.96	0.07	26,26,26,26	0
57	MG	RA	3095	1/1	0.96	0.17	6,6,6,6	0
57	MG	RA	3072	1/1	0.96	0.14	16,16,16,16	0
57	MG	YA	3181	1/1	0.96	0.16	36,36,36,36	0
57	MG	RA	3073	1/1	0.96	0.10	23,23,23,23	0
57	MG	YA	3183	1/1	0.96	0.13	21,21,21,21	0
57	MG	XA	1642	1/1	0.96	0.10	37,37,37,37	0
57	MG	XA	1644	1/1	0.96	0.09	21,21,21,21	0
57	MG	YA	3028	1/1	0.96	0.10	3,3,3,3	0
57	MG	YA	3116	1/1	0.96	0.11	12,12,12,12	0
57	MG	YA	3190	1/1	0.96	0.08	13,13,13,13	0
59	ZN	QD	301	1/1	0.96	0.17	53,53,53,53	0
57	MG	RA	3178	1/1	0.96	0.07	30,30,30,30	0
57	MG	XA	1646	1/1	0.96	0.14	24,24,24,24	0
59	ZN	XN	101	1/1	0.96	0.10	103,103,103,103	0
57	MG	XA	1647	1/1	0.96	0.09	25,25,25,25	0
57	MG	YA	3090	1/1	0.97	0.15	12,12,12,12	0
57	MG	RA	3116	1/1	0.97	0.11	2,2,2,2	0
57	MG	RA	3117	1/1	0.97	0.04	10,10,10,10	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
57	MG	YA	3216	1/1	0.97	0.09	18,18,18,18	0
57	MG	YA	3093	1/1	0.97	0.09	18,18,18,18	0
57	MG	QA	1641	1/1	0.97	0.12	22,22,22,22	0
57	MG	RA	3070	1/1	0.97	0.12	11,11,11,11	0
57	MG	RA	3234	1/1	0.97	0.22	44,44,44,44	0
57	MG	RA	3051	1/1	0.97	0.06	18,18,18,18	0
57	MG	YA	3101	1/1	0.97	0.27	24,24,24,24	0
57	MG	YA	3159	1/1	0.97	0.08	19,19,19,19	0
57	MG	YA	3036	1/1	0.97	0.18	9,9,9,9	0
57	MG	YA	3038	1/1	0.97	0.13	4,4,4,4	0
57	MG	RA	3017	1/1	0.97	0.10	7,7,7,7	0
57	MG	RA	3147	1/1	0.97	0.06	14,14,14,14	0
57	MG	YA	3041	1/1	0.97	0.16	2,2,2,2	0
57	MG	XA	1628	1/1	0.97	0.07	19,19,19,19	0
57	MG	YA	3044	1/1	0.97	0.21	4,4,4,4	0
57	MG	YA	3109	1/1	0.97	0.14	11,11,11,11	0
57	MG	RA	3039	1/1	0.97	0.09	14,14,14,14	0
57	MG	YA	3111	1/1	0.97	0.05	5,5,5,5	0
57	MG	YA	3170	1/1	0.97	0.05	26,26,26,26	0
57	MG	YA	3171	1/1	0.97	0.13	22,22,22,22	0
57	MG	XA	1666	1/1	0.97	0.12	61,61,61,61	0
57	MG	RA	3040	1/1	0.97	0.16	3,3,3,3	0
57	MG	RA	3098	1/1	0.97	0.17	11,11,11,11	0
57	MG	YA	3049	1/1	0.97	0.14	12,12,12,12	0
57	MG	YA	3240	1/1	0.97	0.15	31,31,31,31	0
57	MG	YA	3241	1/1	0.97	0.10	39,39,39,39	0
57	MG	RA	3076	1/1	0.97	0.11	6,6,6,6	0
57	MG	YA	3118	1/1	0.97	0.30	33,33,33,33	0
57	MG	QA	1602	1/1	0.97	0.23	24,24,24,24	0
57	MG	RA	3153	1/1	0.97	0.14	21,21,21,21	0
57	MG	YA	3246	1/1	0.97	0.22	29,29,29,29	0
57	MG	RA	3154	1/1	0.97	0.08	28,28,28,28	0
57	MG	RA	3029	1/1	0.97	0.14	6,6,6,6	0
57	MG	QA	1638	1/1	0.97	0.14	54,54,54,54	0
57	MG	YA	3059	1/1	0.97	0.16	15,15,15,15	0
57	MG	RA	3031	1/1	0.97	0.14	7,7,7,7	0
57	MG	YA	3185	1/1	0.97	0.23	34,34,34,34	0
57	MG	RA	3215	1/1	0.97	0.15	20,20,20,20	0
57	MG	YA	3062	1/1	0.97	0.09	18,18,18,18	0
57	MG	YA	3188	1/1	0.97	0.04	18,18,18,18	0
57	MG	RA	3045	1/1	0.97	0.17	23,23,23,23	0
57	MG	RA	3060	1/1	0.97	0.15	3,3,3,3	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
57	MG	XA	1605	1/1	0.97	0.16	7,7,7,7	0
57	MG	YA	3261	1/1	0.97	0.17	18,18,18,18	0
57	MG	XA	1643	1/1	0.97	0.07	25,25,25,25	0
57	MG	YA	3194	1/1	0.97	0.09	34,34,34,34	0
57	MG	RA	3061	1/1	0.97	0.16	32,32,32,32	0
57	MG	RA	3004	1/1	0.97	0.10	2,2,2,2	0
57	MG	RA	3190	1/1	0.97	0.04	33,33,33,33	0
57	MG	YA	3015	1/1	0.97	0.19	3,3,3,3	0
57	MG	XA	1609	1/1	0.97	0.12	28,28,28,28	0
57	MG	YA	3017	1/1	0.97	0.14	13,13,13,13	0
57	MG	YA	3138	1/1	0.97	0.12	15,15,15,15	0
57	MG	RA	3134	1/1	0.97	0.10	42,42,42,42	0
57	MG	YA	3140	1/1	0.97	0.10	3,3,3,3	0
57	MG	YA	3205	1/1	0.97	0.04	37,37,37,37	0
57	MG	Y5	101	1/1	0.97	0.10	18,18,18,18	0
57	MG	RA	3063	1/1	0.97	0.29	12,12,12,12	0
57	MG	RA	3086	1/1	0.97	0.14	2,2,2,2	0
57	MG	QA	1630	1/1	0.97	0.07	26,26,26,26	0
57	MG	QA	1633	1/1	0.97	0.20	20,20,20,20	0
57	MG	QA	1651	1/1	0.97	0.10	31,31,31,31	0
59	ZN	XD	301	1/1	0.97	0.18	45,45,45,45	0
57	MG	XA	1617	1/1	0.97	0.11	10,10,10,10	0
57	MG	RA	3140	1/1	0.97	0.10	27,27,27,27	0
57	MG	YA	3100	1/1	0.98	0.15	7,7,7,7	0
57	MG	YA	3022	1/1	0.98	0.15	11,11,11,11	0
57	MG	RA	3105	1/1	0.98	0.09	6,6,6,6	0
57	MG	RA	3090	1/1	0.98	0.04	7,7,7,7	0
57	MG	YA	3255	1/1	0.98	0.24	0,0,0,0	0
57	MG	XA	1601	1/1	0.98	0.17	7,7,7,7	0
57	MG	YA	3026	1/1	0.98	0.22	0,0,0,0	0
57	MG	YA	3258	1/1	0.98	0.19	9,9,9,9	0
57	MG	RA	3107	1/1	0.98	0.09	27,27,27,27	0
57	MG	RA	3241	1/1	0.98	0.14	36,36,36,36	0
57	MG	YA	3051	1/1	0.98	0.15	4,4,4,4	0
57	MG	YA	3077	1/1	0.98	0.24	11,11,11,11	0
57	MG	YA	3263	1/1	0.98	0.10	15,15,15,15	0
57	MG	YA	3078	1/1	0.98	0.18	8,8,8,8	0
57	MG	YA	3266	1/1	0.98	0.16	11,11,11,11	0
57	MG	RA	3006	1/1	0.98	0.16	7,7,7,7	0
57	MG	YA	3080	1/1	0.98	0.07	11,11,11,11	0
57	MG	YA	3010	1/1	0.98	0.06	0,0,0,0	0
57	MG	RA	3064	1/1	0.98	0.21	3,3,3,3	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
57	MG	YA	3144	1/1	0.98	0.05	13,13,13,13	0
57	MG	YA	3145	1/1	0.98	0.06	23,23,23,23	0
57	MG	RA	3003	1/1	0.98	0.23	15,15,15,15	0
57	MG	YA	3057	1/1	0.98	0.07	1,1,1,1	0
57	MG	YA	3087	1/1	0.98	0.13	6,6,6,6	0
57	MG	RA	3018	1/1	0.98	0.11	9,9,9,9	0
57	MG	RA	3067	1/1	0.98	0.10	12,12,12,12	0
57	MG	RA	3089	1/1	0.98	0.12	6,6,6,6	0
57	MG	XA	1625	1/1	0.98	0.06	14,14,14,14	0
57	MG	RR	201	1/1	0.98	0.11	7,7,7,7	0
57	MG	XA	1672	1/1	0.98	0.05	23,23,23,23	0
57	MG	RA	3104	1/1	0.98	0.04	6,6,6,6	0
57	MG	XA	1613	1/1	0.98	0.04	14,14,14,14	0
57	MG	YA	3066	1/1	0.98	0.07	20,20,20,20	0
57	MG	YA	3067	1/1	0.98	0.17	27,27,27,27	0
57	MG	YA	3264	1/1	0.99	0.16	3,3,3,3	0
57	MG	YA	3004	1/1	0.99	0.05	5,5,5,5	0
57	MG	YA	3071	1/1	0.99	0.05	18,18,18,18	0
57	MG	RA	3232	1/1	0.99	0.25	23,23,23,23	0
57	MG	YA	3007	1/1	0.99	0.09	2,2,2,2	0
57	MG	RA	3033	1/1	0.99	0.26	11,11,11,11	0
57	MG	RA	3074	1/1	0.99	0.06	7,7,7,7	0
57	MG	YA	3037	1/1	0.99	0.05	2,2,2,2	0
57	MG	RA	3239	1/1	0.99	0.21	24,24,24,24	0
57	MG	YA	3094	1/1	0.99	0.04	5,5,5,5	0
57	MG	YA	3113	1/1	0.99	0.05	19,19,19,19	0
57	MG	XA	1604	1/1	0.99	0.23	20,20,20,20	0
57	MG	YA	3052	1/1	0.99	0.09	1,1,1,1	0
57	MG	YA	3192	1/1	0.99	0.04	19,19,19,19	0
57	MG	YA	3029	1/1	0.99	0.06	5,5,5,5	0
57	MG	YA	3081	1/1	0.99	0.24	5,5,5,5	0
57	MG	YA	3099	1/1	0.99	0.09	2,2,2,2	0
57	MG	YA	3196	1/1	0.99	0.03	11,11,11,11	0
57	MG	YA	3020	1/1	0.99	0.24	13,13,13,13	0
57	MG	YA	3083	1/1	0.99	0.06	0,0,0,0	0
57	MG	RA	3231	1/1	0.99	0.18	14,14,14,14	0
57	MG	YA	3043	1/1	0.99	0.12	12,12,12,12	0
57	MG	RA	3020	1/1	1.00	0.09	7,7,7,7	0
57	MG	YA	3005	1/1	1.00	0.03	7,7,7,7	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different

orientation to approximate a three-dimensional view.




Electron density around PAR QA 1666:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around PAR XA 1675:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.