



# wwPDB X-ray Structure Validation Summary Report ⓘ

Oct 26, 2024 – 05:14 PM EDT

PDB ID : 3MK7  
Title : The structure of CBB3 cytochrome oxidase  
Authors : Buschmann, S.; Warkentin, E.; Michel, H.; Ermler, U.  
Deposited on : 2010-04-14  
Resolution : 3.20 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	3.0
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	1370 (3.20-3.20)
Clashscore	180529	1497 (3.20-3.20)
Ramachandran outliers	177936	1479 (3.20-3.20)
Sidechain outliers	177891	1478 (3.20-3.20)
RSRZ outliers	164620	1371 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	474	 64% 30% 5% 1% 0%
1	D	474	 64% 29% 5% 1% 0%
1	G	474	 62% 32% 5% 1% 0%
1	K	474	 66% 28% 5% 1% 0%
2	B	203	 68% 25% 5% 1% 0%

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	E	203	
2	H	203	
2	L	203	
3	C	311	
3	F	311	
3	I	311	
3	M	311	
4	U	30	
4	X	30	
4	Y	30	
4	Z	30	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
11	FC6	C	323	-	-	X	-
11	FC6	F	323	-	-	X	-
11	FC6	I	323	-	-	X	-

## 2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 31690 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome c oxidase, cbb3-type, subunit N.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	466	Total	C	N	O	S	0	0	0
			3683	2461	593	607	22			
1	D	463	Total	C	N	O	S	0	0	0
			3663	2450	590	601	22			
1	G	465	Total	C	N	O	S	0	0	0
			3676	2457	592	605	22			
1	K	465	Total	C	N	O	S	0	0	0
			3676	2457	592	605	22			

- Molecule 2 is a protein called Cytochrome c oxidase, cbb3-type, subunit O.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	197	Total	C	N	O	S	0	0	0
			1548	981	268	289	10			
2	E	197	Total	C	N	O	S	0	0	0
			1548	981	268	289	10			
2	H	197	Total	C	N	O	S	0	0	0
			1548	981	268	289	10			
2	L	197	Total	C	N	O	S	0	0	0
			1548	981	268	289	10			

- Molecule 3 is a protein called Cytochrome c oxidase, cbb3-type, subunit P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	303	Total	C	N	O	S	0	0	0
			2312	1483	391	427	11			
3	F	303	Total	C	N	O	S	0	0	0
			2312	1483	391	427	11			
3	I	303	Total	C	N	O	S	0	0	0
			2312	1483	391	427	11			
3	M	303	Total	C	N	O	S	0	0	0
			2312	1483	391	427	11			

- | Mol | Chain | Residues | Atoms        |         |         |         | ZeroOcc | AltConf | Trace |
|-----|-------|----------|--------------|---------|---------|---------|---------|---------|-------|
| 4   | U     | 30       | Total<br>150 | C<br>90 | N<br>30 | O<br>30 | 0       | 0       | 0     |
| 4   | X     | 30       | Total<br>150 | C<br>90 | N<br>30 | O<br>30 | 0       | 0       | 0     |
| 4   | Y     | 30       | Total<br>150 | C<br>90 | N<br>30 | O<br>30 | 0       | 0       | 0     |
| 4   | Z     | 30       | Total<br>150 | C<br>90 | N<br>30 | O<br>30 | 0       | 0       | 0     |

- 
- The diagram illustrates the chemical structure of Heme (HEM). It features a central iron atom (Fe) coordinated by four nitrogen atoms (N) in a porphyrin-like ring. The ring is substituted with various side chains, including vinyl groups (C3A, C3B, C3C, C3D), methyl groups (C2A, C2B, C2C, C2D), and a long phytol chain (C1A, C1B, C1C, C1D). The central iron atom is also coordinated by a proximal histidine residue (NA) and a distal water molecule (ND). The structure is labeled with various atoms and bonds, including O1A, O2A, O1D, O2D, CAA, CBA, CAD, CBD, CMA, C3A, C3B, C3C, C3D, C2A, C2B, C2C, C2D, C1A, C1B, C1C, C1D, C4A, C4B, C4C, C4D, C5A, C5B, C5C, C5D, C6A, C6B, C6C, C6D, C7A, C7B, C7C, C7D, C8A, C8B, C8C, C8D, C9A, C9B, C9C, C9D, C10A, C10B, C10C, C10D, C11A, C11B, C11C, C11D, C12A, C12B, C12C, C12D, C13A, C13B, C13C, C13D, C14A, C14B, C14C, C14D, C15A, C15B, C15C, C15D, C16A, C16B, C16C, C16D, C17A, C17B, C17C, C17D, C18A, C18B, C18C, C18D, C19A, C19B, C19C, C19D, C20A, C20B, C20C, C20D, C21A, C21B, C21C, C21D, C22A, C22B, C22C, C22D, C23A, C23B, C23C, C23D, C24A, C24B, C24C, C24D, C25A, C25B, C25C, C25D, C26A, C26B, C26C, C26D, C27A, C27B, C27C, C27D, C28A, C28B, C28C, C28D, C29A, C29B, C29C, C29D, C30A, C30B, C30C, C30D, C31A, C31B, C31C, C31D, C32A, C32B, C32C, C32D, C33A, C33B, C33C, C33D, C34A, C34B, C34C, C34D, C35A, C35B, C35C, C35D, C36A, C36B, C36C, C36D, C37A, C37B, C37C, C37D, C38A, C38B, C38C, C38D, C39A, C39B, C39C, C39D, C40A, C40B, C40C, C40D, C41A, C41B, C41C, C41D, C42A, C42B, C42C, C42D, C43A, C43B, C43C, C43D, C44A, C44B, C44C, C44D, C45A, C45B, C45C, C45D, C46A, C46B, C46C, C46D, C47A, C47B, C47C, C47D, C48A, C48B, C48C, C48D, C49A, C49B, C49C, C49D, C50A, C50B, C50C, C50D, C51A, C51B, C51C, C51D, C52A, C52B, C52C, C52D, C53A, C53B, C53C, C53D, C54A, C54B, C54C, C54D, C55A, C55B, C55C, C55D, C56A, C56B, C56C, C56D, C57A, C57B, C57C, C57D, C58A, C58B, C58C, C58D, C59A, C59B, C59C, C59D, C60A, C60B, C60C, C60D, C61A, C61B, C61C, C61D, C62A, C62B, C62C, C62D, C63A, C63B, C63C, C63D, C64A, C64B, C64C, C64D, C65A, C65B, C65C, C65D, C66A, C66B, C66C, C66D, C67A, C67B, C67C, C67D, C68A, C68B, C68C, C68D, C69A, C69B, C69C, C69D, C70A, C70B, C70C, C70D, C71A, C71B, C71C, C71D, C72A, C72B, C72C, C72D, C73A, C73B, C73C, C73D, C74A, C74B, C74C, C74D, C75A, C75B, C75C, C75D, C76A, C76B, C76C, C76D, C77A, C77B, C77C, C77D, C78A, C78B, C78C, C78D, C79A, C79B, C79C, C79D, C80A, C80B, C80C, C80D, C81A, C81B, C81C, C81D, C82A, C82B, C82C, C82D, C83A, C83B, C83C, C83D, C84A, C84B, C84C, C84D, C85A, C85B, C85C, C85D, C86A, C86B, C86C, C86D, C87A, C87B, C87C, C87D, C88A, C88B, C88C, C88D, C89A, C89B, C89C, C89D, C90A, C90B, C90C, C90D, C91A, C91B, C91C, C91D, C92A, C92B, C92C, C92D, C93A, C93B, C93C, C93D, C94A, C94B, C94C, C94D, C95A, C95B, C95C, C95D, C96A, C96B, C96C, C96D, C97A, C97B, C97C, C97D, C98A, C98B, C98C, C98D, C99A, C99B, C99C, C99D, C100A, C100B, C100C, C100D.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	D	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	D	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	G	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	G	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	K	1	Total	C	Fe	N	O	
			43	34	1	4	4	
5	K	1	Total	C	Fe	N	O	
			43	34	1	4	4	


- Molecule 6 is COPPER (II) ION (three-letter code: CU) (formula: Cu).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Cu		
			1	1	0	0
6	D	1	Total	Cu		
			1	1	0	0
6	G	1	Total	Cu		
			1	1	0	0
6	K	1	Total	Cu		
			1	1	0	0

- Molecule 7 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Ca		
			1	1	0	0
7	B	1	Total	Ca		
			1	1	0	0
7	D	1	Total	Ca		
			1	1	0	0
7	E	1	Total	Ca		
			1	1	0	0
7	G	2	Total	Ca		
			2	2	0	0
7	K	2	Total	Ca		
			2	2	0	0

- Molecule 8 is HYDROGEN PEROXIDE (three-letter code: PEO) (formula: H<sub>2</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total O 2 2	0	0
8	D	1	Total O 2 2	0	0
8	G	1	Total O 2 2	0	0
8	K	1	Total O 2 2	0	0

- Molecule 9 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total 5	O 4	P 1	0	0
9	D	1	Total 5	O 4	P 1	0	0
9	G	1	Total 5	O 4	P 1	0	0
9	K	1	Total 5	O 4	P 1	0	0

- Molecule 10 is HEME C (three-letter code: HEC) (formula:  $\text{C}_{34}\text{H}_{34}\text{FeN}_4\text{O}_4$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
10	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
10	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
10	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
10	E	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
10	F	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
10	F	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
10	H	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
10	I	1	Total 43	C 34	Fe 1	N 4	O 4	0	0


*Continued on next page...*



Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
10	I	1	Total	C	Fe	N	O	
			43	34	1	4	4	
10	L	1	Total	C	Fe	N	O	
			43	34	1	4	4	
10	M	1	Total	C	Fe	N	O	
			43	34	1	4	4	
10	M	1	Total	C	Fe	N	O	
			43	34	1	4	4	

- Molecule 11 is HEXACYANOFERRATE(3-) (three-letter code: FC6) (formula:  $\text{C}_6\text{FeN}_6$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
11	C	1	Total	C	Fe	N		
			13	6	1	6	0	0
11	F	1	Total	C	Fe	N		
			13	6	1	6	0	0
11	I	1	Total	C	Fe	N		
			13	6	1	6	0	0
11	M	1	Total	C	Fe	N		
			13	6	1	6	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Cytochrome c oxidase, cbb3-type, subunit N




- Molecule 1: Cytochrome c oxidase, cbb3-type, subunit N






- Molecule 1: Cytochrome c oxidase, cbb3-type, subunit N




- Molecule 1: Cytochrome c oxidase, cbb3-type, subunit N




- Molecule 2: Cytochrome c oxidase, cbb3-type, subunit O






- Molecule 2: Cytochrome c oxidase, cbb3-type, subunit O

Chain E: 70% 23%




- Molecule 2: Cytochrome c oxidase, cbb3-type, subunit O

Chain H: 65% 29%




- Molecule 2: Cytochrome c oxidase, cbb3-type, subunit O

Chain L: 72% 21%




- Molecule 3: Cytochrome c oxidase, cbb3-type, subunit P

Chain C: 68% 26%




- Molecule 3: Cytochrome c oxidase, cbb3-type, subunit P

Chain F: 




- Molecule 3: Cytochrome c oxidase, cbb3-type, subunit P

Chain I: 




- Molecule 3: Cytochrome c oxidase, cbb3-type, subunit P

Chain M: 




- Molecule 4: 30-mer peptide

Chain U: 




- Molecule 4: 30-mer peptide

Chain X:  93% 7%




- Molecule 4: 30-mer peptide

Chain Y:  90% 10%



- Molecule 4: 30-mer peptide

Chain Z:  80% 20%



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	136.47Å 279.93Å 175.19Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 3.20 15.00 – 3.20	Depositor EDS
% Data completeness (in resolution range)	98.5 (15.00-3.20) 97.4 (15.00-3.20)	Depositor EDS
$R_{merge}$	0.16	Depositor
$R_{sym}$	0.11	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.69 (at 3.01Å)	Xtriage
Refinement program	REFMAC 5.6.0046	Depositor
R, $R_{free}$	0.189 , 0.223 0.198 , 0.232	Depositor DCC
$R_{free}$ test set	5564 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	87.0	Xtriage
Anisotropy	0.050	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.27 , 73.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	31690	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	117.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.95% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, HEM, PEO, CA, FC6, CU, HEC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.58	0/3811	0.64	1/5210 (0.0%)
1	D	0.40	0/3791	0.54	0/5182
1	G	0.53	0/3804	0.60	0/5200
1	K	0.49	2/3804 (0.1%)	0.56	0/5200
2	B	0.68	0/1584	0.76	1/2146 (0.0%)
2	E	0.45	0/1584	0.64	1/2146 (0.0%)
2	H	0.62	0/1584	0.73	2/2146 (0.1%)
2	L	0.53	0/1584	0.69	2/2146 (0.1%)
3	C	0.61	0/2374	0.72	1/3225 (0.0%)
3	F	0.44	0/2374	0.59	0/3225
3	I	0.55	0/2374	0.66	0/3225
3	M	0.64	0/2374	0.71	1/3225 (0.0%)
All	All	0.54	2/31042 (0.0%)	0.64	9/42276 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	K	6	SER	CB-OG	-9.55	1.29	1.42
1	K	6	SER	CA-CB	7.86	1.64	1.52

The worst 5 of 9 bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	437	ARG	NE-CZ-NH2	-7.53	116.54	120.30
3	C	275	ARG	NE-CZ-NH1	-6.66	116.97	120.30
2	H	62	ARG	NE-CZ-NH1	5.60	123.10	120.30
2	L	62	ARG	NE-CZ-NH1	5.57	123.08	120.30
2	E	7	LEU	CA-CB-CG	5.39	127.69	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	112	VAL	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3683	0	3663	121	0
1	D	3663	0	3644	117	0
1	G	3676	0	3656	120	0
1	K	3676	0	3656	111	0
2	B	1548	0	1526	45	0
2	E	1548	0	1526	45	0
2	H	1548	0	1526	48	0
2	L	1548	0	1526	36	0
3	C	2312	0	2237	68	1
3	F	2312	0	2237	69	0
3	I	2312	0	2237	67	1
3	M	2312	0	2237	65	0
4	U	150	0	33	6	0
4	X	150	0	33	2	0
4	Y	150	0	33	4	0
4	Z	150	0	35	4	0
5	A	86	0	60	11	0
5	D	86	0	60	12	0
5	G	86	0	60	13	0
5	K	86	0	60	12	0
6	A	1	0	0	0	0
6	D	1	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	G	1	0	0	0	0
6	K	1	0	0	0	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
7	D	1	0	0	0	0
7	E	1	0	0	0	0
7	G	2	0	0	0	0
7	K	2	0	0	0	0
8	A	2	0	0	0	0
8	D	2	0	0	0	0
8	G	2	0	0	0	0
8	K	2	0	0	0	0
9	A	5	0	0	0	0
9	D	5	0	0	0	0
9	G	5	0	0	0	0
9	K	5	0	0	0	0
10	B	43	0	30	3	0
10	C	86	0	60	10	0
10	E	43	0	30	2	0
10	F	86	0	60	17	0
10	H	43	0	30	4	0
10	I	86	0	60	6	0
10	L	43	0	30	2	0
10	M	86	0	60	9	0
11	C	13	0	0	4	0
11	F	13	0	0	10	0
11	I	13	0	0	6	0
11	M	13	0	0	3	0
All	All	31690	0	30405	858	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

The worst 5 of 858 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:359:ILE:HD11	1:D:448:MET:HE1	1.18	1.17
1:K:359:ILE:HD11	1:K:448:MET:HE1	1.21	1.11
1:G:359:ILE:HD11	1:G:448:MET:HE1	1.19	1.11
1:A:359:ILE:HD11	1:A:448:MET:HE1	1.14	1.10
11:F:323:FC6:N24	3:I:215:PRO:HB3	1.66	1.10

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:34:GLY:CA	3:I:39:THR:OG1[1_556]	2.10	0.10

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	464/474 (98%)	432 (93%)	27 (6%)	5 (1%)	12	44
1	D	461/474 (97%)	430 (93%)	26 (6%)	5 (1%)	12	44
1	G	463/474 (98%)	428 (92%)	30 (6%)	5 (1%)	12	44
1	K	463/474 (98%)	430 (93%)	28 (6%)	5 (1%)	12	44
2	B	195/203 (96%)	185 (95%)	8 (4%)	2 (1%)	13	47
2	E	195/203 (96%)	186 (95%)	7 (4%)	2 (1%)	13	47
2	H	195/203 (96%)	184 (94%)	9 (5%)	2 (1%)	13	47
2	L	195/203 (96%)	185 (95%)	8 (4%)	2 (1%)	13	47
3	C	301/311 (97%)	276 (92%)	17 (6%)	8 (3%)	4	26
3	F	301/311 (97%)	276 (92%)	19 (6%)	6 (2%)	6	32
3	I	301/311 (97%)	276 (92%)	19 (6%)	6 (2%)	6	32
3	M	301/311 (97%)	274 (91%)	20 (7%)	7 (2%)	5	29
All	All	3835/3952 (97%)	3562 (93%)	218 (6%)	55 (1%)	9	40

5 of 55 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	461	ALA
1	A	465	ALA
2	B	44	GLU
3	C	29	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	C	33	ALA

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	374/379 (99%)	331 (88%)	43 (12%)	4	21
1	D	371/379 (98%)	328 (88%)	43 (12%)	4	21
1	G	373/379 (98%)	327 (88%)	46 (12%)	4	19
1	K	373/379 (98%)	330 (88%)	43 (12%)	4	21
2	B	166/172 (96%)	148 (89%)	18 (11%)	5	23
2	E	166/172 (96%)	148 (89%)	18 (11%)	5	23
2	H	166/172 (96%)	148 (89%)	18 (11%)	5	23
2	L	166/172 (96%)	148 (89%)	18 (11%)	5	23
3	C	227/234 (97%)	203 (89%)	24 (11%)	5	24
3	F	227/234 (97%)	200 (88%)	27 (12%)	4	19
3	I	227/234 (97%)	202 (89%)	25 (11%)	5	23
3	M	227/234 (97%)	200 (88%)	27 (12%)	4	19
All	All	3063/3140 (98%)	2713 (89%)	350 (11%)	4	21

5 of 350 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	H	129	ARG
1	K	210	VAL
3	I	23	LEU
3	I	264	LEU
1	K	372	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 109 such sidechains are listed below:

Mol	Chain	Res	Type
1	G	82	GLN
2	H	10	ASN
2	L	10	ASN
1	G	161	ASN
1	G	382	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry ⓘ

Of 44 ligands modelled in this entry, 12 are monoatomic - leaving 32 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
10	HEC	M	321	3	32,50,50	2.17	5 (15%)	30,82,82	2.78	9 (30%)
5	HEM	K	501	8,1,7	42,50,50	1.94	7 (16%)	46,82,82	1.54	5 (10%)
11	FC6	F	323	-	12,12,12	1.03	0	-		
5	HEM	G	501	8,1,7	42,50,50	1.88	6 (14%)	46,82,82	1.60	7 (15%)
9	PO4	K	506	-	4,4,4	0.75	0	6,6,6	0.85	0
11	FC6	M	323	-	12,12,12	1.24	2 (16%)	-		
10	HEC	C	322	3	32,50,50	2.15	3 (9%)	30,82,82	2.70	12 (40%)
5	HEM	G	502	1,7	42,50,50	2.04	8 (19%)	46,82,82	1.73	8 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
11	FC6	I	323	-	12,12,12	1.02	0	-		
10	HEC	I	322	3	32,50,50	2.14	3 (9%)	30,82,82	2.36	12 (40%)
10	HEC	I	321	3	32,50,50	2.12	6 (18%)	30,82,82	2.58	8 (26%)
10	HEC	C	321	3	32,50,50	2.28	6 (18%)	30,82,82	2.52	7 (23%)
10	HEC	E	211	2	32,50,50	2.19	4 (12%)	30,82,82	2.44	6 (20%)
9	PO4	G	506	-	4,4,4	0.61	0	6,6,6	1.01	0
5	HEM	A	502	1,7	42,50,50	2.03	10 (23%)	46,82,82	1.76	10 (21%)
8	PEO	G	508	5,6	1,1,1	0.36	0	-		
5	HEM	D	502	1,7	42,50,50	2.04	6 (14%)	46,82,82	1.78	8 (17%)
10	HEC	L	211	2	32,50,50	2.28	3 (9%)	30,82,82	2.56	9 (30%)
10	HEC	F	322	3	32,50,50	2.15	3 (9%)	30,82,82	2.42	11 (36%)
5	HEM	K	502	1,7	42,50,50	2.02	7 (16%)	46,82,82	1.83	12 (26%)
11	FC6	C	323	-	12,12,12	1.27	1 (8%)	-		
9	PO4	A	506	-	4,4,4	0.85	0	6,6,6	1.20	1 (16%)
9	PO4	D	506	-	4,4,4	0.77	0	6,6,6	0.70	0
5	HEM	A	501	8,1,7	42,50,50	1.88	7 (16%)	46,82,82	1.56	8 (17%)
8	PEO	D	508	5,6	1,1,1	0.30	0	-		
10	HEC	F	321	3	32,50,50	2.11	4 (12%)	30,82,82	2.40	7 (23%)
10	HEC	M	322	3	32,50,50	2.18	4 (12%)	30,82,82	2.61	12 (40%)
5	HEM	D	501	8,1,7	42,50,50	1.99	7 (16%)	46,82,82	1.53	6 (13%)
10	HEC	H	211	2	32,50,50	2.23	5 (15%)	30,82,82	2.63	10 (33%)
8	PEO	A	508	5,6	1,1,1	0.26	0	-		
8	PEO	K	508	5,6	1,1,1	0.29	0	-		
10	HEC	B	211	2	32,50,50	2.34	4 (12%)	30,82,82	2.76	6 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	HEC	M	321	3	-	2/10/54/54	-
5	HEM	K	501	8,1,7	-	6/12/54/54	-
5	HEM	G	501	8,1,7	-	6/12/54/54	-
10	HEC	C	322	3	-	2/10/54/54	-
5	HEM	G	502	1,7	-	1/12/54/54	-
10	HEC	I	322	3	-	2/10/54/54	-

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	HEC	I	321	3	-	2/10/54/54	-
10	HEC	C	321	3	-	2/10/54/54	-
10	HEC	E	211	2	-	4/10/54/54	-
5	HEM	A	502	1,7	-	3/12/54/54	-
5	HEM	D	502	1,7	-	3/12/54/54	-
10	HEC	L	211	2	-	4/10/54/54	-
10	HEC	F	322	3	-	2/10/54/54	-
5	HEM	K	502	1,7	-	2/12/54/54	-
5	HEM	A	501	8,1,7	-	6/12/54/54	-
10	HEC	F	321	3	-	2/10/54/54	-
10	HEC	M	322	3	-	2/10/54/54	-
5	HEM	D	501	8,1,7	-	6/12/54/54	-
10	HEC	H	211	2	-	4/10/54/54	-
10	HEC	B	211	2	-	4/10/54/54	-

The worst 5 of 111 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	B	211	HEC	C3C-C2C	-8.27	1.31	1.40
5	D	501	HEM	C3D-C2D	7.93	1.53	1.36
5	D	502	HEM	C3D-C2D	7.67	1.53	1.36
5	K	501	HEM	C3D-C2D	7.61	1.53	1.36
5	G	502	HEM	C3D-C2D	7.60	1.53	1.36

The worst 5 of 174 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	B	211	HEC	CBB-CAB-C3B	-9.62	104.97	127.49
10	M	321	HEC	CBB-CAB-C3B	-8.85	106.78	127.49
10	H	211	HEC	CBB-CAB-C3B	-8.47	107.66	127.49
10	E	211	HEC	CBB-CAB-C3B	-8.03	108.70	127.49
10	L	211	HEC	CBB-CAB-C3B	-7.87	109.06	127.49

There are no chirality outliers.

5 of 65 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	502	HEM	C4B-C3B-CAB-CBB

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
5	D	502	HEM	C4B-C3B-CAB-CBB
5	A	501	HEM	C2B-C3B-CAB-CBB
5	D	501	HEM	C2B-C3B-CAB-CBB
5	K	501	HEM	C2B-C3B-CAB-CBB

There are no ring outliers.


24 monomers are involved in 124 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	M	321	HEC	5	0
5	K	501	HEM	5	0
11	F	323	FC6	10	0
5	G	501	HEM	6	0
11	M	323	FC6	3	0
10	C	322	HEC	3	0
5	G	502	HEM	7	0
11	I	323	FC6	6	0
10	I	322	HEC	2	0
10	I	321	HEC	4	0
10	C	321	HEC	7	0
10	E	211	HEC	2	0
5	A	502	HEM	6	0
5	D	502	HEM	8	0
10	L	211	HEC	2	0
10	F	322	HEC	6	0
5	K	502	HEM	7	0
11	C	323	FC6	4	0
5	A	501	HEM	5	0
10	F	321	HEC	11	0
10	M	322	HEC	4	0
5	D	501	HEM	4	0
10	H	211	HEC	4	0
10	B	211	HEC	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the




average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









## Ligand HEC C 322



Bond lengths




Bond angles




Torsions




Rings




## Ligand HEC I 322



Bond lengths



Bond angles




Torsions




Rings


## Ligand HEC I 321



Bond lengths



Bond angles




Torsions




Rings


## Ligand HEC C 321



Bond lengths



Bond angles




Torsions




Rings




## Ligand HEC E 211



Bond lengths




Bond angles




Torsions




Rings







## Ligand HEC L 211




Bond lengths



Bond angles




Torsions




Rings


## Ligand HEC F 322



Bond lengths




Bond angles




Torsions




Rings




## Ligand HEM A 501




Bond lengths



Bond angles




Torsions




Rings


## Ligand HEC F 321



Bond lengths



Bond angles





Torsions





Rings











## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	466/474 (98%)	-0.88	1 (0%) 92 87	44, 75, 127, 177	0
1	D	463/474 (97%)	-0.45	2 (0%) 89 81	73, 156, 249, 313	0
1	G	465/474 (98%)	-0.79	2 (0%) 89 81	54, 88, 133, 176	0
1	K	465/474 (98%)	-0.45	4 (0%) 81 68	64, 145, 232, 269	0
2	B	197/203 (97%)	-0.98	0 100 100	39, 64, 124, 172	0
2	E	197/203 (97%)	-0.44	0 100 100	66, 140, 243, 290	0
2	H	197/203 (97%)	-0.85	1 (0%) 87 78	50, 78, 144, 200	0
2	L	197/203 (97%)	-0.57	0 100 100	51, 105, 244, 304	0
3	C	303/311 (97%)	-0.90	0 100 100	41, 77, 123, 179	0
3	F	303/311 (97%)	-0.08	5 (1%) 69 53	71, 182, 279, 333	0
3	I	303/311 (97%)	-0.71	0 100 100	48, 100, 158, 209	0
3	M	303/311 (97%)	-0.59	3 (0%) 79 66	43, 81, 279, 345	0
4	U	0/30	-	-	-	-
4	X	0/30	-	-	-	-
4	Y	0/30	-	-	-	-
4	Z	0/30	-	-	-	-
All	All	3859/4072 (94%)	-0.63	18 (0%) 87 78	39, 103, 235, 345	0

The worst 5 of 18 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	470	ALA	5.0
1	K	470	ALA	4.9
1	D	469	ALA	3.9
3	F	33	ALA	3.1
3	M	33	ALA	2.8

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
9	PO4	D	506	5/5	0.81	0.09	177,178,188,191	0
9	PO4	G	506	5/5	0.89	0.23	27,29,32,35	0
11	FC6	F	323	13/13	0.89	0.24	37,40,42,46	13
11	FC6	I	323	13/13	0.89	0.26	52,57,68,80	13
7	CA	G	505	1/1	0.90	0.06	91,91,91,91	0
9	PO4	K	506	5/5	0.91	0.06	140,144,146,153	0
10	HEC	F	322	43/43	0.91	0.14	34,43,47,50	0
10	HEC	F	321	43/43	0.93	0.14	20,24,28,35	0
9	PO4	A	506	5/5	0.94	0.15	21,22,23,24	0
7	CA	D	505	1/1	0.94	0.06	138,138,138,138	0
7	CA	A	505	1/1	0.94	0.05	88,88,88,88	0
7	CA	K	505	1/1	0.94	0.05	133,133,133,133	0
8	PEO	K	508	2/2	0.96	0.13	130,130,130,135	0
11	FC6	C	323	13/13	0.96	0.16	33,39,46,55	13
10	HEC	E	211	43/43	0.96	0.09	16,18,27,32	0
5	HEM	K	501	43/43	0.96	0.13	117,127,147,153	0
10	HEC	L	211	43/43	0.97	0.08	18,21,26,30	0
7	CA	G	504	1/1	0.97	0.05	74,74,74,74	0
10	HEC	C	322	43/43	0.98	0.06	22,28,34,36	0
5	HEM	K	502	43/43	0.98	0.10	85,102,115,125	0
5	HEM	D	501	43/43	0.98	0.10	96,121,137,149	0
5	HEM	D	502	43/43	0.98	0.08	83,96,110,112	0
10	HEC	H	211	43/43	0.98	0.06	24,27,32,38	0
10	HEC	I	321	43/43	0.98	0.07	20,24,34,39	0
10	HEC	I	322	43/43	0.98	0.06	24,28,31,36	0
7	CA	E	504	1/1	0.98	0.05	105,105,105,105	0
5	HEM	G	502	43/43	0.98	0.07	56,61,70,83	0

*Continued on next page...*




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	HEM	A	502	43/43	0.98	0.08	43,52,61,72	0
10	HEC	C	321	43/43	0.98	0.06	21,27,36,44	0
11	FC6	M	323	13/13	0.98	0.10	28,30,38,39	13
6	CU	D	503	1/1	0.99	0.01	115,115,115,115	0
6	CU	K	503	1/1	0.99	0.07	135,135,135,135	0
5	HEM	G	501	43/43	0.99	0.07	56,71,81,89	0
7	CA	K	504	1/1	0.99	0.02	99,99,99,99	0
10	HEC	B	211	43/43	0.99	0.05	25,28,35,46	0
10	HEC	M	321	43/43	0.99	0.06	18,25,35,43	0
10	HEC	M	322	43/43	0.99	0.06	19,23,27,34	0
7	CA	B	504	1/1	0.99	0.07	51,51,51,51	0
8	PEO	D	508	2/2	0.99	0.06	133,133,133,141	0
8	PEO	G	508	2/2	0.99	0.04	71,71,71,74	0
5	HEM	A	501	43/43	0.99	0.06	47,57,64,71	0
8	PEO	A	508	2/2	1.00	0.04	57,57,57,63	0
6	CU	G	503	1/1	1.00	0.01	77,77,77,77	0
6	CU	A	503	1/1	1.00	0.03	59,59,59,59	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around HEC F 322:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around HEC F 321:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC E 211:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEM K 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC L 211:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around HEC C 322:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around HEM K 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEM D 501:**

$2mF_o - DF_c$  (at 0.7 rmsd) in gray  
 $mF_o - DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around HEM D 502:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around HEC H 211:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC I 321:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC I 322:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEM G 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around HEM A 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around HEC C 321:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around HEM G 501:**

$2mF_o - DF_c$  (at 0.7 rmsd) in gray  
 $mF_o - DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC B 211:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around HEC M 321:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC M 322:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.