



wwPDB X-ray Structure Validation Summary Report ⓘ

Jun 23, 2024 – 12:39 AM EDT

PDB ID : 5MU8
Title : HUMAN TNF-ALPHA IN COMPLEX WITH JNJ525
Authors : Blevitt, J.M.; Hack, M.D.; Herman, K.L.; Jackson, P.F.; Krawczuk, P.J.; Lebsack, A.D.; Liu, A.X.; Mirzadegan, T.; Nelen, M.I.; Patrick, A.P.; Steinbacher, S.; Milla, M.E.; Lumb, K.J.
Deposited on : 2017-01-12
Resolution : 3.00 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2092 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	159	
1	B	159	
1	C	159	
1	D	159	
1	F	159	
1	G	159	


















Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	H	159	
1	I	159	
1	J	159	
1	K	159	
1	L	159	
1	M	159	
1	N	159	
1	O	159	
1	P	159	
1	Q	159	
1	R	159	
1	S	159	
1	T	159	
1	U	159	
1	V	159	
1	W	159	
1	X	159	
1	Y	159	
1	Z	159	
1	a	159	
1	b	159	
1	c	159	
1	d	159	
1	e	159	
1	f	159	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	g	159	
1	h	159	
1	i	159	
1	j	159	
1	k	159	
1	l	159	
1	m	159	
1	n	159	
1	o	159	
1	p	159	
1	q	159	
1	r	159	
1	s	159	
1	t	159	
1	u	159	
1	v	159	
1	w	159	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	JNI	f	202	-	-	-	X

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 56305 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tumor necrosis factor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	141	Total	C	N	O	S	0	0	0
			1105	709	186	208	2			
1	B	145	Total	C	N	O	S	0	0	0
			1139	728	197	212	2			
1	C	146	Total	C	N	O	S	0	0	0
			1145	733	198	212	2			
1	D	149	Total	C	N	O	S	0	0	0
			1165	743	201	219	2			
1	F	140	Total	C	N	O	S	0	0	0
			1099	707	184	206	2			
1	G	149	Total	C	N	O	S	0	0	0
			1165	743	201	219	2			
1	H	150	Total	C	N	O	S	0	0	0
			1172	748	202	220	2			
1	I	141	Total	C	N	O	S	0	0	0
			1104	708	190	204	2			
1	J	138	Total	C	N	O	S	0	0	0
			1085	699	182	202	2			
1	K	149	Total	C	N	O	S	0	0	0
			1165	743	201	219	2			
1	L	142	Total	C	N	O	S	0	0	0
			1111	713	191	205	2			
1	M	149	Total	C	N	O	S	0	0	0
			1165	743	201	219	2			
1	N	143	Total	C	N	O	S	0	0	0
			1117	717	187	211	2			
1	O	145	Total	C	N	O	S	0	0	0
			1140	728	197	213	2			
1	P	145	Total	C	N	O	S	0	0	0
			1140	729	196	213	2			
1	Q	149	Total	C	N	O	S	0	0	0
			1165	743	201	219	2			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	R	138	Total	C	N	O	S	0	0	0
			1083	697	182	202	2			
1	S	149	Total	C	N	O	S	0	0	0
			1165	743	201	219	2			
1	T	146	Total	C	N	O	S	0	0	0
			1145	733	198	212	2			
1	U	149	Total	C	N	O	S	0	0	0
			1165	743	201	219	2			
1	V	138	Total	C	N	O	S	0	0	0
			1085	699	182	202	2			
1	W	143	Total	C	N	O	S	0	0	0
			1126	720	195	209	2			
1	X	150	Total	C	N	O	S	0	0	0
			1172	748	202	220	2			
1	Y	149	Total	C	N	O	S	0	0	0
			1165	743	201	219	2			
1	Z	143	Total	C	N	O	S	0	0	0
			1117	717	187	211	2			
1	a	149	Total	C	N	O	S	0	0	0
			1165	743	201	219	2			
1	b	144	Total	C	N	O	S	0	0	0
			1133	725	196	210	2			
1	c	145	Total	C	N	O	S	0	0	0
			1140	728	197	213	2			
1	d	138	Total	C	N	O	S	0	0	0
			1085	699	182	202	2			
1	e	149	Total	C	N	O	S	0	0	0
			1165	743	201	219	2			
1	f	143	Total	C	N	O	S	0	0	0
			1124	719	194	209	2			
1	g	145	Total	C	N	O	S	0	0	0
			1138	728	197	211	2			
1	h	137	Total	C	N	O	S	0	0	0
			1078	694	181	201	2			
1	i	145	Total	C	N	O	S	0	0	0
			1138	728	197	211	2			
1	j	150	Total	C	N	O	S	0	0	0
			1172	748	202	220	2			
1	k	142	Total	C	N	O	S	0	0	0
			1119	716	194	207	2			
1	l	143	Total	C	N	O	S	0	0	0
			1117	717	187	211	2			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	m	147	Total	C	N	O	S	0	0	0
			1152	736	199	215	2			
1	n	147	Total	C	N	O	S	0	0	0
			1154	738	199	215	2			
1	o	147	Total	C	N	O	S	0	0	0
			1151	735	199	215	2			
1	p	139	Total	C	N	O	S	0	0	0
			1090	702	183	203	2			
1	q	149	Total	C	N	O	S	0	0	0
			1165	743	201	219	2			
1	r	144	Total	C	N	O	S	0	0	0
			1131	724	195	210	2			
1	s	149	Total	C	N	O	S	0	0	0
			1165	743	201	219	2			
1	t	143	Total	C	N	O	S	0	0	0
			1117	717	187	211	2			
1	u	145	Total	C	N	O	S	0	0	0
			1138	728	197	211	2			
1	v	144	Total	C	N	O	S	0	0	0
			1131	724	195	210	2			
1	w	145	Total	C	N	O	S	0	0	0
			1138	728	197	211	2			

There are 96 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	ALA	-	expression tag	UNP P01375
A	0	MET	-	expression tag	UNP P01375
B	-1	ALA	-	expression tag	UNP P01375
B	0	MET	-	expression tag	UNP P01375
C	-1	ALA	-	expression tag	UNP P01375
C	0	MET	-	expression tag	UNP P01375
D	-1	ALA	-	expression tag	UNP P01375
D	0	MET	-	expression tag	UNP P01375
F	-1	ALA	-	expression tag	UNP P01375
F	0	MET	-	expression tag	UNP P01375
G	-1	ALA	-	expression tag	UNP P01375
G	0	MET	-	expression tag	UNP P01375
H	-1	ALA	-	expression tag	UNP P01375
H	0	MET	-	expression tag	UNP P01375
I	-1	ALA	-	expression tag	UNP P01375
I	0	MET	-	expression tag	UNP P01375
J	-1	ALA	-	expression tag	UNP P01375

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
J	0	MET	-	expression tag	UNP P01375
K	-1	ALA	-	expression tag	UNP P01375
K	0	MET	-	expression tag	UNP P01375
L	-1	ALA	-	expression tag	UNP P01375
L	0	MET	-	expression tag	UNP P01375
M	-1	ALA	-	expression tag	UNP P01375
M	0	MET	-	expression tag	UNP P01375
N	-1	ALA	-	expression tag	UNP P01375
N	0	MET	-	expression tag	UNP P01375
O	-1	ALA	-	expression tag	UNP P01375
O	0	MET	-	expression tag	UNP P01375
P	-1	ALA	-	expression tag	UNP P01375
P	0	MET	-	expression tag	UNP P01375
Q	-1	ALA	-	expression tag	UNP P01375
Q	0	MET	-	expression tag	UNP P01375
R	-1	ALA	-	expression tag	UNP P01375
R	0	MET	-	expression tag	UNP P01375
S	-1	ALA	-	expression tag	UNP P01375
S	0	MET	-	expression tag	UNP P01375
T	-1	ALA	-	expression tag	UNP P01375
T	0	MET	-	expression tag	UNP P01375
U	-1	ALA	-	expression tag	UNP P01375
U	0	MET	-	expression tag	UNP P01375
V	-1	ALA	-	expression tag	UNP P01375
V	0	MET	-	expression tag	UNP P01375
W	-1	ALA	-	expression tag	UNP P01375
W	0	MET	-	expression tag	UNP P01375
X	-1	ALA	-	expression tag	UNP P01375
X	0	MET	-	expression tag	UNP P01375
Y	-1	ALA	-	expression tag	UNP P01375
Y	0	MET	-	expression tag	UNP P01375
Z	-1	ALA	-	expression tag	UNP P01375
Z	0	MET	-	expression tag	UNP P01375
a	-1	ALA	-	expression tag	UNP P01375
a	0	MET	-	expression tag	UNP P01375
b	-1	ALA	-	expression tag	UNP P01375
b	0	MET	-	expression tag	UNP P01375
c	-1	ALA	-	expression tag	UNP P01375
c	0	MET	-	expression tag	UNP P01375
d	-1	ALA	-	expression tag	UNP P01375
d	0	MET	-	expression tag	UNP P01375
e	-1	ALA	-	expression tag	UNP P01375

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
e	0	MET	-	expression tag	UNP P01375
f	-1	ALA	-	expression tag	UNP P01375
f	0	MET	-	expression tag	UNP P01375
g	-1	ALA	-	expression tag	UNP P01375
g	0	MET	-	expression tag	UNP P01375
h	-1	ALA	-	expression tag	UNP P01375
h	0	MET	-	expression tag	UNP P01375
i	-1	ALA	-	expression tag	UNP P01375
i	0	MET	-	expression tag	UNP P01375
j	-1	ALA	-	expression tag	UNP P01375
j	0	MET	-	expression tag	UNP P01375
k	-1	ALA	-	expression tag	UNP P01375
k	0	MET	-	expression tag	UNP P01375
l	-1	ALA	-	expression tag	UNP P01375
l	0	MET	-	expression tag	UNP P01375
m	-1	ALA	-	expression tag	UNP P01375
m	0	MET	-	expression tag	UNP P01375
n	-1	ALA	-	expression tag	UNP P01375
n	0	MET	-	expression tag	UNP P01375
o	-1	ALA	-	expression tag	UNP P01375
o	0	MET	-	expression tag	UNP P01375
p	-1	ALA	-	expression tag	UNP P01375
p	0	MET	-	expression tag	UNP P01375
q	-1	ALA	-	expression tag	UNP P01375
q	0	MET	-	expression tag	UNP P01375
r	-1	ALA	-	expression tag	UNP P01375
r	0	MET	-	expression tag	UNP P01375
s	-1	ALA	-	expression tag	UNP P01375
s	0	MET	-	expression tag	UNP P01375
t	-1	ALA	-	expression tag	UNP P01375
t	0	MET	-	expression tag	UNP P01375
u	-1	ALA	-	expression tag	UNP P01375
u	0	MET	-	expression tag	UNP P01375
v	-1	ALA	-	expression tag	UNP P01375
v	0	MET	-	expression tag	UNP P01375
w	-1	ALA	-	expression tag	UNP P01375
w	0	MET	-	expression tag	UNP P01375

- Molecule 2 is {N}4-(phenylmethyl)- {N}4-[2-[3-(2-piperazin-1-ylpyrimidin-5-yl)phenyl]phenyl]pyrimidine-2,4-diamine (three-letter code: JN1) (formula: C₃₁H₃₀N₈).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total 39	C 31	N 8	0	0
2	A	1	Total 39	C 31	N 8	0	0
2	C	1	Total 39	C 31	N 8	0	0
2	C	1	Total 39	C 31	N 8	0	0
2	D	1	Total 39	C 31	N 8	0	0
2	F	1	Total 39	C 31	N 8	0	0
2	F	1	Total 39	C 31	N 8	0	0
2	H	1	Total 39	C 31	N 8	0	0
2	H	1	Total 39	C 31	N 8	0	0
2	J	1	Total 39	C 31	N 8	0	0
2	J	1	Total 39	C 31	N 8	0	0
2	L	1	Total 39	C 31	N 8	0	0
2	M	1	Total 39	C 31	N 8	0	0
2	N	1	Total 39	C 31	N 8	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	P	1	Total	C	N	0	0
			39	31	8		
2	P	1	Total	C	N	0	0
			39	31	8		
2	Q	1	Total	C	N	0	0
			39	31	8		
2	R	1	Total	C	N	0	0
			39	31	8		
2	U	1	Total	C	N	0	0
			39	31	8		
2	V	1	Total	C	N	0	0
			39	31	8		
2	V	1	Total	C	N	0	0
			39	31	8		
2	X	1	Total	C	N	0	0
			39	31	8		
2	X	1	Total	C	N	0	0
			39	31	8		
2	Z	1	Total	C	N	0	0
			39	31	8		
2	Z	1	Total	C	N	0	0
			39	31	8		
2	b	1	Total	C	N	0	0
			39	31	8		
2	b	1	Total	C	N	0	0
			39	31	8		
2	d	1	Total	C	N	0	0
			39	31	8		
2	f	1	Total	C	N	0	0
			39	31	8		
2	f	1	Total	C	N	0	0
			39	31	8		
2	h	1	Total	C	N	0	0
			39	31	8		
2	h	1	Total	C	N	0	0
			39	31	8		
2	j	1	Total	C	N	0	0
			39	31	8		
2	j	1	Total	C	N	0	0
			39	31	8		
2	l	1	Total	C	N	0	0
			39	31	8		

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	n	1	Total	C	N	0	0
			39	31	8		
2	n	1	Total	C	N	0	0
			39	31	8		
2	o	1	Total	C	N	0	0
			39	31	8		
2	p	1	Total	C	N	0	0
			39	31	8		
2	p	1	Total	C	N	0	0
			39	31	8		
2	r	1	Total	C	N	0	0
			39	31	8		
2	r	1	Total	C	N	0	0
			39	31	8		
2	t	1	Total	C	N	0	0
			39	31	8		
2	t	1	Total	C	N	0	0
			39	31	8		
2	v	1	Total	C	N	0	0
			39	31	8		
2	v	1	Total	C	N	0	0
			39	31	8		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Tumor necrosis factor

Chain A: 




- Molecule 1: Tumor necrosis factor

Chain B: 



- Molecule 1: Tumor necrosis factor

Chain C: 





- Molecule 1: Tumor necrosis factor

Chain D: 




- Molecule 1: Tumor necrosis factor

Chain F: 





- Molecule 1: Tumor necrosis factor


Chain G: 




- Molecule 1: Tumor necrosis factor




- Molecule 1: Tumor necrosis factor





- Molecule 1: Tumor necrosis factor




- Molecule 1: Tumor necrosis factor




- Molecule 1: Tumor necrosis factor



- Molecule 1: Tumor necrosis factor




- Molecule 1: Tumor necrosis factor







- Molecule 1: Tumor necrosis factor




- Molecule 1: Tumor necrosis factor




- Molecule 1: Tumor necrosis factor




- Molecule 1: Tumor necrosis factor



- Molecule 1: Tumor necrosis factor



- Molecule 1: Tumor necrosis factor





- Molecule 1: Tumor necrosis factor








- Molecule 1: Tumor necrosis factor




- Molecule 1: Tumor necrosis factor





- Molecule 1: Tumor necrosis factor




- Molecule 1: Tumor necrosis factor



- Molecule 1: Tumor necrosis factor



- Molecule 1: Tumor necrosis factor




- Molecule 1: Tumor necrosis factor






- Molecule 1: Tumor necrosis factor





- Molecule 1: Tumor necrosis factor




- Molecule 1: Tumor necrosis factor




- Molecule 1: Tumor necrosis factor




- Molecule 1: Tumor necrosis factor



- Molecule 1: Tumor necrosis factor





- Molecule 1: Tumor necrosis factor








- Molecule 1: Tumor necrosis factor



- Molecule 1: Tumor necrosis factor





- Molecule 1: Tumor necrosis factor




- Molecule 1: Tumor necrosis factor




- Molecule 1: Tumor necrosis factor




- Molecule 1: Tumor necrosis factor





- Molecule 1: Tumor necrosis factor







- Molecule 1: Tumor necrosis factor





- Molecule 1: Tumor necrosis factor




- Molecule 1: Tumor necrosis factor





- Molecule 1: Tumor necrosis factor




- Molecule 1: Tumor necrosis factor



- Molecule 1: Tumor necrosis factor



● Molecule 1: Tumor necrosis factor



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	104.89Å 118.35Å 186.75Å 97.57° 94.31° 98.75°	Depositor
Resolution (Å)	184.24 – 3.00 48.90 – 3.00	Depositor EDS
% Data completeness (in resolution range)	90.6 (184.24-3.00) 90.6 (48.90-3.00)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.39 (at 3.01Å)	Xtriage
Refinement program	REFMAC 5.8.0049	Depositor
R, R_{free}	0.211 , 0.300 0.213 , 0.304	Depositor DCC
R_{free} test set	445 reflections (0.28%)	wwPDB-VP
Wilson B-factor (Å ²)	93.9	Xtriage
Anisotropy	0.288	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 63.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	56305	wwPDB-VP
Average B, all atoms (Å ²)	114.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 16.62% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section:
JNI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.47	0/1128	0.69	0/1532
1	B	0.51	0/1163	0.77	0/1580
1	C	0.44	0/1171	0.67	0/1592
1	D	0.50	0/1191	0.76	1/1620 (0.1%)
1	F	0.44	0/1123	0.66	0/1526
1	G	0.47	0/1191	0.74	0/1620
1	H	0.41	0/1199	0.66	0/1631
1	I	0.44	0/1128	0.71	0/1533
1	J	0.44	0/1109	0.64	0/1507
1	K	0.47	0/1191	0.74	0/1620
1	L	0.42	0/1136	0.64	0/1544
1	M	0.46	0/1191	0.72	0/1620
1	N	0.46	0/1142	0.71	1/1553 (0.1%)
1	O	0.45	0/1164	0.72	0/1581
1	P	0.42	0/1166	0.66	0/1585
1	Q	0.45	0/1191	0.74	0/1620
1	R	0.43	0/1106	0.69	0/1502
1	S	0.50	0/1191	0.79	0/1620
1	T	0.48	0/1171	0.74	0/1592
1	U	0.48	0/1191	0.76	0/1620
1	V	0.43	0/1109	0.62	0/1507
1	W	0.49	0/1150	0.77	0/1562
1	X	0.45	0/1199	0.71	0/1631
1	Y	0.53	0/1191	0.80	1/1620 (0.1%)
1	Z	0.44	0/1142	0.67	0/1553
1	a	0.48	0/1191	0.74	0/1620
1	b	0.45	0/1158	0.71	0/1573
1	c	0.45	0/1164	0.72	0/1581
1	d	0.44	0/1109	0.68	0/1507
1	e	0.47	0/1191	0.75	0/1620
1	f	0.45	0/1149	0.64	0/1561
1	g	0.48	0/1163	0.72	0/1581

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	h	0.46	0/1101	0.68	0/1495
1	i	0.47	0/1163	0.76	0/1581
1	j	0.45	0/1199	0.65	0/1631
1	k	0.45	0/1143	0.72	0/1552
1	l	0.45	0/1142	0.72	0/1553
1	m	0.45	0/1177	0.72	0/1600
1	n	0.44	0/1180	0.64	0/1604
1	o	0.46	0/1176	0.69	0/1598
1	p	0.46	0/1114	0.70	0/1514
1	q	0.47	0/1191	0.70	0/1620
1	r	0.43	0/1157	0.64	0/1573
1	s	0.50	0/1191	0.73	0/1620
1	t	0.45	0/1142	0.65	0/1553
1	u	0.45	0/1163	0.71	0/1581
1	v	0.44	0/1157	0.65	0/1573
1	w	0.42	0/1163	0.67	0/1581
All	All	0.46	0/55718	0.71	3/75743 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	W	0	1
1	e	0	1
All	All	0	2

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	Y	138	ARG	NE-CZ-NH1	5.36	122.98	120.30
1	D	131	ARG	NE-CZ-NH1	5.16	122.88	120.30
1	N	63	LEU	CA-CB-CG	5.00	126.80	115.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	W	100	PRO	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	e	100	PRO	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	135/159 (85%)	118 (87%)	15 (11%)	2 (2%)	10	42
1	B	141/159 (89%)	126 (89%)	14 (10%)	1 (1%)	22	60
1	C	142/159 (89%)	130 (92%)	10 (7%)	2 (1%)	11	43
1	D	147/159 (92%)	122 (83%)	21 (14%)	4 (3%)	5	26
1	F	134/159 (84%)	116 (87%)	18 (13%)	0	100	100
1	G	147/159 (92%)	136 (92%)	9 (6%)	2 (1%)	11	43
1	H	148/159 (93%)	136 (92%)	9 (6%)	3 (2%)	7	34
1	I	137/159 (86%)	126 (92%)	10 (7%)	1 (1%)	22	60
1	J	132/159 (83%)	121 (92%)	9 (7%)	2 (2%)	10	42
1	K	147/159 (92%)	128 (87%)	17 (12%)	2 (1%)	11	43
1	L	138/159 (87%)	131 (95%)	7 (5%)	0	100	100
1	M	147/159 (92%)	134 (91%)	10 (7%)	3 (2%)	7	34
1	N	139/159 (87%)	121 (87%)	16 (12%)	2 (1%)	11	43
1	O	141/159 (89%)	132 (94%)	9 (6%)	0	100	100
1	P	141/159 (89%)	129 (92%)	12 (8%)	0	100	100
1	Q	147/159 (92%)	131 (89%)	11 (8%)	5 (3%)	3	20
1	R	132/159 (83%)	123 (93%)	6 (4%)	3 (2%)	6	30

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	S	147/159 (92%)	137 (93%)	9 (6%)	1 (1%)	22	60
1	T	142/159 (89%)	135 (95%)	7 (5%)	0	100	100
1	U	147/159 (92%)	134 (91%)	12 (8%)	1 (1%)	22	60
1	V	132/159 (83%)	117 (89%)	15 (11%)	0	100	100
1	W	139/159 (87%)	133 (96%)	5 (4%)	1 (1%)	22	60
1	X	148/159 (93%)	140 (95%)	8 (5%)	0	100	100
1	Y	147/159 (92%)	131 (89%)	12 (8%)	4 (3%)	5	26
1	Z	139/159 (87%)	124 (89%)	12 (9%)	3 (2%)	6	31
1	a	147/159 (92%)	134 (91%)	13 (9%)	0	100	100
1	b	140/159 (88%)	129 (92%)	11 (8%)	0	100	100
1	c	141/159 (89%)	125 (89%)	13 (9%)	3 (2%)	7	33
1	d	132/159 (83%)	122 (92%)	9 (7%)	1 (1%)	19	57
1	e	147/159 (92%)	132 (90%)	12 (8%)	3 (2%)	7	34
1	f	139/159 (87%)	129 (93%)	10 (7%)	0	100	100
1	g	141/159 (89%)	132 (94%)	6 (4%)	3 (2%)	7	33
1	h	131/159 (82%)	121 (92%)	8 (6%)	2 (2%)	10	42
1	i	141/159 (89%)	130 (92%)	11 (8%)	0	100	100
1	j	148/159 (93%)	134 (90%)	11 (7%)	3 (2%)	7	34
1	k	138/159 (87%)	127 (92%)	9 (6%)	2 (1%)	11	43
1	l	139/159 (87%)	122 (88%)	12 (9%)	5 (4%)	3	19
1	m	143/159 (90%)	134 (94%)	8 (6%)	1 (1%)	22	60
1	n	143/159 (90%)	133 (93%)	9 (6%)	1 (1%)	22	60
1	o	143/159 (90%)	131 (92%)	8 (6%)	4 (3%)	5	25
1	p	133/159 (84%)	113 (85%)	18 (14%)	2 (2%)	10	42
1	q	147/159 (92%)	134 (91%)	10 (7%)	3 (2%)	7	34
1	r	140/159 (88%)	124 (89%)	14 (10%)	2 (1%)	11	43
1	s	147/159 (92%)	132 (90%)	9 (6%)	6 (4%)	3	16
1	t	139/159 (87%)	125 (90%)	12 (9%)	2 (1%)	11	43
1	u	141/159 (89%)	126 (89%)	15 (11%)	0	100	100
1	v	140/159 (88%)	126 (90%)	12 (9%)	2 (1%)	11	43
1	w	141/159 (89%)	124 (88%)	15 (11%)	2 (1%)	11	43

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	6777/7632 (89%)	6150 (91%)	538 (8%)	89 (1%)	12	45

5 of 89 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	110	GLU
1	M	105	THR
1	Q	105	THR
1	R	23	GLU
1	R	88	GLN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	120/134 (90%)	113 (94%)	7 (6%)	20	55
1	B	122/134 (91%)	115 (94%)	7 (6%)	20	56
1	C	124/134 (92%)	111 (90%)	13 (10%)	7	27
1	D	125/134 (93%)	122 (98%)	3 (2%)	49	79
1	F	120/134 (90%)	111 (92%)	9 (8%)	13	43
1	G	125/134 (93%)	112 (90%)	13 (10%)	7	27
1	H	126/134 (94%)	118 (94%)	8 (6%)	18	51
1	I	119/134 (89%)	112 (94%)	7 (6%)	19	54
1	J	119/134 (89%)	111 (93%)	8 (7%)	16	49
1	K	125/134 (93%)	109 (87%)	16 (13%)	4	19
1	L	120/134 (90%)	115 (96%)	5 (4%)	30	66
1	M	125/134 (93%)	115 (92%)	10 (8%)	12	40
1	N	121/134 (90%)	111 (92%)	10 (8%)	11	39
1	O	123/134 (92%)	113 (92%)	10 (8%)	11	40
1	P	124/134 (92%)	116 (94%)	8 (6%)	17	50
1	Q	125/134 (93%)	120 (96%)	5 (4%)	31	68

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	R	118/134 (88%)	113 (96%)	5 (4%)	30	66
1	S	125/134 (93%)	117 (94%)	8 (6%)	17	51
1	T	124/134 (92%)	112 (90%)	12 (10%)	8	31
1	U	125/134 (93%)	118 (94%)	7 (6%)	21	56
1	V	119/134 (89%)	111 (93%)	8 (7%)	16	49
1	W	122/134 (91%)	112 (92%)	10 (8%)	11	39
1	X	126/134 (94%)	118 (94%)	8 (6%)	18	51
1	Y	125/134 (93%)	116 (93%)	9 (7%)	14	45
1	Z	121/134 (90%)	113 (93%)	8 (7%)	16	49
1	a	125/134 (93%)	112 (90%)	13 (10%)	7	27
1	b	123/134 (92%)	120 (98%)	3 (2%)	49	79
1	c	123/134 (92%)	113 (92%)	10 (8%)	11	40
1	d	119/134 (89%)	112 (94%)	7 (6%)	19	54
1	e	125/134 (93%)	118 (94%)	7 (6%)	21	56
1	f	122/134 (91%)	116 (95%)	6 (5%)	25	61
1	g	123/134 (92%)	114 (93%)	9 (7%)	14	44
1	h	118/134 (88%)	109 (92%)	9 (8%)	13	43
1	i	123/134 (92%)	114 (93%)	9 (7%)	14	44
1	j	126/134 (94%)	117 (93%)	9 (7%)	14	46
1	k	121/134 (90%)	116 (96%)	5 (4%)	30	67
1	l	121/134 (90%)	111 (92%)	10 (8%)	11	39
1	m	124/134 (92%)	116 (94%)	8 (6%)	17	50
1	n	125/134 (93%)	118 (94%)	7 (6%)	21	56
1	o	124/134 (92%)	116 (94%)	8 (6%)	17	50
1	p	119/134 (89%)	109 (92%)	10 (8%)	11	38
1	q	125/134 (93%)	117 (94%)	8 (6%)	17	51
1	r	123/134 (92%)	115 (94%)	8 (6%)	17	50
1	s	125/134 (93%)	116 (93%)	9 (7%)	14	45
1	t	121/134 (90%)	115 (95%)	6 (5%)	24	60
1	u	123/134 (92%)	114 (93%)	9 (7%)	14	44
1	v	123/134 (92%)	117 (95%)	6 (5%)	25	61

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	w	123/134 (92%)	113 (92%)	10 (8%)	11	40
All	All	5892/6432 (92%)	5492 (93%)	400 (7%)	16	48

5 of 400 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	c	21	GLN
1	i	144	PHE
1	w	157	LEU
1	c	133	SER
1	g	31	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	L	125	GLN
1	T	39	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

46 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	JNI	j	202	-	44,44,44	1.13	2 (4%)	58,60,60	3.00	25 (43%)
2	JNI	F	202	-	44,44,44	0.86	2 (4%)	58,60,60	2.39	19 (32%)
2	JNI	U	201	-	44,44,44	1.15	5 (11%)	58,60,60	2.94	21 (36%)
2	JNI	X	201	-	44,44,44	1.02	4 (9%)	58,60,60	2.94	22 (37%)
2	JNI	b	201	-	44,44,44	1.09	5 (11%)	58,60,60	2.90	22 (37%)
2	JNI	J	202	-	44,44,44	0.86	2 (4%)	58,60,60	2.41	17 (29%)
2	JNI	p	202	-	44,44,44	0.91	2 (4%)	58,60,60	2.65	25 (43%)
2	JNI	H	201	-	44,44,44	0.96	2 (4%)	58,60,60	2.58	15 (25%)
2	JNI	X	202	-	44,44,44	1.23	4 (9%)	58,60,60	2.96	26 (44%)
2	JNI	t	202	-	44,44,44	0.98	2 (4%)	58,60,60	2.71	22 (37%)
2	JNI	V	201	-	44,44,44	0.99	3 (6%)	58,60,60	2.41	17 (29%)
2	JNI	r	202	-	44,44,44	1.25	5 (11%)	58,60,60	2.91	28 (48%)
2	JNI	L	201	-	44,44,44	1.42	8 (18%)	58,60,60	3.33	28 (48%)
2	JNI	f	202	-	44,44,44	0.91	2 (4%)	58,60,60	2.40	16 (27%)
2	JNI	r	201	-	44,44,44	0.91	2 (4%)	58,60,60	2.53	21 (36%)
2	JNI	C	202	-	44,44,44	0.80	2 (4%)	58,60,60	2.68	19 (32%)
2	JNI	P	201	-	44,44,44	0.81	1 (2%)	58,60,60	2.37	18 (31%)
2	JNI	t	201	-	44,44,44	1.01	2 (4%)	58,60,60	2.61	20 (34%)
2	JNI	l	201	-	44,44,44	1.10	4 (9%)	58,60,60	2.61	23 (39%)
2	JNI	Z	201	-	44,44,44	0.92	2 (4%)	58,60,60	2.46	18 (31%)
2	JNI	J	201	-	44,44,44	0.90	2 (4%)	58,60,60	2.41	16 (27%)
2	JNI	P	202	-	44,44,44	0.79	2 (4%)	58,60,60	2.37	16 (27%)
2	JNI	N	201	-	44,44,44	0.78	2 (4%)	58,60,60	2.29	17 (29%)
2	JNI	o	201	-	44,44,44	0.90	3 (6%)	58,60,60	2.77	18 (31%)
2	JNI	b	202	-	44,44,44	1.41	8 (18%)	58,60,60	2.91	26 (44%)
2	JNI	h	202	-	44,44,44	1.11	4 (9%)	58,60,60	2.73	19 (32%)
2	JNI	n	202	-	44,44,44	1.09	4 (9%)	58,60,60	2.89	25 (43%)
2	JNI	v	202	-	44,44,44	1.15	3 (6%)	58,60,60	2.85	21 (36%)
2	JNI	C	201	-	44,44,44	0.83	2 (4%)	58,60,60	2.67	24 (41%)
2	JNI	n	201	-	44,44,44	1.03	2 (4%)	58,60,60	2.76	23 (39%)
2	JNI	h	201	-	44,44,44	1.15	5 (11%)	58,60,60	2.93	23 (39%)
2	JNI	Q	201	-	44,44,44	0.84	2 (4%)	58,60,60	2.62	16 (27%)
2	JNI	A	202	-	44,44,44	0.86	2 (4%)	58,60,60	2.48	20 (34%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	JNI	f	201	-	44,44,44	1.04	4 (9%)	58,60,60	2.89	22 (37%)
2	JNI	A	201	-	44,44,44	0.85	2 (4%)	58,60,60	2.42	17 (29%)
2	JNI	H	202	-	44,44,44	1.36	6 (13%)	58,60,60	3.27	26 (44%)
2	JNI	Z	202	-	44,44,44	0.96	2 (4%)	58,60,60	2.52	22 (37%)
2	JNI	M	201	-	44,44,44	0.91	2 (4%)	58,60,60	2.77	18 (31%)
2	JNI	R	201	-	44,44,44	1.14	2 (4%)	58,60,60	2.80	22 (37%)
2	JNI	V	202	-	44,44,44	1.00	2 (4%)	58,60,60	2.77	18 (31%)
2	JNI	v	201	-	44,44,44	0.91	2 (4%)	58,60,60	2.69	21 (36%)
2	JNI	j	201	-	44,44,44	1.08	3 (6%)	58,60,60	3.02	22 (37%)
2	JNI	p	201	-	44,44,44	0.94	2 (4%)	58,60,60	2.46	15 (25%)
2	JNI	d	201	-	44,44,44	0.94	2 (4%)	58,60,60	2.63	21 (36%)
2	JNI	F	201	-	44,44,44	0.96	1 (2%)	58,60,60	2.44	18 (31%)
2	JNI	D	201	-	44,44,44	0.83	2 (4%)	58,60,60	2.57	17 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	JNI	j	202	-	-	18/24/32/32	0/6/6/6
2	JNI	F	202	-	-	11/24/32/32	0/6/6/6
2	JNI	U	201	-	-	6/24/32/32	0/6/6/6
2	JNI	X	201	-	-	5/24/32/32	0/6/6/6
2	JNI	b	201	-	-	4/24/32/32	0/6/6/6
2	JNI	J	202	-	-	11/24/32/32	0/6/6/6
2	JNI	p	202	-	-	13/24/32/32	0/6/6/6
2	JNI	H	201	-	-	6/24/32/32	0/6/6/6
2	JNI	X	202	-	-	11/24/32/32	0/6/6/6
2	JNI	t	202	-	-	10/24/32/32	0/6/6/6
2	JNI	V	201	-	-	7/24/32/32	0/6/6/6
2	JNI	r	202	-	-	12/24/32/32	0/6/6/6
2	JNI	L	201	-	-	4/24/32/32	0/6/6/6
2	JNI	f	202	-	-	8/24/32/32	0/6/6/6
2	JNI	r	201	-	-	8/24/32/32	0/6/6/6
2	JNI	C	202	-	-	10/24/32/32	0/6/6/6

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	JNI	P	201	-	-	6/24/32/32	0/6/6/6
2	JNI	t	201	-	-	2/24/32/32	0/6/6/6
2	JNI	l	201	-	-	4/24/32/32	0/6/6/6
2	JNI	Z	201	-	-	2/24/32/32	0/6/6/6
2	JNI	J	201	-	-	2/24/32/32	0/6/6/6
2	JNI	P	202	-	-	14/24/32/32	0/6/6/6
2	JNI	N	201	-	-	1/24/32/32	0/6/6/6
2	JNI	o	201	-	-	8/24/32/32	0/6/6/6
2	JNI	b	202	-	-	12/24/32/32	0/6/6/6
2	JNI	h	202	-	-	8/24/32/32	0/6/6/6
2	JNI	n	202	-	-	16/24/32/32	0/6/6/6
2	JNI	v	202	-	-	9/24/32/32	1/6/6/6
2	JNI	C	201	-	-	11/24/32/32	0/6/6/6
2	JNI	n	201	-	-	10/24/32/32	0/6/6/6
2	JNI	h	201	-	-	2/24/32/32	0/6/6/6
2	JNI	Q	201	-	-	5/24/32/32	0/6/6/6
2	JNI	A	202	-	-	8/24/32/32	0/6/6/6
2	JNI	f	201	-	-	6/24/32/32	0/6/6/6
2	JNI	A	201	-	-	2/24/32/32	0/6/6/6
2	JNI	H	202	-	-	4/24/32/32	0/6/6/6
2	JNI	Z	202	-	-	10/24/32/32	0/6/6/6
2	JNI	M	201	-	-	5/24/32/32	0/6/6/6
2	JNI	R	201	-	-	2/24/32/32	0/6/6/6
2	JNI	V	202	-	-	10/24/32/32	0/6/6/6
2	JNI	v	201	-	-	8/24/32/32	0/6/6/6
2	JNI	j	201	-	-	3/24/32/32	0/6/6/6
2	JNI	p	201	-	-	6/24/32/32	0/6/6/6
2	JNI	d	201	-	-	4/24/32/32	0/6/6/6
2	JNI	F	201	-	-	4/24/32/32	0/6/6/6
2	JNI	D	201	-	-	2/24/32/32	0/6/6/6

The worst 5 of 134 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	L	201	JNI	C31-N34	4.08	1.43	1.35
2	j	202	JNI	C2-N1	3.57	1.41	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	V	202	JNI	C31-N34	3.44	1.42	1.35
2	t	202	JNI	C31-N34	3.34	1.41	1.35
2	r	202	JNI	C2-N1	3.31	1.40	1.33

The worst 5 of 945 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	M	201	JNI	C2-N7-C6	10.33	124.05	116.73
2	U	201	JNI	C2-N7-C6	10.29	124.02	116.73
2	j	201	JNI	C2-N7-C6	10.28	124.01	116.73
2	X	201	JNI	C2-N7-C6	9.84	123.70	116.73
2	b	201	JNI	C2-N7-C6	9.83	123.69	116.73

There are no chirality outliers.

5 of 330 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	202	JNI	C21-C16-N8-C9
2	C	202	JNI	C5-C6-N8-C16
2	C	202	JNI	N7-C6-N8-C16
2	C	202	JNI	N32-C31-N34-C39
2	D	201	JNI	N32-C31-N34-C39


All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	v	202	JNI	C35-C36-C38-C39-N34-N37


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand JN1 j 202




Ligand JN1 F 202




Ligand JNI U 201




Ligand JNI X 201




Ligand JNI b 201




Ligand JNI J 202




Ligand JNI p 202




Ligand JNI H 201




Ligand JNI X 202




Ligand JNI t 202







Ligand JNI V 201





Ligand JNI r 202












Ligand JNI 1 201




Ligand JNI Z 201







Ligand JNI J 201







Ligand JNI P 202



















Ligand JNI A 202




Ligand JNI f 201







Ligand JNI Z 202




Ligand JNI M 201







Ligand JN1 R 201




Ligand JN1 V 202









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	141/159 (88%)	-0.46	0 100 100	76, 112, 164, 196	0
1	B	145/159 (91%)	-0.52	3 (2%) 63 34	59, 84, 133, 165	0
1	C	146/159 (91%)	-0.31	3 (2%) 63 34	82, 128, 177, 195	0
1	D	149/159 (93%)	-0.52	0 100 100	66, 83, 151, 180	0
1	F	140/159 (88%)	-0.55	1 (0%) 87 69	64, 95, 175, 222	0
1	G	149/159 (93%)	-0.49	4 (2%) 54 26	56, 84, 154, 189	0
1	H	150/159 (94%)	-0.26	3 (2%) 65 36	84, 127, 182, 217	0
1	I	141/159 (88%)	-0.66	0 100 100	66, 91, 139, 160	0
1	J	138/159 (86%)	-0.09	8 (5%) 23 7	81, 133, 183, 195	0
1	K	149/159 (93%)	-0.45	6 (4%) 38 15	59, 87, 161, 207	0
1	L	142/159 (89%)	0.07	8 (5%) 24 8	95, 142, 198, 234	0
1	M	149/159 (93%)	-0.50	2 (1%) 77 51	64, 89, 157, 194	0
1	N	143/159 (89%)	-0.28	8 (5%) 24 8	74, 100, 167, 211	0
1	O	145/159 (91%)	-0.58	1 (0%) 87 69	66, 90, 136, 161	0
1	P	145/159 (91%)	-0.29	3 (2%) 63 34	86, 131, 178, 217	0
1	Q	149/159 (93%)	-0.57	0 100 100	68, 94, 154, 193	0
1	R	138/159 (86%)	-0.39	2 (1%) 75 49	70, 104, 162, 214	0
1	S	149/159 (93%)	-0.53	4 (2%) 54 26	62, 84, 150, 198	0
1	T	146/159 (91%)	-0.46	1 (0%) 87 69	66, 104, 169, 206	0
1	U	149/159 (93%)	-0.61	0 100 100	61, 95, 162, 207	0
1	V	138/159 (86%)	-0.19	8 (5%) 23 7	79, 123, 187, 207	0
1	W	143/159 (89%)	-0.59	1 (0%) 87 69	61, 82, 133, 160	0
1	X	150/159 (94%)	-0.38	2 (1%) 77 51	68, 99, 183, 212	0
1	Y	149/159 (93%)	-0.62	0 100 100	63, 83, 160, 186	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	Z	143/159 (89%)	-0.21	5 (3%) 44 18	80, 119, 185, 219	0
1	a	149/159 (93%)	-0.44	7 (4%) 31 11	69, 91, 165, 235	0
1	b	144/159 (90%)	-0.31	2 (1%) 75 49	80, 116, 171, 190	0
1	c	145/159 (91%)	-0.57	1 (0%) 87 69	63, 86, 146, 165	0
1	d	138/159 (86%)	-0.41	1 (0%) 87 69	78, 116, 174, 211	0
1	e	149/159 (93%)	-0.66	0 100 100	60, 85, 131, 189	0
1	f	143/159 (89%)	-0.13	3 (2%) 63 34	93, 142, 190, 206	0
1	g	145/159 (91%)	-0.59	0 100 100	70, 98, 148, 170	0
1	h	137/159 (86%)	-0.20	2 (1%) 73 46	84, 120, 185, 204	0
1	i	145/159 (91%)	-0.53	3 (2%) 63 34	66, 89, 158, 186	0
1	j	150/159 (94%)	0.10	12 (8%) 12 4	80, 136, 197, 221	0
1	k	142/159 (89%)	-0.58	1 (0%) 87 69	63, 90, 139, 171	0
1	l	143/159 (89%)	-0.33	3 (2%) 63 34	77, 106, 171, 240	0
1	m	147/159 (92%)	-0.57	0 100 100	72, 94, 145, 186	0
1	n	147/159 (92%)	0.05	7 (4%) 30 11	107, 149, 188, 213	0
1	o	147/159 (92%)	-0.43	2 (1%) 75 49	79, 110, 158, 189	0
1	p	139/159 (87%)	0.06	10 (7%) 15 4	101, 148, 198, 214	0
1	q	149/159 (93%)	-0.56	1 (0%) 87 69	75, 99, 141, 168	0
1	r	144/159 (90%)	-0.05	6 (4%) 36 14	94, 146, 187, 215	0
1	s	149/159 (93%)	-0.52	2 (1%) 77 51	71, 93, 145, 177	0
1	t	143/159 (89%)	-0.08	8 (5%) 24 8	92, 131, 178, 200	0
1	u	145/159 (91%)	-0.53	0 100 100	77, 100, 144, 170	0
1	v	144/159 (90%)	0.27	12 (8%) 11 3	121, 154, 199, 233	0
1	w	145/159 (91%)	-0.53	1 (0%) 87 69	76, 111, 164, 186	0
All	All	6955/7632 (91%)	-0.38	157 (2%) 60 31	56, 106, 177, 240	0

The worst 5 of 157 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	l	109	ALA	8.6
1	a	106	PRO	8.2
1	v	9	SER	7.6
1	l	108	GLY	6.9
1	L	72	THR	6.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	JNI	f	202	39/39	0.76	0.44	117,175,241,261	0
2	JNI	P	202	39/39	0.80	0.32	80,129,210,215	0
2	JNI	j	202	39/39	0.80	0.37	93,148,193,200	0
2	JNI	n	202	39/39	0.80	0.33	88,133,183,186	0
2	JNI	r	202	39/39	0.83	0.28	88,144,228,245	0
2	JNI	n	201	39/39	0.85	0.30	67,125,200,203	0
2	JNI	v	202	39/39	0.85	0.30	97,150,214,219	0
2	JNI	J	202	39/39	0.86	0.27	101,150,181,185	0
2	JNI	t	202	39/39	0.86	0.28	87,160,187,203	0
2	JNI	X	202	39/39	0.86	0.30	65,112,179,192	0
2	JNI	Z	202	39/39	0.87	0.24	79,130,160,183	0
2	JNI	d	201	39/39	0.87	0.24	91,123,170,180	0
2	JNI	U	201	39/39	0.87	0.25	59,93,151,157	0
2	JNI	b	202	39/39	0.88	0.26	58,126,198,209	0
2	JNI	p	202	39/39	0.88	0.24	103,140,220,241	0
2	JNI	j	201	39/39	0.88	0.28	82,121,168,184	0
2	JNI	L	201	39/39	0.88	0.27	73,119,190,221	0
2	JNI	f	201	39/39	0.88	0.23	92,130,170,171	0
2	JNI	C	202	39/39	0.89	0.23	85,167,208,219	0
2	JNI	C	201	39/39	0.89	0.28	59,121,184,199	0
2	JNI	r	201	39/39	0.89	0.32	100,172,215,232	0
2	JNI	F	202	39/39	0.90	0.22	86,118,162,186	0
2	JNI	H	202	39/39	0.90	0.29	59,128,217,244	0
2	JNI	X	201	39/39	0.90	0.23	67,96,126,165	0
2	JNI	h	202	39/39	0.90	0.26	61,132,171,220	0
2	JNI	o	201	39/39	0.90	0.27	89,119,195,210	0
2	JNI	R	201	39/39	0.91	0.20	55,91,170,183	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	JNI	l	201	39/39	0.91	0.25	69,103,136,147	0
2	JNI	h	201	39/39	0.91	0.21	72,111,141,166	0
2	JNI	A	202	39/39	0.91	0.19	76,96,124,128	0
2	JNI	V	202	39/39	0.91	0.26	85,121,189,247	0
2	JNI	p	201	39/39	0.92	0.22	64,114,170,175	0
2	JNI	J	201	39/39	0.92	0.22	54,115,146,157	0
2	JNI	v	201	39/39	0.92	0.26	106,139,183,205	0
2	JNI	F	201	39/39	0.92	0.27	57,94,163,186	0
2	JNI	V	201	39/39	0.93	0.20	63,89,147,155	0
2	JNI	b	201	39/39	0.93	0.20	62,94,136,141	0
2	JNI	M	201	39/39	0.93	0.20	67,108,136,144	0
2	JNI	t	201	39/39	0.94	0.17	75,102,125,129	0
2	JNI	D	201	39/39	0.94	0.18	56,71,112,141	0
2	JNI	P	201	39/39	0.94	0.18	62,102,142,154	0
2	JNI	H	201	39/39	0.94	0.20	69,91,142,182	0
2	JNI	Q	201	39/39	0.95	0.23	67,88,141,169	0
2	JNI	Z	201	39/39	0.95	0.20	68,96,133,138	0
2	JNI	N	201	39/39	0.95	0.18	47,74,95,99	0
2	JNI	A	201	39/39	0.96	0.15	33,84,117,140	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around JNI f 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around JNI P 202:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JN1 j 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JN1 n 202:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JNI r 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JNI n 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around JNI v 202:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JNI J 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around JNI t 202:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JNI X 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JNI Z 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around JNI d 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JNI U 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JNI b 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around JNI p 202:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JNI j 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around JNI L 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JNI f 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around JNI C 202:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JNI C 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around JNI r 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JNI F 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JNI H 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JNI X 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around JNI h 202:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JNI o 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around JNI R 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JNI l 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around JNI h 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JNI A 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around JNI V 202:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JNI p 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around JNI J 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JNI v 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around JNI F 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JNI V 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around JNI b 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JNI M 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around JNI t 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JNI D 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around JNI P 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JNI H 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around JNI Q 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JNI Z 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around JNI N 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around JNI A 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.