



wwPDB X-ray Structure Validation Summary Report ⓘ

Jun 16, 2025 – 06:06 PM EDT

PDB ID : 9N7Z / pdb_00009n7z
Title : Crystal structure of CT-SLiM-deleted human Drp1 GTPase domain-BSE fusion protein in the apo state
Authors : Ramachandran, R.; Vahedi-Faridi, A.; Kowatz, T.; Lodowski, D.
Deposited on : 2025-02-07
Resolution : 2.51 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0rc1
Xtriage (Phenix)	:	2.0rc1
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.006 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.51 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	5504 (2.50-2.50)
Clashscore	180529	6282 (2.50-2.50)
Ramachandran outliers	177936	6191 (2.50-2.50)
Sidechain outliers	177891	6193 (2.50-2.50)
RSRZ outliers	164620	5504 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	388	 4% 76% 13% 11%
1	B	388	 5% 75% 14% 11%
1	C	388	 6% 74% 15% 11%
1	D	388	 4% 79% 10% 11%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 11057 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dynamin-1-like protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	347	Total	C	N	O	S	0	0	0
			2696	1690	478	519	9			
1	B	345	Total	C	N	O	S	0	0	0
			2678	1680	476	513	9			
1	C	347	Total	C	N	O	S	0	0	0
			2696	1690	478	519	9			
1	D	345	Total	C	N	O	S	0	0	0
			2679	1681	475	514	9			

There are 164 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-32	MET	-	initiating methionine	UNP O00429
A	-31	ARG	-	expression tag	UNP O00429
A	-30	GLY	-	expression tag	UNP O00429
A	-29	SER	-	expression tag	UNP O00429
A	-28	HIS	-	expression tag	UNP O00429
A	-27	HIS	-	expression tag	UNP O00429
A	-26	HIS	-	expression tag	UNP O00429
A	-25	HIS	-	expression tag	UNP O00429
A	-24	HIS	-	expression tag	UNP O00429
A	-23	HIS	-	expression tag	UNP O00429
A	-22	GLY	-	expression tag	UNP O00429
A	-21	MET	-	expression tag	UNP O00429
A	-20	ALA	-	expression tag	UNP O00429
A	-19	SER	-	expression tag	UNP O00429
A	-18	MET	-	expression tag	UNP O00429
A	-17	THR	-	expression tag	UNP O00429
A	-16	GLY	-	expression tag	UNP O00429
A	-15	GLY	-	expression tag	UNP O00429
A	-14	GLN	-	expression tag	UNP O00429
A	-13	GLN	-	expression tag	UNP O00429
A	-12	MET	-	expression tag	UNP O00429

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-11	GLY	-	expression tag	UNP O00429
A	-10	ARG	-	expression tag	UNP O00429
A	-9	ASP	-	expression tag	UNP O00429
A	-8	LEU	-	expression tag	UNP O00429
A	-7	TYR	-	expression tag	UNP O00429
A	-6	ASP	-	expression tag	UNP O00429
A	-5	ASP	-	expression tag	UNP O00429
A	-4	ASP	-	expression tag	UNP O00429
A	-3	GLU	-	expression tag	UNP O00429
A	-2	ARG	-	expression tag	UNP O00429
A	-1	ILE	-	expression tag	UNP O00429
A	0	ARG	-	expression tag	UNP O00429
A	328	GLY	-	linker	UNP O00429
A	329	SER	-	linker	UNP O00429
A	330	GLY	-	linker	UNP O00429
A	331	SER	-	linker	UNP O00429
A	332	GLY	-	linker	UNP O00429
A	333	SER	-	linker	UNP O00429
A	334	GLY	-	linker	UNP O00429
A	335	SER	-	linker	UNP O00429
B	-32	MET	-	initiating methionine	UNP O00429
B	-31	ARG	-	expression tag	UNP O00429
B	-30	GLY	-	expression tag	UNP O00429
B	-29	SER	-	expression tag	UNP O00429
B	-28	HIS	-	expression tag	UNP O00429
B	-27	HIS	-	expression tag	UNP O00429
B	-26	HIS	-	expression tag	UNP O00429
B	-25	HIS	-	expression tag	UNP O00429
B	-24	HIS	-	expression tag	UNP O00429
B	-23	HIS	-	expression tag	UNP O00429
B	-22	GLY	-	expression tag	UNP O00429
B	-21	MET	-	expression tag	UNP O00429
B	-20	ALA	-	expression tag	UNP O00429
B	-19	SER	-	expression tag	UNP O00429
B	-18	MET	-	expression tag	UNP O00429
B	-17	THR	-	expression tag	UNP O00429
B	-16	GLY	-	expression tag	UNP O00429
B	-15	GLY	-	expression tag	UNP O00429
B	-14	GLN	-	expression tag	UNP O00429
B	-13	GLN	-	expression tag	UNP O00429
B	-12	MET	-	expression tag	UNP O00429
B	-11	GLY	-	expression tag	UNP O00429

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-10	ARG	-	expression tag	UNP O00429
B	-9	ASP	-	expression tag	UNP O00429
B	-8	LEU	-	expression tag	UNP O00429
B	-7	TYR	-	expression tag	UNP O00429
B	-6	ASP	-	expression tag	UNP O00429
B	-5	ASP	-	expression tag	UNP O00429
B	-4	ASP	-	expression tag	UNP O00429
B	-3	GLU	-	expression tag	UNP O00429
B	-2	ARG	-	expression tag	UNP O00429
B	-1	ILE	-	expression tag	UNP O00429
B	0	ARG	-	expression tag	UNP O00429
B	328	GLY	-	linker	UNP O00429
B	329	SER	-	linker	UNP O00429
B	330	GLY	-	linker	UNP O00429
B	331	SER	-	linker	UNP O00429
B	332	GLY	-	linker	UNP O00429
B	333	SER	-	linker	UNP O00429
B	334	GLY	-	linker	UNP O00429
B	335	SER	-	linker	UNP O00429
C	-32	MET	-	initiating methionine	UNP O00429
C	-31	ARG	-	expression tag	UNP O00429
C	-30	GLY	-	expression tag	UNP O00429
C	-29	SER	-	expression tag	UNP O00429
C	-28	HIS	-	expression tag	UNP O00429
C	-27	HIS	-	expression tag	UNP O00429
C	-26	HIS	-	expression tag	UNP O00429
C	-25	HIS	-	expression tag	UNP O00429
C	-24	HIS	-	expression tag	UNP O00429
C	-23	HIS	-	expression tag	UNP O00429
C	-22	GLY	-	expression tag	UNP O00429
C	-21	MET	-	expression tag	UNP O00429
C	-20	ALA	-	expression tag	UNP O00429
C	-19	SER	-	expression tag	UNP O00429
C	-18	MET	-	expression tag	UNP O00429
C	-17	THR	-	expression tag	UNP O00429
C	-16	GLY	-	expression tag	UNP O00429
C	-15	GLY	-	expression tag	UNP O00429
C	-14	GLN	-	expression tag	UNP O00429
C	-13	GLN	-	expression tag	UNP O00429
C	-12	MET	-	expression tag	UNP O00429
C	-11	GLY	-	expression tag	UNP O00429
C	-10	ARG	-	expression tag	UNP O00429

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-9	ASP	-	expression tag	UNP O00429
C	-8	LEU	-	expression tag	UNP O00429
C	-7	TYR	-	expression tag	UNP O00429
C	-6	ASP	-	expression tag	UNP O00429
C	-5	ASP	-	expression tag	UNP O00429
C	-4	ASP	-	expression tag	UNP O00429
C	-3	GLU	-	expression tag	UNP O00429
C	-2	ARG	-	expression tag	UNP O00429
C	-1	ILE	-	expression tag	UNP O00429
C	0	ARG	-	expression tag	UNP O00429
C	328	GLY	-	linker	UNP O00429
C	329	SER	-	linker	UNP O00429
C	330	GLY	-	linker	UNP O00429
C	331	SER	-	linker	UNP O00429
C	332	GLY	-	linker	UNP O00429
C	333	SER	-	linker	UNP O00429
C	334	GLY	-	linker	UNP O00429
C	335	SER	-	linker	UNP O00429
D	-32	MET	-	initiating methionine	UNP O00429
D	-31	ARG	-	expression tag	UNP O00429
D	-30	GLY	-	expression tag	UNP O00429
D	-29	SER	-	expression tag	UNP O00429
D	-28	HIS	-	expression tag	UNP O00429
D	-27	HIS	-	expression tag	UNP O00429
D	-26	HIS	-	expression tag	UNP O00429
D	-25	HIS	-	expression tag	UNP O00429
D	-24	HIS	-	expression tag	UNP O00429
D	-23	HIS	-	expression tag	UNP O00429
D	-22	GLY	-	expression tag	UNP O00429
D	-21	MET	-	expression tag	UNP O00429
D	-20	ALA	-	expression tag	UNP O00429
D	-19	SER	-	expression tag	UNP O00429
D	-18	MET	-	expression tag	UNP O00429
D	-17	THR	-	expression tag	UNP O00429
D	-16	GLY	-	expression tag	UNP O00429
D	-15	GLY	-	expression tag	UNP O00429
D	-14	GLN	-	expression tag	UNP O00429
D	-13	GLN	-	expression tag	UNP O00429
D	-12	MET	-	expression tag	UNP O00429
D	-11	GLY	-	expression tag	UNP O00429
D	-10	ARG	-	expression tag	UNP O00429
D	-9	ASP	-	expression tag	UNP O00429

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	-8	LEU	-	expression tag	UNP O00429
D	-7	TYR	-	expression tag	UNP O00429
D	-6	ASP	-	expression tag	UNP O00429
D	-5	ASP	-	expression tag	UNP O00429
D	-4	ASP	-	expression tag	UNP O00429
D	-3	GLU	-	expression tag	UNP O00429
D	-2	ARG	-	expression tag	UNP O00429
D	-1	ILE	-	expression tag	UNP O00429
D	0	ARG	-	expression tag	UNP O00429
D	328	GLY	-	linker	UNP O00429
D	329	SER	-	linker	UNP O00429
D	330	GLY	-	linker	UNP O00429
D	331	SER	-	linker	UNP O00429
D	332	GLY	-	linker	UNP O00429
D	333	SER	-	linker	UNP O00429
D	334	GLY	-	linker	UNP O00429
D	335	SER	-	linker	UNP O00429

- Molecule 2 is water.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	69	Total O 69 69	0	0
2	B	89	Total O 89 89	0	0
2	C	50	Total O 50 50	0	0
2	D	100	Total O 100 100	0	0

- Molecule 1: Dynamin-1-like protein





● Molecule 1: Dynamin-1-like protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	53.74Å 150.61Å 87.61Å 90.00° 99.37° 90.00°	Depositor
Resolution (Å)	32.88 – 2.51 32.88 – 2.51	Depositor EDS
% Data completeness (in resolution range)	95.9 (32.88-2.51) 95.9 (32.88-2.51)	Depositor EDS
R_{merge}	0.62	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.40 (at 2.51Å)	Xtriage
Refinement program	PHENIX dev_5533	Depositor
R, R_{free}	0.243 , 0.290 0.250 , 0.292	Depositor DCC
R_{free} test set	2292 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å ²)	35.0	Xtriage
Anisotropy	0.289	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 34.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.26$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	11057	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 44.46 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.5215e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.14	0/2727	0.38	0/3686
1	B	0.15	0/2708	0.35	0/3659
1	C	0.14	0/2727	0.37	0/3686
1	D	0.13	0/2709	0.34	0/3660
All	All	0.14	0/10871	0.36	0/14691

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2696	0	2795	31	0
1	B	2678	0	2782	33	0
1	C	2696	0	2795	32	0
1	D	2679	0	2782	26	0
2	A	69	0	0	0	0
2	B	89	0	0	1	0
2	C	50	0	0	0	0
2	D	100	0	0	0	0
All	All	11057	0	11154	121	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 121 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:125:VAL:HG11	1:A:165:GLN:HB3	1.60	0.83
1:B:0:ARG:HH12	1:B:1:MET:HE2	1.46	0.77
1:D:77:LYS:HD3	1:D:77:LYS:H	1.51	0.75
1:B:11:LEU:HD11	1:B:352:ILE:HD11	1.71	0.72
1:D:231:MET:HG3	1:D:276:LEU:HD21	1.73	0.71

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	341/388 (88%)	324 (95%)	16 (5%)	1 (0%)	37	56
1	B	337/388 (87%)	321 (95%)	14 (4%)	2 (1%)	22	39
1	C	341/388 (88%)	322 (94%)	17 (5%)	2 (1%)	22	39
1	D	337/388 (87%)	322 (96%)	14 (4%)	1 (0%)	37	56
All	All	1356/1552 (87%)	1289 (95%)	61 (4%)	6 (0%)	30	49

5 of 6 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	85	VAL
1	C	85	VAL
1	A	85	VAL
1	B	2	GLU
1	D	85	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	304/336 (90%)	302 (99%)	2 (1%)	81	93
1	B	302/336 (90%)	301 (100%)	1 (0%)	91	97
1	C	304/336 (90%)	302 (99%)	2 (1%)	81	93
1	D	302/336 (90%)	301 (100%)	1 (0%)	91	97
All	All	1212/1344 (90%)	1206 (100%)	6 (0%)	86	95

5 of 6 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	17	THR
1	C	224	THR
1	D	30	VAL
1	A	198	LYS
1	A	30	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 32 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	72	GLN
1	D	98	ASN
1	B	290	ASN
1	B	246	ASN
1	D	113	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	347/388 (89%)	0.32	14 (4%) 43 39	28, 44, 80, 107	0
1	B	345/388 (88%)	0.09	19 (5%) 32 29	26, 38, 71, 101	0
1	C	347/388 (89%)	0.22	25 (7%) 23 21	26, 41, 84, 142	0
1	D	345/388 (88%)	0.04	16 (4%) 38 35	22, 37, 71, 128	0
All	All	1384/1552 (89%)	0.17	74 (5%) 33 31	22, 40, 78, 142	0

The worst 5 of 74 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	59	THR	6.0
1	A	58	VAL	5.4
1	D	59	THR	5.0
1	D	55	THR	4.9
1	C	84	GLY	4.6

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.