



## wwPDB EM Validation Summary Report ⓘ

May 13, 2025 – 04:27 AM EDT

PDB ID : 7N8B / pdb\_00007n8b  
EMDB ID : EMD-24235  
Title : Cycloheximide bound vacant 80S structure isolated from cbf5-D95A  
Authors : Rai, J.; Zhao, Y.; Li, H.  
Deposited on : 2021-06-14  
Resolution : 3.05 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev118  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4-5-2 with Phenix2.0rc1  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.43.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A1	3156	
2	A3	121	
3	A4	158	
4	AA	247	
5	AB	386	
6	AC	361	
7	AD	292	

























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	AE	156	 90% 10%
9	AF	222	 82% 17% .
10	AG	230	 88% 11% .
11	AH	190	 87% 13%
12	AI	205	 80% 20%
13	AJ	169	 5% 83% 17%
14	AL	193	 84% 14% ..
15	AM	136	 93% 7%
16	AN	203	 81% 18%
17	AO	197	 88% 11% .
18	AP	175	 89% 11%
19	AQ	185	 91% 9%
20	AR	188	 7% 89% 11%
21	AS	172	 87% 12% .
22	AT	159	 79% 20% .
23	AU	100	 92% 7% .
24	AV	136	 88% 12%
25	AW	63	 90% 10%
26	AX	121	 90% 10%
27	AY	126	 80% 20%
28	AZ	135	 82% 18%
29	Aa	148	 78% 21% .
30	Ab	58	 95% 5%
31	Ac	97	 84% 16%
32	Ad	109	 90% 10%























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	Ae	127	
34	Af	106	
35	Ag	112	
36	Ah	119	
37	Ai	99	
38	Aj	87	
39	Ak	77	
40	Al	50	
41	Am	52	
42	An	25	
43	Ao	105	
44	Ap	91	
45	BA	206	
46	BB	214	
47	BC	217	
48	BD	223	
49	BE	260	
50	BF	206	
51	BG	226	
52	BH	184	
53	BI	188	
54	BJ	185	
55	BK	96	
56	BL	155	
57	BM	121	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
58	BN	150	
59	BO	127	
60	BP	124	
61	BQ	141	
62	BR	121	
63	BS	145	
64	BT	141	
65	BU	107	
66	BV	87	
67	BW	129	
68	BX	144	
69	BY	134	
70	BZ	69	
71	Ba	97	
72	Bb	81	
73	Bc	63	
74	Bd	53	
75	Be	60	
76	Bf	57	
77	Bg	312	
78	Bh	89	
79	B5	1783	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
79	3AU	B5	1191	X	-	-	-
79	G7M	B5	1575	X	-	-	-

## 2 Entry composition

There are 82 unique types of molecules in this entry. The entry contains 199900 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 25S.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A1	3156	Total	C	N	O	P	0	0
			67535	30189	12152	22038	3156		

- Molecule 2 is a RNA chain called 5S.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	A3	121	Total	C	N	O	P	0	0
			2579	1152	461	845	121		

- Molecule 3 is a RNA chain called 5.8S.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	A4	158	Total	C	N	O	P	0	0
			3353	1500	586	1109	158		

- Molecule 4 is a protein called 60S ribosomal protein L2-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	AA	247	Total	C	N	O	S	0	0
			1878	1170	381	326	1		

- Molecule 5 is a protein called 60S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	AB	386	Total	C	N	O	S	0	0
			3079	1954	584	533	8		

- Molecule 6 is a protein called 60S ribosomal protein L4-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	AC	361	Total	C	N	O	S	0	0
			2748	1729	522	494	3		

- Molecule 7 is a protein called 60S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	AD	292	Total	C	N	O	S	0	0
			2341	1478	408	453	2		

- Molecule 8 is a protein called 60S ribosomal protein L6-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	AE	156	Total	C	N	O	S	0	0
			1239	800	222	216	1		

There are 19 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AE	?	-	LYS	deletion	UNP Q02326
AE	?	-	LEU	deletion	UNP Q02326
AE	?	-	THR	deletion	UNP Q02326
AE	?	-	LYS	deletion	UNP Q02326
AE	?	-	LYS	deletion	UNP Q02326
AE	?	-	GLU	deletion	UNP Q02326
AE	?	-	LYS	deletion	UNP Q02326
AE	?	-	LYS	deletion	UNP Q02326
AE	?	-	GLU	deletion	UNP Q02326
AE	?	-	ALA	deletion	UNP Q02326
AE	?	-	ASN	deletion	UNP Q02326
AE	?	-	LEU	deletion	UNP Q02326
AE	?	-	PHE	deletion	UNP Q02326
AE	?	-	PRO	deletion	UNP Q02326
AE	?	-	GLU	deletion	UNP Q02326
AE	?	-	GLN	deletion	UNP Q02326
AE	?	-	GLN	deletion	UNP Q02326
AE	?	-	ASN	deletion	UNP Q02326
AE	?	-	LYS	deletion	UNP Q02326

- Molecule 9 is a protein called 60S ribosomal protein L7-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	AF	222	Total	C	N	O	S	0	0
			1784	1151	324	308	1		

- Molecule 10 is a protein called 60S ribosomal protein L8-A.



Mol	Chain	Residues	Atoms					AltConf	Trace
10	AG	230	Total	C	N	O	S	0	0
			1798	1149	323	323	3		

- Molecule 11 is a protein called 60S ribosomal protein L9-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	AH	190	Total	C	N	O	S	0	0
			1510	957	273	276	4		

- Molecule 12 is a protein called 60S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	AI	205	Total	C	N	O	S	0	0
			1672	1063	316	288	5		

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AI	?	-	MET	deletion	UNP P41805
AI	?	-	LEU	deletion	UNP P41805
AI	?	-	SER	deletion	UNP P41805
AI	?	-	CYS	deletion	UNP P41805
AI	?	-	ALA	deletion	UNP P41805
AI	?	-	GLY	deletion	UNP P41805
AI	?	-	ALA	deletion	UNP P41805
AI	?	-	ASP	deletion	UNP P41805
AI	?	-	ARG	deletion	UNP P41805
AI	?	-	LEU	deletion	UNP P41805
AI	?	-	GLN	deletion	UNP P41805
AI	?	-	GLN	deletion	UNP P41805

- Molecule 13 is a protein called 60S ribosomal protein L11-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	AJ	169	Total	C	N	O	S	0	0
			1353	847	253	249	4		

- Molecule 14 is a protein called 60S ribosomal protein L13-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
14	AL	193	Total	C	N	O	0	0
			1543	962	315	266		

- Molecule 15 is a protein called 60S ribosomal protein L14-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	AM	136	Total	C	N	O	S	0	0
			1053	675	199	177	2		

- Molecule 16 is a protein called 60S ribosomal protein L15-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	AN	203	Total	C	N	O	S	0	0
			1720	1077	361	281	1		

- Molecule 17 is a protein called 60S ribosomal protein L16-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	AO	197	Total	C	N	O	S	197	0
			1555	1003	289	262	1		

- Molecule 18 is a protein called 60S ribosomal protein L17-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	AP	175	Total	C	N	O		0	0
			1388	862	277	249			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AP	?	-	ALA	deletion	UNP P05740
AP	?	-	VAL	deletion	UNP P05740
AP	?	-	ALA	deletion	UNP P05740
AP	?	-	LYS	deletion	UNP P05740
AP	?	-	ALA	deletion	UNP P05740
AP	?	-	ALA	deletion	UNP P05740
AP	?	-	GLU	deletion	UNP P05740
AP	?	-	LYS	deletion	UNP P05740

- Molecule 19 is a protein called 60S ribosomal protein L18-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	AQ	185	Total	C	N	O	S	0	0
			1441	908	290	241	2		

- Molecule 20 is a protein called 60S ribosomal protein L19-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
20	AR	188	Total	C	N	O		
			1521	935	326	260	0	0

- Molecule 21 is a protein called 60S ribosomal protein L20-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
21	AS	172	Total	C	N	O	S	
			1445	930	267	244	4	0

- Molecule 22 is a protein called 60S ribosomal protein L21-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
22	AT	159	Total	C	N	O	S	
			1276	805	246	221	4	0

- Molecule 23 is a protein called 60S ribosomal protein L22-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
23	AU	100	Total	C	N	O		
			796	516	131	149		0

- Molecule 24 is a protein called 60S ribosomal protein L23-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
24	AV	136	Total	C	N	O	S	
			1003	628	189	179	7	0

- Molecule 25 is a protein called 60S ribosomal protein L24-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
25	AW	63	Total	C	N	O	S	
			521	336	102	82	1	0

- Molecule 26 is a protein called 60S ribosomal protein L25.

Mol	Chain	Residues	Atoms				AltConf	Trace
26	AX	121	Total	C	N	O	S	
			968	623	170	173	2	0

- Molecule 27 is a protein called 60S ribosomal protein L26-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
27	AY	126	Total	C	N	O	0	0
			993	625	192	176		

- Molecule 28 is a protein called 60S ribosomal protein L27-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
28	AZ	135	Total	C	N	O	0	0
			1092	710	202	180		

- Molecule 29 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	Aa	148	Total	C	N	O	S	0	0
			1173	749	231	190	3		

- Molecule 30 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms				AltConf	Trace
30	Ab	58	Total	C	N	O	0	0
			462	289	100	73		

- Molecule 31 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	Ac	97	Total	C	N	O	S	0	0
			743	479	124	139	1		

- Molecule 32 is a protein called 60S ribosomal protein L31-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	Ad	109	Total	C	N	O	S	0	0
			890	565	168	156	1		

- Molecule 33 is a protein called 60S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	Ae	127	Total	C	N	O	S	0	0
			1020	647	205	167	1		

- Molecule 34 is a protein called 60S ribosomal protein L33-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	Af	106	Total	C	N	O	S	0	0
			850	540	165	144	1		

- Molecule 35 is a protein called 60S ribosomal protein L34-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	Ag	112	Total	C	N	O	S	0	0
			880	545	179	152	4		

- Molecule 36 is a protein called 60S ribosomal protein L35-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	Ah	119	Total	C	N	O	S	0	0
			969	615	186	167	1		

- Molecule 37 is a protein called 60S ribosomal protein L36-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	Ai	99	Total	C	N	O	S	0	0
			771	481	156	132	2		

- Molecule 38 is a protein called 60S ribosomal protein L37-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	Aj	87	Total	C	N	O	S	0	0
			681	414	148	114	5		

- Molecule 39 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms				AltConf	Trace
39	Ak	77	Total	C	N	O	0	0
			612	391	115	106		

- Molecule 40 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	Al	50	Total	C	N	O	S	0	0
			436	272	97	65	2		

- Molecule 41 is a protein called 60S ribosomal protein L40-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	Am	52	Total	C	N	O	S	0	0
			417	259	86	67	5		

- Molecule 42 is a protein called 60S ribosomal protein L41-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	An	25	Total	C	N	O	S	0	0
			233	142	63	27	1		

- Molecule 43 is a protein called 60S ribosomal protein L42-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	Ao	105	Total	C	N	O	S	0	0
			847	534	170	138	5		

- Molecule 44 is a protein called 60S ribosomal protein L43-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	Ap	91	Total	C	N	O	S	0	0
			694	429	138	121	6		

- Molecule 45 is a protein called 40S ribosomal protein S0-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	BA	206	Total	C	N	O	S	0	0
			1612	1034	285	291	2		

- Molecule 46 is a protein called 40S ribosomal protein S1-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	BB	214	Total	C	N	O	S	0	0
			1709	1084	310	311	4		

- Molecule 47 is a protein called 40S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	BC	217	Total	C	N	O	S	0	0
			1635	1047	289	297	2		

- Molecule 48 is a protein called 40S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	BD	223	Total	C	N	O	S	0	0
			1734	1101	313	314	6		

- Molecule 49 is a protein called 40S ribosomal protein S4-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	BE	260	Total	C	N	O	S	0	0
			2068	1316	389	360	3		

- Molecule 50 is a protein called 40S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	BF	206	Total	C	N	O	S	0	0
			1609	1007	300	299	3		

- Molecule 51 is a protein called 40S ribosomal protein S6-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	BG	226	Total	C	N	O	S	0	0
			1820	1142	350	325	3		

- Molecule 52 is a protein called 40S ribosomal protein S7-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
52	BH	184	Total	C	N	O	0	0
			1481	951	265	265		

- Molecule 53 is a protein called 40S ribosomal protein S8-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	BI	188	Total	C	N	O	S	0	0
			1489	925	298	264	2		

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BI	?	-	LYS	deletion	UNP P0CX39
BI	?	-	LYS	deletion	UNP P0CX39
BI	?	-	ASN	deletion	UNP P0CX39
BI	?	-	VAL	deletion	UNP P0CX39
BI	?	-	LYS	deletion	UNP P0CX39
BI	?	-	GLU	deletion	UNP P0CX39

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
BI	?	-	GLU	deletion	UNP P0CX39
BI	?	-	GLU	deletion	UNP P0CX39
BI	?	-	THR	deletion	UNP P0CX39
BI	?	-	VAL	deletion	UNP P0CX39
BI	?	-	ALA	deletion	UNP P0CX39

- Molecule 54 is a protein called 40S ribosomal protein S9-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	BJ	185	Total	C	N	O	S	0	0
			1494	943	289	261	1		

- Molecule 55 is a protein called 40S ribosomal protein S10-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	BK	96	Total	C	N	O	S	0	0
			817	529	133	153	2		

- Molecule 56 is a protein called 40S ribosomal protein S11-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	BL	155	Total	C	N	O	S	0	0
			1244	798	235	208	3		

- Molecule 57 is a protein called 40S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	BM	121	Total	C	N	O	S	0	0
			913	574	162	175	2		

- Molecule 58 is a protein called 40S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	BN	150	Total	C	N	O	S	0	0
			1192	759	224	207	2		

- Molecule 59 is a protein called 40S ribosomal protein S14-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	BO	127	Total	C	N	O	S	0	0
			941	578	186	174	3		



- Molecule 60 is a protein called 40S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	BP	124	Total	C	N	O	S	0	0
			991	631	187	166	7		

- Molecule 61 is a protein called 40S ribosomal protein S16-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
61	BQ	141	Total	C	N	O	S	0	0
			1105	708	203	194			

- Molecule 62 is a protein called 40S ribosomal protein S17-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
62	BR	121	Total	C	N	O	S	0	0
			975	611	183	179	2		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BR	?	-	SER	deletion	UNP P02407
BR	?	-	ASN	deletion	UNP P02407
BR	?	-	GLY	deletion	UNP P02407
BR	?	-	VAL	deletion	UNP P02407

- Molecule 63 is a protein called 40S ribosomal protein S18-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
63	BS	145	Total	C	N	O	S	0	0
			1192	743	237	210	2		

- Molecule 64 is a protein called 40S ribosomal protein S19-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
64	BT	141	Total	C	N	O	S	0	0
			1095	685	206	202	2		

- Molecule 65 is a protein called 40S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
65	BU	107	Total	C	N	O	S	0	0
			855	539	156	159	1		

- Molecule 66 is a protein called 40S ribosomal protein S21-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
66	BV	87	Total	C	N	O	S	0	0
			684	420	125	137	2		

- Molecule 67 is a protein called 40S ribosomal protein S22-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
67	BW	129	Total	C	N	O	S	0	0
			1021	650	188	180	3		

- Molecule 68 is a protein called 40S ribosomal protein S23-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
68	BX	144	Total	C	N	O	S	0	0
			1121	708	220	191	2		

- Molecule 69 is a protein called 40S ribosomal protein S24-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
69	BY	134	Total	C	N	O	S	0	0
			1073	676	208	189			

- Molecule 70 is a protein called 40S ribosomal protein S25-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
70	BZ	69	Total	C	N	O	S	0	0
			558	357	103	98			

- Molecule 71 is a protein called 40S ribosomal protein S26-B.

Mol	Chain	Residues	Atoms					AltConf	Trace
71	Ba	97	Total	C	N	O	S	0	0
			769	475	160	129	5		

- Molecule 72 is a protein called 40S ribosomal protein S27-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
72	Bb	81	Total	C	N	O	S	0	0
			610	382	110	113	5		

- Molecule 73 is a protein called 40S ribosomal protein S28-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
73	Bc	63	Total	C	N	O	S	0	0
			497	306	99	91	1		

- Molecule 74 is a protein called 40S ribosomal protein S29-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
74	Bd	53	Total	C	N	O	S	0	0
			442	274	92	72	4		

- Molecule 75 is a protein called 40S ribosomal protein S30-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	Be	60	Total	C	N	O	S	0	0
			475	299	98	77	1		

- Molecule 76 is a protein called 40S ribosomal protein S31.

Mol	Chain	Residues	Atoms					AltConf	Trace
76	Bf	57	Total	C	N	O	S	0	0
			454	288	86	77	3		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Bf	97	ALA	LYS	conflict	UNP P05759
Bf	?	-	CYS	deletion	UNP P05759
Bf	?	-	GLY	deletion	UNP P05759
Bf	?	-	ALA	deletion	UNP P05759

- Molecule 77 is a protein called Guanine nucleotide-binding protein subunit beta-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
77	Bg	312	Total	C	N	O	S	0	0
			2401	1522	410	461	8		


- Molecule 78 is a protein called Suppressor protein STM1.

Mol	Chain	Residues	Atoms					AltConf	Trace
78	Bh	89	Total	C	N	O		0	0
			675	391	137	147			

- Molecule 79 is a RNA chain called 18S RIBOSOMAL RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
79	B5	1783	Total	C	N	O	P	1	0
			37891	16950	6664	12494	1783		

- Molecule 80 is 4-{(2R)-2-[(1S,3S,5S)-3,5-dimethyl-2-oxocyclohexyl]-2-hydroxyethyl}piperidine-2,6-dione (CCD ID: 3HE) (formula: C<sub>15</sub>H<sub>23</sub>NO<sub>4</sub>).



Mol	Chain	Residues	Atoms				AltConf
80	A1	1	Total	C	N	O	0
			20	15	1	4	

- Molecule 81 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
81	A1	247	Total	Mg	0
			247	247	
81	A3	5	Total	Mg	0
			5	5	
81	A4	9	Total	Mg	0
			9	9	
81	AB	4	Total	Mg	0
			4	4	
81	AC	1	Total	Mg	0
			1	1	
81	AG	1	Total	Mg	0
			1	1	
81	AL	3	Total	Mg	0
			3	3	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms		AltConf
81	AN	1	Total 1	Mg 1	0
81	AO	1	Total 1	Mg 1	0
81	AP	1	Total 1	Mg 1	0
81	AR	1	Total 1	Mg 1	0
81	AV	1	Total 1	Mg 1	0
81	Aa	1	Total 1	Mg 1	0
81	Ae	2	Total 2	Mg 2	0
81	Af	1	Total 1	Mg 1	0
81	Aj	1	Total 1	Mg 1	0
81	BE	1	Total 1	Mg 1	0
81	BG	1	Total 1	Mg 1	0
81	BJ	1	Total 1	Mg 1	0
81	Ba	1	Total 1	Mg 1	0
81	B5	90	Total 90	Mg 90	0


- Molecule 82 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
82	Ao	1	Total 1	Zn 1	0
82	Bb	1	Total 1	Zn 1	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: 25S



G2878	C2879	U2880	A2887	C2888	C2889	A2890	G2895	A2896	C2897	G2898	G2901	A2911	U2921	C2922	U2923	A2933	C2934	U2935	A2936	C2937	C2938	C2939	A2940	C2941	C2942	C2943	A2946	C2947	C2948	G2951	U2955	A2956	C2959	G2960	C2961	A2969	U2978	C2983	A2987	C2988	U2989	G2990	A2991	U2992									
G2792	G2793	G2796	G2797	C2798	A2799	G2800	A2801	A2802	A2803	C2809	C2810	A2813	C2814	G2815	G2816	A2817	U2818	A2819	U2826	U2827	G2828	U2829	C2836	U2837	A2838	G2839	U2842	U2843	C2844	A2845	G2848	C2852	C2857	U2858	C2859	U2860	U2861	U2865	U2866	C2867	U2868	U2869	C2871	U2872	G2873	U2874	G2875						
A2679	A2680	C2681	U2683	C2684	G2687	U2688	A2689	C2690	A2691	A2697	C2698	G2699	G2700	A2703	A2704	A2705	U2712	U2713	G2714	A2721	U2722	U2723	U2724	C2725	U2726	U2727	U2728	U2729	C2737	U2738	A2739	A2740	U2752	C2753	C2754	C2755	U2759	C2760	U2767	U2768	A2769	C2772	G2777	G2778	A2779	G2791							
U2559	U2560	A2561	C2568	A2569	U2570	U2571	C2572	G2573	A2580	G2585	U2586	U2587	U2588	G2592	A2593	C2594	G2606	G2607	G2614	U2617	G2618	G2619	C2622	U2629	C2630	U2631	U2632	U2633	U2634	A2635	A2640	G2648	G2651	U2652	A2656	C2666	G2670	A2675	U2674	C2675	A2676	G2677	A2678										
U2417	G2418	U2421	C2422	U2423	A2424	U2433	U2434	G2435	U2436	G2437	A2441	G2442	U2443	C2444	A2445	U2501	A2502	G2503	U2504	U2505	U2506	C2507	U2508	C2512	U2513	A2514	A2515	A2523	A2524	C2531	U2532	A2535	A2536	U2537	U2538	C2539	A2540	U2541	U2542	U2543	U2544	C2545	C2548	C2552	U2553	A2554	G2555	C2556	A2557				
A2281	C2284	G2288	U2298	C2306	C2307	C2308	A2309	U2310	A2313	U2314	G2315	U2334	U2335	C2336	U2337	U2340	U2347	A2357	A2358	A2363	C2366	A2373	C2374	G2375	G2376	C2383	U2388	G2391	C2392	G2393	A2397	A2401	A2402	G2403	A2404	C2405	U2411	G2412	A2413	G2414													
U2176	A2183	U2184	G2185	A2188	U2193	U2194	C2197	U2205	U2206	U2207	A2208	U2209	G2210	A2213	A2214	A2215	C2216	U2217	A2218	A2219	A2220	A2228	A2229	C2230	A2244	G2249	C2253	A2256	C2257	U2258	A2259	U2260	A2261	C2262	U2263	U2264	U2268	U2269	A2270	A2271	G2272	G2273	C2278	A2280									
U1888	A1893	G1899	G1906	G1914	A1915	G1940	C1943	U1947	A1948	U1951	G1952	G1953	U1954	U1955	A2093	C2094	G2095	U2096	U2102	G2110	G2111	U2112	A2113	C2114	G2115	A2120	G2121	G2122	U2129	G2130	A2131	U2140	U2141	A2142	A2143	A2144	A2145	C2146	U2157	A2158	U2159	G2160	G2161	C2169									
G1786	A1787	C1793	U1794	U1795	G1796	A1797	C1805	A1806	G1807	G1808	A1809	A1810	U1811	U1812	A1813	U1814	U1815	A1816	G1817	U1821	U1822	A1825	U1831	A1835	C1836	A1839	U1840	A1841	A1842	C1846	A1847	G1848	C1849	A1850	A1858	G1863	A1864	A1865	C1866	U1871	U1872	U1873	A1876	G1775	A1679	U1880	A1886	A1887					
A1642	A1643	C1644	U1645	G1646	C1657	G1661	G1662	C1669	U1682	A1683	U1686	A1696	A1697	U1717	U1721	U1722	A1723	U1724	C1725	A1729	G1730	G1736	U1739	U1740	A1741	U1742	U1746	G1747	A1750	G1751	C1756	C1761	C1762	U1763	U1764	U1765	G1766	G1778	C1779	G1780													
G1525	U1526	A1539	U1533	A1534	A1535	G1536	A1539	U1542	C1562	C1563	G1564	G1565	A1566	U1567	U1568	U1569	U1570	A1571	U1572	G1573	A1574	A1575	G1576	A1583	A1587	A1588	A1589	G1590	G1591	G1592	A1593	C1596	C1597	A1602	A1603	A1604	A1605	A1613	G1618	A1621	U1622	C1628	U1629	U1630	A1639	C1639							
A1399	G1400	G1408	G1409	U1410	C1411	G1412	U1417	A1418	C1432	A1433	A1434	A1435	U1436	C1437	G1443	A1446	G1447	U1448	A1449	G1450	A1456	A1465	G1466	A1467	A1468	C1469	A1475	G1476	A1477	A1481	G1487	A1490	U1494	U1495	C1496	C1497	A1498	C1508	A1509	G1510	U1522	A1523	A1524										
G1306	A1307	A1308	U1309	C1312	G1313	C1314	U1315	C1316	G1323	G1327	U1324	A1317	A1318	U1325	C1328	U1329	A1330	U1331	A1332	G1333	A1344	A1352	U1353	G1354	A1355	A1363	G1364	U1365	G1367	U1368	C1376	G1377	U1378	C1379	A1385	A1386	G1389	A1390	C1391	G1392													
A1222	A1223	C1224	A1225	G1226	C1227	C1228	A1231	C1232	G1233	G1234	U1235	C1236	G1237	U1238	C1239	A1240	U1241	G1242	G1243	A1244	A1245	G1246	U1247	C1248	G1249	G1250	A1251	A1252	U1253	G1262	A1263	G1264	U1265	U1266	U1267	C1268	U1269	A1270	A1271	C1272	A1273	A1274	U1275	U1276	C1277	A1278	C1280	A1281	G1282	C1283	A1286	A1287	A1301




- Molecule 2: 5S

Chain A3: 79% 20%




- Molecule 3: 5.8S

Chain A4: 68% 26% 6%



- Molecule 4: 60S ribosomal protein L2-A

Chain AA: 78% 22%




- Molecule 5: 60S ribosomal protein L3

Chain AB: 81% 19%









- Molecule 6: 60S ribosomal protein L4-A

Chain AC: 86% 14%



- Molecule 7: 60S ribosomal protein L5

Chain AD: 88% 12%




- Molecule 8: 60S ribosomal protein L6-A

Chain AE: 90% 10%



- Molecule 9: 60S ribosomal protein L7-A

Chain AF: 82% 17%




- Molecule 10: 60S ribosomal protein L8-A



Chain AG: 88% 11%





- Molecule 11: 60S ribosomal protein L9-A




- Molecule 12: 60S ribosomal protein L10




- Molecule 13: 60S ribosomal protein L11-A




- Molecule 14: 60S ribosomal protein L13-A



- Molecule 15: 60S ribosomal protein L14-A




- Molecule 16: 60S ribosomal protein L15-A





- Molecule 17: 60S ribosomal protein L16-A

Chain AO: 88% 11%



- Molecule 18: 60S ribosomal protein L17-A

Chain AP: 89% 11%




- Molecule 19: 60S ribosomal protein L18-A

Chain AQ: 91% 9%



- Molecule 20: 60S ribosomal protein L19-A

Chain AR: 7% 89% 11%




- Molecule 21: 60S ribosomal protein L20-A

Chain AS: 87% 12%




- Molecule 22: 60S ribosomal protein L21-A


Chain AT: 79% 20%




- Molecule 23: 60S ribosomal protein L22-A




- Molecule 24: 60S ribosomal protein L23-A




- Molecule 25: 60S ribosomal protein L24-A




- Molecule 26: 60S ribosomal protein L25




- Molecule 27: 60S ribosomal protein L26-A



- Molecule 28: 60S ribosomal protein L27-A




- Molecule 29: 60S ribosomal protein L28







- Molecule 30: 60S ribosomal protein L29



- Molecule 31: 60S ribosomal protein L30




- Molecule 32: 60S ribosomal protein L31-A





- Molecule 33: 60S ribosomal protein L32




- Molecule 34: 60S ribosomal protein L33-A



- Molecule 35: 60S ribosomal protein L34-A



- Molecule 36: 60S ribosomal protein L35-A

Chain Ah:  88% 11%





- Molecule 37: 60S ribosomal protein L36-A

Chain Ai:  91% 9%




- Molecule 38: 60S ribosomal protein L37-A

Chain Aj:  84% 16%



- Molecule 39: 60S ribosomal protein L38

Chain Ak:  84% 16%



- Molecule 40: 60S ribosomal protein L39

Chain Al:  94% 6%




- Molecule 41: 60S ribosomal protein L40-A

Chain Am:  69% 31%




- Molecule 42: 60S ribosomal protein L41-A

Chain An:  96%




- Molecule 43: 60S ribosomal protein L42-A

Chain Ao:  89% 11%





- Molecule 44: 60S ribosomal protein L43-A

Chain Ap:  80% 20%





- Molecule 45: 40S ribosomal protein S0-A

Chain BA:  80% 19%




- Molecule 46: 40S ribosomal protein S1-A

Chain BB:  77% 21%





- Molecule 47: 40S ribosomal protein S2

Chain BC:  83% 16%




- Molecule 48: 40S ribosomal protein S3

Chain BD:  85% 15%




- Molecule 49: 40S ribosomal protein S4-A

Chain BE: 83% 17%




- Molecule 50: 40S ribosomal protein S5

Chain BF: 87% 13%




- Molecule 51: 40S ribosomal protein S6-A

Chain BG: 81% 19%



- Molecule 52: 40S ribosomal protein S7-A


Chain BH: 5% 78% 21%





- Molecule 53: 40S ribosomal protein S8-A

Chain BI: 74% 26%






- Molecule 54: 40S ribosomal protein S9-A





- Molecule 55: 40S ribosomal protein S10-A





- Molecule 56: 40S ribosomal protein S11-A




- Molecule 57: 40S ribosomal protein S12



- Molecule 58: 40S ribosomal protein S13





- Molecule 59: 40S ribosomal protein S14-A

Chain BO:  86% 14%





- Molecule 60: 40S ribosomal protein S15

Chain BP:  8% 79% 19%





- Molecule 61: 40S ribosomal protein S16-A

Chain BQ:  78% 21%





- Molecule 62: 40S ribosomal protein S17-A

Chain BR:  5% 90% 9%



- Molecule 63: 40S ribosomal protein S18-A

Chain BS:  77% 23%




- Molecule 64: 40S ribosomal protein S19-A


Chain BT:  70% 30%




- Molecule 65: 40S ribosomal protein S20




- Molecule 66: 40S ribosomal protein S21-A




- Molecule 67: 40S ribosomal protein S22-A




- Molecule 68: 40S ribosomal protein S23-A




- Molecule 69: 40S ribosomal protein S24-A




- Molecule 70: 40S ribosomal protein S25-A




- Molecule 71: 40S ribosomal protein S26-B





- Molecule 72: 40S ribosomal protein S27-A

Chain Bb:  80% 19%



- Molecule 73: 40S ribosomal protein S28-A

Chain Bc:  5% 79% 21%





- Molecule 74: 40S ribosomal protein S29-A

Chain Bd:  68% 32%




- Molecule 75: 40S ribosomal protein S30-A

Chain Be:  5% 88% 12%




- Molecule 76: 40S ribosomal protein S31

Chain Bf:  42% 86% 14%





- Molecule 77: Guanine nucleotide-binding protein subunit beta-like protein


Chain Bg:  79% 21%




- Molecule 78: Suppressor protein STM1



• Molecule 79: 18S RIBOSOMAL RNA





## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	178990	Depositor
Resolution determination method	OTHER	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	61	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.233	Depositor
Minimum map value	-0.020	Depositor
Average map value	0.003	Depositor
Map value standard deviation	0.008	Depositor
Recommended contour level	0.02	Depositor
Map size (Å)	455.75998, 455.75998, 455.75998	wwPDB
Map dimensions	432, 432, 432	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.055, 1.055, 1.055	Depositor

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 5MC, ZN, G7M, UR3, MA6, 3AU, OMC, A2M, 3HE, 1MA, OMU, HIC, OMG, MG, 4AC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A1	0.51	0/74562	0.46	10/116239 (0.0%)
2	A3	0.43	0/2883	0.38	0/4491
3	A4	0.54	0/3745	0.49	1/5828 (0.0%)
4	AA	0.49	0/1912	0.59	0/2569
5	AB	0.54	0/3137	0.66	4/4215 (0.1%)
6	AC	0.49	0/2800	0.69	1/3790 (0.0%)
7	AD	0.37	0/2390	0.62	0/3225
8	AE	0.45	0/1260	0.58	0/1694
9	AF	0.49	0/1821	0.70	3/2451 (0.1%)
10	AG	0.44	0/1830	0.66	1/2469 (0.0%)
11	AH	0.45	0/1531	0.61	0/2062
12	AI	0.35	0/1708	0.55	0/2290
13	AJ	0.33	0/1374	0.70	0/1842
14	AL	0.49	0/1568	0.73	1/2106 (0.0%)
15	AM	0.49	0/1068	0.60	0/1438
16	AN	0.56	0/1757	0.71	0/2354
17	AO	0.50	0/1585	0.59	0/2128
18	AP	0.49	0/1410	0.58	0/1893
19	AQ	0.47	0/1465	0.61	1/1965 (0.1%)
20	AR	0.42	0/1538	0.61	0/2050
21	AS	0.54	0/1481	0.67	0/1990
22	AT	0.46	0/1300	0.66	0/1743
23	AU	0.39	0/812	0.69	2/1099 (0.2%)
24	AV	0.48	0/1018	0.58	0/1369
25	AW	0.46	0/533	0.62	0/707
26	AX	0.49	0/983	0.59	0/1325
27	AY	0.49	0/1004	0.63	0/1341
28	AZ	0.44	0/1118	0.71	2/1497 (0.1%)
29	Aa	0.51	0/1204	0.79	3/1612 (0.2%)
30	Ab	0.36	0/473	0.64	0/629
31	Ac	0.40	0/751	0.57	0/1008
32	Ad	0.49	0/904	0.56	0/1213



Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
33	Ae	0.49	0/1041	0.55	0/1394
34	Af	0.54	0/868	0.51	0/1168
35	Ag	0.53	0/890	0.68	0/1189
36	Ah	0.44	0/978	0.61	0/1301
37	Ai	0.44	0/778	0.72	0/1034
38	Aj	0.55	0/696	0.62	0/923
39	Ak	0.48	0/618	0.60	0/826
40	Al	0.55	0/443	0.71	0/588
41	Am	0.46	0/423	0.55	0/562
42	An	0.30	0/234	0.62	0/300
43	Ao	0.39	0/860	0.61	0/1136
44	Ap	0.44	0/701	0.71	0/934
45	BA	0.37	0/1653	0.58	0/2261
46	BB	0.40	0/1735	0.80	4/2335 (0.2%)
47	BC	0.42	0/1665	0.69	3/2263 (0.1%)
48	BD	0.36	0/1759	0.62	0/2368
49	BE	0.42	0/2109	0.64	0/2839
50	BF	0.37	0/1629	0.67	0/2202
51	BG	0.36	0/1844	0.67	3/2464 (0.1%)
52	BH	0.36	0/1506	0.70	0/2028
53	BI	0.41	0/1514	0.69	0/2021
54	BJ	0.40	0/1519	0.69	0/2035
55	BK	0.40	0/837	0.82	1/1131 (0.1%)
56	BL	0.38	0/1272	0.53	0/1712
57	BM	0.26	0/921	0.75	1/1245 (0.1%)
58	BN	0.41	0/1215	0.72	1/1638 (0.1%)
59	BO	0.39	0/952	0.77	0/1279
60	BP	0.41	0/1012	0.78	4/1356 (0.3%)
61	BQ	0.40	0/1125	0.65	1/1510 (0.1%)
62	BR	0.31	0/984	0.68	0/1318
63	BS	0.41	0/1211	0.71	0/1628
64	BT	0.44	0/1113	0.78	3/1494 (0.2%)
65	BU	0.37	0/865	0.63	0/1169
66	BV	0.40	0/692	0.58	0/932
67	BW	0.48	0/1038	0.68	1/1395 (0.1%)
68	BX	0.44	0/1139	0.79	2/1518 (0.1%)
69	BY	0.39	0/1087	0.71	0/1449
70	BZ	0.35	0/566	0.70	0/761
71	Ba	0.44	0/782	0.86	2/1047 (0.2%)
72	Bb	0.36	0/620	0.62	0/838
73	Bc	0.35	0/499	0.65	0/670
74	Bd	0.42	0/452	0.66	0/600
75	Be	0.34	0/483	0.55	0/643

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
76	Bf	0.30	0/462	0.70	0/617
77	Bg	0.36	0/2454	0.63	0/3340
78	Bh	0.26	0/678	0.65	0/905
79	B5	0.41	0/41746	0.44	1/65032 (0.0%)
All	All	0.46	0/212593	0.54	56/312030 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
6	AC	0	2
7	AD	0	1
8	AE	0	1
9	AF	0	3
10	AG	0	4
13	AJ	0	2
14	AL	0	2
16	AN	0	1
17	AO	0	1
20	AR	0	1
21	AS	0	1
22	AT	0	1
28	AZ	0	1
36	Ah	0	1
37	Ai	0	1
45	BA	0	1
46	BB	0	4
47	BC	0	1
50	BF	0	2
51	BG	0	1
52	BH	0	3
53	BI	0	2
54	BJ	0	2
59	BO	0	1
60	BP	0	4
61	BQ	0	3
63	BS	0	3
67	BW	0	1
68	BX	0	5
71	Ba	0	3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	#Chirality outliers	#Planarity outliers
76	Bf	0	1
78	Bh	0	1
79	B5	4	0
All	All	4	61

There are no bond length outliers.

The worst 5 of 56 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A1	266	A	OP1-P-OP2	-14.25	76.86	119.60
1	A1	266	A	O5'-P-OP1	-10.95	75.14	108.00
1	A1	265	A	OP2-P-O3'	-10.59	76.24	108.00
1	A1	1947	G	OP2-P-O3'	-9.65	79.06	108.00
1	A1	265	A	OP1-P-O3'	8.62	133.87	108.00

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
79	B5	1191	3AU	C12
79	B5	1575	G7M	C4',C3',C2'

5 of 61 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
6	AC	131	VAL	Peptide
6	AC	318	LEU	Peptide
7	AD	43	LYS	Peptide
8	AE	67	GLY	Peptide
9	AF	158	LYS	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A1	67535	0	33991	368	0
2	A3	2579	0	1303	11	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A4	3353	0	1695	19	0
4	AA	1878	0	1946	40	0
5	AB	3079	0	3154	51	0
6	AC	2748	0	2859	34	0
7	AD	2341	0	2290	23	0
8	AE	1239	0	1326	10	0
9	AF	1784	0	1862	25	0
10	AG	1798	0	1894	16	0
11	AH	1510	0	1576	17	0
12	AI	1672	0	1711	27	0
13	AJ	1353	0	1383	18	0
14	AL	1543	0	1608	23	0
15	AM	1053	0	1149	6	0
16	AN	1720	0	1779	35	0
17	AO	1555	0	1659	19	0
18	AP	1388	0	1423	13	0
19	AQ	1441	0	1543	12	0
20	AR	1521	0	1617	16	0
21	AS	1445	0	1487	17	0
22	AT	1276	0	1323	26	0
23	AU	796	0	812	7	0
24	AV	1003	0	1048	10	0
25	AW	521	0	551	4	0
26	AX	968	0	1036	7	0
27	AY	993	0	1081	14	0
28	AZ	1092	0	1155	14	0
29	Aa	1173	0	1215	26	0
30	Ab	462	0	491	3	0
31	Ac	743	0	797	12	0
32	Ad	890	0	938	7	0
33	Ae	1020	0	1090	6	0
34	Af	850	0	880	9	0
35	Ag	880	0	945	11	0
36	Ah	969	0	1078	9	0
37	Ai	771	0	849	5	0
38	Aj	681	0	687	9	0
39	Ak	612	0	682	10	0
40	Al	436	0	475	3	0
41	Am	417	0	459	12	0
42	An	233	0	284	1	0
43	Ao	847	0	914	9	0
44	Ap	694	0	738	14	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
45	BA	1612	0	1623	27	0
46	BB	1709	0	1784	29	0
47	BC	1635	0	1723	21	0
48	BD	1734	0	1817	25	0
49	BE	2068	0	2154	30	0
50	BF	1609	0	1675	18	0
51	BG	1820	0	1918	31	0
52	BH	1481	0	1572	24	0
53	BI	1489	0	1525	33	0
54	BJ	1494	0	1573	19	0
55	BK	817	0	804	15	0
56	BL	1244	0	1314	8	0
57	BM	913	0	955	22	0
58	BN	1192	0	1255	19	0
59	BO	941	0	979	13	0
60	BP	991	0	1035	13	0
61	BQ	1105	0	1166	20	0
62	BR	975	0	1039	11	0
63	BS	1192	0	1222	22	0
64	BT	1095	0	1114	28	0
65	BU	855	0	917	19	0
66	BV	684	0	671	10	0
67	BW	1021	0	1060	19	0
68	BX	1121	0	1196	18	0
69	BY	1073	0	1132	19	0
70	BZ	558	0	598	6	0
71	Ba	769	0	818	18	0
72	Bb	610	0	630	10	0
73	Bc	497	0	535	9	0
74	Bd	442	0	432	13	0
75	Be	475	0	525	5	0
76	Bf	454	0	468	5	0
77	Bg	2401	0	2356	41	0
78	Bh	675	0	654	10	0
79	B5	37891	0	19102	265	0
80	A1	20	0	23	0	0
81	A1	247	0	0	0	0
81	A3	5	0	0	0	0
81	A4	9	0	0	0	0
81	AB	4	0	0	0	0
81	AC	1	0	0	0	0
81	AG	1	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
81	AL	3	0	0	0	0
81	AN	1	0	0	0	0
81	AO	1	0	0	0	0
81	AP	1	0	0	0	0
81	AR	1	0	0	0	0
81	AV	1	0	0	0	0
81	Aa	1	0	0	0	0
81	Ae	2	0	0	0	0
81	Af	1	0	0	0	0
81	Aj	1	0	0	0	0
81	B5	90	0	0	0	0
81	BE	1	0	0	0	0
81	BG	1	0	0	0	0
81	BJ	1	0	0	0	0
81	Ba	1	0	0	0	0
82	Ao	1	0	0	0	0
82	Bb	1	0	0	0	0
All	All	199900	0	148147	1521	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 1521 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A1:3348:G:H1	1:A1:3357:U:H3	1.04	0.99
79:B5:1356:U:H3	79:B5:1367:G:H1	0.96	0.95
79:B5:868:G:H1	79:B5:960:U:H3	1.15	0.88
79:B5:1588:G:H1	79:B5:1608:U:H3	1.24	0.86
79:B5:976:G:H1	79:B5:1023:A:HO2'	1.24	0.85

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	AA	245/247 (99%)	232 (95%)	13 (5%)	0	100	100
5	AB	383/386 (99%)	363 (95%)	20 (5%)	0	100	100
6	AC	359/361 (99%)	326 (91%)	31 (9%)	2 (1%)	22	49
7	AD	290/292 (99%)	272 (94%)	17 (6%)	1 (0%)	37	64
8	AE	152/156 (97%)	139 (91%)	13 (9%)	0	100	100
9	AF	220/222 (99%)	207 (94%)	11 (5%)	2 (1%)	14	40
10	AG	228/230 (99%)	216 (95%)	12 (5%)	0	100	100
11	AH	188/190 (99%)	171 (91%)	17 (9%)	0	100	100
12	AI	201/205 (98%)	187 (93%)	14 (7%)	0	100	100
13	AJ	167/169 (99%)	147 (88%)	20 (12%)	0	100	100
14	AL	191/193 (99%)	165 (86%)	22 (12%)	4 (2%)	5	21
15	AM	134/136 (98%)	128 (96%)	6 (4%)	0	100	100
16	AN	201/203 (99%)	186 (92%)	14 (7%)	1 (0%)	25	54
17	AO	195/197 (99%)	191 (98%)	2 (1%)	2 (1%)	13	38
18	AP	171/175 (98%)	163 (95%)	8 (5%)	0	100	100
19	AQ	183/185 (99%)	177 (97%)	6 (3%)	0	100	100
20	AR	186/188 (99%)	176 (95%)	10 (5%)	0	100	100
21	AS	170/172 (99%)	161 (95%)	9 (5%)	0	100	100
22	AT	157/159 (99%)	146 (93%)	11 (7%)	0	100	100
23	AU	98/100 (98%)	94 (96%)	4 (4%)	0	100	100
24	AV	134/136 (98%)	132 (98%)	2 (2%)	0	100	100
25	AW	61/63 (97%)	60 (98%)	1 (2%)	0	100	100
26	AX	119/121 (98%)	115 (97%)	4 (3%)	0	100	100
27	AY	124/126 (98%)	116 (94%)	8 (6%)	0	100	100
28	AZ	133/135 (98%)	123 (92%)	9 (7%)	1 (1%)	16	43
29	Aa	146/148 (99%)	126 (86%)	18 (12%)	2 (1%)	9	30
30	Ab	56/58 (97%)	49 (88%)	7 (12%)	0	100	100
31	Ac	95/97 (98%)	94 (99%)	1 (1%)	0	100	100
32	Ad	107/109 (98%)	103 (96%)	4 (4%)	0	100	100
33	Ae	125/127 (98%)	120 (96%)	5 (4%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
34	Af	104/106 (98%)	100 (96%)	4 (4%)	0	100	100
35	Ag	110/112 (98%)	107 (97%)	3 (3%)	0	100	100
36	Ah	117/119 (98%)	107 (92%)	9 (8%)	1 (1%)	14	40
37	Ai	97/99 (98%)	89 (92%)	8 (8%)	0	100	100
38	Aj	85/87 (98%)	82 (96%)	3 (4%)	0	100	100
39	Ak	75/77 (97%)	74 (99%)	1 (1%)	0	100	100
40	Al	48/50 (96%)	46 (96%)	2 (4%)	0	100	100
41	Am	50/52 (96%)	48 (96%)	2 (4%)	0	100	100
42	An	23/25 (92%)	23 (100%)	0	0	100	100
43	Ao	103/105 (98%)	93 (90%)	10 (10%)	0	100	100
44	Ap	89/91 (98%)	82 (92%)	6 (7%)	1 (1%)	12	35
45	BA	204/206 (99%)	185 (91%)	18 (9%)	1 (0%)	25	54
46	BB	212/214 (99%)	186 (88%)	24 (11%)	2 (1%)	14	40
47	BC	215/217 (99%)	197 (92%)	17 (8%)	1 (0%)	25	54
48	BD	221/223 (99%)	207 (94%)	14 (6%)	0	100	100
49	BE	258/260 (99%)	240 (93%)	18 (7%)	0	100	100
50	BF	204/206 (99%)	185 (91%)	19 (9%)	0	100	100
51	BG	224/226 (99%)	209 (93%)	13 (6%)	2 (1%)	14	40
52	BH	182/184 (99%)	166 (91%)	14 (8%)	2 (1%)	12	35
53	BI	184/188 (98%)	156 (85%)	28 (15%)	0	100	100
54	BJ	183/185 (99%)	168 (92%)	14 (8%)	1 (0%)	25	54
55	BK	94/96 (98%)	77 (82%)	17 (18%)	0	100	100
56	BL	153/155 (99%)	145 (95%)	8 (5%)	0	100	100
57	BM	119/121 (98%)	93 (78%)	26 (22%)	0	100	100
58	BN	148/150 (99%)	140 (95%)	8 (5%)	0	100	100
59	BO	125/127 (98%)	110 (88%)	15 (12%)	0	100	100
60	BP	122/124 (98%)	101 (83%)	19 (16%)	2 (2%)	8	27
61	BQ	139/141 (99%)	131 (94%)	7 (5%)	1 (1%)	19	46
62	BR	117/121 (97%)	106 (91%)	10 (8%)	1 (1%)	14	40
63	BS	143/145 (99%)	128 (90%)	13 (9%)	2 (1%)	9	30
64	BT	139/141 (99%)	125 (90%)	14 (10%)	0	100	100

*Continued on next page...*



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
65	BU	105/107 (98%)	100 (95%)	5 (5%)	0	100	100
66	BV	83/87 (95%)	78 (94%)	5 (6%)	0	100	100
67	BW	127/129 (98%)	117 (92%)	9 (7%)	1 (1%)	16	43
68	BX	142/144 (99%)	120 (84%)	20 (14%)	2 (1%)	9	30
69	BY	132/134 (98%)	124 (94%)	8 (6%)	0	100	100
70	BZ	67/69 (97%)	61 (91%)	6 (9%)	0	100	100
71	Ba	95/97 (98%)	76 (80%)	16 (17%)	3 (3%)	3	14
72	Bb	79/81 (98%)	72 (91%)	7 (9%)	0	100	100
73	Bc	61/63 (97%)	57 (93%)	4 (7%)	0	100	100
74	Bd	51/53 (96%)	47 (92%)	4 (8%)	0	100	100
75	Be	58/60 (97%)	53 (91%)	5 (9%)	0	100	100
76	Bf	53/57 (93%)	39 (74%)	14 (26%)	0	100	100
77	Bg	310/312 (99%)	275 (89%)	35 (11%)	0	100	100
78	Bh	87/89 (98%)	81 (93%)	6 (7%)	0	100	100
All	All	10956/11121 (98%)	10091 (92%)	827 (8%)	38 (0%)	38	64

5 of 38 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
6	AC	339	LEU
9	AF	159	GLN
14	AL	48	PRO
14	AL	63	VAL
16	AN	81	TYR

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	AA	189/189 (100%)	189 (100%)	0	100	100
5	AB	321/321 (100%)	321 (100%)	0	100	100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
6	AC	288/288 (100%)	288 (100%)	0	100	100
7	AD	241/241 (100%)	241 (100%)	0	100	100
8	AE	134/134 (100%)	134 (100%)	0	100	100
9	AF	186/186 (100%)	186 (100%)	0	100	100
10	AG	189/189 (100%)	189 (100%)	0	100	100
11	AH	170/170 (100%)	170 (100%)	0	100	100
12	AI	176/176 (100%)	176 (100%)	0	100	100
13	AJ	147/147 (100%)	147 (100%)	0	100	100
14	AL	154/154 (100%)	154 (100%)	0	100	100
15	AM	107/107 (100%)	107 (100%)	0	100	100
16	AN	175/175 (100%)	175 (100%)	0	100	100
17	AO	160/160 (100%)	160 (100%)	0	100	100
18	AP	141/141 (100%)	141 (100%)	0	100	100
19	AQ	150/150 (100%)	150 (100%)	0	100	100
20	AR	153/153 (100%)	153 (100%)	0	100	100
21	AS	156/156 (100%)	156 (100%)	0	100	100
22	AT	136/136 (100%)	136 (100%)	0	100	100
23	AU	87/87 (100%)	86 (99%)	1 (1%)	70	83
24	AV	104/104 (100%)	104 (100%)	0	100	100
25	AW	55/55 (100%)	55 (100%)	0	100	100
26	AX	105/105 (100%)	105 (100%)	0	100	100
27	AY	109/109 (100%)	109 (100%)	0	100	100
28	AZ	115/115 (100%)	115 (100%)	0	100	100
29	Aa	118/118 (100%)	118 (100%)	0	100	100
30	Ab	46/46 (100%)	46 (100%)	0	100	100
31	Ac	81/81 (100%)	81 (100%)	0	100	100
32	Ad	96/96 (100%)	96 (100%)	0	100	100
33	Ae	109/109 (100%)	109 (100%)	0	100	100
34	Af	90/90 (100%)	90 (100%)	0	100	100
35	Ag	95/95 (100%)	95 (100%)	0	100	100
36	Ah	104/104 (100%)	104 (100%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
37	Ai	81/81 (100%)	81 (100%)	0	100	100
38	Aj	70/70 (100%)	70 (100%)	0	100	100
39	Ak	68/68 (100%)	68 (100%)	0	100	100
40	Al	45/45 (100%)	45 (100%)	0	100	100
41	Am	47/47 (100%)	47 (100%)	0	100	100
42	An	23/23 (100%)	23 (100%)	0	100	100
43	Ao	90/90 (100%)	90 (100%)	0	100	100
44	Ap	71/71 (100%)	71 (100%)	0	100	100
45	BA	173/173 (100%)	173 (100%)	0	100	100
46	BB	191/191 (100%)	190 (100%)	1 (0%)	86	91
47	BC	176/176 (100%)	176 (100%)	0	100	100
48	BD	182/182 (100%)	182 (100%)	0	100	100
49	BE	221/221 (100%)	221 (100%)	0	100	100
50	BF	173/173 (100%)	173 (100%)	0	100	100
51	BG	193/193 (100%)	193 (100%)	0	100	100
52	BH	165/165 (100%)	165 (100%)	0	100	100
53	BI	150/150 (100%)	150 (100%)	0	100	100
54	BJ	158/158 (100%)	158 (100%)	0	100	100
55	BK	89/89 (100%)	89 (100%)	0	100	100
56	BL	136/136 (100%)	136 (100%)	0	100	100
57	BM	98/98 (100%)	98 (100%)	0	100	100
58	BN	127/127 (100%)	127 (100%)	0	100	100
59	BO	96/96 (100%)	96 (100%)	0	100	100
60	BP	104/104 (100%)	104 (100%)	0	100	100
61	BQ	117/117 (100%)	117 (100%)	0	100	100
62	BR	110/110 (100%)	110 (100%)	0	100	100
63	BS	128/128 (100%)	128 (100%)	0	100	100
64	BT	113/113 (100%)	113 (100%)	0	100	100
65	BU	100/100 (100%)	100 (100%)	0	100	100
66	BV	74/74 (100%)	74 (100%)	0	100	100
67	BW	110/110 (100%)	110 (100%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
68	BX	119/119 (100%)	119 (100%)	0	100	100
69	BY	112/112 (100%)	112 (100%)	0	100	100
70	BZ	61/61 (100%)	61 (100%)	0	100	100
71	Ba	83/83 (100%)	83 (100%)	0	100	100
72	Bb	70/70 (100%)	69 (99%)	1 (1%)	62	79
73	Bc	56/56 (100%)	56 (100%)	0	100	100
74	Bd	47/47 (100%)	46 (98%)	1 (2%)	48	69
75	Be	51/51 (100%)	51 (100%)	0	100	100
76	Bf	49/49 (100%)	49 (100%)	0	100	100
77	Bg	256/257 (100%)	256 (100%)	0	100	100
78	Bh	68/68 (100%)	68 (100%)	0	100	100
All	All	9338/9339 (100%)	9334 (100%)	4 (0%)	100	100

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
23	AU	49	ASN
46	BB	146	GLN
72	Bb	42	ASN
74	Bd	28	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 73 such sidechains are listed below:

Mol	Chain	Res	Type
56	BL	21	ASN
74	Bd	48	ASN
57	BM	84	ASN
65	BU	17	GLN
27	AY	110	HIS

### 5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A1	3150/3156 (99%)	695 (22%)	13 (0%)
2	A3	120/121 (99%)	15 (12%)	0
3	A4	156/158 (98%)	34 (21%)	2 (1%)

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
79	B5	1781/1783 (99%)	459 (25%)	14 (0%)
All	All	5207/5218 (99%)	1203 (23%)	29 (0%)

5 of 1203 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A1	14	U
1	A1	18	G
1	A1	21	G
1	A1	26	A
1	A1	34	A

5 of 29 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
3	A4	81	U
79	B5	1633	A
79	B5	272	U
79	B5	1344	A
79	B5	224	C

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

66 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	OMU	A1	2421	1	19,22,23	1.34	3 (15%)	25,31,34	1.87	4 (16%)
1	OMC	A1	2959	1	19,22,23	0.89	1 (5%)	25,31,34	0.99	1 (4%)
79	G7M	B5	1575	79	20,26,27	2.65	4 (20%)	16,39,42	1.14	1 (6%)
1	OMC	A1	2197	1	19,22,23	0.81	0	25,31,34	0.79	0
1	OMC	A1	2948	1	19,22,23	0.92	2 (10%)	25,31,34	1.01	2 (8%)
1	A2M	A1	876	1	18,25,26	0.90	0	20,36,39	1.19	2 (10%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
79	4AC	B5	1773	79	21,24,25	1.01	1 (4%)	28,34,37	1.38	6 (21%)
1	A2M	A1	817	81,1	18,25,26	0.86	0	20,36,39	1.72	3 (15%)
1	OMU	A1	898	1	19,22,23	1.42	4 (21%)	25,31,34	1.77	4 (16%)
79	OMC	B5	414	79	19,22,23	0.82	0	25,31,34	0.88	1 (4%)
1	A2M	A1	2220	1	18,25,26	0.81	0	20,36,39	1.53	3 (15%)
1	OMU	A1	2417	1	19,22,23	1.34	4 (21%)	25,31,34	1.77	5 (20%)
1	A2M	A1	2946	81,1	18,25,26	0.90	0	20,36,39	1.46	3 (15%)
79	OMG	B5	1126	79	19,26,27	0.96	1 (5%)	21,38,41	1.05	2 (9%)
1	A2M	A1	649	1	18,25,26	0.77	0	20,36,39	1.36	2 (10%)
79	OMG	B5	1271	79	19,26,27	0.95	1 (5%)	21,38,41	1.04	2 (9%)
1	A2M	A1	1133	1	18,25,26	0.87	1 (5%)	20,36,39	1.48	4 (20%)
1	OMU	A1	2921	1	19,22,23	1.34	4 (21%)	25,31,34	1.87	5 (20%)
79	A2M	B5	28	81,79	18,25,26	0.88	0	20,36,39	1.26	2 (10%)
79	MA6	B5	1781	79	19,26,27	1.10	2 (10%)	18,38,41	2.11	3 (16%)
79	3AU	B5	1191	79	24,28,29	0.48	0	30,40,43	0.70	0
1	1MA	A1	2142	81,1	17,25,26	1.39	2 (11%)	17,37,40	1.32	3 (17%)
1	UR3	A1	2634	81,1	19,22,23	0.96	2 (10%)	26,32,35	1.92	4 (15%)
1	OMG	A1	2288	1	19,26,27	0.95	1 (5%)	21,38,41	1.08	2 (9%)
79	OMG	B5	562	79	19,26,27	0.93	1 (5%)	21,38,41	1.13	3 (14%)
1	5MC	A1	2870	81,1	19,22,23	1.07	3 (15%)	26,32,35	1.35	3 (11%)
79	OMG	B5	1428	81,79	19,26,27	0.89	1 (5%)	21,38,41	0.98	1 (4%)
1	OMC	A1	2337	1	19,22,23	0.94	2 (10%)	25,31,34	1.03	1 (4%)
1	A2M	A1	2281	1	18,25,26	0.79	0	20,36,39	2.10	4 (20%)
79	A2M	B5	974	79	18,25,26	0.83	0	20,36,39	1.22	2 (10%)
1	OMG	A1	867	81,1	19,26,27	0.92	1 (5%)	21,38,41	1.15	3 (14%)
1	OMG	A1	2619	1	19,26,27	0.87	1 (5%)	21,38,41	1.02	2 (9%)
79	OMU	B5	578	79	19,22,23	1.24	4 (21%)	25,31,34	1.85	6 (24%)
79	A2M	B5	100	81,79	18,25,26	0.85	0	20,36,39	1.21	2 (10%)
1	OMG	A1	2793	1	19,26,27	0.92	1 (5%)	21,38,41	1.13	2 (9%)
79	OMC	B5	1639	79	19,22,23	0.82	0	25,31,34	0.79	0
79	A2M	B5	420	79	18,25,26	0.82	0	20,36,39	1.43	4 (20%)
79	4AC	B5	1280	79	21,24,25	1.16	3 (14%)	28,34,37	1.71	3 (10%)
1	A2M	A1	1449	81,1	18,25,26	0.86	0	20,36,39	1.14	1 (5%)
79	A2M	B5	796	79	18,25,26	0.86	0	20,36,39	1.42	4 (20%)
1	1MA	A1	645	81,1	17,25,26	1.38	2 (11%)	17,37,40	1.24	3 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	OMC	A1	663	1	19,22,23	0.90	2 (10%)	25,31,34	0.85	0
1	OMG	A1	2791	1	19,26,27	0.93	1 (5%)	21,38,41	1.17	2 (9%)
1	OMC	A1	650	1	19,22,23	0.87	2 (10%)	25,31,34	0.89	1 (4%)
1	5MC	A1	2278	81,1	19,22,23	1.31	3 (15%)	26,32,35	1.32	4 (15%)
79	OMC	B5	1007	79	19,22,23	0.83	1 (5%)	25,31,34	0.97	1 (4%)
79	OMU	B5	1269	81,79	19,22,23	1.40	4 (21%)	25,31,34	1.95	6 (24%)
1	A2M	A1	2280	1	18,25,26	0.87	0	20,36,39	1.26	2 (10%)
1	OMU	A1	2729	1	19,22,23	1.40	3 (15%)	25,31,34	1.72	6 (24%)
1	A2M	A1	2640	1	18,25,26	0.83	0	20,36,39	1.09	2 (10%)
1	OMU	A1	2347	1	19,22,23	1.46	4 (21%)	25,31,34	1.92	7 (28%)
5	HIC	AB	243	5	8,11,12	1.44	1 (12%)	5,14,16	0.73	0
1	OMG	A1	805	1	19,26,27	0.96	1 (5%)	21,38,41	1.07	1 (4%)
1	OMG	A1	1450	1	19,26,27	0.96	1 (5%)	21,38,41	1.17	2 (9%)
1	OMG	A1	2815	1	19,26,27	0.96	1 (5%)	21,38,41	1.28	3 (14%)
1	A2M	A1	807	1	18,25,26	0.87	0	20,36,39	1.48	3 (15%)
1	OMU	A1	1888	1	19,22,23	1.41	4 (21%)	25,31,34	1.98	5 (20%)
1	OMG	A1	2922	1	19,26,27	0.91	1 (5%)	21,38,41	1.03	2 (9%)
1	OMG	A1	908	81,1	19,26,27	0.93	1 (5%)	21,38,41	1.41	3 (14%)
79	A2M	B5	436	79	18,25,26	0.80	0	20,36,39	1.28	3 (15%)
79	A2M	B5	541	79	18,25,26	0.80	0	20,36,39	1.32	3 (15%)
79	A2M	B5	619	81,79	18,25,26	0.85	0	20,36,39	1.48	3 (15%)
79	OMG	B5	1572	79	19,26,27	0.94	1 (5%)	21,38,41	1.08	2 (9%)
79	MA6	B5	1782	79	19,26,27	0.96	1 (5%)	18,38,41	2.04	3 (16%)
1	OMC	A1	1437	81,1	19,22,23	0.91	1 (5%)	25,31,34	1.49	5 (20%)
1	OMU	A1	2724	1	19,22,23	1.34	4 (21%)	25,31,34	1.85	5 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	OMU	A1	2421	1	-	0/9/27/28	0/2/2/2
79	G7M	B5	1575	79	3/3/5/5	2/3/25/26	0/3/3/3
1	OMC	A1	2959	1	-	0/9/27/28	0/2/2/2
1	OMC	A1	2197	1	-	6/9/27/28	0/2/2/2

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	OMC	A1	2948	1	-	0/9/27/28	0/2/2/2
1	A2M	A1	876	1	-	0/5/27/28	0/3/3/3
79	4AC	B5	1773	79	-	2/11/29/30	0/2/2/2
1	A2M	A1	817	81,1	-	2/5/27/28	0/3/3/3
1	OMU	A1	898	1	-	0/9/27/28	0/2/2/2
79	OMC	B5	414	79	-	0/9/27/28	0/2/2/2
1	A2M	A1	2220	1	-	0/5/27/28	0/3/3/3
1	OMU	A1	2417	1	-	2/9/27/28	0/2/2/2
1	A2M	A1	2946	81,1	-	0/5/27/28	0/3/3/3
79	OMG	B5	1126	79	-	2/5/27/28	0/3/3/3
1	A2M	A1	649	1	-	1/5/27/28	0/3/3/3
79	OMG	B5	1271	79	-	1/5/27/28	0/3/3/3
1	A2M	A1	1133	1	-	0/5/27/28	0/3/3/3
1	OMU	A1	2921	1	-	0/9/27/28	0/2/2/2
79	A2M	B5	28	81,79	-	0/5/27/28	0/3/3/3
79	MA6	B5	1781	79	-	1/7/29/30	0/3/3/3
79	3AU	B5	1191	79	1/1/7/7	3/16/34/35	0/2/2/2
1	1MA	A1	2142	81,1	-	2/3/25/26	0/3/3/3
1	UR3	A1	2634	81,1	-	0/7/25/26	0/2/2/2
1	OMG	A1	2288	1	-	2/5/27/28	0/3/3/3
79	OMG	B5	562	79	-	0/5/27/28	0/3/3/3
1	5MC	A1	2870	81,1	-	6/7/25/26	0/2/2/2
79	OMG	B5	1428	81,79	-	3/5/27/28	0/3/3/3
1	OMC	A1	2337	1	-	1/9/27/28	0/2/2/2
1	A2M	A1	2281	1	-	2/5/27/28	0/3/3/3
79	A2M	B5	974	79	-	0/5/27/28	0/3/3/3
1	OMG	A1	867	81,1	-	0/5/27/28	0/3/3/3
1	OMG	A1	2619	1	-	1/5/27/28	0/3/3/3
79	OMU	B5	578	79	-	0/9/27/28	0/2/2/2
79	A2M	B5	100	81,79	-	1/5/27/28	0/3/3/3
1	OMG	A1	2793	1	-	0/5/27/28	0/3/3/3
79	OMC	B5	1639	79	-	0/9/27/28	0/2/2/2
79	A2M	B5	420	79	-	0/5/27/28	0/3/3/3
79	4AC	B5	1280	79	-	4/11/29/30	0/2/2/2
1	A2M	A1	1449	81,1	-	0/5/27/28	0/3/3/3
79	A2M	B5	796	79	-	0/5/27/28	0/3/3/3
1	1MA	A1	645	81,1	-	0/3/25/26	0/3/3/3
1	OMC	A1	663	1	-	0/9/27/28	0/2/2/2
1	OMG	A1	2791	1	-	0/5/27/28	0/3/3/3
1	OMC	A1	650	1	-	0/9/27/28	0/2/2/2

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	5MC	A1	2278	81,1	-	0/7/25/26	0/2/2/2
79	OMC	B5	1007	79	-	0/9/27/28	0/2/2/2
79	OMU	B5	1269	81,79	-	2/9/27/28	0/2/2/2
1	A2M	A1	2280	1	-	0/5/27/28	0/3/3/3
1	OMU	A1	2729	1	-	2/9/27/28	0/2/2/2
1	A2M	A1	2640	1	-	0/5/27/28	0/3/3/3
1	OMU	A1	2347	1	-	2/9/27/28	0/2/2/2
5	HIC	AB	243	5	-	2/5/6/8	0/1/1/1
1	OMG	A1	805	1	-	0/5/27/28	0/3/3/3
1	OMG	A1	1450	1	-	2/5/27/28	0/3/3/3
1	OMG	A1	2815	1	-	0/5/27/28	0/3/3/3
1	A2M	A1	807	1	-	1/5/27/28	0/3/3/3
1	OMU	A1	1888	1	-	0/9/27/28	0/2/2/2
1	OMG	A1	2922	1	-	0/5/27/28	0/3/3/3
1	OMG	A1	908	81,1	-	3/5/27/28	0/3/3/3
79	A2M	B5	436	79	-	0/5/27/28	0/3/3/3
79	A2M	B5	541	79	-	2/5/27/28	0/3/3/3
79	A2M	B5	619	81,79	-	2/5/27/28	0/3/3/3
79	OMG	B5	1572	79	-	0/5/27/28	0/3/3/3
79	MA6	B5	1782	79	-	4/7/29/30	0/3/3/3
1	OMC	A1	1437	81,1	-	2/9/27/28	0/2/2/2
1	OMU	A1	2724	1	-	0/9/27/28	0/2/2/2

The worst 5 of 89 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
79	B5	1575	G7M	C8-N9	8.06	1.47	1.33
79	B5	1575	G7M	C8-N7	6.44	1.44	1.33
79	B5	1575	G7M	C5-C4	4.28	1.47	1.39
1	A1	2142	1MA	C2-N3	4.13	1.33	1.28
1	A1	2278	5MC	C5-C4	3.98	1.47	1.44

The worst 5 of 182 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A1	2634	UR3	C4-N3-C2	-7.58	118.48	124.58
79	B5	1280	4AC	N4-C4-N3	6.49	124.41	113.87
79	B5	1781	MA6	C2-N1-C6	6.26	122.98	116.84
79	B5	1782	MA6	C2-N1-C6	5.98	122.70	116.84
1	A1	2281	A2M	O4'-C1'-N9	5.66	116.25	108.75

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
79	B5	1191	3AU	C12
79	B5	1575	G7M	C4'
79	B5	1575	G7M	C3'
79	B5	1575	G7M	C2'

5 of 68 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	AB	243	HIC	CA-CB-CG-ND1
5	AB	243	HIC	CA-CB-CG-CD2
1	A1	908	OMG	C1'-C2'-O2'-CM2
1	A1	1437	OMC	C1'-C2'-O2'-CM2
1	A1	1450	OMG	O4'-C4'-C5'-O5'

There are no ring outliers.

15 monomers are involved in 20 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A1	2948	OMC	1	0
1	A1	2220	A2M	2	0
79	B5	1126	OMG	2	0
1	A1	649	A2M	1	0
1	A1	1133	A2M	1	0
79	B5	1781	MA6	1	0
1	A1	2619	OMG	1	0
79	B5	1280	4AC	4	0
1	A1	1449	A2M	1	0
79	B5	796	A2M	1	0
1	A1	663	OMC	1	0
5	AB	243	HIC	1	0
1	A1	2815	OMG	1	0
1	A1	908	OMG	2	0
79	B5	436	A2M	1	0

## 5.5 Carbohydrates

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry

Of 377 ligands modelled in this entry, 376 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
80	3HE	A1	3401	-	21,21,21	0.43	0	23,30,30	0.76	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
80	3HE	A1	3401	-	-	0/8/36/36	0/2/2/2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A1	6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Number of breaks
79	B5	2
18	AP	1
53	BI	1
8	AE	1
12	AI	1
62	BR	1
76	Bf	1
3	A4	1
66	BV	1

The worst 5 of 16 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A1	1253:U	O3'	1260:A	P	26.34
1	AP	155:GLU	C	164:LYS	N	24.32
1	BI	123:LYS	C	135:LYS	N	18.64
1	A1	1955:U	O3'	2093:A	P	18.09
1	B5	658:C	O3'	676:G	P	17.61


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-24235. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 216



Y Index: 216




Z Index: 216


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 240



Y Index: 199




Z Index: 265


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)

This section contains the results of statistical analysis of the map.


### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.




## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1915 nm<sup>3</sup>; this corresponds to an approximate mass of 1730 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ



\*Reported resolution corresponds to spatial frequency of 0.328 Å<sup>-1</sup>


## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-24235 and PDB model 7N8B. Per-residue inclusion information can be found in section [3](#) on page [22](#).

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 95% of all backbone atoms, 94% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary ⓘ





















































































The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9400	 0.5700
A1	 0.9630	 0.5830
A3	 0.9940	 0.5940
A4	 0.9880	 0.6100
AA	 0.9820	 0.6150
AB	 0.9800	 0.6200
AC	 0.9750	 0.6080
AD	 0.9270	 0.5640
AE	 0.9600	 0.6000
AF	 0.9690	 0.6050
AG	 0.9430	 0.5870
AH	 0.9600	 0.5970
AI	 0.9480	 0.5810
AJ	 0.8730	 0.5080
AL	 0.9540	 0.6060
AM	 0.9710	 0.6100
AN	 0.9900	 0.6270
AO	 0.9770	 0.6120
AP	 0.9750	 0.6210
AQ	 0.9830	 0.6200
AR	 0.8830	 0.5390
AS	 0.9730	 0.6120
AT	 0.9690	 0.5970
AU	 0.9450	 0.5640
AV	 0.9740	 0.6090
AW	 0.9960	 0.6260
AX	 0.9680	 0.6080
AY	 0.9650	 0.6120
AZ	 0.9640	 0.5910
Aa	 0.9640	 0.6110
Ab	 0.9470	 0.5820
Ac	 0.9550	 0.5880
Ad	 0.9290	 0.6100
Ae	 0.9800	 0.6220
Af	 0.9940	 0.6330



*Continued on next page...*






*Continued from previous page...*

Chain	Atom inclusion	Q-score
Ag	 0.9580	 0.5980
Ah	 0.9740	 0.6150
Ai	 0.9330	 0.5620
Aj	 0.9800	 0.6190
Ak	 0.9300	 0.5730
Al	 0.9810	 0.6250
Am	 0.9400	 0.5890
An	 0.8870	 0.4910
Ao	 0.9470	 0.5910
Ap	 0.9690	 0.5960
B5	 0.9190	 0.5340
BA	 0.9460	 0.5750
BB	 0.9170	 0.5570
BC	 0.9600	 0.5870
BD	 0.9040	 0.5250
BE	 0.9540	 0.5950
BF	 0.9150	 0.5450
BG	 0.9210	 0.5630
BH	 0.8100	 0.5110
BI	 0.9430	 0.5740
BJ	 0.9280	 0.5730
BK	 0.8260	 0.4820
BL	 0.8710	 0.5500
BM	 0.3920	 0.2640
BN	 0.9490	 0.5790
BO	 0.9220	 0.5500
BP	 0.8380	 0.5160
BQ	 0.9480	 0.5790
BR	 0.8430	 0.5110
BS	 0.8920	 0.5350
BT	 0.9320	 0.5630
BU	 0.8130	 0.5050
BV	 0.9430	 0.5860
BW	 0.9730	 0.6070
BX	 0.9690	 0.5950
BY	 0.9130	 0.5750
BZ	 0.8780	 0.5410
Ba	 0.9380	 0.5700
Bb	 0.9190	 0.5710
Bc	 0.8660	 0.5190
Bd	 0.9790	 0.5790
Be	 0.9080	 0.5480

*Continued on next page...*



*Continued from previous page...*

Chain	Atom inclusion	Q-score
Bf	 0.4530	 0.2350
Bg	 0.8660	 0.5390
Bh	 0.5370	 0.3250