



wwPDB X-ray Structure Validation Summary Report ⓘ

Jun 16, 2025 – 12:36 PM EDT

PDB ID : 9NBX / pdb_00009nbx
Title : Crystal structure of PAK1 bound to C2
Authors : Wang, W.; Oh, A.; Kiefer, J.R.; Hsu, P.L.
Deposited on : 2025-02-14
Resolution : 2.15 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0rc1
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0rc1
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.006 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1881 (2.16-2.16)
Clashscore	180529	2047 (2.16-2.16)
Ramachandran outliers	177936	2027 (2.16-2.16)
Sidechain outliers	177891	2026 (2.16-2.16)
RSRZ outliers	164620	1882 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	537	<div> <div>6%</div> <div> <div></div> <div>44%</div> <div>8%</div> <div>48%</div> </div> </div>
1	B	537	<div> <div>4%</div> <div> <div></div> <div>42%</div> <div>9%</div> <div>49%</div> </div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 8619 atoms, of which 4277 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutathione S-transferase class-mu 26 kDa isozyme, Serine/threonine-protein kinase PAK 1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	281	Total	C	H	N	O	S	0	0	0
			4245	1348	2117	357	408	15			
1	B	276	Total	C	H	N	O	S	0	0	0
			4209	1345	2098	349	402	15			

There are 52 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	12	MET	-	expression tag	UNP P08515
A	13	HIS	-	expression tag	UNP P08515
A	14	HIS	-	expression tag	UNP P08515
A	15	HIS	-	expression tag	UNP P08515
A	16	HIS	-	expression tag	UNP P08515
A	17	HIS	-	expression tag	UNP P08515
A	18	HIS	-	expression tag	UNP P08515
A	19	HIS	-	expression tag	UNP P08515
A	20	HIS	-	expression tag	UNP P08515
A	21	GLY	-	expression tag	UNP P08515
A	154	LYS	GLU	conflict	UNP P08515
A	239	SER	-	linker	UNP P08515
A	240	ASP	-	linker	UNP P08515
A	241	GLY	-	linker	UNP P08515
A	242	GLU	-	linker	UNP P08515
A	243	ASN	-	linker	UNP P08515
A	244	LEU	-	linker	UNP P08515
A	245	TYR	-	linker	UNP P08515
A	246	PHE	-	linker	UNP P08515
A	247	GLN	-	linker	UNP P08515
A	248	GLY	-	linker	UNP P08515
A	389	ASN	ASP	conflict	UNP Q13153
A	423	GLU	THR	conflict	UNP Q13153
A	546	GLY	-	expression tag	UNP Q13153

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	547	ASN	-	expression tag	UNP Q13153
A	548	SER	-	expression tag	UNP Q13153
B	12	MET	-	expression tag	UNP P08515
B	13	HIS	-	expression tag	UNP P08515
B	14	HIS	-	expression tag	UNP P08515
B	15	HIS	-	expression tag	UNP P08515
B	16	HIS	-	expression tag	UNP P08515
B	17	HIS	-	expression tag	UNP P08515
B	18	HIS	-	expression tag	UNP P08515
B	19	HIS	-	expression tag	UNP P08515
B	20	HIS	-	expression tag	UNP P08515
B	21	GLY	-	expression tag	UNP P08515
B	154	LYS	GLU	conflict	UNP P08515
B	239	SER	-	linker	UNP P08515
B	240	ASP	-	linker	UNP P08515
B	241	GLY	-	linker	UNP P08515
B	242	GLU	-	linker	UNP P08515
B	243	ASN	-	linker	UNP P08515
B	244	LEU	-	linker	UNP P08515
B	245	TYR	-	linker	UNP P08515
B	246	PHE	-	linker	UNP P08515
B	247	GLN	-	linker	UNP P08515
B	248	GLY	-	linker	UNP P08515
B	389	ASN	ASP	conflict	UNP Q13153
B	423	GLU	THR	conflict	UNP Q13153
B	546	GLY	-	expression tag	UNP Q13153
B	547	ASN	-	expression tag	UNP Q13153
B	548	SER	-	expression tag	UNP Q13153

- Molecule 2 is (6M)-8-(3-aminopropyl)-6-(4-butoxy-2-methylphenyl)-2-(methylamino)pyrido[2,3-d]pyrimidin-7(8H)-one (CCD ID: A1BW5) (formula: C₂₂H₂₉N₅O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	H	N	O	0	0
			57	22	28	5	2		
2	B	1	Total	C	H	N	O	0	0
			57	22	28	5	2		

- Molecule 3 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C_2H_6OS).





Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	B	1	Total	C	H	O	S	0	0
			10	2	6	1	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	20	Total 20	O 20	0	0
4	B	21	Total 21	O 21	0	0

● Molecule 1: Glutathione S-transferase class-mu 26 kDa isozyme, Serine/threonine-protein kinase PAK 1





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	61.82Å 81.36Å 65.85Å 90.00° 106.99° 90.00°	Depositor
Resolution (Å)	31.93 – 2.15 31.93 – 2.15	Depositor EDS
% Data completeness (in resolution range)	97.8 (31.93-2.15) 97.8 (31.93-2.15)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.17 (at 2.16Å)	Xtriage
Refinement program	PHENIX (1.20.1_4487: ???)	Depositor
R, R_{free}	0.225 , 0.265 0.225 , 0.265	Depositor DCC
R_{free} test set	1706 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	48.4	Xtriage
Anisotropy	0.018	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 40.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8619	wwPDB-VP
Average B, all atoms (Å ²)	71.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.04% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DMS, A1BW5

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.26	1/2160 (0.0%)	0.42	2/2929 (0.1%)
1	B	0.20	0/2144	0.38	0/2906
All	All	0.23	1/4304 (0.0%)	0.40	2/5835 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	286	THR	CB-CG2	-7.27	1.28	1.52

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	286	THR	OG1-CB-CG2	5.61	120.52	109.30
1	A	276	ILE	CB-CG1-CD1	-5.09	103.10	113.80

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	471	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2128	2117	2117	33	0
1	B	2111	2098	2098	44	0
2	A	29	28	0	0	0
2	B	29	28	0	0	0
3	B	4	6	6	0	0
4	A	20	0	0	0	0
4	B	21	0	0	0	0
All	All	4342	4277	4221	75	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

The worst 5 of 75 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:261:VAL:HG11	1:B:335:LEU:HG	1.43	1.00
1:A:261:VAL:HG21	1:A:335:LEU:HD13	1.59	0.84
1:A:261:VAL:CG2	1:A:335:LEU:HD13	2.12	0.80
1:B:260:ILE:HG22	1:B:317:LEU:HD21	1.76	0.66
1:B:315:GLU:OE2	1:B:410:PHE:N	2.29	0.66

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	275/537 (51%)	263 (96%)	10 (4%)	2 (1%)	19	13
1	B	268/537 (50%)	259 (97%)	9 (3%)	0	100	100
All	All	543/1074 (51%)	522 (96%)	19 (4%)	2 (0%)	30	27

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	277	GLY
1	A	281	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	228/470 (48%)	227 (100%)	1 (0%)	89	92
1	B	227/470 (48%)	224 (99%)	3 (1%)	65	71
All	All	455/940 (48%)	451 (99%)	4 (1%)	75	81

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	276	ILE
1	B	281	SER
1	B	315	GLU
1	B	484	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 10 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	389	ASN
1	B	479	ASN
1	B	519	GLN
1	A	413	GLN
1	B	302	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	DMS	B	601	-	3,3,3	0.70	0	3,3,3	0.54	0
2	A1BW5	A	601	-	31,31,31	3.13	8 (25%)	35,42,42	2.08	11 (31%)
2	A1BW5	B	602	-	31,31,31	3.17	8 (25%)	35,42,42	2.09	10 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	A1BW5	A	601	-	-	10/15/15/15	0/3/3/3
2	A1BW5	B	602	-	-	7/15/15/15	0/3/3/3

The worst 5 of 16 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	602	A1BW5	C18-N28	13.50	1.45	1.34
2	A	601	A1BW5	C18-N28	13.27	1.45	1.34
2	A	601	A1BW5	C09-C13	-8.41	1.39	1.49
2	B	602	A1BW5	C09-C13	-8.35	1.39	1.49
2	B	602	A1BW5	C13-C22	-3.52	1.40	1.46

The worst 5 of 21 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	A1BW5	C16-C15-C20	5.44	119.35	114.55
2	B	602	A1BW5	C16-C15-C20	5.36	119.28	114.55
2	B	602	A1BW5	N17-C18-N19	-4.76	121.82	126.42
2	A	601	A1BW5	N17-C18-N19	-4.26	122.30	126.42
2	A	601	A1BW5	C29-N28-C18	-4.06	118.70	123.59

There are no chirality outliers.


5 of 17 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	A1BW5	N17-C18-N28-C29
2	A	601	A1BW5	N19-C18-N28-C29
2	A	601	A1BW5	C11-C06-O05-C04
2	A	601	A1BW5	C07-C06-O05-C04
2	B	602	A1BW5	C11-C06-O05-C04

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	281/537 (52%)	0.60	31 (11%)	12 14	41, 70, 117, 130	0
1	B	276/537 (51%)	0.58	22 (7%)	20 23	41, 65, 111, 122	0
All	All	557/1074 (51%)	0.59	53 (9%)	15 18	41, 68, 115, 130	0

The worst 5 of 53 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	304	GLN	4.0
1	A	279	GLY	3.7
1	B	258	ARG	3.6
1	B	308	LYS	3.4
1	A	433	PRO	3.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	DMS	B	601	4/4	0.85	0.12	67,80,84,84	0
2	A1BW5	A	601	29/29	0.87	0.11	61,83,105,106	0
2	A1BW5	B	602	29/29	0.90	0.10	47,69,93,98	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around A1BW5 A 601:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around A1BW5 B 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.