



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 16, 2024 – 07:38 PM EDT

PDB ID : 5NG7
Title : Novel epoxide hydrolases belonging to the alpha/beta hydrolases superfamily in metagenomes from hot environments
Authors : Ferrandi, E.E.; De Rose, S.A.; Sayer, C.; Guazzelli, E.; Marchesi, C.; Saneei, V.; Isupov, M.N.; Littlechild, J.A.; Monti, D.
Deposited on : 2017-03-17
Resolution : 1.39 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.39 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1714 (1.40-1.40)
Clashscore	141614	1812 (1.40-1.40)
Ramachandran outliers	138981	1763 (1.40-1.40)
Sidechain outliers	138945	1762 (1.40-1.40)
RSRZ outliers	127900	1674 (1.40-1.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	299	<div> <div>3%</div> <div>81%</div> <div>14%</div> <div>••</div> </div>
1	B	299	<div> <div>4%</div> <div>85%</div> <div>12%</div> <div>•</div> </div>

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 6046 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called epoxide hydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	292	Total	C	N	O	S	0	63	0
			2783	1875	435	462	11			
1	B	290	Total	C	N	O	S	0	41	0
			2618	1739	424	446	9			

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Cl	0	0
			1	1		
2	B	2	Total	Cl	0	0
			2	2		

- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is SERINE (three-letter code: SER) (formula: $C_3H_7NO_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	N	O	0	0
			7	3	1	3		

- Molecule 5 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			7	4	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	347	Total	O	0	0
			347	347		
6	B	269	Total	O	0	0
			269	269		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: epoxide hydrolase



- Molecule 1: epoxide hydrolase



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	163.94Å 46.22Å 73.87Å 90.00° 106.94° 90.00°	Depositor
Resolution (Å)	39.51 – 1.39 39.51 – 1.39	Depositor EDS
% Data completeness (in resolution range)	98.2 (39.51-1.39) 98.2 (39.51-1.39)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.04	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.48 (at 1.39Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.173 , 0.204 0.173 , 0.204	Depositor DCC
R_{free} test set	5200 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å ²)	17.3	Xtriage
Anisotropy	0.272	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 42.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	6046	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.47% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, EDO, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.72	0/3035	0.85	1/4100 (0.0%)
1	B	0.69	0/2799	0.82	0/3784
All	All	0.70	0/5834	0.83	1/7884 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	66	ASP	CB-CG-OD2	-5.55	113.30	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	254[B]	ASP	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2783	0	3002	96	0
1	B	2618	0	2773	35	0
2	A	1	0	0	0	0
2	B	2	0	0	0	0
3	A	8	0	12	3	0
3	B	4	0	6	0	0
4	B	7	0	4	0	0
5	B	7	0	10	2	0
6	A	347	0	0	16	3
6	B	269	0	0	5	3
All	All	6046	0	5807	129	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:169[B]:PHE:CZ	1:A:173[B]:MET:HE3	1.30	1.66
1:A:169[B]:PHE:CZ	1:A:173[B]:MET:CE	1.90	1.50
1:A:132[B]:TYR:CD1	1:A:133[B]:MET:HE2	1.43	1.50
1:A:169[B]:PHE:CE1	1:A:173[B]:MET:CE	2.00	1.43
1:A:132[B]:TYR:CD1	1:A:133[B]:MET:CE	2.05	1.39
1:A:249[B]:ILE:HD12	1:A:252[B]:MET:CE	1.53	1.37
1:A:132[B]:TYR:CE1	1:A:133[B]:MET:CE	2.17	1.25
1:A:249[B]:ILE:CD1	1:A:252[B]:MET:CE	2.14	1.25
1:B:3[B]:GLU:HG3	1:B:4[B]:MET:SD	1.76	1.25
1:A:132[B]:TYR:CE1	1:A:133[B]:MET:HE3	1.71	1.22
1:A:249[B]:ILE:CD1	1:A:252[B]:MET:HE3	1.70	1.21
1:A:169[B]:PHE:CE1	1:A:173[B]:MET:HE1	1.80	1.14
1:B:278[B]:GLU:HG3	1:B:281[B]:ARG:NH1	1.66	1.09
1:A:237[A]:TRP:CE3	6:A:602:HOH:O	2.05	1.08
1:A:141[A]:ARG:HH21	1:A:141[A]:ARG:HG3	0.93	1.04
1:A:132[B]:TYR:HD1	1:A:133[B]:MET:CE	1.56	1.03
1:A:169[B]:PHE:CE1	1:A:173[B]:MET:HE2	1.90	1.01
1:A:132[B]:TYR:CE1	1:A:133[B]:MET:HE2	1.87	1.00
1:A:249[B]:ILE:CD1	1:A:252[B]:MET:HE1	1.90	1.00
1:A:237[A]:TRP:CH2	1:A:249[A]:ILE:HD11	1.98	0.98
1:A:141[A]:ARG:HG3	1:A:141[A]:ARG:NH2	1.74	0.98
1:B:251[B]:ASN:OD1	6:B:402:HOH:O	1.81	0.97

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:11[B]:LYS:HD2	1:B:13[B]:ASN:O	1.65	0.96
1:A:132[B]:TYR:HE1	1:A:133[B]:MET:HE3	1.10	0.94
1:A:141[A]:ARG:HH21	1:A:141[A]:ARG:CG	1.82	0.93
1:A:237[A]:TRP:CZ3	6:A:602:HOH:O	2.19	0.93
1:A:169[B]:PHE:CZ	1:A:173[B]:MET:HE2	1.99	0.92
1:A:237[A]:TRP:CE2	1:A:249[A]:ILE:HG13	2.06	0.90
1:A:88[B]:LYS:HG2	6:A:584:HOH:O	1.71	0.88
1:A:237[A]:TRP:CZ2	1:A:249[A]:ILE:HG13	2.08	0.87
1:A:194[B]:ASP:OD2	6:A:401:HOH:O	1.94	0.86
1:A:88[B]:LYS:HE3	6:A:584:HOH:O	1.76	0.86
1:A:141[A]:ARG:HG3	3:A:303:EDO:O1	1.77	0.85
1:B:3[B]:GLU:CG	1:B:4[B]:MET:SD	2.63	0.84
1:A:237[A]:TRP:CH2	1:A:249[A]:ILE:CD1	2.62	0.82
1:A:248:LEU:C	1:A:249[A]:ILE:HD13	2.00	0.81
1:A:88[B]:LYS:NZ	1:A:93:GLU:HA	1.96	0.79
1:A:169[B]:PHE:HZ	1:A:173[B]:MET:HE3	0.98	0.79
1:A:249[B]:ILE:HD12	1:A:252[B]:MET:HE3	0.79	0.77
1:A:254[B]:ASP:O	1:A:254[B]:ASP:OD1	2.01	0.77
1:A:169[B]:PHE:HE1	1:A:173[B]:MET:HE1	1.43	0.76
1:B:129:PRO:HA	1:B:132[B]:TYR:CE2	2.21	0.75
1:A:88[B]:LYS:HZ3	1:A:93:GLU:HA	1.50	0.75
1:A:125[B]:ASN:OD1	1:A:237[B]:TRP:CD1	2.40	0.75
1:A:129:PRO:HA	1:A:132[B]:TYR:CE2	2.22	0.74
1:A:237[A]:TRP:CZ2	1:A:249[A]:ILE:CG1	2.71	0.74
1:A:132[B]:TYR:HD1	1:A:133[B]:MET:HE2	1.13	0.71
1:B:11[A]:LYS:NZ	6:B:404:HOH:O	2.23	0.70
1:A:140:LEU:HB3	3:A:303:EDO:H11	1.77	0.65
1:A:249[B]:ILE:HD13	1:A:252[B]:MET:HE1	1.73	0.65
1:B:124[B]:LEU:HD22	1:B:236:ILE:HB	1.80	0.64
1:B:278[B]:GLU:HG3	1:B:281[B]:ARG:HH12	1.55	0.64
1:A:167[A]:PHE:CD2	1:A:170[A]:LEU:HD12	2.35	0.61
1:A:254[B]:ASP:O	1:A:254[B]:ASP:CG	2.39	0.61
1:A:257[B]:GLU:HG2	6:A:649:HOH:O	2.00	0.60
1:A:253[A]:GLU:OE1	6:A:402:HOH:O	2.15	0.60
1:A:116:GLN:NE2	1:A:116:GLN:H	2.01	0.59
1:A:132[B]:TYR:HE1	1:A:133[B]:MET:CE	1.79	0.59
1:A:237[A]:TRP:HE3	6:A:602:HOH:O	1.59	0.59
1:B:3[B]:GLU:OE1	1:B:4[B]:MET:CE	2.52	0.58
1:A:164[B]:ARG:HD3	1:B:221[B]:GLU:OE2	2.02	0.58
1:A:167[A]:PHE:HD2	1:A:170[A]:LEU:HD12	1.69	0.58
1:A:44[B]:GLN:HA	1:A:44[B]:GLN:OE1	2.03	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:278[B]:GLU:CG	1:B:281[B]:ARG:NH1	2.56	0.57
1:A:127[A]:PRO:HD3	1:A:244[A]:ILE:HD13	1.86	0.57
1:A:132[B]:TYR:HD1	1:A:133[B]:MET:HE1	1.59	0.57
1:B:278[B]:GLU:HG3	1:B:281[B]:ARG:HH11	1.65	0.56
1:A:237[B]:TRP:CZ3	1:A:239[B]:GLU:HA	2.40	0.56
1:A:263:LYS:HD2	1:A:283:HIS:CE1	2.40	0.56
1:A:53[A]:ARG:NH1	6:A:406:HOH:O	2.39	0.54
1:A:127[B]:PRO:HG3	1:A:244[B]:ILE:HG21	1.89	0.54
1:B:12[A]:VAL:HG21	1:B:17[A]:MET:SD	2.47	0.54
1:A:253[B]:GLU:HA	6:A:474:HOH:O	2.07	0.53
1:A:249[B]:ILE:HD13	6:A:445:HOH:O	2.07	0.53
1:A:141[A]:ARG:CG	3:A:303:EDO:O1	2.51	0.53
1:A:163[B]:SER:HA	1:A:167[B]:PHE:CD1	2.44	0.52
1:B:172[B]:ASN:HD21	5:B:305:PEG:H11	1.75	0.51
1:B:281[A]:ARG:HD2	1:B:285[A]:GLU:OE2	2.10	0.51
1:B:234:LEU:HD11	1:B:263:LYS:HG3	1.90	0.51
1:A:4[B]:MET:HA	1:A:4[B]:MET:CE	2.41	0.51
1:A:116:GLN:H	1:A:116:GLN:HE21	1.57	0.51
1:B:127:PRO:HD3	1:B:244:ILE:HD13	1.93	0.51
1:A:88[B]:LYS:HZ1	1:A:93:GLU:HA	1.74	0.50
1:A:157[B]:ILE:HD13	6:B:657:HOH:O	2.12	0.49
1:A:88[B]:LYS:HA	1:A:88[B]:LYS:HE2	1.94	0.49
1:A:187[A]:GLU:HG2	6:A:504:HOH:O	2.11	0.49
1:A:129:PRO:HA	1:A:132[B]:TYR:CD2	2.47	0.49
1:B:175:ILE:HG23	1:B:181:ARG:HB2	1.96	0.48
1:A:170[B]:LEU:HA	1:A:170[B]:LEU:HD12	1.68	0.47
1:B:11[B]:LYS:CD	1:B:13[B]:ASN:O	2.51	0.47
1:B:156:ASN:O	1:B:160[B]:LYS:HG3	2.15	0.47
1:B:190[B]:ARG:NH2	1:B:191[B]:ILE:CD1	2.77	0.47
1:B:178:PHE:HE2	1:B:184:LEU:HG	1.80	0.47
1:A:237[A]:TRP:CH2	1:A:249[A]:ILE:CG1	2.95	0.47
1:B:263:LYS:HD2	1:B:283:HIS:CG	2.49	0.47
1:A:88[B]:LYS:CG	6:A:584:HOH:O	2.44	0.46
1:A:249[B]:ILE:HD11	1:A:252[B]:MET:CE	2.32	0.46
1:A:248:LEU:O	1:A:249[A]:ILE:HD13	2.16	0.46
1:B:129:PRO:HA	1:B:132[B]:TYR:CD2	2.50	0.46
1:B:141[A]:ARG:HH12	1:B:246:LYS:HG2	1.80	0.45
1:A:47:ALA:HB1	1:A:281[B]:ARG:HD3	1.99	0.45
1:A:254[B]:ASP:OD1	1:A:254[B]:ASP:C	2.56	0.45
1:B:181:ARG:HD2	6:B:500:HOH:O	2.16	0.44
1:A:237[A]:TRP:CZ3	1:A:249[A]:ILE:CD1	3.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:173[B]:MET:SD	1:A:176[B]:GLN:OE1	2.76	0.44
1:B:12[A]:VAL:CG2	1:B:17[A]:MET:SD	3.06	0.44
1:A:237[A]:TRP:CD2	1:A:249[A]:ILE:HG13	2.51	0.43
1:B:2:ASN:HB2	1:B:5:LEU:HB2	2.00	0.43
1:A:234:LEU:HD11	1:A:263:LYS:HG3	2.02	0.42
1:B:178:PHE:CE2	1:B:184:LEU:HG	2.54	0.42
1:A:215:PRO:HB2	1:B:157:ILE:HG21	2.02	0.42
1:A:141[A]:ARG:NH2	1:A:141[A]:ARG:CG	2.52	0.41
1:B:172[B]:ASN:ND2	5:B:305:PEG:H11	2.35	0.41
1:A:120[A]:LYS:NZ	1:A:291:SER:HB2	2.36	0.41
1:A:124[B]:LEU:HD22	1:A:236:ILE:HB	2.03	0.41
1:B:76[A]:LEU:HD23	6:B:586:HOH:O	2.19	0.41
1:A:12:VAL:HG21	1:A:17[B]:MET:SD	2.60	0.41
1:A:237[A]:TRP:CH2	1:A:249[A]:ILE:HG13	2.51	0.41
1:A:47:ALA:HB1	1:A:281[A]:ARG:CD	2.50	0.41
1:A:96:VAL:HG11	1:A:288[B]:ILE:HD13	2.02	0.41
1:A:249[B]:ILE:CD1	6:A:445:HOH:O	2.67	0.41
1:B:12[A]:VAL:HG22	1:B:17[A]:MET:HG3	2.03	0.41
1:A:88[B]:LYS:CD	6:A:584:HOH:O	2.69	0.40
1:A:252[B]:MET:HG2	1:A:256:ILE:CD1	2.50	0.40
1:A:12:VAL:HG22	1:A:17[B]:MET:HG3	2.03	0.40
1:A:253[A]:GLU:HA	6:A:474:HOH:O	2.20	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:559:HOH:O	6:B:633:HOH:O[4_555]	1.98	0.22
6:A:405:HOH:O	6:B:426:HOH:O[4_555]	1.99	0.21
6:A:496:HOH:O	6:B:446:HOH:O[3_455]	2.16	0.04

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	353/299 (118%)	339 (96%)	14 (4%)	0	100	100
1	B	329/299 (110%)	315 (96%)	14 (4%)	0	100	100
All	All	682/598 (114%)	654 (96%)	28 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	322/267 (121%)	311 (97%)	11 (3%)	37	8
1	B	298/267 (112%)	296 (99%)	2 (1%)	84	66
All	All	620/534 (116%)	607 (98%)	13 (2%)	65	21

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4[A]	MET
1	A	4[B]	MET
1	A	116	GLN
1	A	141[A]	ARG
1	A	141[B]	ARG
1	A	164[A]	ARG
1	A	164[B]	ARG
1	A	194[A]	ASP
1	A	194[B]	ASP
1	A	282[A]	LYS
1	A	282[B]	LYS
1	B	180	ARG
1	B	181	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	116	GLN
1	A	165	ASN
1	B	144	GLN
1	B	176	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 8 ligands modelled in this entry, 3 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	EDO	A	302	-	3,3,3	0.33	0	2,2,2	0.65	0
3	EDO	A	303	-	3,3,3	0.43	0	2,2,2	0.33	0
4	SER	B	303	-	5,6,6	0.97	1 (20%)	5,7,7	2.08	2 (40%)
5	PEG	B	305	-	6,6,6	0.56	0	5,5,5	0.35	0
3	EDO	B	304	-	3,3,3	0.49	0	2,2,2	0.27	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '–' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	A	302	-	-	1/1/1/1	-
3	EDO	A	303	-	-	1/1/1/1	-
4	SER	B	303	-	-	0/6/6/6	-
5	PEG	B	305	-	-	2/4/4/4	-
3	EDO	B	304	-	-	1/1/1/1	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	303	SER	OXT-C	-2.14	1.23	1.30

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	303	SER	OXT-C-O	-3.27	116.66	124.09
4	B	303	SER	OXT-C-CA	3.09	123.92	113.38

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	B	305	PEG	O1-C1-C2-O2
3	A	302	EDO	O1-C1-C2-O2
3	A	303	EDO	O1-C1-C2-O2
3	B	304	EDO	O1-C1-C2-O2
5	B	305	PEG	O2-C3-C4-O4

There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	303	EDO	3	0
5	B	305	PEG	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	292/299 (97%)	-0.15	8 (2%) 54 54	11, 19, 33, 131	0
1	B	290/299 (96%)	-0.01	12 (4%) 37 37	11, 21, 43, 107	0
All	All	582/598 (97%)	-0.08	20 (3%) 45 44	11, 20, 41, 131	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	2	ASN	6.3
1	A	3	GLU	5.5
1	B	291	SER	5.5
1	B	3[A]	GLU	5.2
1	A	293	ILE	5.2
1	A	292	ASP	3.6
1	A	43[A]	PHE	3.3
1	A	2	ASN	3.3
1	B	182	ASP	3.2
1	A	169[A]	PHE	3.0
1	A	4[A]	MET	3.0
1	B	179	VAL	2.6
1	B	180	ARG	2.4
1	B	169	PHE	2.4
1	B	178	PHE	2.3
1	B	13[A]	ASN	2.3
1	B	181	ARG	2.3
1	A	237[A]	TRP	2.2
1	B	266	PRO	2.1
1	B	290	LYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	PEG	B	305	7/7	0.78	0.15	34,45,54,57	7
4	SER	B	303	7/7	0.79	0.16	41,54,63,72	0
3	EDO	B	304	4/4	0.82	0.19	44,52,55,57	0
3	EDO	A	303	4/4	0.86	0.18	27,27,28,37	4
2	CL	B	302	1/1	0.93	0.10	28,28,28,28	1
3	EDO	A	302	4/4	0.95	0.18	34,41,47,49	0
2	CL	B	301	1/1	0.98	0.04	31,31,31,31	0
2	CL	A	301	1/1	0.99	0.03	22,22,22,22	0

6.5 Other polymers [i](#)

There are no such residues in this entry.