



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 1, 2025 – 11:20 pm BST

PDB ID : 5NPK / pdb_00005npk
Title : 1.98A STRUCTURE OF THIOPHENE1 WITH S.AUREUS DNA GYRASE
AND DNA
Authors : Bax, B.D.; Chan, P.F.; Stavenger, R.A.
Deposited on : 2017-04-17
Resolution : 1.98 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.42


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1356 (1.98-1.98)
Ramachandran outliers	177936	1426 (1.98-1.98)
Sidechain outliers	177891	1426 (1.98-1.98)
RSRZ outliers	164620	1356 (1.98-1.98)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	692	<div> <div>91%</div> <div>6%</div> <div>.</div> </div>
1	D	692	<div> <div>92%</div> <div>.</div> <div>.</div> <div>.</div> </div>
1	b	692	<div> <div>93%</div> <div>.</div> <div>.</div> <div>.</div> </div>
1	d	692	<div> <div>92%</div> <div>5%</div> <div>.</div> </div>
2	E	20	<div> <div>70%</div> <div>15%</div> <div>15%</div> </div>
2	F	20	<div> <div>65%</div> <div>15%</div> <div>20%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	e	20	 75% 25%
2	f	20	 85% 15%

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 26985 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA gyrase subunit B,DNA gyrase subunit B,DNA gyrase subunit A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	673	Total	C	N	O	S	0	29	0
			5544	3446	1008	1063	27			
1	D	674	Total	C	N	O	S	0	27	0
			5541	3445	1016	1054	26			
1	b	675	Total	C	N	O	S	0	31	0
			5579	3471	1013	1068	27			
1	d	672	Total	C	N	O	S	0	28	0
			5531	3440	1000	1064	27			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	409	MET	-	initiating methionine	UNP P66937
B	544	THR	-	linker	UNP P66937
B	545	GLY	-	linker	UNP P66937
B	1000	ASP	-	linker	UNP P66937
B	1001	PHE	-	linker	UNP P66937
B	1123	PHE	TYR	engineered mutation	UNP Q99XG5
D	409	MET	-	initiating methionine	UNP P66937
D	544	THR	-	linker	UNP P66937
D	545	GLY	-	linker	UNP P66937
D	1000	ASP	-	linker	UNP P66937
D	1001	PHE	-	linker	UNP P66937
D	1123	PHE	TYR	engineered mutation	UNP Q99XG5
b	409	MET	-	initiating methionine	UNP P66937
b	544	THR	-	linker	UNP P66937
b	545	GLY	-	linker	UNP P66937
b	1000	ASP	-	linker	UNP P66937
b	1001	PHE	-	linker	UNP P66937
b	1123	PHE	TYR	engineered mutation	UNP Q99XG5
d	409	MET	-	initiating methionine	UNP P66937
d	544	THR	-	linker	UNP P66937

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
d	545	GLY	-	linker	UNP P66937
d	1000	ASP	-	linker	UNP P66937
d	1001	PHE	-	linker	UNP P66937
d	1123	PHE	TYR	engineered mutation	UNP Q99XG5


- Molecule 2 is a DNA chain called DNA (5'-D(*AP*GP*CP*CP*GP*TP*AP*GP*GP*TP*AP*CP*CP*TP*AP*CP*GP*GP*CP*T)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	17	Total	C	N	O	P	0	5	0
			442	212	82	128	20			
2	F	16	Total	C	N	O	P	0	1	0
			345	165	63	101	16			
2	e	20	Total	C	N	O	P	0	5	0
			508	242	94	148	24			
2	f	20	Total	C	N	O	P	0	5	0
			508	242	94	148	24			

- Molecule 3 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Mn	0	0
			1	1		
3	D	1	Total	Mn	0	0
			1	1		
3	b	1	Total	Mn	0	0
			1	1		
3	d	2	Total	Mn	0	0
			2	2		

- Molecule 4 is {N}-[(1 {R})-2-azanyl-1-phenyl-ethyl]-4-(1 {H}-pyrrolo[2,3-b]pyridin-3-yl)thiophene-2-carboxamide (CCD ID: 94H) (formula: C₂₀H₁₈N₄OS).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	N	O	S	0	0
			26	20	4	1	1		
4	B	1	Total	C	N	O	S	0	1
			26	20	4	1	1		
4	D	1	Total	C	N	O	S	0	0
			26	20	4	1	1		
4	b	1	Total	C	N	O	S	0	0
			26	20	4	1	1		
4	b	1	Total	C	N	O	S	0	1
			26	20	4	1	1		
4	d	1	Total	C	N	O	S	0	0
			26	20	4	1	1		

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		
5	D	1	Total	C	O	0	0
			6	3	3		
5	D	1	Total	C	O	0	0
			6	3	3		
5	D	1	Total	C	O	0	0
			6	3	3		
5	D	1	Total	C	O	0	0
			6	3	3		
5	b	1	Total	C	O	0	0
			6	3	3		
5	b	1	Total	C	O	0	0
			6	3	3		
5	b	1	Total	C	O	0	0
			6	3	3		
5	d	1	Total	C	O	0	0
			6	3	3		
5	d	1	Total	C	O	0	0
			6	3	3		
5	e	1	Total	C	O	0	1
			12	6	6		

- Molecule 6 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	D	1	Total Cl 1 1	0	0

- Molecule 7 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	b	1	Total O S 5 4 1	0	0

- Molecule 8 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	b	1	Total Na 1 1	0	0

- Molecule 9 is {N}-[(1 {S})-2-azanyl-1-phenyl-ethyl]-4-(1 {H}-pyrrolo[2,3-b]pyridin-3-yl)thiophene-2-carboxamide (CCD ID: 9JN) (formula: C₂₀H₁₈N₄OS).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
9	b	1	Total	C	N	O	S	0	1
			26	20	4	1	1		
9	e	1	Total	C	N	O	S	0	1
			26	20	4	1	1		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	B	617	Total	O	0	3
			620	620		
10	D	599	Total	O	0	3
			602	602		
10	E	56	Total	O	0	4
			60	60		
10	F	60	Total	O	0	1
			61	61		
10	b	612	Total	O	0	2
			614	614		
10	d	606	Total	O	0	4
			610	610		
10	e	65	Total	O	0	1
			66	66		
10	f	49	Total	O	0	1
			50	50		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DNA gyrase subunit B,DNA gyrase subunit B,DNA gyrase subunit A




- Molecule 1: DNA gyrase subunit B,DNA gyrase subunit B,DNA gyrase subunit A



- Molecule 1: DNA gyrase subunit B,DNA gyrase subunit B,DNA gyrase subunit A




- Molecule 1: DNA gyrase subunit B,DNA gyrase subunit B,DNA gyrase subunit A







- Molecule 2: DNA (5'-D(*AP*GP*CP*CP*GP*TP*AP*GP*GP*TP*AP*CP*CP*TP*AP*CP*GP*GP*CP*T)-3')




- Molecule 2: DNA (5'-D(*AP*GP*CP*CP*GP*TP*AP*GP*GP*TP*AP*CP*CP*TP*AP*CP*GP*GP*CP*T)-3')



- Molecule 2: DNA (5'-D(*AP*GP*CP*CP*GP*TP*AP*GP*GP*TP*AP*CP*CP*TP*AP*CP*GP*GP*CP*T)-3')



- Molecule 2: DNA (5'-D(*AP*GP*CP*CP*GP*TP*AP*GP*GP*TP*AP*CP*CP*TP*AP*CP*GP*GP*CP*T)-3')



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	89.44Å 120.68Å 168.90Å 90.00° 90.05° 90.00°	Depositor
Resolution (Å)	19.97 – 1.98 19.97 – 1.98	Depositor EDS
% Data completeness (in resolution range)	98.5 (19.97-1.98) 98.5 (19.97-1.98)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.82 (at 1.97Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.154 , 0.183 0.153 , 0.178	Depositor DCC
R_{free} test set	12352 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	30.5	Xtriage
Anisotropy	0.544	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 43.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	0.278 for h,-k,-l	Xtriage
Reported twinning fraction	0.763 for H, K, L 0.237 for h,-k,-l	Depositor
Outliers	0 of 245570 reflections	Xtriage
F_o, F_c correlation	0.98	EDS
Total number of atoms	26985	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 17.64% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NA, 94H, CL, 9JN, GOL, SO4, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	B	0.96	18/5617 (0.3%)	0.99	36/7565 (0.5%)
1	D	1.05	11/5613 (0.2%)	0.97	30/7555 (0.4%)
1	b	0.98	9/5651 (0.2%)	1.21	22/7608 (0.3%)
1	d	0.95	7/5609 (0.1%)	0.96	31/7557 (0.4%)
2	E	1.02	1/494 (0.2%)	1.13	3/758 (0.4%)
2	F	1.34	3/384 (0.8%)	1.16	1/586 (0.2%)
2	e	1.06	4/568 (0.7%)	1.03	3/872 (0.3%)
2	f	1.09	1/568 (0.2%)	1.27	5/872 (0.6%)
All	All	1.00	54/24504 (0.2%)	1.05	131/33373 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	3
1	b	0	1
1	d	0	2
All	All	0	6

All (54) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	1282[A]	ARG	C-N	-24.07	0.78	1.34
1	D	1282[B]	ARG	C-N	-24.07	0.78	1.34
1	b	479[A]	ARG	C-N	-9.91	1.11	1.34
1	b	479[B]	ARG	C-N	-9.91	1.11	1.34
1	b	1062[A]	LYS	C-N	-9.37	1.12	1.34
1	b	1062[B]	LYS	C-N	-9.37	1.12	1.34
1	d	531[A]	LEU	C-N	-9.15	1.13	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	d	531[B]	LEU	C-N	-9.15	1.13	1.34
1	d	1214	GLU	CD-OE1	8.64	1.35	1.25
1	D	1475[A]	GLU	CD-OE1	8.28	1.34	1.25
1	D	1475[B]	GLU	CD-OE1	8.28	1.34	1.25
1	B	1088[A]	GLU	CD-OE2	-8.14	1.16	1.25
1	B	1088[B]	GLU	CD-OE2	-8.14	1.16	1.25
2	e	-4	DG	O3'-P	-7.88	1.51	1.61
1	B	1085[A]	SER	CB-OG	-7.63	1.32	1.42
1	B	1085[B]	SER	CB-OG	-7.63	1.32	1.42
1	D	1055	GLU	CD-OE2	-7.05	1.17	1.25
2	E	7	DA	O3'-P	-6.62	1.53	1.61
2	e	6	DT	O3'-P	-6.58	1.53	1.61
2	F	10	DG	O3'-P	-6.58	1.53	1.61
2	f	-6	DC	P-OP1	-6.56	1.37	1.49
1	d	1208	GLU	CD-OE1	6.55	1.32	1.25
1	D	1208	GLU	CD-OE1	6.54	1.32	1.25
1	B	1255	GLY	C-O	-6.49	1.13	1.23
1	b	1413	GLN	C-N	-6.37	1.19	1.34
1	D	1214	GLU	CD-OE1	6.08	1.32	1.25
2	F	10	DG	P-OP1	-5.96	1.38	1.49
2	F	7	DA	O3'-P	-5.81	1.54	1.61
1	B	1122	ARG	CZ-NH1	5.67	1.40	1.33
1	b	1063	SER	CA-CB	-5.49	1.44	1.52
1	B	1088[A]	GLU	CD-OE1	-5.46	1.19	1.25
1	B	1088[B]	GLU	CD-OE1	-5.46	1.19	1.25
1	B	1487	GLU	CG-CD	5.41	1.60	1.51
1	d	1208	GLU	CG-CD	5.40	1.60	1.51
1	D	1350	GLU	CD-OE1	5.40	1.31	1.25
1	B	1055	GLU	CD-OE2	5.39	1.31	1.25
1	B	1158	SER	CB-OG	5.30	1.49	1.42
1	B	1322	TYR	CE2-CZ	-5.30	1.31	1.38
1	b	1025	TYR	CE2-CZ	-5.25	1.31	1.38
1	d	1234	TYR	CE2-CZ	5.24	1.45	1.38
1	D	1437	GLU	CD-OE1	-5.23	1.19	1.25
1	b	1033	ARG	CZ-NH1	5.21	1.39	1.33
1	B	1234	TYR	CE1-CZ	5.17	1.45	1.38
1	B	1350[A]	GLU	CD-OE1	-5.16	1.20	1.25
1	B	1350[B]	GLU	CD-OE1	-5.16	1.20	1.25
1	B	1064	TYR	CE1-CZ	5.16	1.45	1.38
1	b	1173	SER	CB-OG	-5.13	1.35	1.42
2	e	-2	DA	C2'-C1'	5.11	1.57	1.52
1	B	1355	TYR	CG-CD2	5.11	1.45	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	1251	GLU	CD-OE2	-5.10	1.20	1.25
1	d	580	TYR	CG-CD1	5.09	1.45	1.39
1	D	1173	SER	CB-OG	-5.06	1.35	1.42
1	D	468	ARG	CZ-NH2	5.04	1.39	1.33
2	e	-3	DT	P-OP1	5.01	1.57	1.49

All (131) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	b	1413	GLN	O-C-N	-67.37	14.91	122.70
1	B	1232[A]	ARG	NE-CZ-NH1	-12.98	113.81	120.30
1	B	1232[B]	ARG	NE-CZ-NH1	-12.98	113.81	120.30
1	d	1231	ARG	NE-CZ-NH1	-12.96	113.82	120.30
1	d	468	ARG	NE-CZ-NH2	12.19	126.40	120.30
1	D	1231	ARG	NE-CZ-NH1	-11.33	114.64	120.30
1	b	589	ASP	CB-CG-OD1	11.16	128.34	118.30
1	d	1272[A]	ARG	NE-CZ-NH2	-11.11	114.74	120.30
1	d	1272[B]	ARG	NE-CZ-NH2	-11.11	114.74	120.30
1	B	1255	GLY	O-C-N	-11.11	104.92	122.70
1	B	1299	ARG	NE-CZ-NH2	-10.71	114.95	120.30
1	B	1429	ARG	NE-CZ-NH1	10.64	125.62	120.30
1	B	1342	ARG	NE-CZ-NH2	-10.54	115.03	120.30
1	D	1399	ARG	NE-CZ-NH1	10.54	125.57	120.30
1	D	1399	ARG	NE-CZ-NH2	-10.51	115.04	120.30
2	f	1[A]	DG	O5'-P-OP1	10.48	123.28	110.70
2	f	1[B]	DG	O5'-P-OP1	10.48	123.28	110.70
1	B	1148	ASP	CB-CG-OD2	-10.24	109.09	118.30
2	f	-6	DC	O5'-P-OP1	-10.15	96.56	105.70
1	b	458[A]	ARG	NE-CZ-NH2	-10.05	115.28	120.30
1	b	458[B]	ARG	NE-CZ-NH2	-10.05	115.28	120.30
1	B	1299	ARG	NE-CZ-NH1	9.59	125.10	120.30
1	d	1429	ARG	NE-CZ-NH1	9.49	125.05	120.30
1	B	1429	ARG	NE-CZ-NH2	-9.22	115.69	120.30
1	B	1399	ARG	NE-CZ-NH2	-8.91	115.84	120.30
1	d	1238	ARG	NE-CZ-NH2	-8.69	115.95	120.30
1	D	1088	GLU	OE1-CD-OE2	8.62	133.65	123.30
2	f	11	DC	O5'-P-OP1	8.60	121.02	110.70
1	D	468	ARG	NE-CZ-NH1	-8.56	116.02	120.30
1	B	1432	ARG	NE-CZ-NH1	8.39	124.50	120.30
1	D	1232[A]	ARG	NE-CZ-NH1	-8.31	116.14	120.30
1	D	1232[B]	ARG	NE-CZ-NH1	-8.31	116.14	120.30
1	d	1342	ARG	NE-CZ-NH1	-7.90	116.35	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	d	1039	ARG	NE-CZ-NH1	7.83	124.21	120.30
1	D	1148	ASP	CB-CG-OD2	-7.58	111.48	118.30
1	b	1461	ASP	CB-CG-OD2	-7.52	111.53	118.30
1	D	1429	ARG	NE-CZ-NH1	7.44	124.02	120.30
1	D	1372	ARG	NE-CZ-NH1	7.36	123.98	120.30
1	d	1122	ARG	NE-CZ-NH2	-7.33	116.64	120.30
2	F	6	DT	O5'-P-OP2	-7.30	99.13	105.70
1	d	1148	ASP	CB-CG-OD2	-7.24	111.78	118.30
1	B	1439	ASP	CB-CG-OD2	-7.20	111.82	118.30
1	D	468	ARG	NE-CZ-NH2	7.01	123.80	120.30
1	D	1083	ASP	CB-CG-OD2	7.00	124.60	118.30
1	d	530	PRO	O-C-N	-6.94	111.60	122.70
1	D	1092[A]	ARG	NE-CZ-NH1	-6.89	116.86	120.30
1	D	1092[B]	ARG	NE-CZ-NH1	-6.89	116.86	120.30
1	b	1429	ARG	NE-CZ-NH2	-6.88	116.86	120.30
1	B	1342	ARG	NH1-CZ-NH2	6.84	126.93	119.40
1	b	1432	ARG	NE-CZ-NH2	6.79	123.70	120.30
1	D	1373[A]	LYS	CD-CE-NZ	-6.64	96.42	111.70
1	D	1373[B]	LYS	CD-CE-NZ	-6.64	96.42	111.70
1	d	1208	GLU	CG-CD-OE2	-6.62	105.06	118.30
1	d	1069	ARG	NE-CZ-NH2	-6.45	117.08	120.30
1	d	1389	ASP	CB-CG-OD2	-6.40	112.54	118.30
1	B	1238	ARG	NE-CZ-NH2	-6.34	117.13	120.30
1	d	1092[A]	ARG	NE-CZ-NH2	6.34	123.47	120.30
1	d	1092[B]	ARG	NE-CZ-NH2	6.34	123.47	120.30
1	d	1429	ARG	NE-CZ-NH2	-6.32	117.14	120.30
1	D	1238	ARG	NE-CZ-NH2	-6.25	117.17	120.30
1	D	1231	ARG	NH1-CZ-NH2	6.22	126.24	119.40
1	b	1429	ARG	NE-CZ-NH1	6.20	123.40	120.30
1	D	1232[A]	ARG	NE-CZ-NH2	6.16	123.38	120.30
1	D	1232[B]	ARG	NE-CZ-NH2	6.16	123.38	120.30
1	d	1137[A]	ARG	NE-CZ-NH1	6.11	123.36	120.30
1	d	1137[B]	ARG	NE-CZ-NH1	6.11	123.36	120.30
1	B	1039	ARG	NE-CZ-NH1	6.09	123.35	120.30
1	d	1127	ARG	NE-CZ-NH1	6.07	123.33	120.30
1	d	1066	LYS	CD-CE-NZ	-6.06	97.76	111.70
1	D	1298	LEU	CB-CG-CD2	5.95	121.12	111.00
1	d	1019	ARG	NE-CZ-NH1	-5.93	117.33	120.30
1	b	1483	ASP	CB-CG-OD2	-5.88	113.00	118.30
1	B	1055	GLU	OE1-CD-OE2	5.86	130.34	123.30
1	D	1288	GLY	N-CA-C	5.84	127.69	113.10
1	B	1019	ARG	NE-CZ-NH1	-5.83	117.38	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	d	517	ARG	NE-CZ-NH1	-5.83	117.39	120.30
2	E	6[A]	DT	O4'-C4'-C3'	-5.81	102.18	104.50
2	E	6[B]	DT	O4'-C4'-C3'	-5.81	102.18	104.50
1	D	1092[A]	ARG	NE-CZ-NH2	5.79	123.20	120.30
1	D	1092[B]	ARG	NE-CZ-NH2	5.79	123.20	120.30
2	e	6	DT	O4'-C4'-C3'	-5.79	102.19	104.50
1	B	1256[A]	ARG	CG-CD-NE	5.78	123.94	111.80
1	B	1256[B]	ARG	CG-CD-NE	5.78	123.94	111.80
1	b	1258	ARG	NE-CZ-NH2	-5.76	117.42	120.30
1	b	620[A]	MET	CG-SD-CE	-5.76	90.98	100.20
1	b	620[B]	MET	CG-SD-CE	-5.76	90.98	100.20
1	B	1019	ARG	NE-CZ-NH2	5.72	123.16	120.30
1	D	1389	ASP	CB-CG-OD2	-5.70	113.17	118.30
1	d	1122	ARG	NE-CZ-NH1	5.67	123.14	120.30
2	f	-6	DC	OP1-P-OP2	5.67	128.10	119.60
1	B	458	ARG	NE-CZ-NH1	-5.62	117.49	120.30
1	B	1252	ARG	NE-CZ-NH1	5.61	123.10	120.30
1	B	450[A]	ARG	NE-CZ-NH1	-5.57	117.52	120.30
1	B	450[B]	ARG	NE-CZ-NH1	-5.57	117.52	120.30
1	B	483	THR	CA-CB-CG2	-5.55	104.63	112.40
1	B	1436	LEU	CB-CG-CD2	5.52	120.38	111.00
1	B	1025	TYR	CG-CD2-CE2	-5.51	116.89	121.30
2	e	2[A]	DT	C1'-O4'-C4'	-5.49	104.61	110.10
2	e	2[B]	DT	C1'-O4'-C4'	-5.49	104.61	110.10
1	D	1329[A]	THR	O-C-N	-5.49	113.92	122.70
1	D	1329[B]	THR	O-C-N	-5.49	113.92	122.70
1	b	1462	GLU	OE1-CD-OE2	5.49	129.88	123.30
2	E	8	DC	C1'-O4'-C4'	-5.46	104.64	110.10
1	D	1019[A]	ARG	NE-CZ-NH1	-5.39	117.61	120.30
1	D	1019[B]	ARG	NE-CZ-NH1	-5.39	117.61	120.30
1	d	1073	ASP	CB-CG-OD2	-5.37	113.47	118.30
1	B	1350[A]	GLU	OE1-CD-OE2	-5.36	116.87	123.30
1	B	1350[B]	GLU	OE1-CD-OE2	-5.36	116.87	123.30
1	B	437	ASP	CB-CG-OD1	5.35	123.12	118.30
1	B	1122	ARG	NE-CZ-NH2	-5.31	117.64	120.30
1	b	1413	GLN	C-N-CA	-5.31	108.42	121.70
1	B	1478	ASP	CB-CG-OD2	5.24	123.02	118.30
1	D	1203	ASP	CB-CG-OD2	-5.24	113.58	118.30
1	d	1342	ARG	NE-CZ-NH2	5.23	122.91	120.30
1	B	1490	LEU	CB-CG-CD2	5.22	119.88	111.00
1	d	1203[A]	ASP	CB-CG-OD1	5.22	123.00	118.30
1	d	1203[B]	ASP	CB-CG-OD1	5.22	123.00	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	b	589	ASP	CB-CG-OD2	-5.21	113.61	118.30
1	b	1479[A]	ARG	NE-CZ-NH1	-5.21	117.69	120.30
1	b	1479[B]	ARG	NE-CZ-NH1	-5.21	117.69	120.30
1	b	1063	SER	N-CA-CB	-5.20	102.70	110.50
1	d	468	ARG	NE-CZ-NH1	-5.18	117.71	120.30
1	B	1116	ASP	CB-CG-OD1	-5.16	113.66	118.30
1	b	624	ASP	CB-CG-OD1	-5.14	113.67	118.30
1	B	1088[A]	GLU	OE1-CD-OE2	-5.08	117.21	123.30
1	B	1088[B]	GLU	OE1-CD-OE2	-5.08	117.21	123.30
1	d	1331	PHE	CB-CG-CD2	-5.04	117.27	120.80
1	b	1417	LEU	N-CA-CB	-5.04	100.33	110.40
1	b	1282	ARG	NE-CZ-NH2	-5.03	117.78	120.30
1	b	1019	ARG	NE-CZ-NH2	-5.02	117.79	120.30
1	d	1299	ARG	NE-CZ-NH2	-5.01	117.80	120.30

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	1255	GLY	Mainchain
1	B	639[B]	TYR	Mainchain
1	b	1413	GLN	Mainchain
1	d	530	PRO	Mainchain

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	B	698/692 (101%)	682 (98%)	15 (2%)	1 (0%)	48 41

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	698/692 (101%)	678 (97%)	17 (2%)	3 (0%)	30	20
1	b	702/692 (101%)	687 (98%)	14 (2%)	1 (0%)	48	41
1	d	696/692 (101%)	681 (98%)	15 (2%)	0	100	100
All	All	2794/2768 (101%)	2728 (98%)	61 (2%)	5 (0%)	48	35

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	1254[A]	GLY
1	D	1254[B]	GLY
1	B	1033	ARG
1	D	1033	ARG
1	b	1033	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	589/591 (100%)	580 (98%)	9 (2%)	60	56
1	D	589/591 (100%)	573 (97%)	16 (3%)	40	30
1	b	596/591 (101%)	577 (97%)	19 (3%)	34	24
1	d	589/591 (100%)	579 (98%)	10 (2%)	56	49
All	All	2363/2364 (100%)	2309 (98%)	54 (2%)	56	38

All (54) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	430	GLU
1	B	470	ASP
1	B	531	LEU
1	B	541	GLN
1	B	624	ASP
1	B	1223	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	1232[A]	ARG
1	B	1232[B]	ARG
1	B	1490	LEU
1	D	426	PRO
1	D	1010	ASN
1	D	1066[A]	LYS
1	D	1066[B]	LYS
1	D	1066[C]	LYS
1	D	1078	TYR
1	D	1173	SER
1	D	1251[A]	GLU
1	D	1251[B]	GLU
1	D	1298	LEU
1	D	1329[A]	THR
1	D	1329[B]	THR
1	D	1432[A]	ARG
1	D	1432[B]	ARG
1	D	1475[A]	GLU
1	D	1475[B]	GLU
1	b	427[A]	GLU
1	b	427[B]	GLU
1	b	430	GLU
1	b	468[A]	ARG
1	b	468[B]	ARG
1	b	497[A]	LYS
1	b	497[B]	LYS
1	b	581[A]	LYS
1	b	581[B]	LYS
1	b	620[A]	MET
1	b	620[B]	MET
1	b	624	ASP
1	b	642	LEU
1	b	1010	ASN
1	b	1011	GLU
1	b	1324	GLN
1	b	1416[A]	LYS
1	b	1416[B]	LYS
1	b	1436	LEU
1	d	438	SER
1	d	609	GLU
1	d	1173	SER
1	d	1258[A]	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	d	1258[B]	ARG
1	d	1276[A]	LYS
1	d	1276[B]	LYS
1	d	1298	LEU
1	d	1327	LEU
1	d	1413	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	1412	GLN
1	b	476	ASN
1	b	480	GLN
1	d	1324	GLN
1	d	1412	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 30 ligands modelled in this entry, 7 are monoatomic - leaving 23 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	GOL	d	1503	-	5,5,5	0.36	0	5,5,5	0.79	0
5	GOL	e	102[B]	-	5,5,5	0.35	0	5,5,5	0.99	0
4	94H	D	1503	-	24,29,29	1.60	6 (25%)	26,40,40	1.98	5 (19%)
5	GOL	B	1505	-	5,5,5	0.32	0	5,5,5	0.92	0
5	GOL	D	1505	-	5,5,5	0.90	0	5,5,5	0.43	0
5	GOL	D	1502	-	5,5,5	0.42	0	5,5,5	0.75	0
4	94H	b	1509[B]	-	24,29,29	1.24	2 (8%)	26,40,40	1.64	3 (11%)
4	94H	b	1502	-	24,29,29	1.47	4 (16%)	26,40,40	1.91	6 (23%)
7	SO4	b	1506	-	4,4,4	0.28	0	6,6,6	0.88	0
5	GOL	b	1503	-	5,5,5	0.44	0	5,5,5	0.41	0
5	GOL	D	1506	-	5,5,5	0.52	0	5,5,5	0.63	0
9	9JN	e	101[B]	-	24,29,29	1.16	2 (8%)	26,40,40	2.35	7 (26%)
9	9JN	b	1508[A]	-	24,29,29	1.24	4 (16%)	26,40,40	2.32	9 (34%)
5	GOL	B	1504	-	5,5,5	0.55	0	5,5,5	0.67	0
5	GOL	B	1503	-	5,5,5	0.82	0	5,5,5	0.37	0
5	GOL	D	1504	-	5,5,5	0.52	0	5,5,5	1.00	0
4	94H	B	1506[A]	-	24,29,29	1.29	2 (8%)	26,40,40	1.85	6 (23%)
4	94H	d	1502	-	24,29,29	1.36	4 (16%)	26,40,40	1.62	3 (11%)
4	94H	B	1502	-	24,29,29	1.43	3 (12%)	26,40,40	1.43	2 (7%)
5	GOL	e	102[A]	-	5,5,5	0.46	0	5,5,5	0.50	0
5	GOL	d	1504	-	5,5,5	0.79	0	5,5,5	0.43	0
5	GOL	b	1504	-	5,5,5	0.63	0	5,5,5	0.61	0
5	GOL	b	1505	-	5,5,5	0.53	0	5,5,5	0.83	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	d	1503	-	-	0/4/4/4	-
5	GOL	e	102[B]	-	-	3/4/4/4	-
4	94H	D	1503	-	-	3/14/18/18	0/4/4/4
5	GOL	B	1505	-	-	4/4/4/4	-
5	GOL	D	1505	-	-	0/4/4/4	-
5	GOL	D	1502	-	-	3/4/4/4	-
4	94H	b	1509[B]	-	-	8/14/18/18	0/4/4/4
4	94H	b	1502	-	-	4/14/18/18	0/4/4/4
5	GOL	b	1503	-	-	2/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	D	1506	-	-	3/4/4/4	-
9	9JN	e	101[B]	-	-	3/14/18/18	0/4/4/4
9	9JN	b	1508[A]	-	-	4/14/18/18	0/4/4/4
5	GOL	B	1504	-	-	4/4/4/4	-
5	GOL	B	1503	-	-	2/4/4/4	-
5	GOL	D	1504	-	-	0/4/4/4	-
4	94H	B	1506[A]	-	-	7/14/18/18	0/4/4/4
4	94H	d	1502	-	-	3/14/18/18	0/4/4/4
4	94H	B	1502	-	-	4/14/18/18	0/4/4/4
5	GOL	e	102[A]	-	-	2/4/4/4	-
5	GOL	d	1504	-	-	3/4/4/4	-
5	GOL	b	1504	-	-	0/4/4/4	-
5	GOL	b	1505	-	-	2/4/4/4	-

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	b	1502	94H	C17-N21	-4.14	1.31	1.37
4	D	1503	94H	C14-C13	-3.99	1.42	1.49
4	D	1503	94H	C17-N21	-3.55	1.32	1.37
9	b	1508[A]	9JN	C14-C13	-3.54	1.43	1.49
4	B	1502	94H	C16-S26	-3.52	1.68	1.72
4	B	1506[A]	94H	C14-C13	-3.30	1.43	1.49
4	d	1502	94H	C20-N23	-3.19	1.42	1.46
4	B	1502	94H	C17-N21	-3.03	1.32	1.37
4	B	1506[A]	94H	C17-N21	-3.00	1.33	1.37
9	e	101[B]	9JN	C17-N21	-2.87	1.33	1.37
4	b	1502	94H	C14-C13	-2.82	1.44	1.49
4	b	1509[B]	94H	C14-C13	-2.79	1.44	1.49
4	D	1503	94H	C15-C20	-2.78	1.48	1.52
4	B	1502	94H	C14-C13	-2.69	1.44	1.49
4	b	1509[B]	94H	C17-N21	-2.65	1.33	1.37
9	e	101[B]	9JN	C18-N23	2.64	1.39	1.34
9	b	1508[A]	9JN	C17-N21	-2.56	1.33	1.37
4	d	1502	94H	C16-S26	-2.49	1.69	1.72
4	b	1502	94H	C15-C20	-2.48	1.48	1.52
4	b	1502	94H	C12-C17	-2.37	1.36	1.43
4	d	1502	94H	C17-N21	-2.35	1.33	1.37
9	b	1508[A]	9JN	C18-N23	2.17	1.38	1.34
4	D	1503	94H	C12-C17	-2.16	1.37	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	1503	94H	C5-C12	-2.14	1.37	1.42
9	b	1508[A]	9JN	C5-C12	-2.05	1.38	1.42
4	D	1503	94H	C16-S26	-2.04	1.69	1.72
4	d	1502	94H	C14-C13	-2.03	1.46	1.49

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	b	1508[A]	9JN	C9-N21-C17	-5.30	110.07	116.60
9	e	101[B]	9JN	C20-N23-C18	5.21	129.05	122.34
4	D	1503	94H	C20-N23-C18	-5.04	115.84	122.34
4	b	1502	94H	C9-N21-C17	-5.04	110.39	116.60
4	D	1503	94H	C9-N21-C17	-5.01	110.42	116.60
9	b	1508[A]	9JN	C4-C5-C12	-4.94	114.05	120.89
9	e	101[B]	9JN	C9-N21-C17	-4.93	110.52	116.60
4	b	1509[B]	94H	C4-C5-C12	-4.81	114.22	120.89
4	d	1502	94H	C4-C5-C12	-4.79	114.24	120.89
4	b	1509[B]	94H	C9-N21-C17	-4.79	110.70	116.60
4	B	1506[A]	94H	C9-N21-C17	-4.78	110.70	116.60
4	B	1502	94H	C9-N21-C17	-4.69	110.82	116.60
9	b	1508[A]	9JN	C20-N23-C18	4.53	128.19	122.34
4	d	1502	94H	C9-N21-C17	-4.52	111.03	116.60
4	B	1506[A]	94H	C4-C5-C12	-4.49	114.67	120.89
9	e	101[B]	9JN	C8-C13-C14	4.47	130.44	126.32
4	b	1502	94H	C8-C13-C14	-4.35	122.30	126.32
4	b	1502	94H	C4-C5-C12	-4.30	114.94	120.89
9	e	101[B]	9JN	C19-C20-N23	4.29	117.73	110.42
9	e	101[B]	9JN	C4-C5-C12	-4.17	115.12	120.89
4	D	1503	94H	C4-C5-C12	-4.01	115.33	120.89
4	D	1503	94H	C19-C20-C15	-3.61	104.84	113.23
4	B	1506[A]	94H	C13-C11-S26	-3.35	110.13	112.29
9	e	101[B]	9JN	C15-C20-N23	3.17	117.93	112.00
9	b	1508[A]	9JN	C13-C11-S26	-3.17	110.25	112.29
9	b	1508[A]	9JN	O25-C18-N23	3.08	128.11	122.45
4	B	1502	94H	C4-C5-C12	-3.07	116.63	120.89
4	B	1506[A]	94H	C20-N23-C18	-3.03	118.43	122.34
4	d	1502	94H	C20-N23-C18	-2.93	118.56	122.34
9	e	101[B]	9JN	C3-C7-C15	-2.78	117.21	120.65
9	b	1508[A]	9JN	O25-C18-C16	-2.75	115.10	121.08
9	b	1508[A]	9JN	C2-C6-C15	2.69	123.98	120.65
4	B	1506[A]	94H	C4-C9-N21	2.48	127.74	123.94
4	B	1506[A]	94H	C8-C13-C14	-2.33	124.17	126.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	b	1508[A]	9JN	C8-C13-C14	2.21	128.36	126.32
4	b	1502	94H	C19-C20-C15	-2.20	108.12	113.23
4	D	1503	94H	C19-C20-N23	2.16	114.11	110.42
4	b	1502	94H	C20-N23-C18	-2.12	119.61	122.34
4	b	1509[B]	94H	C19-C20-C15	-2.10	108.34	113.23
4	b	1502	94H	C13-C11-S26	-2.02	110.99	112.29
9	b	1508[A]	9JN	C4-C9-N21	2.00	127.00	123.94

There are no chirality outliers.

All (64) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	1502	94H	C8-C13-C14-C10
4	B	1502	94H	C11-C13-C14-C10
4	B	1506[A]	94H	C8-C16-C18-N23
4	B	1506[A]	94H	C8-C16-C18-O25
4	D	1503	94H	C8-C13-C14-C10
4	D	1503	94H	C11-C13-C14-C10
4	b	1502	94H	C8-C13-C14-C10
4	b	1502	94H	C11-C13-C14-C10
4	b	1509[B]	94H	N24-C19-C20-C15
4	d	1502	94H	C8-C13-C14-C10
4	d	1502	94H	C11-C13-C14-C10
5	B	1505	GOL	O1-C1-C2-C3
5	B	1505	GOL	C1-C2-C3-O3
5	D	1502	GOL	O1-C1-C2-C3
5	D	1506	GOL	O1-C1-C2-C3
5	b	1503	GOL	O1-C1-C2-C3
5	d	1504	GOL	O1-C1-C2-C3
5	e	102[B]	GOL	C1-C2-C3-O3
9	b	1508[A]	9JN	N24-C19-C20-C15
9	b	1508[A]	9JN	N24-C19-C20-N23
9	e	101[B]	9JN	N24-C19-C20-C15
9	e	101[B]	9JN	N24-C19-C20-N23
9	e	101[B]	9JN	C15-C20-N23-C18
5	e	102[A]	GOL	O2-C2-C3-O3
4	B	1506[A]	94H	C6-C15-C20-C19
4	B	1506[A]	94H	C7-C15-C20-C19
4	b	1502	94H	N24-C19-C20-C15
5	B	1504	GOL	O1-C1-C2-C3
5	B	1504	GOL	C1-C2-C3-O3
5	b	1505	GOL	C1-C2-C3-O3

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
5	e	102[A]	GOL	C1-C2-C3-O3
5	e	102[B]	GOL	O1-C1-C2-C3
5	B	1504	GOL	O1-C1-C2-O2
5	D	1506	GOL	O1-C1-C2-O2
5	b	1503	GOL	O1-C1-C2-O2
5	b	1505	GOL	O2-C2-C3-O3
5	d	1504	GOL	O1-C1-C2-O2
4	b	1509[B]	94H	O25-C18-N23-C20
5	e	102[B]	GOL	O2-C2-C3-O3
4	b	1502	94H	C15-C20-N23-C18
9	b	1508[A]	9JN	C6-C15-C20-C19
9	b	1508[A]	9JN	C7-C15-C20-C19
4	B	1506[A]	94H	N24-C19-C20-C15
4	B	1506[A]	94H	O25-C18-N23-C20
5	D	1502	GOL	O1-C1-C2-O2
5	d	1504	GOL	O2-C2-C3-O3
4	B	1502	94H	N24-C19-C20-C15
4	d	1502	94H	N24-C19-C20-C15
4	b	1509[B]	94H	N24-C19-C20-N23
5	D	1502	GOL	C1-C2-C3-O3
5	B	1505	GOL	O1-C1-C2-O2
4	b	1509[B]	94H	C16-C18-N23-C20
4	b	1509[B]	94H	C6-C15-C20-C19
4	b	1509[B]	94H	C6-C15-C20-N23
5	B	1503	GOL	C1-C2-C3-O3
5	B	1503	GOL	O2-C2-C3-O3
5	B	1504	GOL	O2-C2-C3-O3
5	B	1505	GOL	O2-C2-C3-O3
4	b	1509[B]	94H	C7-C15-C20-C19
4	b	1509[B]	94H	C7-C15-C20-N23
4	B	1506[A]	94H	C15-C20-N23-C18
4	D	1503	94H	C15-C20-N23-C18
5	D	1506	GOL	C1-C2-C3-O3
4	B	1502	94H	C15-C20-N23-C18



There are no ring outliers.



No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.

Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	b	5
2	e	2
2	f	2
1	d	2
1	D	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	e	-1:DG	O3'	1[B]:DG	P	9.96
1	f	-1:DG	O3'	1[A]:DG	P	7.59
1	e	-1:DG	O3'	1[A]:DG	P	6.98
1	f	-1:DG	O3'	1[B]:DG	P	5.32
1	b	1413:GLN	C	1414[A]:ARG	N	1.19
1	b	1413:GLN	C	1414[B]:ARG	N	1.17
1	d	531[A]:LEU	C	532:ILE	N	1.13
1	b	1062[B]:LYS	C	1063:SER	N	1.12
1	b	1062[A]:LYS	C	1063:SER	N	1.12
1	d	531[B]:LEU	C	532:ILE	N	1.12
1	b	479[A]:ARG	C	480:GLN	N	1.11
1	D	1282[A]:ARG	C	1283:ASP	N	0.78

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	B	673/692 (97%)	-1.52	0 100 100	11, 32, 54, 83	29 (4%)
1	D	674/692 (97%)	-1.50	0 100 100	8, 33, 59, 85	27 (4%)
1	b	675/692 (97%)	-1.50	0 100 100	11, 32, 62, 94	31 (4%)
1	d	672/692 (97%)	-1.50	0 100 100	13, 33, 55, 73	28 (4%)
2	E	17/20 (85%)	-1.45	0 100 100	17, 26, 42, 47	6 (35%)
2	F	16/20 (80%)	-1.67	0 100 100	23, 27, 46, 50	1 (6%)
2	e	20/20 (100%)	-1.23	0 100 100	21, 34, 72, 88	5 (25%)
2	f	20/20 (100%)	-1.33	0 100 100	23, 30, 60, 63	5 (25%)
All	All	2767/2848 (97%)	-1.50	0 100 100	8, 32, 58, 94	132 (4%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	94H	B	1506[A]	26/26	0.96	0.09	38,48,64,66	26
5	GOL	D	1502	6/6	0.97	0.05	52,54,55,60	0
5	GOL	D	1506	6/6	0.97	0.05	43,52,57,58	0
9	9JN	b	1508[A]	26/26	0.97	0.07	35,43,48,54	26
9	9JN	e	101[B]	26/26	0.97	0.07	29,48,60,68	26
5	GOL	b	1505	6/6	0.98	0.06	39,47,58,64	0
5	GOL	d	1503	6/6	0.98	0.04	48,54,58,63	0
5	GOL	e	102[A]	6/6	0.98	0.06	33,37,42,43	6
5	GOL	e	102[B]	6/6	0.98	0.06	29,33,35,36	6
7	SO4	b	1506	5/5	0.98	0.03	38,45,48,48	5
4	94H	b	1509[B]	26/26	0.98	0.09	50,75,107,109	26
5	GOL	B	1504	6/6	0.98	0.04	52,55,57,65	0
5	GOL	b	1504	6/6	0.99	0.03	25,38,39,43	0
3	MN	d	1505	1/1	0.99	0.03	84,84,84,84	0
5	GOL	B	1505	6/6	0.99	0.04	53,61,65,65	0
5	GOL	d	1504	6/6	0.99	0.03	35,39,51,54	0
4	94H	d	1502	26/26	0.99	0.03	28,40,51,53	0
5	GOL	D	1504	6/6	0.99	0.03	32,41,47,51	0
6	CL	D	1507	1/1	0.99	0.04	41,41,41,41	1
5	GOL	D	1505	6/6	0.99	0.03	26,34,41,45	0
8	NA	b	1507	1/1	0.99	0.06	47,47,47,47	0
5	GOL	B	1503	6/6	0.99	0.05	50,57,59,65	0
5	GOL	b	1503	6/6	0.99	0.05	36,41,47,48	0
3	MN	b	1501	1/1	1.00	0.01	24,24,24,24	0
3	MN	d	1501	1/1	1.00	0.01	27,27,27,27	0
3	MN	B	1501	1/1	1.00	0.00	25,25,25,25	0
4	94H	B	1502	26/26	1.00	0.02	22,26,30,32	0
3	MN	D	1501	1/1	1.00	0.01	27,27,27,27	0
4	94H	D	1503	26/26	1.00	0.02	27,35,46,56	0
4	94H	b	1502	26/26	1.00	0.02	18,25,30,32	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 94H B 1506 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 9JN b 1508 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 9JN e 101 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 94H b 1509 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 94H d 1502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 94H B 1502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 94H D 1503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 94H b 1502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.