



# wwPDB X-ray Structure Validation Summary Report ⓘ

Jun 24, 2024 – 10:11 PM EDT

PDB ID : 6NRU  
Title : Crystal Structure of the Alpha-ribazole Phosphatase from *Shigella flexneri*  
Authors : Kim, Y.; Gu, M.; Shatsman, S.; Joachimiak, A.; Center for Structural Genomics of Infectious Diseases (CSGID)  
Deposited on : 2019-01-24  
Resolution : 2.50 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*






The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	206	 80% 18% .
1	B	206	 84% 14% .
1	C	206	 77% 20% ..
1	D	206	 76% 21% .
1	E	206	 74% 24% .

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	206	 77%20%..
1	G	206	 78%18%..
1	H	206	 3%75%22%..
1	I	206	 78%19%..
1	J	206	 86%12%.
1	K	206	 81%17%..
1	L	206	 77%20%.

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	A	302	-	-	X	-
2	SO4	E	301	-	-	X	-
2	SO4	H	301	-	-	X	-
2	SO4	I	302	-	-	X	-
7	CL	L	303	-	-	X	-

## 2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 20711 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CobC.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	202	Total	C	N	O	S	Se	0	0	0
			1642	1034	300	299	3	6			
1	B	202	Total	C	N	O	S	Se	0	1	0
			1653	1040	304	300	3	6			
1	C	202	Total	C	N	O	S	Se	0	0	0
			1642	1034	300	299	3	6			
1	D	202	Total	C	N	O	S	Se	0	1	0
			1651	1039	302	301	3	6			
1	E	202	Total	C	N	O	S	Se	0	1	0
			1653	1040	304	300	3	6			
1	F	202	Total	C	N	O	S	Se	0	0	0
			1642	1034	300	299	3	6			
1	G	202	Total	C	N	O	S	Se	0	0	0
			1642	1034	300	299	3	6			
1	H	202	Total	C	N	O	S	Se	0	1	0
			1653	1040	304	300	3	6			
1	I	203	Total	C	N	O	S	Se	0	0	0
			1647	1037	301	300	3	6			
1	J	202	Total	C	N	O	S	Se	0	0	0
			1642	1034	300	299	3	6			
1	K	203	Total	C	N	O	S	Se	0	0	0
			1647	1037	301	300	3	6			
1	L	201	Total	C	N	O	S	Se	0	0	0
			1634	1030	298	297	3	6			

There are 36 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	expression tag	UNP A0A2Y2SF70
A	-1	ASN	-	expression tag	UNP A0A2Y2SF70
A	0	ALA	-	expression tag	UNP A0A2Y2SF70
B	-2	SER	-	expression tag	UNP A0A2Y2SF70
B	-1	ASN	-	expression tag	UNP A0A2Y2SF70

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	ALA	-	expression tag	UNP A0A2Y2SF70
C	-2	SER	-	expression tag	UNP A0A2Y2SF70
C	-1	ASN	-	expression tag	UNP A0A2Y2SF70
C	0	ALA	-	expression tag	UNP A0A2Y2SF70
D	-2	SER	-	expression tag	UNP A0A2Y2SF70
D	-1	ASN	-	expression tag	UNP A0A2Y2SF70
D	0	ALA	-	expression tag	UNP A0A2Y2SF70
E	-2	SER	-	expression tag	UNP A0A2Y2SF70
E	-1	ASN	-	expression tag	UNP A0A2Y2SF70
E	0	ALA	-	expression tag	UNP A0A2Y2SF70
F	-2	SER	-	expression tag	UNP A0A2Y2SF70
F	-1	ASN	-	expression tag	UNP A0A2Y2SF70
F	0	ALA	-	expression tag	UNP A0A2Y2SF70
G	-2	SER	-	expression tag	UNP A0A2Y2SF70
G	-1	ASN	-	expression tag	UNP A0A2Y2SF70
G	0	ALA	-	expression tag	UNP A0A2Y2SF70
H	-2	SER	-	expression tag	UNP A0A2Y2SF70
H	-1	ASN	-	expression tag	UNP A0A2Y2SF70
H	0	ALA	-	expression tag	UNP A0A2Y2SF70
I	-2	SER	-	expression tag	UNP A0A2Y2SF70
I	-1	ASN	-	expression tag	UNP A0A2Y2SF70
I	0	ALA	-	expression tag	UNP A0A2Y2SF70
J	-2	SER	-	expression tag	UNP A0A2Y2SF70
J	-1	ASN	-	expression tag	UNP A0A2Y2SF70
J	0	ALA	-	expression tag	UNP A0A2Y2SF70
K	-2	SER	-	expression tag	UNP A0A2Y2SF70
K	-1	ASN	-	expression tag	UNP A0A2Y2SF70
K	0	ALA	-	expression tag	UNP A0A2Y2SF70
L	-2	SER	-	expression tag	UNP A0A2Y2SF70
L	-1	ASN	-	expression tag	UNP A0A2Y2SF70
L	0	ALA	-	expression tag	UNP A0A2Y2SF70

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	G	1	Total	O	S	0	0
			5	4	1		
2	G	1	Total	O	S	0	0
			5	4	1		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	H	1	Total	O	S	0	0
			5	4	1		
2	H	1	Total	O	S	0	0
			5	4	1		
2	I	1	Total	O	S	0	0
			5	4	1		
2	I	1	Total	O	S	0	0
			5	4	1		
2	J	1	Total	O	S	0	0
			5	4	1		
2	J	1	Total	O	S	0	0
			5	4	1		
2	K	1	Total	O	S	0	0
			5	4	1		
2	K	1	Total	O	S	0	0
			5	4	1		
2	L	1	Total	O	S	0	0
			5	4	1		
2	L	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: C<sub>8</sub>H<sub>18</sub>O<sub>5</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			13	8	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	C	1	Total	C	O	0	0
			13	8	5		


- Molecule 4 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula:  $C_4H_{10}O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			7	4	3		
4	E	1	Total	C	O	0	0
			7	4	3		
4	F	1	Total	C	O	0	0
			7	4	3		
4	F	1	Total	C	O	0	0
			7	4	3		
4	G	1	Total	C	O	0	0
			7	4	3		
4	H	1	Total	C	O	0	0
			7	4	3		
4	L	1	Total	C	O	0	0
			7	4	3		
4	L	1	Total	C	O	0	0
			7	4	3		
4	L	1	Total	C	O	0	0
			7	4	3		


- Molecule 5 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula:  $C_2H_6O_2$ ).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	F	1	Total	C	O	0	0
			4	2	2		
5	F	1	Total	C	O	0	0
			4	2	2		
5	H	1	Total	C	O	0	0
			4	2	2		
5	I	1	Total	C	O	0	0
			4	2	2		
5	J	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	C	1	Total	C	O	0	0
			6	3	3		
6	C	1	Total	C	O	0	0
			6	3	3		
6	G	1	Total	C	O	0	0
			6	3	3		
6	I	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	D	1	Total	Cl	0	0
			1	1		
7	F	1	Total	Cl	0	0
			1	1		
7	I	1	Total	Cl	0	0
			1	1		
7	J	1	Total	Cl	0	0
			1	1		
7	K	1	Total	Cl	0	0
			1	1		
7	L	1	Total	Cl	0	0
			1	1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	51	Total 51	O 51	0	0
8	B	48	Total 48	O 48	0	0
8	C	51	Total 51	O 51	0	0
8	D	46	Total 46	O 46	0	0
8	E	41	Total 41	O 41	0	0
8	F	106	Total 106	O 106	0	0
8	G	41	Total 41	O 41	0	0
8	H	47	Total 47	O 47	0	0
8	I	56	Total 56	O 56	0	0
8	J	51	Total 51	O 51	0	0
8	K	68	Total 68	O 68	0	0
8	L	94	Total 94	O 94	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: CobC




#### • Molecule 1: CobC




#### • Molecule 1: CobC




#### • Molecule 1: CobC




- Molecule 1: CobC




- Molecule 1: CobC




- Molecule 1: CobC



- Molecule 1: CobC




- Molecule 1: CobC







● Molecule 1: CobC



● Molecule 1: CobC



● Molecule 1: CobC



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	52.52Å 308.04Å 97.17Å 90.00° 90.10° 90.00°	Depositor
Resolution (Å)	45.39 – 2.50 45.39 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.4 (45.39-2.50) 99.2 (45.39-2.50)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.83 (at 2.51Å)	Xtriage
Refinement program	PHENIX (1.13_2998: ???)	Depositor
R, $R_{free}$	0.179 , 0.218 0.181 , 0.218	Depositor DCC
$R_{free}$ test set	5340 reflections (5.10%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	46.0	Xtriage
Anisotropy	0.247	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 25.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.457 for h,-k,-l	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	20711	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.89% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PG4, GOL, EDO, CL, PEG, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.27	0/1677	0.43	0/2268
1	B	0.25	0/1688	0.41	0/2282
1	C	0.27	0/1677	0.41	0/2268
1	D	0.25	0/1686	0.40	0/2280
1	E	0.29	0/1688	0.44	0/2282
1	F	0.26	0/1677	0.41	0/2268
1	G	0.31	0/1677	0.44	0/2268
1	H	0.27	0/1688	0.44	0/2282
1	I	0.25	0/1682	0.40	0/2275
1	J	0.26	0/1677	0.41	0/2268
1	K	0.28	0/1682	0.42	0/2275
1	L	0.28	0/1669	0.46	0/2257
All	All	0.27	0/20168	0.42	0/27273

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1642	0	1583	24	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1653	0	1595	22	0
1	C	1642	0	1583	29	0
1	D	1651	0	1590	29	0
1	E	1653	0	1595	35	0
1	F	1642	0	1583	28	0
1	G	1642	0	1583	24	0
1	H	1653	0	1595	38	0
1	I	1647	0	1588	29	0
1	J	1642	0	1583	15	0
1	K	1647	0	1588	24	0
1	L	1634	0	1577	28	0
2	A	10	0	0	2	0
2	B	10	0	0	1	0
2	C	10	0	0	1	0
2	D	10	0	0	2	0
2	E	10	0	0	3	0
2	F	10	0	0	2	0
2	G	10	0	0	1	0
2	H	10	0	0	3	0
2	I	10	0	0	2	0
2	J	10	0	0	0	0
2	K	10	0	0	1	0
2	L	10	0	0	0	0
3	A	13	0	18	0	0
3	C	13	0	18	0	0
4	A	7	0	10	0	0
4	E	7	0	10	0	0
4	F	14	0	20	0	0
4	G	7	0	10	0	0
4	H	7	0	10	2	0
4	L	21	0	30	0	0
5	A	4	0	6	0	0
5	F	8	0	12	0	0
5	H	4	0	6	1	0
5	I	4	0	6	0	0
5	J	4	0	6	0	0
6	C	12	0	16	1	0
6	G	6	0	8	1	0
6	I	6	0	8	0	0
7	D	1	0	0	1	0
7	F	1	0	0	0	0
7	I	1	0	0	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	J	1	0	0	1	0
7	K	1	0	0	0	0
7	L	1	0	0	2	0
8	A	51	0	0	0	0
8	B	48	0	0	3	0
8	C	51	0	0	4	0
8	D	46	0	0	1	0
8	E	41	0	0	1	0
8	F	106	0	0	4	0
8	G	41	0	0	0	0
8	H	47	0	0	4	0
8	I	56	0	0	5	0
8	J	51	0	0	1	0
8	K	68	0	0	3	0
8	L	94	0	0	6	0
All	All	20711	0	19237	315	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 315 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:50:VAL:HG21	1:L:66:LEU:HD11	1.73	0.70
1:A:181:ILE:HD11	1:A:188:ALA:HB1	1.73	0.69
1:A:80:ASN:O	1:A:127:ARG:NH2	2.26	0.69
1:H:134:ARG:NH1	1:H:137:GLU:OE1	2.27	0.68
1:K:45:VAL:O	1:K:69:ARG:NH2	2.27	0.67

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	200/206 (97%)	191 (96%)	9 (4%)	0	100	100
1	B	201/206 (98%)	195 (97%)	6 (3%)	0	100	100
1	C	200/206 (97%)	193 (96%)	7 (4%)	0	100	100
1	D	201/206 (98%)	193 (96%)	8 (4%)	0	100	100
1	E	201/206 (98%)	196 (98%)	5 (2%)	0	100	100
1	F	200/206 (97%)	195 (98%)	5 (2%)	0	100	100
1	G	200/206 (97%)	193 (96%)	7 (4%)	0	100	100
1	H	201/206 (98%)	194 (96%)	7 (4%)	0	100	100
1	I	201/206 (98%)	195 (97%)	6 (3%)	0	100	100
1	J	200/206 (97%)	192 (96%)	8 (4%)	0	100	100
1	K	201/206 (98%)	194 (96%)	7 (4%)	0	100	100
1	L	199/206 (97%)	192 (96%)	7 (4%)	0	100	100
All	All	2405/2472 (97%)	2323 (97%)	82 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	175/171 (102%)	172 (98%)	3 (2%)	60	82
1	B	176/171 (103%)	174 (99%)	2 (1%)	73	89
1	C	175/171 (102%)	169 (97%)	6 (3%)	37	63
1	D	176/171 (103%)	175 (99%)	1 (1%)	86	95
1	E	176/171 (103%)	172 (98%)	4 (2%)	50	76
1	F	175/171 (102%)	170 (97%)	5 (3%)	42	69
1	G	175/171 (102%)	170 (97%)	5 (3%)	42	69
1	H	176/171 (103%)	171 (97%)	5 (3%)	43	70
1	I	175/171 (102%)	173 (99%)	2 (1%)	73	89

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	J	175/171 (102%)	173 (99%)	2 (1%)	73	89
1	K	175/171 (102%)	173 (99%)	2 (1%)	73	89
1	L	174/171 (102%)	170 (98%)	4 (2%)	50	76
All	All	2103/2052 (102%)	2062 (98%)	41 (2%)	57	80

5 of 41 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	96	MSE
1	K	70	GLN
1	H	172[A]	ARG
1	I	84	PHE
1	L	2	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 19 such sidechains are listed below:

Mol	Chain	Res	Type
1	I	108	ASN
1	K	36	GLN
1	K	108	ASN
1	J	150	GLN
1	E	92	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

## 5.6 Ligand geometry

Of 51 ligands modelled in this entry, 6 are monoatomic - leaving 45 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	PEG	L	306	-	6,6,6	0.48	0	5,5,5	0.36	0
4	PEG	L	305	-	6,6,6	0.48	0	5,5,5	0.32	0
2	SO4	A	301	-	4,4,4	0.14	0	6,6,6	0.06	0
4	PEG	A	304	-	6,6,6	0.46	0	5,5,5	0.31	0
2	SO4	H	301	-	4,4,4	0.15	0	6,6,6	0.05	0
2	SO4	L	301	-	4,4,4	0.13	0	6,6,6	0.10	0
4	PEG	G	303	-	6,6,6	0.42	0	5,5,5	0.41	0
2	SO4	B	301	-	4,4,4	0.13	0	6,6,6	0.05	0
4	PEG	L	304	-	6,6,6	0.46	0	5,5,5	0.44	0
5	EDO	H	304	-	3,3,3	0.47	0	2,2,2	0.35	0
4	PEG	H	303	-	6,6,6	0.46	0	5,5,5	0.40	0
2	SO4	E	302	-	4,4,4	0.12	0	6,6,6	0.06	0
2	SO4	K	302	-	4,4,4	0.15	0	6,6,6	0.06	0
2	SO4	H	302	-	4,4,4	0.14	0	6,6,6	0.06	0
2	SO4	L	302	-	4,4,4	0.14	0	6,6,6	0.06	0
5	EDO	F	306	-	3,3,3	0.47	0	2,2,2	0.31	0
2	SO4	F	301	-	4,4,4	0.14	0	6,6,6	0.04	0
2	SO4	G	301	-	4,4,4	0.15	0	6,6,6	0.06	0
6	GOL	G	304	-	5,5,5	0.83	0	5,5,5	1.08	0
3	PG4	C	305	-	12,12,12	0.48	0	11,11,11	0.27	0
6	GOL	C	303	-	5,5,5	0.94	0	5,5,5	0.98	0
2	SO4	G	302	-	4,4,4	0.13	0	6,6,6	0.06	0
3	PG4	A	303	-	12,12,12	0.47	0	11,11,11	0.30	0
2	SO4	I	302	-	4,4,4	0.14	0	6,6,6	0.08	0
6	GOL	C	304	-	5,5,5	0.97	0	5,5,5	1.11	1 (20%)
2	SO4	E	301	-	4,4,4	0.14	0	6,6,6	0.05	0
2	SO4	D	301	-	4,4,4	0.15	0	6,6,6	0.06	0
2	SO4	K	301	-	4,4,4	0.14	0	6,6,6	0.05	0
4	PEG	E	303	-	6,6,6	0.43	0	5,5,5	0.33	0
2	SO4	F	302	-	4,4,4	0.15	0	6,6,6	0.05	0
6	GOL	I	304	-	5,5,5	0.90	0	5,5,5	1.01	0
2	SO4	D	302	-	4,4,4	0.13	0	6,6,6	0.07	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	EDO	A	305	-	3,3,3	0.48	0	2,2,2	0.28	0
2	SO4	I	301	-	4,4,4	0.14	0	6,6,6	0.06	0
2	SO4	C	302	-	4,4,4	0.16	0	6,6,6	0.06	0
2	SO4	J	302	-	4,4,4	0.13	0	6,6,6	0.07	0
5	EDO	J	304	-	3,3,3	0.46	0	2,2,2	0.31	0
5	EDO	F	307	-	3,3,3	0.43	0	2,2,2	0.41	0
2	SO4	A	302	-	4,4,4	0.14	0	6,6,6	0.04	0
4	PEG	F	305	-	6,6,6	0.44	0	5,5,5	0.32	0
2	SO4	C	301	-	4,4,4	0.14	0	6,6,6	0.05	0
2	SO4	B	302	-	4,4,4	0.14	0	6,6,6	0.09	0
2	SO4	J	301	-	4,4,4	0.13	0	6,6,6	0.05	0
5	EDO	I	305	-	3,3,3	0.46	0	2,2,2	0.32	0
4	PEG	F	304	-	6,6,6	0.43	0	5,5,5	0.31	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PEG	L	306	-	-	3/4/4/4	-
4	PEG	L	305	-	-	2/4/4/4	-
4	PEG	A	304	-	-	1/4/4/4	-
4	PEG	G	303	-	-	3/4/4/4	-
5	EDO	H	304	-	-	0/1/1/1	-
4	PEG	L	304	-	-	3/4/4/4	-
4	PEG	H	303	-	-	0/4/4/4	-
5	EDO	F	306	-	-	0/1/1/1	-
6	GOL	G	304	-	-	4/4/4/4	-
3	PG4	C	305	-	-	2/10/10/10	-
6	GOL	C	303	-	-	0/4/4/4	-
3	PG4	A	303	-	-	4/10/10/10	-
4	PEG	E	303	-	-	1/4/4/4	-
6	GOL	I	304	-	-	0/4/4/4	-
5	EDO	A	305	-	-	0/1/1/1	-
5	EDO	J	304	-	-	1/1/1/1	-
5	EDO	F	307	-	-	1/1/1/1	-
4	PEG	F	305	-	-	0/4/4/4	-
6	GOL	C	304	-	-	2/4/4/4	-
5	EDO	I	305	-	-	0/1/1/1	-
4	PEG	F	304	-	-	0/4/4/4	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
6	C	304	GOL	C3-C2-C1	-2.11	103.49	111.70

There are no chirality outliers.

5 of 27 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	C	304	GOL	C1-C2-C3-O3
6	G	304	GOL	O1-C1-C2-C3
6	G	304	GOL	C1-C2-C3-O3
6	G	304	GOL	O1-C1-C2-O2
4	G	303	PEG	O1-C1-C2-O2

There are no ring outliers.

18 monomers are involved in 23 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	H	301	SO4	2	0
2	B	301	SO4	1	0
5	H	304	EDO	1	0
4	H	303	PEG	2	0
2	E	302	SO4	1	0
2	K	302	SO4	1	0
2	H	302	SO4	1	0
2	F	301	SO4	1	0
2	G	301	SO4	1	0
6	G	304	GOL	1	0
2	I	302	SO4	2	0
6	C	304	GOL	1	0
2	E	301	SO4	2	0
2	D	301	SO4	1	0
2	F	302	SO4	1	0
2	D	302	SO4	1	0
2	A	302	SO4	2	0
2	C	301	SO4	1	0

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	196/206 (95%)	-0.21	0 100 100	30, 53, 79, 101	0
1	B	196/206 (95%)	-0.20	0 100 100	29, 56, 81, 158	0
1	C	196/206 (95%)	-0.20	0 100 100	37, 54, 82, 134	0
1	D	196/206 (95%)	-0.11	0 100 100	35, 61, 101, 113	0
1	E	196/206 (95%)	-0.14	2 (1%) 82 84	28, 56, 92, 117	0
1	F	196/206 (95%)	-0.32	1 (0%) 91 91	27, 43, 70, 144	0
1	G	196/206 (95%)	0.01	1 (0%) 91 91	42, 60, 107, 125	0
1	H	196/206 (95%)	0.05	7 (3%) 42 46	37, 69, 119, 134	0
1	I	197/206 (95%)	-0.21	1 (0%) 91 91	31, 50, 81, 114	0
1	J	196/206 (95%)	-0.11	1 (0%) 91 91	40, 57, 92, 119	0
1	K	197/206 (95%)	-0.24	0 100 100	29, 51, 76, 97	0
1	L	195/206 (94%)	-0.30	1 (0%) 91 91	26, 42, 74, 117	0
All	All	2353/2472 (95%)	-0.16	14 (0%) 89 90	26, 54, 94, 158	0

The worst 5 of 14 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	18	LEU	4.8
1	H	19	TYR	4.3
1	G	68	ASP	3.6
1	H	25	THR	3.0
1	I	203	ALA	2.9

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates ⓘ

There are no monosaccharides in this entry.

### 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	PEG	E	303	7/7	0.81	0.22	73,76,77,77	0
5	EDO	F	306	4/4	0.81	0.20	76,76,77,77	0
6	GOL	G	304	6/6	0.81	0.15	67,68,69,69	0
2	SO4	L	302	5/5	0.82	0.40	142,143,143,143	0
2	SO4	G	302	5/5	0.84	0.33	132,132,132,132	0
3	PG4	A	303	13/13	0.87	0.17	67,68,69,69	0
2	SO4	F	302	5/5	0.89	0.24	101,102,102,102	0
2	SO4	A	302	5/5	0.89	0.20	116,116,117,117	0
3	PG4	C	305	13/13	0.89	0.14	62,66,68,68	0
4	PEG	F	305	7/7	0.91	0.15	56,60,62,62	0
2	SO4	A	301	5/5	0.91	0.26	112,112,113,113	0
5	EDO	J	304	4/4	0.91	0.16	54,55,56,56	0
2	SO4	E	302	5/5	0.91	0.21	118,119,119,119	0
4	PEG	L	304	7/7	0.92	0.14	54,55,56,56	0
5	EDO	A	305	4/4	0.93	0.14	40,40,41,41	0
2	SO4	D	302	5/5	0.93	0.12	110,110,110,110	0
2	SO4	E	301	5/5	0.93	0.10	95,95,96,96	0
6	GOL	C	303	6/6	0.93	0.17	55,56,58,58	0
4	PEG	A	304	7/7	0.93	0.13	56,58,61,61	0
2	SO4	H	301	5/5	0.94	0.14	117,117,117,118	0
4	PEG	L	305	7/7	0.94	0.13	45,49,54,54	0
4	PEG	L	306	7/7	0.94	0.10	41,44,45,46	0
2	SO4	K	301	5/5	0.94	0.15	91,92,93,93	0
6	GOL	I	304	6/6	0.94	0.15	54,54,56,56	0
4	PEG	G	303	7/7	0.95	0.17	44,45,47,47	0
5	EDO	H	304	4/4	0.95	0.20	53,53,54,54	0
2	SO4	I	301	5/5	0.95	0.22	78,78,79,80	0
2	SO4	H	302	5/5	0.95	0.15	97,97,98,98	0
6	GOL	C	304	6/6	0.95	0.10	39,40,41,42	0
4	PEG	F	304	7/7	0.95	0.13	48,49,51,51	0
2	SO4	K	302	5/5	0.95	0.15	76,77,78,79	0
2	SO4	J	302	5/5	0.96	0.18	68,68,69,70	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	SO4	D	301	5/5	0.96	0.12	95,95,95,96	0
2	SO4	I	302	5/5	0.96	0.12	61,63,64,65	0
4	PEG	H	303	7/7	0.96	0.15	42,42,45,45	0
2	SO4	J	301	5/5	0.96	0.19	104,104,104,104	0
7	CL	I	303	1/1	0.96	0.11	59,59,59,59	0
7	CL	K	303	1/1	0.96	0.07	35,35,35,35	0
2	SO4	G	301	5/5	0.97	0.15	93,93,93,94	0
2	SO4	C	301	5/5	0.97	0.12	71,71,72,72	0
2	SO4	B	301	5/5	0.97	0.11	96,96,97,97	0
2	SO4	F	301	5/5	0.97	0.10	82,82,82,83	0
5	EDO	F	307	4/4	0.97	0.14	46,46,46,47	0
7	CL	D	303	1/1	0.97	0.09	53,53,53,53	0
2	SO4	B	302	5/5	0.97	0.14	59,60,61,63	0
5	EDO	I	305	4/4	0.97	0.09	34,35,37,38	0
7	CL	L	303	1/1	0.97	0.14	50,50,50,50	0
2	SO4	L	301	5/5	0.98	0.12	61,62,63,63	0
7	CL	J	303	1/1	0.99	0.07	42,42,42,42	0
7	CL	F	303	1/1	0.99	0.08	33,33,33,33	0
2	SO4	C	302	5/5	0.99	0.09	47,49,50,51	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.