



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 15, 2024 – 07:55 PM EDT

PDB ID : 4OEC  
Title : Crystal structure of glycerophosphodiester phosphodiesterase from *Thermococcus kodakarensis* KOD1  
Authors : Atsuta, Y.; You, D.J.; Takano, K.; Koga, Y.; Kanaya, S.  
Deposited on : 2014-01-13  
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*





The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	248	 91% 8% .
1	B	248	 85% 14% .
1	C	248	 79% 19% .
1	D	248	 84% 13% .

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 8713 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glycerophosphoryl diester phosphodiesterase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	248	Total	C	N	O	S	0	0	0
			2004	1272	345	378	9			
1	B	248	Total	C	N	O	S	0	0	0
			2004	1272	345	378	9			
1	C	248	Total	C	N	O	S	0	0	0
			2004	1272	345	378	9			
1	D	248	Total	C	N	O	S	0	0	0
			2004	1272	345	378	9			

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		
2	B	1	Total	Mg	0	0
			1	1		
2	C	1	Total	Mg	0	0
			1	1		
2	D	1	Total	Mg	0	0
			1	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	224	Total	O	0	0
			224	224		
3	B	185	Total	O	0	0
			185	185		
3	C	107	Total	O	0	0
			107	107		
3	D	177	Total	O	0	0
			177	177		

### 3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glycerophosphoryl diester phosphodiesterase

Chain A:  91% 8% .





- Molecule 1: Glycerophosphoryl diester phosphodiesterase

Chain B:  85% 14% .




- Molecule 1: Glycerophosphoryl diester phosphodiesterase

Chain C:  79% 19% .



- Molecule 1: Glycerophosphoryl diester phosphodiesterase

Chain D:  84% 13% .



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	43.72Å 132.03Å 171.64Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 1.90 43.24 – 1.89	Depositor EDS
% Data completeness (in resolution range)	99.2 (50.00-1.90) 99.1 (43.24-1.89)	Depositor EDS
$R_{merge}$	0.14	Depositor
$R_{sym}$	0.14	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.92 (at 1.89Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.194 , 0.250 0.200 , 0.255	Depositor DCC
$R_{free}$ test set	4012 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	24.2	Xtriage
Anisotropy	0.741	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 45.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	8713	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.22% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	1.59	6/2035 (0.3%)	0.81	3/2750 (0.1%)
1	B	1.46	1/2035 (0.0%)	0.81	2/2750 (0.1%)
1	C	1.38	2/2035 (0.1%)	0.79	1/2750 (0.0%)
1	D	1.55	4/2035 (0.2%)	0.83	1/2750 (0.0%)
All	All	1.50	13/8140 (0.2%)	0.81	7/11000 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	D	0	1
All	All	0	2

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	21	GLU	CB-CG	-10.20	1.32	1.52
1	A	215	TYR	CD1-CE1	-6.07	1.30	1.39
1	B	235	VAL	CB-CG1	-5.96	1.40	1.52
1	D	21	GLU	CD-OE2	-5.90	1.19	1.25
1	A	115	GLU	CD-OE2	-5.68	1.19	1.25
1	D	115	GLU	CD-OE2	-5.50	1.19	1.25
1	A	74	GLU	CD-OE1	-5.47	1.19	1.25
1	C	21	GLU	C-N	-5.47	1.21	1.34
1	A	215	TYR	CD2-CE2	-5.21	1.31	1.39
1	A	235	VAL	CB-CG1	-5.08	1.42	1.52
1	D	169	GLU	CD-OE1	-5.06	1.20	1.25
1	C	228	GLU	CD-OE1	-5.01	1.20	1.25

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	21	GLU	CD-OE2	-5.01	1.20	1.25

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	47	ASP	O-C-N	-7.02	111.27	123.20
1	B	67	ARG	NE-CZ-NH1	5.58	123.09	120.30
1	A	47	ASP	N-CA-C	5.52	125.91	111.00
1	B	67	ARG	NE-CZ-NH2	-5.36	117.62	120.30
1	A	47	ASP	CB-CG-OD2	5.22	123.00	118.30
1	D	47	ASP	CB-CG-OD2	5.19	122.97	118.30
1	C	211	ASP	CB-CA-C	-5.18	100.03	110.40

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	47	ASP	Mainchain
1	D	47	ASP	Mainchain

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2004	0	2044	12	0
1	B	2004	0	2044	24	0
1	C	2004	0	2044	67	0
1	D	2004	0	2043	36	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	224	0	0	3	0
3	B	185	0	0	2	0
3	C	107	0	0	10	0
3	D	177	0	0	8	0
All	All	8713	0	8175	138	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (138) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:187:LEU:CD2	1:C:191:LEU:HD11	1.65	1.27
1:D:99:ARG:HG3	1:D:124:ASN:ND2	1.69	1.07
1:C:187:LEU:CD2	1:C:191:LEU:CD1	2.36	1.03
1:C:187:LEU:HD21	1:C:191:LEU:HD11	1.40	1.02
1:D:99:ARG:HG3	1:D:124:ASN:HD22	1.19	1.01
1:D:99:ARG:CG	1:D:124:ASN:ND2	2.25	0.99
1:C:187:LEU:O	1:C:191:LEU:HD13	1.66	0.94
1:C:99:ARG:HD2	3:C:596:HOH:O	1.66	0.94
1:D:124:ASN:HB3	3:D:575:HOH:O	1.69	0.92
1:C:187:LEU:HD23	1:C:191:LEU:CD1	2.04	0.86
1:C:187:LEU:HD23	1:C:191:LEU:HD11	1.56	0.84
1:C:114:ARG:HG3	1:C:144:TYR:CZ	2.13	0.84
1:C:114:ARG:HG3	1:C:144:TYR:CE1	2.15	0.81
1:B:165:LYS:HG2	3:B:514:HOH:O	1.79	0.81
1:D:212:VAL:HG13	3:D:517:HOH:O	1.81	0.80
1:D:99:ARG:CG	1:D:124:ASN:HD21	1.94	0.80
1:C:210:ASN:O	1:C:211:ASP:HB2	1.82	0.79
1:C:191:LEU:HD12	1:C:191:LEU:N	1.97	0.79
1:D:99:ARG:HD3	3:D:619:HOH:O	1.84	0.78
1:C:188:GLU:H	1:C:188:GLU:CD	1.88	0.76
1:D:182:ILE:HB	1:D:183:PRO:HD3	1.68	0.75
1:A:40:LEU:C	1:A:40:LEU:HD12	2.08	0.75
1:B:219:ASN:HA	1:B:222:LYS:HE3	1.67	0.75
1:C:187:LEU:O	1:C:191:LEU:CD1	2.36	0.74
1:D:65:LYS:HE3	3:D:625:HOH:O	1.87	0.73
1:D:99:ARG:HG2	1:D:124:ASN:HD21	1.52	0.72
1:B:141:TYR:CE2	1:B:145:ASP:HB3	2.26	0.71
1:C:160:VAL:N	1:C:161:PRO:HD2	2.05	0.70
1:A:28:ARG:NH2	3:A:607:HOH:O	2.25	0.70
1:B:56:GLU:OE2	1:B:67:ARG:NH2	2.24	0.70
1:C:187:LEU:O	1:C:187:LEU:HD23	1.94	0.68
1:A:40:LEU:HD12	1:A:40:LEU:O	1.94	0.66
1:C:180:GLU:O	1:C:183:PRO:HD2	1.95	0.65
1:C:156:ARG:HD2	1:C:158:GLU:OE2	1.96	0.65
1:C:191:LEU:CD1	1:C:191:LEU:N	2.60	0.64
1:D:124:ASN:CB	3:D:575:HOH:O	2.36	0.64
1:C:180:GLU:N	1:C:180:GLU:OE1	2.30	0.64

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:180:GLU:O	1:C:183:PRO:HG2	1.97	0.64
1:C:191:LEU:CD1	1:C:191:LEU:H	2.11	0.63
1:B:78:LYS:HE2	3:C:597:HOH:O	1.99	0.63
1:D:210:ASN:O	1:D:211:ASP:HB2	1.98	0.63
1:C:104:ASN:HB2	1:C:129:MET:HE2	1.81	0.62
1:C:171:ASN:HB2	3:C:526:HOH:O	1.98	0.62
1:C:187:LEU:HD22	1:C:191:LEU:CD1	2.31	0.61
1:C:213:LEU:HB2	3:C:502:HOH:O	2.02	0.60
1:C:213:LEU:HD13	3:C:572:HOH:O	2.01	0.60
1:C:12:HIS:HB2	1:C:231:ILE:HG22	1.84	0.59
1:C:187:LEU:CD2	1:C:191:LEU:HD13	2.33	0.59
1:C:210:ASN:HB2	1:C:212:VAL:HG12	1.84	0.59
1:C:205:VAL:HG22	1:C:229:VAL:HB	1.85	0.58
1:C:236:VAL:O	1:C:240:GLU:HG3	2.04	0.57
1:B:99:ARG:NH1	1:B:124:ASN:HB2	2.19	0.57
1:D:182:ILE:HB	1:D:183:PRO:CD	2.34	0.56
1:C:114:ARG:HG3	1:C:144:TYR:CE2	2.41	0.56
1:C:180:GLU:O	1:C:183:PRO:CD	2.54	0.56
1:C:182:ILE:N	1:C:183:PRO:HD2	2.20	0.56
1:C:187:LEU:CD2	1:C:187:LEU:C	2.74	0.56
1:B:216:LYS:O	1:B:217:ASP:HB2	2.05	0.55
1:B:205:VAL:HG22	1:B:229:VAL:HB	1.89	0.55
1:C:230:VAL:HG23	1:C:230:VAL:O	2.05	0.55
1:C:212:VAL:HG13	1:C:213:LEU:N	2.22	0.54
1:B:40:LEU:HD12	1:B:40:LEU:C	2.27	0.54
1:D:12:HIS:HE1	3:D:672:HOH:O	1.89	0.54
1:A:141:TYR:CE2	1:A:145:ASP:HB3	2.43	0.54
1:A:40:LEU:C	1:A:40:LEU:CD1	2.76	0.53
1:B:46:LYS:HE2	1:B:70:ASP:O	2.08	0.53
1:D:141:TYR:CE2	1:D:145:ASP:HB3	2.44	0.53
1:C:104:ASN:CG	1:C:129:MET:HE2	2.29	0.52
1:C:187:LEU:CD2	1:C:187:LEU:O	2.57	0.52
1:C:114:ARG:CG	1:C:144:TYR:CE1	2.91	0.52
1:C:114:ARG:HG3	1:C:144:TYR:CD1	2.45	0.52
1:D:184:LEU:HD23	1:D:185:ILE:HG23	1.92	0.51
1:C:1:MET:HE3	3:C:599:HOH:O	2.11	0.51
1:C:180:GLU:O	1:C:183:PRO:CG	2.59	0.51
1:C:104:ASN:CB	1:C:129:MET:HE2	2.40	0.51
1:B:156:ARG:HH11	1:B:158:GLU:CD	2.14	0.51
3:A:573:HOH:O	1:D:115:GLU:HG2	2.10	0.50
1:A:160:VAL:HB	1:A:161:PRO:HD3	1.93	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:180:GLU:C	1:C:183:PRO:HD2	2.31	0.50
1:C:1:MET:CE	3:C:599:HOH:O	2.59	0.50
1:D:99:ARG:CD	3:D:619:HOH:O	2.52	0.50
1:D:216:LYS:O	1:D:217:ASP:HB2	2.11	0.50
1:D:182:ILE:CB	1:D:183:PRO:HD3	2.40	0.50
1:C:40:LEU:HD23	1:C:40:LEU:N	2.27	0.49
1:C:160:VAL:N	1:C:161:PRO:CD	2.74	0.49
1:C:178:PRO:HA	1:C:207:TRP:O	2.13	0.49
1:C:173:TRP:CE3	1:C:174:SER:HB3	2.47	0.49
1:D:54:HIS:HD2	1:D:55:ASP:OD1	1.96	0.49
1:C:248:ARG:HD3	3:C:528:HOH:O	2.12	0.49
1:D:40:LEU:C	1:D:40:LEU:HD12	2.34	0.48
1:B:46:LYS:HE2	1:B:70:ASP:C	2.34	0.48
1:C:180:GLU:O	1:C:181:ALA:C	2.49	0.48
1:A:248:ARG:HD2	3:A:525:HOH:O	2.14	0.48
1:C:191:LEU:HD12	1:C:191:LEU:H	1.68	0.48
1:D:158:GLU:O	1:D:161:PRO:HD2	2.14	0.48
1:C:99:ARG:HD3	1:C:127:ARG:NH2	2.30	0.47
1:B:139:ARG:HG2	1:B:170:LEU:HD21	1.97	0.47
1:D:212:VAL:CG1	3:D:517:HOH:O	2.52	0.46
1:B:127:ARG:HD2	1:B:128:VAL:HG23	1.97	0.46
1:B:110:ARG:NH2	1:B:140:GLU:OE1	2.49	0.46
1:C:49:ARG:HD3	3:C:578:HOH:O	2.16	0.45
1:D:40:LEU:HD12	1:D:40:LEU:O	2.16	0.45
1:A:54:HIS:HD2	1:A:55:ASP:OD1	1.99	0.45
1:D:72:THR:OG1	1:D:75:GLU:HG3	2.17	0.45
1:B:139:ARG:NH1	1:B:169:GLU:OE2	2.42	0.44
1:D:88:PRO:HA	1:D:92:GLU:OE1	2.16	0.44
1:A:178:PRO:HA	1:A:207:TRP:O	2.17	0.44
1:A:210:ASN:O	1:A:211:ASP:HB2	2.18	0.44
1:D:124:ASN:O	1:D:127:ARG:HG3	2.18	0.44
1:A:74:GLU:OE1	1:D:143:LYS:NZ	2.49	0.44
1:D:160:VAL:N	1:D:161:PRO:CD	2.81	0.43
1:C:12:HIS:O	1:C:13:ARG:HB2	2.18	0.43
1:C:72:THR:HB	3:C:546:HOH:O	2.17	0.43
1:B:178:PRO:HA	1:B:207:TRP:O	2.18	0.43
1:B:160:VAL:HB	1:B:161:PRO:HD3	2.00	0.43
1:B:160:VAL:N	1:B:161:PRO:CD	2.82	0.43
1:D:194:LEU:O	1:D:198:ARG:HG3	2.18	0.43
1:D:230:VAL:O	1:D:230:VAL:HG23	2.18	0.43
1:C:187:LEU:HD22	1:C:191:LEU:HD13	1.99	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:141:TYR:CE2	1:C:145:ASP:HB3	2.54	0.42
1:B:46:LYS:CE	1:B:70:ASP:O	2.67	0.42
1:B:210:ASN:O	1:B:211:ASP:HB2	2.19	0.42
1:B:127:ARG:HD2	1:B:127:ARG:C	2.40	0.42
1:B:240:GLU:HG2	3:B:587:HOH:O	2.19	0.42
1:C:12:HIS:HD2	1:C:233:ASN:OD1	2.01	0.42
1:C:104:ASN:ND2	1:C:129:MET:HE3	2.35	0.42
1:D:182:ILE:CB	1:D:183:PRO:CD	2.95	0.42
1:C:110:ARG:NH2	1:C:140:GLU:OE1	2.53	0.41
1:C:29:LYS:HD3	1:C:29:LYS:HA	1.93	0.41
1:C:110:ARG:HH11	1:C:110:ARG:HD3	1.73	0.41
1:D:173:TRP:CE3	1:D:174:SER:HB3	2.56	0.41
1:C:114:ARG:HH11	1:C:114:ARG:HD3	1.72	0.41
1:C:210:ASN:HB2	1:C:212:VAL:CG1	2.49	0.41
1:B:35:ALA:HB2	1:B:235:VAL:HG11	2.03	0.40
1:D:101:ALA:O	1:D:127:ARG:HD3	2.21	0.40
1:A:160:VAL:N	1:A:161:PRO:CD	2.84	0.40
1:C:142:ARG:HG2	1:C:150:MET:HE1	2.04	0.40
1:D:99:ARG:HG2	1:D:124:ASN:ND2	2.13	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	246/248 (99%)	243 (99%)	3 (1%)	0	100	100
1	B	246/248 (99%)	242 (98%)	4 (2%)	0	100	100
1	C	246/248 (99%)	243 (99%)	3 (1%)	0	100	100
1	D	246/248 (99%)	240 (98%)	6 (2%)	0	100	100
All	All	984/992 (99%)	968 (98%)	16 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	219/219 (100%)	213 (97%)	6 (3%)	44	38
1	B	219/219 (100%)	215 (98%)	4 (2%)	59	55
1	C	219/219 (100%)	215 (98%)	4 (2%)	59	55
1	D	219/219 (100%)	211 (96%)	8 (4%)	34	25
All	All	876/876 (100%)	854 (98%)	22 (2%)	47	41

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	15	TYR
1	A	115	GLU
1	A	127	ARG
1	A	162	LEU
1	A	183	PRO
1	A	248	ARG
1	B	15	TYR
1	B	127	ARG
1	B	157	GLU
1	B	218	ASP
1	C	15	TYR
1	C	127	ARG
1	C	187	LEU
1	C	224	LYS
1	D	4	ARG
1	D	15	TYR
1	D	40	LEU
1	D	99	ARG
1	D	127	ARG
1	D	184	LEU
1	D	212	VAL
1	D	248	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	22	ASN
1	A	54	HIS
1	B	210	ASN
1	C	12	HIS
1	C	54	HIS
1	D	12	HIS
1	D	54	HIS
1	D	124	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	248/248 (100%)	-0.49	0 <a href="#">100</a> <a href="#">100</a>	17, 24, 36, 42	0
1	B	248/248 (100%)	-0.50	0 <a href="#">100</a> <a href="#">100</a>	18, 26, 38, 46	0
1	C	248/248 (100%)	-0.03	3 (1%) <a href="#">79</a> <a href="#">81</a>	24, 35, 52, 62	0
1	D	248/248 (100%)	-0.41	0 <a href="#">100</a> <a href="#">100</a>	16, 27, 40, 46	0
All	All	992/992 (100%)	-0.35	3 (0%) <a href="#">94</a> <a href="#">94</a>	16, 28, 44, 62	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	184	LEU	2.6
1	C	245	LEU	2.3
1	C	156	ARG	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	MG	C	401	1/1	0.86	0.05	30,30,30,30	0
2	MG	B	401	1/1	0.97	0.06	24,24,24,24	0
2	MG	D	401	1/1	0.98	0.04	20,20,20,20	0
2	MG	A	401	1/1	0.99	0.07	21,21,21,21	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.