



Full wwPDB EM Validation Report ⓘ

Nov 3, 2024 – 08:58 pm GMT

PDB ID : 8OM4
EMDB ID : EMD-16968
Title : Small subunit of yeast mitochondrial ribosome.
Authors : Itoh, Y.; Chicherin, I.; Kamenski, P.; Amunts, A.
Deposited on : 2023-03-31
Resolution : 2.32 Å(reported)
Based on initial model : 5MRC

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.32 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric | Whole archive (#Entries) | EM structures (#Entries) |
|-----------------------|--------------------------|--------------------------|
| Clashscore | 210492 | 15764 |
| Ramachandran outliers | 207382 | 16835 |
| Sidechain outliers | 206894 | 16415 |
| RNA backbone | 6643 | 2191 |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|--|
| 1 | A | 344 | <div> <div>28%</div> <div>78%</div> <div>10%</div> <div>13%</div> </div> |
| 2 | B | 394 | <div> <div>15%</div> <div>84%</div> <div>13%</div> </div> |
| 3 | C | 398 | <div> <div>19%</div> <div>88%</div> <div>6%</div> <div>7%</div> </div> |
| 4 | D | 486 | <div> <div>8%</div> <div>67%</div> <div>30%</div> </div> |
| 5 | E | 307 | <div> <div>93%</div> </div> |
| 6 | F | 131 | <div> <div>96%</div> </div> |
| 7 | G | 247 | <div> <div>17%</div> <div>76%</div> <div>6%</div> <div>18%</div> </div> |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 8 | H | 155 | |
| 9 | I | 278 | |
| 10 | J | 203 | |
| 11 | K | 217 | |
| 12 | L | 153 | |
| 13 | M | 143 | |
| 14 | N | 115 | |
| 15 | O | 286 | |
| 16 | P | 121 | |
| 17 | Q | 237 | |
| 18 | R | 138 | |
| 19 | S | 91 | |
| 20 | T | 177 | |
| 21 | U | 264 | |
| 22 | V | 318 | |
| 23 | W | 450 | |
| 24 | X | 110 | |
| 25 | Y | 319 | |
| 26 | Z | 95 | |
| 27 | 1 | 111 | |
| 28 | 2 | 130 | |
| 29 | 3 | 266 | |
| 30 | 4 | 321 | |
| 31 | 5 | 339 | |
| 32 | 6 | 345 | |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|---|
| 33 | 8 | 500 | <div><div></div><div>18%</div><div></div><div>89%</div><div></div><div>7%</div></div> |
| 34 | r | 1647 | <div><div></div><div></div><div>80%</div><div>10%</div><div>10%</div></div> |

2 Entry composition [i](#)

There are 39 unique types of molecules in this entry. The entry contains 166964 atoms, of which 74046 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 37S ribosomal protein MRP51, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| 1 | A | 300 | Total | C | H | N | O | S | 1 | 0 |
| | | | 4908 | 1552 | 2481 | 427 | 441 | 7 | | |

- Molecule 2 is a protein called 37S ribosomal protein MRP4, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| 2 | B | 342 | Total | C | H | N | O | S | 0 | 0 |
| | | | 5436 | 1709 | 2722 | 467 | 535 | 3 | | |

- Molecule 3 is a protein called Ribosomal protein VAR1, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|----|---------|-------|
| 3 | C | 372 | Total | C | H | N | O | S | 0 | 0 |
| | | | 6181 | 1930 | 3091 | 553 | 574 | 33 | | |

- Molecule 4 is a protein called 37S ribosomal protein NAM9, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| 4 | D | 341 | Total | C | H | N | O | S | 0 | 0 |
| | | | 5729 | 1842 | 2896 | 499 | 487 | 5 | | |

- Molecule 5 is a protein called 37S ribosomal protein S5, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| 5 | E | 294 | Total | C | H | N | O | S | 0 | 0 |
| | | | 4708 | 1494 | 2360 | 418 | 428 | 8 | | |

- Molecule 6 is a protein called 37S ribosomal protein MRP17, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|------|-----|-----|---|---------|-------|
| 6 | F | 131 | Total | C | H | N | O | S | 0 | 0 |
| | | | 2184 | 671 | 1129 | 189 | 191 | 4 | | |

- Molecule 7 is a protein called 37S ribosomal protein S7, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| 7 | G | 203 | Total | C | H | N | O | S | 0 | 0 |
| | | | 3272 | 1019 | 1660 | 289 | 299 | 5 | | |

- Molecule 8 is a protein called 37S ribosomal protein S8, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|------|-----|-----|---|---------|-------|
| 8 | H | 155 | Total | C | H | N | O | S | 1 | 0 |
| | | | 2509 | 774 | 1286 | 219 | 221 | 9 | | |

There is a discrepancy between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|-------------|------------|
| H | 1 | ACE | - | acetylation | UNP Q03799 |

- Molecule 9 is a protein called 37S ribosomal protein S9, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| 9 | I | 231 | Total | C | H | N | O | S | 1 | 0 |
| | | | 3783 | 1181 | 1925 | 334 | 338 | 5 | | |

- Molecule 10 is a protein called 37S ribosomal protein S10, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|------|-----|-----|---|---------|-------|
| 10 | J | 162 | Total | C | H | N | O | S | 0 | 0 |
| | | | 2655 | 853 | 1334 | 227 | 237 | 4 | | |

- Molecule 11 is a protein called 37S ribosomal protein S18, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|------|-----|-----|---|---------|-------|
| 11 | K | 151 | Total | C | H | N | O | S | 1 | 0 |
| | | | 2475 | 775 | 1266 | 213 | 215 | 6 | | |

- Molecule 12 is a protein called 37S ribosomal protein S12, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|---|---------|-------|
| 12 | L | 123 | Total | C | H | N | O | S | 0 | 0 |
| | | | 1932 | 579 | 993 | 192 | 164 | 4 | | |

- Molecule 13 is a protein called 37S ribosomal protein SWS2, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|------|-----|-----|---|---------|-------|
| 13 | M | 119 | Total | C | H | N | O | S | 0 | 0 |
| | | | 1937 | 591 | 1002 | 178 | 160 | 6 | | |

There is a discrepancy between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|---------|------------|
| M | 41 | LEU | PHE | variant | UNP P53937 |

- Molecule 14 is a protein called 37S ribosomal protein MRP2, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|---|---------|-------|
| 14 | N | 113 | Total | C | H | N | O | S | 0 | 0 |
| | | | 1917 | 596 | 986 | 179 | 152 | 4 | | |

- Molecule 15 is a protein called 37S ribosomal protein S28, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| 15 | O | 223 | Total | C | H | N | O | S | 0 | 0 |
| | | | 3668 | 1134 | 1853 | 334 | 339 | 8 | | |

- Molecule 16 is a protein called 37S ribosomal protein S16, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|------|-----|-----|---|---------|-------|
| 16 | P | 120 | Total | C | H | N | O | S | 0 | 0 |
| | | | 1963 | 604 | 1011 | 178 | 168 | 2 | | |

- Molecule 17 is a protein called 37S ribosomal protein S17, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| 17 | Q | 235 | Total | C | H | N | O | S | 1 | 0 |
| | | | 3944 | 1208 | 2014 | 356 | 361 | 5 | | |

- Molecule 18 is a protein called 37S ribosomal protein RSM18, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|---|---------|-------|
| 18 | R | 101 | Total | C | H | N | O | S | 0 | 0 |
| | | | 1671 | 507 | 853 | 162 | 145 | 4 | | |

- Molecule 19 is a protein called 37S ribosomal protein S19, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|---|---------|-------|
| 19 | S | 79 | Total | C | H | N | O | S | 0 | 0 |
| | | | 1277 | 404 | 648 | 114 | 109 | 2 | | |

- Molecule 20 is a protein called 37S ribosomal protein MRP21, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|---|---------|-------|
| 20 | T | 92 | Total | C | H | N | O | S | 1 | 0 |
| | | | 1569 | 483 | 800 | 150 | 131 | 5 | | |

- Molecule 21 is a protein called 37S ribosomal protein S25, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| 21 | U | 237 | Total | C | H | N | O | S | 0 | 0 |
| | | | 3868 | 1228 | 1929 | 339 | 365 | 7 | | |

- Molecule 22 is a protein called 37S ribosomal protein PET123, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| 22 | V | 286 | Total | C | H | N | O | S | 0 | 0 |
| | | | 4692 | 1450 | 2398 | 406 | 434 | 4 | | |

- Molecule 23 is a protein called 37S ribosomal protein S23, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| 23 | W | 402 | Total | C | H | N | O | S | 0 | 0 |
| | | | 6555 | 2078 | 3329 | 542 | 598 | 8 | | |

- Molecule 24 is a protein called Mitochondrial 37S ribosomal protein S27.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|---|---------|-------|
| 24 | X | 98 | Total | C | H | N | O | S | 0 | 0 |
| | | | 1619 | 503 | 832 | 142 | 139 | 3 | | |

- Molecule 25 is a protein called 37S ribosomal protein S24, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| 25 | Y | 272 | Total | C | H | N | O | S | 0 | 0 |
| | | | 4514 | 1436 | 2241 | 408 | 425 | 4 | | |

- Molecule 26 is a protein called 37S ribosomal protein MRP10, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|---|---------|-------|
| 26 | Z | 92 | Total | C | H | N | O | S | 0 | 0 |
| | | | 1487 | 459 | 758 | 137 | 127 | 6 | | |

- Molecule 27 is a protein called Mitochondrial mRNA-processing protein COX24.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|----|---|---------|-------|
| 27 | 1 | 31 | Total | C | H | N | O | S | 0 | 0 |
| | | | 613 | 170 | 334 | 68 | 39 | 2 | | |

- Molecule 28 is a protein called Protein FYV4, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|---|---------|-------|
| 28 | 2 | 102 | Total | C | H | N | O | S | 0 | 0 |
| | | | 1724 | 544 | 866 | 161 | 152 | 1 | | |

- Molecule 29 is a protein called 37S ribosomal protein S26, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| 29 | 3 | 257 | Total | C | H | N | O | S | 0 | 0 |
| | | | 4103 | 1326 | 2040 | 349 | 383 | 5 | | |

- Molecule 30 is a protein called 37S ribosomal protein MRP1, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|----|---------|-------|
| 30 | 4 | 303 | Total | C | H | N | O | S | 0 | 0 |
| | | | 4859 | 1538 | 2423 | 422 | 466 | 10 | | |

- Molecule 31 is a protein called 37S ribosomal protein MRP13, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| 31 | 5 | 291 | Total | C | H | N | O | S | 0 | 0 |
| | | | 4770 | 1524 | 2409 | 404 | 429 | 4 | | |

- Molecule 32 is a protein called 37S ribosomal protein S35, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| 32 | 6 | 319 | Total | C | H | N | O | S | 0 | 0 |
| | | | 5208 | 1646 | 2615 | 467 | 474 | 6 | | |

- Molecule 33 is a protein called 3-hydroxyisobutyryl-CoA hydrolase, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|----|---------|-------|
| 33 | 8 | 467 | Total | C | H | N | O | S | 0 | 0 |
| | | | 7371 | 2341 | 3681 | 621 | 708 | 20 | | |

- Molecule 34 is a RNA chain called 15S mitochondrial rRNA.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-------|-------|------|-------|------|---------|-------|
| 34 | r | 1487 | Total | C | H | N | O | P | 1 | 0 |
| | | | 47450 | 14212 | 15844 | 5580 | 10326 | 1488 | | |


- Molecule 35 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|-------|----|---------|
| 35 | B | 1 | Total | Mg | 0 |
| | | | 1 | 1 | |
| 35 | K | 1 | Total | Mg | 0 |
| | | | 1 | 1 | |
| 35 | W | 1 | Total | Mg | 0 |
| | | | 1 | 1 | |
| 35 | r | 86 | Total | Mg | 0 |
| | | | 86 | 86 | |


- Molecule 36 is POTASSIUM ION (three-letter code: K) (formula: K).

| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|-------|----|---------|
| 36 | D | 1 | Total | K | 0 |
| | | | 1 | 1 | |
| 36 | M | 1 | Total | K | 0 |
| | | | 1 | 1 | |
| 36 | r | 35 | Total | K | 0 |
| | | | 35 | 35 | |

- Molecule 37 is DODECYL-BETA-D-MALTOSIDE (three-letter code: LMT) (formula: C₂₄H₄₆O₁₁).



- Molecule 38 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: $\text{C}_{10}\text{H}_{16}\text{N}_5\text{O}_{13}\text{P}_3$) (labeled as "Ligand of Interest" by depositor).



- Molecule 39 is water.

| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|--------------|----------|---------|
| 39 | A | 58 | Total 58 | O 58 | 0 |
| 39 | B | 148 | Total 148 | O 148 | 0 |
| 39 | C | 19 | Total 19 | O 19 | 0 |
| 39 | D | 112 | Total 112 | O 112 | 0 |
| 39 | E | 144 | Total 144 | O 144 | 0 |
| 39 | F | 18 | Total 18 | O 18 | 0 |
| 39 | G | 24 | Total 24 | O 24 | 0 |
| 39 | H | 83 | Total 83 | O 83 | 0 |
| 39 | I | 58 | Total 58 | O 58 | 0 |
| 39 | J | 42 | Total 42 | O 42 | 0 |
| 39 | K | 11 | Total 11 | O 11 | 0 |
| 39 | L | 38 | Total 38 | O 38 | 0 |
| 39 | M | 12 | Total 12 | O 12 | 0 |
| 39 | N | 39 | Total 39 | O 39 | 0 |
| 39 | O | 55 | Total 55 | O 55 | 0 |
| 39 | P | 70 | Total 70 | O 70 | 0 |
| 39 | Q | 20 | Total 20 | O 20 | 0 |
| 39 | R | 15 | Total 15 | O 15 | 0 |
| 39 | S | 8 | Total 8 | O 8 | 0 |
| 39 | T | 44 | Total 44 | O 44 | 0 |
| 39 | U | 87 | Total 87 | O 87 | 0 |
| 39 | V | 34 | Total 34 | O 34 | 0 |

Continued on next page...


Continued from previous page...

| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|---------------|-----------|---------|
| 39 | W | 93 | Total 93 | O 93 | 0 |
| 39 | X | 9 | Total 9 | O 9 | 0 |
| 39 | Y | 46 | Total 46 | O 46 | 0 |
| 39 | Z | 25 | Total 25 | O 25 | 0 |
| 39 | 1 | 14 | Total 14 | O 14 | 0 |
| 39 | 2 | 22 | Total 22 | O 22 | 0 |
| 39 | 3 | 31 | Total 31 | O 31 | 0 |
| 39 | 4 | 3 | Total 3 | O 3 | 0 |
| 39 | 5 | 3 | Total 3 | O 3 | 0 |
| 39 | 6 | 69 | Total 69 | O 69 | 0 |
| 39 | 8 | 41 | Total 41 | O 41 | 0 |
| 39 | r | 2711 | Total 2711 | O 2711 | 0 |


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 37S ribosomal protein MRP51, mitochondrial




- Molecule 2: 37S ribosomal protein MRP4, mitochondrial




- Molecule 3: Ribosomal protein VAR1, mitochondrial






- Molecule 4: 37S ribosomal protein NAM9, mitochondrial

Chain D: 8% 67% 30%



- Molecule 5: 37S ribosomal protein S5, mitochondrial

Chain E: 93%




- Molecule 6: 37S ribosomal protein MRP17, mitochondrial

Chain F: 96%




- Molecule 7: 37S ribosomal protein S7, mitochondrial

Chain G: 17% 76% 6% 1%




- Molecule 8: 37S ribosomal protein S8, mitochondrial

Chain H:  97%





- Molecule 9: 37S ribosomal protein S9, mitochondrial

Chain I:  6% 80% 17%




- Molecule 10: 37S ribosomal protein S10, mitochondrial

Chain J:  75% 20%





- Molecule 11: 37S ribosomal protein S18, mitochondrial

Chain K:  5% 68% 30%





- Molecule 12: 37S ribosomal protein S12, mitochondrial

Chain L:  79% 20%



- Molecule 13: 37S ribosomal protein SWS2, mitochondrial

Chain M:  81% 17%




- Molecule 14: 37S ribosomal protein MRP2, mitochondrial

Chain N:  96%



- Molecule 15: 37S ribosomal protein S28, mitochondrial

Chain O:  73% 5% 22%





- Molecule 16: 37S ribosomal protein S16, mitochondrial

Chain P:  97%




- Molecule 17: 37S ribosomal protein S17, mitochondrial

Chain Q:  23% 92% 8%




- Molecule 18: 37S ribosomal protein RSM18, mitochondrial

Chain R:  70% 27%




- Molecule 19: 37S ribosomal protein S19, mitochondrial


Chain S:  82% 13%





- Molecule 20: 37S ribosomal protein MRP21, mitochondrial





- Molecule 21: 37S ribosomal protein S25, mitochondrial




- Molecule 22: 37S ribosomal protein PET123, mitochondrial




- Molecule 23: 37S ribosomal protein S23, mitochondrial




- Molecule 24: Mitochondrial 37S ribosomal protein S27




- Molecule 25: 37S ribosomal protein S24, mitochondrial




- Molecule 26: 37S ribosomal protein MRP10, mitochondrial




- Molecule 27: Mitochondrial mRNA-processing protein COX24




- Molecule 28: Protein FYV4, mitochondrial




- Molecule 29: 37S ribosomal protein S26, mitochondrial




- Molecule 30: 37S ribosomal protein MRP1, mitochondrial





- Molecule 31: 37S ribosomal protein MRP13, mitochondrial

Chain 5: 15% 78% 7% 14%




- Molecule 32: 37S ribosomal protein S35, mitochondrial

Chain 6: 91% 8%





- Molecule 33: 3-hydroxyisobutyryl-CoA hydrolase, mitochondrial

Chain 8: 18% 89% 7%



- Molecule 34: 15S mitochondrial rRNA

Chain r:  80% 10% 10%



4 Experimental information

| Property | Value | Source |
|--------------------------------------|---|-----------|
| EM reconstruction method | SINGLE PARTICLE | Depositor |
| Imposed symmetry | POINT, C1 | Depositor |
| Number of particles used | 778978 | Depositor |
| Resolution determination method | FSC 0.143 CUT-OFF | Depositor |
| CTF correction method | PHASE FLIPPING AND AMPLITUDE CORRECTION | Depositor |
| Microscope | FEI TITAN KRIOS | Depositor |
| Voltage (kV) | 300 | Depositor |
| Electron dose ($e^-/\text{\AA}^2$) | 32 | Depositor |
| Minimum defocus (nm) | 500 | Depositor |
| Maximum defocus (nm) | 2800 | Depositor |
| Magnification | 165000 | Depositor |
| Image detector | GATAN K3 (6k x 4k) | Depositor |
| Maximum map value | 1.124 | Depositor |
| Minimum map value | -0.125 | Depositor |
| Average map value | 0.001 | Depositor |
| Map value standard deviation | 0.016 | Depositor |
| Recommended contour level | 0.05 | Depositor |
| Map size (Å) | 398.3976, 398.3976, 398.3976 | wwPDB |
| Map dimensions | 720, 720, 720 | wwPDB |
| Map angles (°) | 90.0, 90.0, 90.0 | wwPDB |
| Pixel spacing (Å) | 0.55333, 0.55333, 0.55333 | Depositor |

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ATP, K, LMT, ACE, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|---------|-------------|---------|
| | | RMSZ | # Z >5 | RMSZ | # Z >5 |
| 1 | A | 0.24 | 0/2483 | 0.46 | 0/3345 |
| 2 | B | 0.24 | 0/2764 | 0.45 | 0/3746 |
| 3 | C | 0.24 | 0/3133 | 0.41 | 0/4215 |
| 4 | D | 0.25 | 0/2913 | 0.46 | 0/3923 |
| 5 | E | 0.25 | 0/2403 | 0.47 | 0/3237 |
| 6 | F | 0.24 | 0/1068 | 0.48 | 0/1430 |
| 7 | G | 0.23 | 0/1641 | 0.45 | 0/2216 |
| 8 | H | 0.24 | 0/1244 | 0.46 | 0/1677 |
| 9 | I | 0.24 | 0/1895 | 0.46 | 0/2552 |
| 10 | J | 0.24 | 0/1355 | 0.46 | 0/1834 |
| 11 | K | 0.25 | 0/1232 | 0.47 | 0/1642 |
| 12 | L | 0.24 | 0/954 | 0.55 | 0/1281 |
| 13 | M | 0.24 | 0/949 | 0.50 | 0/1267 |
| 14 | N | 0.26 | 0/948 | 0.52 | 0/1267 |
| 15 | O | 0.24 | 0/1837 | 0.48 | 0/2457 |
| 16 | P | 0.25 | 0/968 | 0.55 | 0/1307 |
| 17 | Q | 0.24 | 0/1953 | 0.48 | 0/2609 |
| 18 | R | 0.24 | 0/830 | 0.52 | 0/1106 |
| 19 | S | 0.26 | 0/645 | 0.50 | 0/872 |
| 20 | T | 0.25 | 0/784 | 0.50 | 0/1035 |
| 21 | U | 0.24 | 0/1982 | 0.46 | 0/2679 |
| 22 | V | 0.24 | 0/2325 | 0.43 | 0/3112 |
| 23 | W | 0.24 | 0/3292 | 0.42 | 0/4449 |
| 24 | X | 0.25 | 0/801 | 0.46 | 0/1070 |
| 25 | Y | 0.23 | 0/2329 | 0.46 | 0/3142 |
| 26 | Z | 0.23 | 0/745 | 0.45 | 0/1004 |
| 27 | 1 | 0.23 | 0/279 | 0.62 | 0/355 |
| 28 | 2 | 0.24 | 0/877 | 0.45 | 0/1173 |
| 29 | 3 | 0.25 | 0/2114 | 0.44 | 0/2872 |
| 30 | 4 | 0.24 | 0/2485 | 0.46 | 0/3354 |
| 31 | 5 | 0.24 | 0/2417 | 0.43 | 0/3275 |
| 32 | 6 | 0.25 | 0/2655 | 0.47 | 0/3583 |

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|---------|-------------|----------|
| | | RMSZ | # Z >5 | RMSZ | # Z >5 |
| 33 | 8 | 0.24 | 0/3766 | 0.45 | 0/5099 |
| 34 | r | 0.23 | 0/35392 | 0.68 | 0/55064 |
| All | All | 0.24 | 0/93458 | 0.56 | 0/133249 |

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1 | A | 2427 | 2481 | 2480 | 24 | 0 |
| 2 | B | 2714 | 2722 | 2721 | 12 | 0 |
| 3 | C | 3090 | 3091 | 3085 | 19 | 0 |
| 4 | D | 2833 | 2896 | 2895 | 11 | 0 |
| 5 | E | 2348 | 2360 | 2359 | 5 | 0 |
| 6 | F | 1055 | 1129 | 1129 | 3 | 0 |
| 7 | G | 1612 | 1660 | 1658 | 16 | 0 |
| 8 | H | 1223 | 1286 | 1288 | 2 | 0 |
| 9 | I | 1858 | 1925 | 1925 | 6 | 0 |
| 10 | J | 1321 | 1334 | 1332 | 6 | 0 |
| 11 | K | 1209 | 1266 | 1266 | 2 | 0 |
| 12 | L | 939 | 993 | 992 | 2 | 0 |
| 13 | M | 935 | 1002 | 1000 | 2 | 0 |
| 14 | N | 931 | 986 | 985 | 2 | 0 |
| 15 | O | 1815 | 1853 | 1851 | 8 | 0 |
| 16 | P | 952 | 1011 | 1010 | 2 | 0 |
| 17 | Q | 1930 | 2014 | 2014 | 12 | 0 |
| 18 | R | 818 | 853 | 852 | 2 | 0 |
| 19 | S | 629 | 648 | 647 | 2 | 0 |
| 20 | T | 769 | 800 | 800 | 5 | 0 |
| 21 | U | 1939 | 1929 | 1929 | 8 | 0 |
| 22 | V | 2294 | 2398 | 2396 | 5 | 0 |
| 23 | W | 3226 | 3329 | 3327 | 5 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 24 | X | 787 | 832 | 832 | 1 | 0 |
| 25 | Y | 2273 | 2241 | 2240 | 8 | 0 |
| 26 | Z | 729 | 758 | 757 | 2 | 0 |
| 27 | 1 | 279 | 334 | 333 | 0 | 0 |
| 28 | 2 | 858 | 866 | 865 | 3 | 0 |
| 29 | 3 | 2063 | 2040 | 2039 | 7 | 0 |
| 30 | 4 | 2436 | 2423 | 2422 | 12 | 0 |
| 31 | 5 | 2361 | 2409 | 2408 | 14 | 0 |
| 32 | 6 | 2593 | 2615 | 2613 | 4 | 0 |
| 33 | 8 | 3690 | 3681 | 3680 | 14 | 0 |
| 34 | r | 31606 | 15844 | 15848 | 0 | 0 |
| 35 | B | 1 | 0 | 0 | 0 | 0 |
| 35 | K | 1 | 0 | 0 | 0 | 0 |
| 35 | W | 1 | 0 | 0 | 0 | 0 |
| 35 | r | 86 | 0 | 0 | 0 | 0 |
| 36 | D | 1 | 0 | 0 | 0 | 0 |
| 36 | M | 1 | 0 | 0 | 0 | 0 |
| 36 | r | 35 | 0 | 0 | 0 | 0 |
| 37 | O | 13 | 25 | 25 | 2 | 0 |
| 38 | W | 31 | 12 | 12 | 0 | 0 |
| 39 | 1 | 14 | 0 | 0 | 0 | 0 |
| 39 | 2 | 22 | 0 | 0 | 0 | 0 |
| 39 | 3 | 31 | 0 | 0 | 1 | 0 |
| 39 | 4 | 3 | 0 | 0 | 0 | 0 |
| 39 | 5 | 3 | 0 | 0 | 0 | 0 |
| 39 | 6 | 69 | 0 | 0 | 0 | 0 |
| 39 | 8 | 41 | 0 | 0 | 1 | 0 |
| 39 | A | 58 | 0 | 0 | 2 | 0 |
| 39 | B | 148 | 0 | 0 | 1 | 0 |
| 39 | C | 19 | 0 | 0 | 1 | 0 |
| 39 | D | 112 | 0 | 0 | 1 | 0 |
| 39 | E | 144 | 0 | 0 | 2 | 0 |
| 39 | F | 18 | 0 | 0 | 1 | 0 |
| 39 | G | 24 | 0 | 0 | 1 | 0 |
| 39 | H | 83 | 0 | 0 | 0 | 0 |
| 39 | I | 58 | 0 | 0 | 1 | 0 |
| 39 | J | 42 | 0 | 0 | 2 | 0 |
| 39 | K | 11 | 0 | 0 | 0 | 0 |
| 39 | L | 38 | 0 | 0 | 1 | 0 |
| 39 | M | 12 | 0 | 0 | 0 | 0 |
| 39 | N | 39 | 0 | 0 | 0 | 0 |
| 39 | O | 55 | 0 | 0 | 0 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 39 | P | 70 | 0 | 0 | 0 | 0 |
| 39 | Q | 20 | 0 | 0 | 0 | 0 |
| 39 | R | 15 | 0 | 0 | 0 | 0 |
| 39 | S | 8 | 0 | 0 | 0 | 0 |
| 39 | T | 44 | 0 | 0 | 0 | 0 |
| 39 | U | 87 | 0 | 0 | 2 | 0 |
| 39 | V | 34 | 0 | 0 | 0 | 0 |
| 39 | W | 93 | 0 | 0 | 0 | 0 |
| 39 | X | 9 | 0 | 0 | 0 | 0 |
| 39 | Y | 46 | 0 | 0 | 1 | 0 |
| 39 | Z | 25 | 0 | 0 | 0 | 0 |
| 39 | r | 2711 | 0 | 0 | 0 | 0 |
| All | All | 92918 | 74046 | 74015 | 193 | 0 |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (193) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|-------------------|-------------------|--------------------------|-------------------|
| 9:I:200:LEU:HD11 | 9:I:211:ILE:HD11 | 1.77 | 0.67 |
| 1:A:289:GLY:O | 39:A:401:HOH:O | 2.13 | 0.66 |
| 10:J:133:MET:O | 39:J:301:HOH:O | 2.13 | 0.66 |
| 3:C:255:ASN:OD1 | 3:C:256:ILE:N | 2.30 | 0.64 |
| 16:P:71:ARG:HG2 | 32:6:314:VAL:HG21 | 1.80 | 0.64 |
| 7:G:64:PRO:HB2 | 7:G:78:LEU:HD11 | 1.80 | 0.64 |
| 21:U:6:ASN:ND2 | 39:U:301:HOH:O | 2.31 | 0.63 |
| 7:G:204:VAL:HG21 | 23:W:51:VAL:HG22 | 1.81 | 0.62 |
| 15:O:183:VAL:HG22 | 37:O:301:LMT:H111 | 1.81 | 0.62 |
| 18:R:77:SER:O | 18:R:81:ASP:N | 2.33 | 0.61 |
| 4:D:172:LEU:HD21 | 4:D:391:LEU:CD1 | 2.30 | 0.61 |
| 28:2:67:PHE:O | 28:2:95:ARG:NH2 | 2.32 | 0.61 |
| 1:A:298:LEU:HD13 | 30:4:255:THR:HG21 | 1.83 | 0.61 |
| 33:8:430:SER:OG | 39:8:601:HOH:O | 2.16 | 0.60 |
| 33:8:155:ILE:HD11 | 33:8:190:ILE:HD11 | 1.83 | 0.60 |
| 7:G:168:THR:HG22 | 7:G:178:VAL:HG22 | 1.84 | 0.59 |
| 6:F:17:PRO:HB2 | 6:F:47:ILE:HD11 | 1.85 | 0.59 |
| 31:5:84:THR:HG22 | 31:5:84:THR:O | 2.04 | 0.58 |
| 1:A:195:LYS:CG | 21:U:166:VAL:HG21 | 2.34 | 0.57 |
| 7:G:207:ASP:OD1 | 39:G:301:HOH:O | 2.18 | 0.57 |
| 33:8:180:ASP:O | 33:8:181:VAL:HG22 | 2.05 | 0.57 |

Continued on next page...

Continued from previous page...

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|-------------------|-------------------|--------------------------|-------------------|
| 2:B:85:LYS:O | 7:G:43:VAL:HG11 | 2.05 | 0.56 |
| 20:T:115:GLU:OE2 | 20:T:119:ARG:NE | 2.40 | 0.55 |
| 1:A:143:LEU:O | 1:A:147:THR:OG1 | 2.17 | 0.54 |
| 33:8:35:ASP:OD1 | 33:8:36:ALA:N | 2.40 | 0.54 |
| 1:A:195:LYS:HG3 | 21:U:166:VAL:HG21 | 1.88 | 0.54 |
| 29:3:68:LEU:O | 29:3:213:LYS:NZ | 2.41 | 0.54 |
| 7:G:246:LEU:O | 7:G:247:LYS:CB | 2.56 | 0.54 |
| 3:C:48:LYS:HG3 | 25:Y:312:VAL:HG11 | 1.89 | 0.54 |
| 10:J:51:ASP:O | 39:J:302:HOH:O | 2.19 | 0.54 |
| 4:D:438:PRO:O | 39:D:601:HOH:O | 2.18 | 0.54 |
| 13:M:66:THR:O | 13:M:66:THR:HG23 | 2.08 | 0.53 |
| 29:3:150:GLN:NE2 | 29:3:228:ASP:OD2 | 2.42 | 0.53 |
| 4:D:407:GLN:NE2 | 4:D:410:TYR:O | 2.42 | 0.53 |
| 23:W:188:ASN:OD1 | 23:W:305:TYR:OH | 2.25 | 0.53 |
| 21:U:220:TRP:O | 21:U:224:VAL:HG23 | 2.10 | 0.52 |
| 30:4:176:GLN:HG2 | 30:4:313:THR:HG21 | 1.90 | 0.52 |
| 2:B:89:LEU:HD12 | 7:G:43:VAL:HG13 | 1.91 | 0.52 |
| 5:E:243:ASN:ND2 | 39:E:407:HOH:O | 2.43 | 0.51 |
| 1:A:161:LEU:HD21 | 1:A:176:LEU:HD22 | 1.93 | 0.51 |
| 31:5:131:ARG:NH2 | 31:5:173:ALA:O | 2.44 | 0.51 |
| 33:8:175:ILE:O | 33:8:175:ILE:HG22 | 2.11 | 0.51 |
| 12:L:31:LEU:HD11 | 17:Q:33:ILE:HB | 1.92 | 0.51 |
| 1:A:206:LEU:CD2 | 1:A:291:VAL:HG21 | 2.41 | 0.51 |
| 30:4:190:ASP:OD1 | 30:4:191:ILE:N | 2.44 | 0.50 |
| 31:5:315:TYR:CE2 | 31:5:319:LEU:HD11 | 2.47 | 0.50 |
| 10:J:43:ALA:HB2 | 10:J:121:LEU:HD21 | 1.92 | 0.50 |
| 5:E:203:ARG:NH1 | 39:E:406:HOH:O | 2.43 | 0.50 |
| 4:D:478:TYR:CE2 | 4:D:482:LEU:HD11 | 2.46 | 0.50 |
| 2:B:173:ASP:OD1 | 39:B:501:HOH:O | 2.19 | 0.50 |
| 9:I:261:ARG:NH1 | 39:I:303:HOH:O | 2.45 | 0.50 |
| 10:J:183:VAL:HG21 | 14:N:39:LYS:HE3 | 1.94 | 0.49 |
| 29:3:34:PHE:HA | 29:3:37:VAL:HG12 | 1.94 | 0.49 |
| 6:F:99:VAL:O | 39:F:201:HOH:O | 2.20 | 0.49 |
| 31:5:149:SER:O | 31:5:154:GLY:N | 2.45 | 0.49 |
| 28:2:30:THR:HG22 | 28:2:31:ILE:N | 2.26 | 0.49 |
| 15:O:87:LEU:HD13 | 15:O:95:ILE:HD13 | 1.94 | 0.49 |
| 6:F:40:ARG:NE | 6:F:72:ASP:OD2 | 2.46 | 0.49 |
| 29:3:173:THR:O | 29:3:180:ASN:ND2 | 2.46 | 0.49 |
| 1:A:234:VAL:O | 1:A:234:VAL:HG22 | 2.13 | 0.48 |
| 32:6:91:ASP:OD1 | 32:6:91:ASP:N | 2.45 | 0.48 |
| 2:B:297:SER:HG | 9:I:33:LEU:N | 2.12 | 0.48 |

Continued on next page...

Continued from previous page...

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|-------------------|-------------------|--------------------------|-------------------|
| 21:U:61:VAL:O | 21:U:61:VAL:HG13 | 2.14 | 0.48 |
| 3:C:206:GLU:HG3 | 3:C:206:GLU:O | 2.14 | 0.48 |
| 30:4:103:THR:O | 30:4:295:ARG:NH2 | 2.39 | 0.48 |
| 4:D:221:LEU:HD13 | 4:D:370:LEU:HD22 | 1.95 | 0.48 |
| 7:G:63:LEU:HD12 | 7:G:64:PRO:HD2 | 1.96 | 0.48 |
| 33:8:340:GLN:O | 33:8:344:ARG:NH1 | 2.46 | 0.48 |
| 9:I:200:LEU:HD11 | 9:I:211:ILE:CD1 | 2.44 | 0.47 |
| 1:A:279:GLU:HB2 | 1:A:298:LEU:HD11 | 1.96 | 0.47 |
| 1:A:184:LEU:HD11 | 22:V:265:ILE:HD11 | 1.95 | 0.47 |
| 17:Q:200:CYS:SG | 17:Q:224:LEU:HD11 | 2.55 | 0.47 |
| 33:8:169:ALA:HB2 | 33:8:210:VAL:HG22 | 1.95 | 0.47 |
| 17:Q:146:GLU:OE2 | 17:Q:150:ARG:NH2 | 2.48 | 0.47 |
| 19:S:19:VAL:HG21 | 19:S:40:ALA:HB2 | 1.97 | 0.47 |
| 4:D:386:ILE:HG23 | 4:D:391:LEU:HD21 | 1.97 | 0.47 |
| 1:A:168:GLU:OE1 | 1:A:168:GLU:N | 2.45 | 0.46 |
| 7:G:163:LEU:HD11 | 26:Z:55:VAL:HG13 | 1.98 | 0.46 |
| 20:T:165:LEU:HD12 | 26:Z:10:LEU:HD12 | 1.96 | 0.46 |
| 3:C:45:MET:HG2 | 25:Y:312:VAL:HG13 | 1.97 | 0.46 |
| 8:H:99:ILE:HG21 | 8:H:118:ILE:HD11 | 1.97 | 0.46 |
| 17:Q:234:GLN:HB2 | 17:Q:235:PRO:HD3 | 1.97 | 0.46 |
| 16:P:119:THR:OG1 | 16:P:120:LEU:N | 2.49 | 0.46 |
| 30:4:175:ARG:NH2 | 30:4:184:ASN:OD1 | 2.49 | 0.46 |
| 31:5:160:VAL:HG12 | 31:5:160:VAL:O | 2.15 | 0.46 |
| 29:3:177:PHE:CG | 29:3:178:PRO:HD3 | 2.51 | 0.45 |
| 15:O:161:ARG:HD2 | 15:O:171:THR:HG22 | 1.98 | 0.45 |
| 17:Q:134:ALA:CB | 17:Q:144:LEU:HD11 | 2.47 | 0.45 |
| 32:6:169:GLN:NE2 | 32:6:275:SER:OG | 2.49 | 0.45 |
| 1:A:121:LYS:HB2 | 1:A:181:VAL:HG21 | 1.98 | 0.45 |
| 20:T:95:ASN:O | 20:T:99:ARG:N | 2.50 | 0.45 |
| 29:3:8:ILE:N | 39:3:305:HOH:O | 2.49 | 0.45 |
| 30:4:292:TYR:O | 30:4:296:VAL:HG23 | 2.16 | 0.45 |
| 31:5:54:TYR:HB2 | 31:5:94:VAL:HG21 | 1.99 | 0.45 |
| 8:H:86:LEU:CD1 | 8:H:154:VAL:HG13 | 2.46 | 0.45 |
| 1:A:17:ASN:ND2 | 39:A:403:HOH:O | 2.47 | 0.45 |
| 17:Q:140:THR:HA | 17:Q:144:LEU:HD12 | 1.99 | 0.45 |
| 1:A:234:VAL:HB | 1:A:268:GLY:O | 2.17 | 0.45 |
| 15:O:198:ASP:OD2 | 15:O:201:ASN:ND2 | 2.50 | 0.45 |
| 24:X:28:ILE:O | 24:X:30:THR:HG23 | 2.17 | 0.45 |
| 1:A:63:LEU:C | 1:A:63:LEU:HD12 | 2.37 | 0.44 |
| 17:Q:144:LEU:O | 17:Q:148:LYS:N | 2.44 | 0.44 |
| 28:2:67:PHE:CD1 | 28:2:91:VAL:HG13 | 2.52 | 0.44 |

Continued on next page...

Continued from previous page...

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|-------------------|-------------------|--------------------------|-------------------|
| 15:O:83:LEU:HD11 | 15:O:156:ALA:HB2 | 1.99 | 0.44 |
| 19:S:53:ILE:HD12 | 19:S:62:ILE:HD12 | 1.98 | 0.44 |
| 7:G:247:LYS:OXT | 7:G:247:LYS:HG2 | 2.18 | 0.44 |
| 7:G:246:LEU:O | 7:G:247:LYS:HB2 | 2.17 | 0.44 |
| 23:W:66:THR:HG22 | 23:W:66:THR:O | 2.17 | 0.44 |
| 1:A:172:ASN:OD1 | 1:A:173:SER:N | 2.51 | 0.44 |
| 29:3:92:PHE:CZ | 29:3:96:ILE:HD13 | 2.53 | 0.44 |
| 5:E:172:VAL:HG22 | 5:E:201:ALA:HB1 | 1.98 | 0.44 |
| 1:A:238:ASN:O | 1:A:239:ASN:HB2 | 2.18 | 0.43 |
| 1:A:10:SER:HB3 | 2:B:189:MET:CE | 2.48 | 0.43 |
| 3:C:236:ILE:HG13 | 3:C:236:ILE:O | 2.19 | 0.43 |
| 17:Q:80:ASN:OD1 | 17:Q:84:GLN:NE2 | 2.51 | 0.43 |
| 30:4:215:VAL:HG13 | 30:4:216:MET:N | 2.34 | 0.43 |
| 2:B:85:LYS:C | 7:G:43:VAL:HG11 | 2.39 | 0.43 |
| 3:C:179:LEU:O | 3:C:182:ILE:HG13 | 2.18 | 0.43 |
| 3:C:34:LYS:HD3 | 7:G:46:TRP:CD2 | 2.54 | 0.43 |
| 30:4:16:ARG:NH2 | 30:4:49:ASP:OD1 | 2.52 | 0.43 |
| 4:D:172:LEU:HD11 | 4:D:391:LEU:CD1 | 2.49 | 0.43 |
| 33:8:438:GLN:OE1 | 33:8:438:GLN:N | 2.50 | 0.43 |
| 1:A:43:LEU:HD22 | 1:A:61:ARG:HG2 | 2.01 | 0.42 |
| 15:O:76:ILE:HA | 37:O:301:LMT:H121 | 2.01 | 0.42 |
| 21:U:129:ASP:OD1 | 33:8:271:LYS:NZ | 2.52 | 0.42 |
| 22:V:29:GLN:OE1 | 22:V:32:ILE:HD12 | 2.19 | 0.42 |
| 1:A:126:LYS:O | 1:A:130:GLY:N | 2.50 | 0.42 |
| 4:D:395:GLU:N | 4:D:396:PRO:HD2 | 2.34 | 0.42 |
| 17:Q:58:VAL:HG12 | 17:Q:77:ILE:HD13 | 2.01 | 0.42 |
| 11:K:96:GLU:OE2 | 20:T:90:ARG:NH1 | 2.49 | 0.42 |
| 12:L:43:ARG:NH1 | 39:L:201:HOH:O | 2.52 | 0.42 |
| 4:D:432:SER:N | 4:D:433:PRO:HD2 | 2.34 | 0.42 |
| 11:K:180:ILE:O | 11:K:184:VAL:HG22 | 2.20 | 0.42 |
| 31:5:193:LEU:HD21 | 31:5:235:LEU:HA | 2.02 | 0.42 |
| 1:A:157:PHE:CE2 | 1:A:161:LEU:HD22 | 2.55 | 0.42 |
| 3:C:93:TRP:CG | 14:N:108:PRO:O | 2.73 | 0.42 |
| 21:U:78:ARG:NH2 | 39:U:305:HOH:O | 2.51 | 0.42 |
| 31:5:65:ILE:HG22 | 31:5:65:ILE:O | 2.18 | 0.42 |
| 1:A:180:VAL:HG13 | 22:V:265:ILE:HD13 | 2.01 | 0.42 |
| 30:4:315:ILE:O | 30:4:316:GLN:C | 2.58 | 0.42 |
| 31:5:117:LEU:HD23 | 31:5:162:LEU:HD12 | 2.02 | 0.42 |
| 2:B:58:LEU:HD21 | 3:C:12:MET:SD | 2.60 | 0.42 |
| 3:C:5:LEU:HD12 | 25:Y:315:LEU:HD11 | 2.02 | 0.42 |
| 5:E:21:LEU:HD13 | 5:E:33:ILE:HG21 | 2.02 | 0.42 |

Continued on next page...

Continued from previous page...

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|-------------------|-------------------|--------------------------|-------------------|
| 31:5:82:PRO:O | 31:5:83:LYS:HB2 | 2.20 | 0.42 |
| 31:5:175:ASN:N | 31:5:176:PRO:HD3 | 2.35 | 0.42 |
| 3:C:160:ILE:O | 3:C:160:ILE:HG22 | 2.20 | 0.41 |
| 4:D:166:PRO:HB2 | 4:D:171:ALA:HB2 | 2.01 | 0.41 |
| 17:Q:128:ILE:O | 17:Q:128:ILE:HG22 | 2.19 | 0.41 |
| 23:W:199:PHE:HB2 | 23:W:318:LEU:HD23 | 2.02 | 0.41 |
| 33:8:180:ASP:O | 33:8:181:VAL:CG2 | 2.68 | 0.41 |
| 3:C:316:MET:O | 3:C:322:LYS:NZ | 2.54 | 0.41 |
| 4:D:172:LEU:HD11 | 4:D:391:LEU:HD13 | 2.01 | 0.41 |
| 33:8:58:LEU:HB3 | 33:8:98:ALA:HB2 | 2.02 | 0.41 |
| 25:Y:239:ASP:OD1 | 39:Y:401:HOH:O | 2.22 | 0.41 |
| 7:G:159:GLU:O | 7:G:230:ARG:NH1 | 2.53 | 0.41 |
| 2:B:257:ARG:NH1 | 2:B:261:GLU:OE2 | 2.54 | 0.41 |
| 33:8:128:ASN:HD21 | 33:8:181:VAL:HG12 | 1.84 | 0.41 |
| 3:C:367:LYS:N | 3:C:371:ILE:O | 2.49 | 0.41 |
| 18:R:42:ASP:OD1 | 18:R:43:GLN:N | 2.54 | 0.41 |
| 23:W:100:GLN:O | 23:W:104:LEU:HD13 | 2.20 | 0.41 |
| 33:8:457:THR:HG22 | 33:8:459:ARG:H | 1.85 | 0.41 |
| 2:B:336:ILE:HG23 | 21:U:6:ASN:HB3 | 2.03 | 0.41 |
| 10:J:55:LEU:HD21 | 10:J:109:ARG:HG2 | 2.02 | 0.41 |
| 13:M:92:ARG:HB2 | 13:M:99:VAL:HG12 | 2.02 | 0.41 |
| 1:A:113:ARG:HB3 | 1:A:114:PRO:HD2 | 2.02 | 0.41 |
| 2:B:89:LEU:CD1 | 7:G:43:VAL:HG13 | 2.50 | 0.41 |
| 3:C:42:LEU:HB3 | 7:G:68:LEU:HD11 | 2.03 | 0.41 |
| 3:C:188:ASN:ND2 | 25:Y:79:GLU:OE2 | 2.54 | 0.41 |
| 3:C:306:TYR:O | 39:C:401:HOH:O | 2.22 | 0.41 |
| 5:E:286:LEU:HD11 | 32:6:244:PHE:CE2 | 2.56 | 0.41 |
| 9:I:39:PRO:HB3 | 9:I:44:PHE:CG | 2.56 | 0.41 |
| 9:I:170:VAL:HG22 | 9:I:171:ARG:N | 2.35 | 0.41 |
| 15:O:148:GLU:OE1 | 15:O:151:ASN:ND2 | 2.53 | 0.41 |
| 31:5:142:VAL:HG11 | 31:5:178:VAL:CG1 | 2.50 | 0.41 |
| 3:C:211:SER:OG | 25:Y:136:GLU:OE1 | 2.30 | 0.41 |
| 15:O:102:LEU:HD22 | 22:V:203:TYR:CD1 | 2.56 | 0.41 |
| 31:5:327:THR:HB | 31:5:328:PRO:HD3 | 2.02 | 0.41 |
| 2:B:82:LEU:HD21 | 3:C:3:LEU:HB2 | 2.02 | 0.40 |
| 10:J:94:VAL:O | 10:J:95:HIS:HB2 | 2.21 | 0.40 |
| 2:B:344:ALA:HB3 | 2:B:355:VAL:HG11 | 2.04 | 0.40 |
| 22:V:287:ASP:O | 22:V:291:ILE:HG22 | 2.21 | 0.40 |
| 33:8:39:VAL:HG23 | 33:8:65:MET:HG2 | 2.02 | 0.40 |
| 1:A:237:GLU:HB2 | 1:A:240:ASP:HB2 | 2.02 | 0.40 |
| 17:Q:131:ILE:HG22 | 17:Q:131:ILE:O | 2.21 | 0.40 |

Continued on next page...

Continued from previous page...

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|-------------------|-------------------|--------------------------|-------------------|
| 30:4:173:ALA:HB1 | 30:4:193:TYR:HB2 | 2.03 | 0.40 |
| 30:4:126:ILE:HG21 | 30:4:129:GLU:OE2 | 2.22 | 0.40 |
| 30:4:239:ASP:OD1 | 30:4:240:SER:N | 2.54 | 0.40 |
| 3:C:45:MET:CG | 25:Y:312:VAL:HG13 | 2.52 | 0.40 |
| 17:Q:134:ALA:HB1 | 17:Q:144:LEU:HD11 | 2.02 | 0.40 |
| 20:T:128:ASN:ND2 | 20:T:132:ASP:OD1 | 2.55 | 0.40 |
| 25:Y:202:LEU:C | 25:Y:202:LEU:HD23 | 2.42 | 0.40 |
| 31:5:230:ILE:HG22 | 31:5:284:LEU:HD22 | 2.03 | 0.40 |

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|---------------|-----------|---------|----------|-------------|-----|
| 1 | A | 299/344 (87%) | 286 (96%) | 13 (4%) | 0 | 100 | 100 |
| 2 | B | 338/394 (86%) | 329 (97%) | 9 (3%) | 0 | 100 | 100 |
| 3 | C | 362/398 (91%) | 353 (98%) | 9 (2%) | 0 | 100 | 100 |
| 4 | D | 337/486 (69%) | 334 (99%) | 3 (1%) | 0 | 100 | 100 |
| 5 | E | 292/307 (95%) | 285 (98%) | 7 (2%) | 0 | 100 | 100 |
| 6 | F | 129/131 (98%) | 127 (98%) | 2 (2%) | 0 | 100 | 100 |
| 7 | G | 199/247 (81%) | 196 (98%) | 3 (2%) | 0 | 100 | 100 |
| 8 | H | 154/155 (99%) | 152 (99%) | 2 (1%) | 0 | 100 | 100 |
| 9 | I | 230/278 (83%) | 226 (98%) | 4 (2%) | 0 | 100 | 100 |
| 10 | J | 158/203 (78%) | 152 (96%) | 6 (4%) | 0 | 100 | 100 |
| 11 | K | 150/217 (69%) | 148 (99%) | 2 (1%) | 0 | 100 | 100 |
| 12 | L | 121/153 (79%) | 120 (99%) | 1 (1%) | 0 | 100 | 100 |
| 13 | M | 117/143 (82%) | 115 (98%) | 2 (2%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|-----------------|------------|----------|----------|-------------|-----|
| 14 | N | 111/115 (96%) | 111 (100%) | 0 | 0 | 100 | 100 |
| 15 | O | 219/286 (77%) | 217 (99%) | 2 (1%) | 0 | 100 | 100 |
| 16 | P | 118/121 (98%) | 115 (98%) | 3 (2%) | 0 | 100 | 100 |
| 17 | Q | 234/237 (99%) | 232 (99%) | 2 (1%) | 0 | 100 | 100 |
| 18 | R | 99/138 (72%) | 98 (99%) | 1 (1%) | 0 | 100 | 100 |
| 19 | S | 77/91 (85%) | 74 (96%) | 3 (4%) | 0 | 100 | 100 |
| 20 | T | 91/177 (51%) | 90 (99%) | 1 (1%) | 0 | 100 | 100 |
| 21 | U | 235/264 (89%) | 230 (98%) | 5 (2%) | 0 | 100 | 100 |
| 22 | V | 282/318 (89%) | 278 (99%) | 4 (1%) | 0 | 100 | 100 |
| 23 | W | 400/450 (89%) | 390 (98%) | 10 (2%) | 0 | 100 | 100 |
| 24 | X | 96/110 (87%) | 96 (100%) | 0 | 0 | 100 | 100 |
| 25 | Y | 270/319 (85%) | 267 (99%) | 3 (1%) | 0 | 100 | 100 |
| 26 | Z | 90/95 (95%) | 87 (97%) | 3 (3%) | 0 | 100 | 100 |
| 27 | 1 | 29/111 (26%) | 29 (100%) | 0 | 0 | 100 | 100 |
| 28 | 2 | 100/130 (77%) | 98 (98%) | 2 (2%) | 0 | 100 | 100 |
| 29 | 3 | 255/266 (96%) | 246 (96%) | 9 (4%) | 0 | 100 | 100 |
| 30 | 4 | 301/321 (94%) | 289 (96%) | 12 (4%) | 0 | 100 | 100 |
| 31 | 5 | 289/339 (85%) | 281 (97%) | 8 (3%) | 0 | 100 | 100 |
| 32 | 6 | 317/345 (92%) | 310 (98%) | 7 (2%) | 0 | 100 | 100 |
| 33 | 8 | 465/500 (93%) | 451 (97%) | 14 (3%) | 0 | 100 | 100 |
| All | All | 6964/8189 (85%) | 6812 (98%) | 152 (2%) | 0 | 100 | 100 |

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|---------------|------------|----------|-------------|-----|
| 1 | A | 270/309 (87%) | 270 (100%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|----------------|------------|----------|-------------|-----|
| 2 | B | 307/350 (88%) | 307 (100%) | 0 | 100 | 100 |
| 3 | C | 361/385 (94%) | 361 (100%) | 0 | 100 | 100 |
| 4 | D | 306/437 (70%) | 304 (99%) | 2 (1%) | 81 | 90 |
| 5 | E | 253/266 (95%) | 252 (100%) | 1 (0%) | 89 | 94 |
| 6 | F | 120/120 (100%) | 120 (100%) | 0 | 100 | 100 |
| 7 | G | 174/211 (82%) | 173 (99%) | 1 (1%) | 84 | 92 |
| 8 | H | 142/141 (101%) | 142 (100%) | 0 | 100 | 100 |
| 9 | I | 205/245 (84%) | 204 (100%) | 1 (0%) | 86 | 93 |
| 10 | J | 146/183 (80%) | 146 (100%) | 0 | 100 | 100 |
| 11 | K | 131/192 (68%) | 131 (100%) | 0 | 100 | 100 |
| 12 | L | 102/131 (78%) | 102 (100%) | 0 | 100 | 100 |
| 13 | M | 100/121 (83%) | 100 (100%) | 0 | 100 | 100 |
| 14 | N | 101/103 (98%) | 100 (99%) | 1 (1%) | 73 | 84 |
| 15 | O | 192/250 (77%) | 192 (100%) | 0 | 100 | 100 |
| 16 | P | 105/106 (99%) | 105 (100%) | 0 | 100 | 100 |
| 17 | Q | 217/218 (100%) | 215 (99%) | 2 (1%) | 75 | 86 |
| 18 | R | 89/121 (74%) | 89 (100%) | 0 | 100 | 100 |
| 19 | S | 68/78 (87%) | 68 (100%) | 0 | 100 | 100 |
| 20 | T | 82/159 (52%) | 82 (100%) | 0 | 100 | 100 |
| 21 | U | 212/236 (90%) | 212 (100%) | 0 | 100 | 100 |
| 22 | V | 260/287 (91%) | 260 (100%) | 0 | 100 | 100 |
| 23 | W | 369/409 (90%) | 368 (100%) | 1 (0%) | 91 | 95 |
| 24 | X | 85/92 (92%) | 85 (100%) | 0 | 100 | 100 |
| 25 | Y | 249/289 (86%) | 248 (100%) | 1 (0%) | 89 | 94 |
| 26 | Z | 83/85 (98%) | 83 (100%) | 0 | 100 | 100 |
| 27 | 1 | 30/98 (31%) | 30 (100%) | 0 | 100 | 100 |
| 28 | 2 | 93/117 (80%) | 93 (100%) | 0 | 100 | 100 |
| 29 | 3 | 232/240 (97%) | 231 (100%) | 1 (0%) | 89 | 94 |
| 30 | 4 | 267/281 (95%) | 266 (100%) | 1 (0%) | 89 | 94 |
| 31 | 5 | 259/303 (86%) | 259 (100%) | 0 | 100 | 100 |
| 32 | 6 | 289/312 (93%) | 289 (100%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|-----------------|-------------|----------|-------------|----|
| 33 | 8 | 413/444 (93%) | 412 (100%) | 1 (0%) | 92 | 96 |
| All | All | 6312/7319 (86%) | 6299 (100%) | 13 (0%) | 91 | 96 |

All (13) residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-------|------|
| 4 | D | 391 | LEU |
| 4 | D | 484 | ASN |
| 5 | E | 15 | HIS |
| 7 | G | 164 | MET |
| 9 | I | 191 | LYS |
| 14 | N | 86 | PHE |
| 17 | Q | 39[A] | HIS |
| 17 | Q | 39[B] | HIS |
| 23 | W | 141 | HIS |
| 25 | Y | 292 | TYR |
| 29 | 3 | 95 | ASN |
| 30 | 4 | 253 | TYR |
| 33 | 8 | 472 | ARG |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 3 | C | 227 | ASN |
| 8 | H | 34 | GLN |
| 13 | M | 48 | HIS |
| 17 | Q | 4 | GLN |
| 23 | W | 449 | HIS |
| 25 | Y | 246 | GLN |
| 29 | 3 | 180 | ASN |
| 30 | 4 | 69 | HIS |
| 31 | 5 | 143 | GLN |
| 32 | 6 | 169 | GLN |
| 33 | 8 | 128 | ASN |

5.3.3 RNA

| Mol | Chain | Analysed | Backbone Outliers | Pucker Outliers |
|-----|-------|-----------------|-------------------|-----------------|
| 34 | r | 1476/1647 (89%) | 167 (11%) | 0 |

All (167) RNA backbone outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 34 | r | 13 | U |
| 34 | r | 16 | G |
| 34 | r | 29 | G |
| 34 | r | 39 | A |
| 34 | r | 46 | A |
| 34 | r | 55 | A |
| 34 | r | 58 | A |
| 34 | r | 73 | A |
| 34 | r | 86 | A |
| 34 | r | 88 | A |
| 34 | r | 101 | U |
| 34 | r | 102 | G |
| 34 | r | 104 | G |
| 34 | r | 109 | A |
| 34 | r | 122 | U |
| 34 | r | 129 | G |
| 34 | r | 132 | A |
| 34 | r | 135 | A |
| 34 | r | 137 | U |
| 34 | r | 139 | A |
| 34 | r | 167 | U |
| 34 | r | 195 | U |
| 34 | r | 219 | U |
| 34 | r | 235 | A |
| 34 | r | 251 | G |
| 34 | r | 255 | G |
| 34 | r | 270 | G |
| 34 | r | 271 | U |
| 34 | r | 294 | A |
| 34 | r | 334 | U |
| 34 | r | 336 | U |
| 34 | r | 351 | A |
| 34 | r | 356 | C |
| 34 | r | 371 | U |
| 34 | r | 376 | C |
| 34 | r | 377 | A |
| 34 | r | 401 | A |
| 34 | r | 411 | A |
| 34 | r | 414 | A |
| 34 | r | 420 | A |
| 34 | r | 421 | A |
| 34 | r | 477 | A |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 34 | r | 478 | U |
| 34 | r | 485 | A |
| 34 | r | 494 | U |
| 34 | r | 495 | U |
| 34 | r | 496 | A |
| 34 | r | 501 | U |
| 34 | r | 519 | A |
| 34 | r | 527 | G |
| 34 | r | 537 | A |
| 34 | r | 538 | C |
| 34 | r | 550 | U |
| 34 | r | 560 | A |
| 34 | r | 604 | A |
| 34 | r | 624 | U |
| 34 | r | 625 | A |
| 34 | r | 635 | G |
| 34 | r | 661 | A |
| 34 | r | 674 | A |
| 34 | r | 676 | G |
| 34 | r | 682 | A |
| 34 | r | 685 | G |
| 34 | r | 686 | A |
| 34 | r | 694 | A |
| 34 | r | 698 | A |
| 34 | r | 705 | U |
| 34 | r | 707 | U |
| 34 | r | 716 | A |
| 34 | r | 749 | A |
| 34 | r | 753 | A |
| 34 | r | 763 | A |
| 34 | r | 820 | A |
| 34 | r | 842 | A |
| 34 | r | 858 | U |
| 34 | r | 859 | A |
| 34 | r | 880 | A |
| 34 | r | 882 | C |
| 34 | r | 905 | A |
| 34 | r | 906 | U |
| 34 | r | 907 | A |
| 34 | r | 908 | U |
| 34 | r | 913 | U |
| 34 | r | 931 | A |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type |
|-----|-------|------|------|
| 34 | r | 936 | A |
| 34 | r | 991 | G |
| 34 | r | 998 | A |
| 34 | r | 1000 | U |
| 34 | r | 1001 | U |
| 34 | r | 1025 | U |
| 34 | r | 1031 | A |
| 34 | r | 1034 | C |
| 34 | r | 1036 | A |
| 34 | r | 1041 | U |
| 34 | r | 1058 | G |
| 34 | r | 1060 | A |
| 34 | r | 1067 | A |
| 34 | r | 1100 | A |
| 34 | r | 1101 | C |
| 34 | r | 1114 | A |
| 34 | r | 1115 | G |
| 34 | r | 1131 | U |
| 34 | r | 1135 | G |
| 34 | r | 1139 | A |
| 34 | r | 1141 | G |
| 34 | r | 1148 | A |
| 34 | r | 1154 | C |
| 34 | r | 1155 | A |
| 34 | r | 1159 | C |
| 34 | r | 1177 | A |
| 34 | r | 1179 | U |
| 34 | r | 1188 | A |
| 34 | r | 1203 | U |
| 34 | r | 1216 | A |
| 34 | r | 1222 | U |
| 34 | r | 1228 | A |
| 34 | r | 1229 | A |
| 34 | r | 1245 | A |
| 34 | r | 1258 | U |
| 34 | r | 1270 | A |
| 34 | r | 1271 | A |
| 34 | r | 1273 | A |
| 34 | r | 1279 | A |
| 34 | r | 1280 | U |
| 34 | r | 1281 | A |
| 34 | r | 1282 | A |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type |
|-----|-------|------|------|
| 34 | r | 1292 | A |
| 34 | r | 1303 | U |
| 34 | r | 1304 | U |
| 34 | r | 1320 | A |
| 34 | r | 1326 | U |
| 34 | r | 1363 | U |
| 34 | r | 1366 | U |
| 34 | r | 1367 | A |
| 34 | r | 1369 | U |
| 34 | r | 1405 | A |
| 34 | r | 1406 | G |
| 34 | r | 1413 | U |
| 34 | r | 1414 | A |
| 34 | r | 1422 | G |
| 34 | r | 1439 | G |
| 34 | r | 1450 | U |
| 34 | r | 1451 | A |
| 34 | r | 1462 | A |
| 34 | r | 1466 | A |
| 34 | r | 1511 | U |
| 34 | r | 1512 | A |
| 34 | r | 1519 | U |
| 34 | r | 1547 | A |
| 34 | r | 1584 | A |
| 34 | r | 1586 | G |
| 34 | r | 1595 | C |
| 34 | r | 1598 | U |
| 34 | r | 1609 | G |
| 34 | r | 1611 | A |
| 34 | r | 1621 | G |
| 34 | r | 1622 | G |
| 34 | r | 1624 | U |
| 34 | r | 1625 | U |
| 34 | r | 1628 | A |
| 34 | r | 1629 | A |
| 34 | r | 1630 | A |
| 34 | r | 1633 | U |
| 34 | r | 1637 | A |
| 34 | r | 1644 | C |
| 34 | r | 1647 | A |
| 34 | r | 1649 | A |

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 128 ligands modelled in this entry, 126 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|-------------|-------------|------|-------------|
| | | | | | Counts | RMSZ | $\# Z > 2$ | Counts | RMSZ | $\# Z > 2$ |
| 37 | LMT | O | 301 | - | 12,12,36 | 0.15 | 0 | 11,11,47 | 0.20 | 0 |
| 38 | ATP | W | 501 | 35 | 26,33,33 | 0.75 | 0 | 31,52,52 | 0.67 | 0 |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|------|---------|------------|---------|
| 37 | LMT | O | 301 | - | - | 0/10/10/61 | - |
| 38 | ATP | W | 501 | 35 | - | 0/18/38/38 | 0/3/3/3 |

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

| Mol | Chain | Res | Type | Clashes | Symm-Clashes |
|-----|-------|-----|------|---------|--------------|
| 37 | O | 301 | LMT | 2 | 0 |

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-16968. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y



Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 360



Y Index: 360




Z Index: 360


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 396



Y Index: 369




Z Index: 358


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.05. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 643 nm³; this corresponds to an approximate mass of 581 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.431 Å⁻¹


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-16968 and PDB model 8OM4. Per-residue inclusion information can be found in section [3](#) on page [14](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.05 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.05).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 87% of all backbone atoms, 86% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.05) and Q-score for the entire model and for each chain.

| Chain | Atom inclusion | Q-score |
|-------|--|--|
| All |  0.8650 |  0.6540 |
| 1 |  0.8440 |  0.6710 |
| 2 |  0.9240 |  0.6840 |
| 3 |  0.8870 |  0.6630 |
| 4 |  0.7350 |  0.5700 |
| 5 |  0.7020 |  0.5420 |
| 6 |  0.9040 |  0.6740 |
| 8 |  0.6950 |  0.6370 |
| A |  0.6350 |  0.5690 |
| B |  0.7950 |  0.6580 |
| C |  0.7170 |  0.5860 |
| D |  0.8290 |  0.6520 |
| E |  0.9350 |  0.7060 |
| F |  0.9010 |  0.6680 |
| G |  0.7440 |  0.6060 |
| H |  0.9790 |  0.7530 |
| I |  0.9000 |  0.6840 |
| J |  0.9080 |  0.7040 |
| K |  0.8560 |  0.6370 |
| L |  0.9780 |  0.7230 |
| M |  0.9440 |  0.6990 |
| N |  0.9670 |  0.7300 |
| O |  0.8990 |  0.6970 |
| P |  0.9440 |  0.7150 |
| Q |  0.6910 |  0.5710 |
| R |  0.8940 |  0.6750 |
| S |  0.8920 |  0.6660 |
| T |  0.8470 |  0.6420 |
| U |  0.9310 |  0.7010 |
| V |  0.7770 |  0.6240 |
| W |  0.9300 |  0.6990 |
| X |  0.9020 |  0.6650 |
| Y |  0.8400 |  0.6450 |
| Z |  0.7920 |  0.6070 |
| r |  0.9330 |  0.6610 |

