



## wwPDB EM Validation Summary Report ⓘ

Jul 15, 2024 – 12:07 am BST

PDB ID : 8OW0  
EMDB ID : EMD-17226  
Title : Cryo-EM structure of CBF1-CCAN bound topologically to a centromeric CENP-A nucleosome  
Authors : Dendooven, T.D.; Zhang, Z.; Yang, J.; McLaughlin, S.; Schwabb, J.; Scheres, S.; Yatskevich, S.; Barford, D.  
Deposited on : 2023-04-26  
Resolution : 3.40 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	D	153	<div> <div>8%</div> <div>69%</div> <div>10%</div> <div>21%</div> </div>
2	E	153	<div> <div>10%</div> <div>65%</div> <div>10%</div> <div>22%</div> </div>
3	b	103	<div> <div>25%</div> <div>77%</div> <div>23%</div> </div>
3	f	103	<div> <div>25%</div> <div>74%</div> <div>23%</div> </div>
4	d	131	<div> <div>18%</div> <div>73%</div> <div>27%</div> </div>
4	h	131	<div> <div>29%</div> <div>72%</div> <div>28%</div> </div>
5	a	229	<div> <div>23%</div> <div>35%</div> <div>5%</div> <div>58%</div> </div>
5	e	229	<div> <div>26%</div> <div>35%</div> <div>5%</div> <div>58%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
6	c	132	
6	g	132	
7	A	351	
7	B	351	
8	H	181	
9	I	733	
10	K	239	
11	L	245	
12	N	458	
13	O	368	
14	P	369	
15	Q	406	
16	T	361	
17	U	324	
18	W	89	
19	Y	238	
20	Z	153	

## 2 Entry composition

There are 20 unique types of molecules in this entry. The entry contains 74349 atoms, of which 36378 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called C0N3 DNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	D	121	Total	C	H	N	O	P	0	0
			3839	1180	1364	446	728	121		

- Molecule 2 is a DNA chain called C0N3 DNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	E	120	Total	C	H	N	O	P	0	0
			3818	1173	1352	456	717	120		

- Molecule 3 is a protein called Histone H4.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	b	79	Total	C	H	N	O	0	0
			1283	393	658	120	112		
3	f	79	Total	C	H	N	O	0	0
			1292	395	665	120	112		

- Molecule 4 is a protein called Histone H2B.1.

Mol	Chain	Residues	Atoms						AltConf	Trace
4	d	95	Total	C	H	N	O	S	0	0
			1489	461	754	129	144	1		
4	h	94	Total	C	H	N	O	S	0	0
			1478	458	749	128	142	1		

- Molecule 5 is a protein called Histone H3-like centromeric protein CSE4.

Mol	Chain	Residues	Atoms						AltConf	Trace
5	e	97	Total	C	H	N	O	S	0	0
			1585	498	804	139	140	4		
5	a	97	Total	C	H	N	O	S	0	0
			1585	498	804	139	140	4		

- Molecule 6 is a protein called Histone H2A.1.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	g	97	Total	C	H	N	O	0	0
			1530	467	785	146	132		
6	c	97	Total	C	H	N	O	0	0
			1518	464	776	146	132		

- Molecule 7 is a protein called Centromere-binding protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	A	101	Total	C	H	N	O	0	0
			1668	507	846	152	161		
7	B	107	Total	C	H	N	O	0	0
			1773	542	897	161	171		

- Molecule 8 is a protein called Inner kinetochore subunit MCM16.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	171	Total	C	H	N	O	0	0
			2865	890	1453	247	273		

- Molecule 9 is a protein called Inner kinetochore subunit CTF3.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	I	667	Total	C	H	N	O	0	0
			10917	3499	5512	905	971		

- Molecule 10 is a protein called Inner kinetochore subunit MCM22.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	K	219	Total	C	H	N	O	0	0
			3566	1113	1804	304	340		

- Molecule 11 is a protein called Inner kinetochore subunit IML3.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	L	241	Total	C	H	N	O	0	0
			3887	1244	1946	320	366		

- Molecule 12 is a protein called Inner kinetochore subunit CHL4.

Mol	Chain	Residues	Atoms						AltConf	Trace
12	N	391	Total	C	H	N	O	S	0	0
			6373	2053	3207	537	563	13		

- Molecule 13 is a protein called Inner kinetochore subunit MCM21.

Mol	Chain	Residues	Atoms						AltConf	Trace
13	O	241	Total	C	H	N	O	S	0	0
			3976	1277	1997	328	369	5		

- Molecule 14 is a protein called Inner kinetochore subunit CTF19.

Mol	Chain	Residues	Atoms						AltConf	Trace
14	P	257	Total	C	H	N	O	S	0	0
			4308	1358	2192	366	378	14		

- Molecule 15 is a protein called Inner kinetochore subunit OKP1.

Mol	Chain	Residues	Atoms						AltConf	Trace
15	Q	258	Total	C	H	N	O	S	0	0
			4347	1357	2201	375	405	9		

- Molecule 16 is a protein called Inner kinetochore subunit CNN1.

Mol	Chain	Residues	Atoms						AltConf	Trace
16	T	92	Total	C	H	N	O	S	0	0
			1543	488	782	125	144	4		

- Molecule 17 is a protein called Inner kinetochore subunit AME1.

Mol	Chain	Residues	Atoms						AltConf	Trace
17	U	184	Total	C	H	N	O	S	0	0
			2965	928	1480	255	299	3		

- Molecule 18 is a protein called Inner kinetochore subunit WIP1.

Mol	Chain	Residues	Atoms						AltConf	Trace
18	W	69	Total	C	H	N	O	S	0	0
			1111	348	560	96	105	2		

- Molecule 19 is a protein called Inner kinetochore subunit NKP1.

Mol	Chain	Residues	Atoms						AltConf	Trace
19	Y	223	Total	C	H	N	O	S	0	0
			3308	1027	1645	281	349	6		

- Molecule 20 is a protein called Inner kinetochore subunit NKP2.

Mol	Chain	Residues	Atoms						AltConf	Trace
20	Z	151	Total	C	H	N	O	S	0	0
			2325	740	1145	204	235	1		







- Molecule 4: Histone H2B.1




- Molecule 4: Histone H2B.1





- Molecule 5: Histone H3-like centromeric protein CSE4




- Molecule 5: Histone H3-like centromeric protein CSE4




- Molecule 6: Histone H2A.1




- Molecule 6: Histone H2A.1






- Molecule 7: Centromere-binding protein 1










• Molecule 7: Centromere-binding protein 1




• Molecule 8: Inner kinetochore subunit MCM16





• Molecule 9: Inner kinetochore subunit CTF3









• Molecule 12: Inner kinetochore subunit CHL4




• Molecule 13: Inner kinetochore subunit MCM21




• Molecule 14: Inner kinetochore subunit CTF19



- Molecule 15: Inner kinetochore subunit OKP1



- Molecule 16: Inner kinetochore subunit CNN1








PHE

### • Molecule 17: Inner kinetochore subunit AME1






Sequence alignment for Chain U showing residue ranges and quality scores. The sequence is color-coded: green for high quality, yellow for medium, and red for low. Residues are listed from MET to ASP.




Sequence alignment for Chain U showing residue ranges and quality scores. The sequence is color-coded: green for high quality, yellow for medium, and red for low. Residues are listed from GLU to PHE.




### • Molecule 18: Inner kinetochore subunit WIP1



### • Molecule 19: Inner kinetochore subunit NKP1



● Molecule 20: Inner kinetochore subunit NKP2





## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	100311	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	40	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2600	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.975	Depositor
Minimum map value	-0.638	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.066	Depositor
Recommended contour level	0.149	Depositor
Map size (Å)	307.08, 307.08, 307.08	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.853, 0.853, 0.853	Depositor

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	D	0.68	1/2774 (0.0%)	1.07	1/4278 (0.0%)
2	E	0.65	0/2768	1.08	7/4271 (0.2%)
3	b	0.34	0/632	0.66	0/845
3	f	0.48	0/634	0.67	0/848
4	d	0.31	0/745	0.50	0/1003
4	h	0.28	0/739	0.54	0/995
5	a	0.51	0/792	1.23	12/1066 (1.1%)
5	e	0.52	0/792	1.23	12/1066 (1.1%)
6	c	0.30	0/751	0.54	0/1015
6	g	0.28	0/754	0.57	0/1019
7	A	0.29	0/828	0.55	0/1108
7	B	0.32	0/884	0.65	2/1182 (0.2%)
8	H	0.28	0/1429	0.53	0/1923
9	I	0.26	0/5530	0.47	0/7501
10	K	0.26	0/1784	0.54	2/2404 (0.1%)
11	L	0.27	0/1981	0.53	0/2684
12	N	0.31	1/3239 (0.0%)	0.52	1/4372 (0.0%)
13	O	0.29	0/2017	0.51	0/2713
14	P	0.32	0/2149	0.57	0/2888
15	Q	0.28	0/2178	0.55	2/2917 (0.1%)
16	T	0.28	0/772	0.50	0/1040
17	U	0.28	0/1499	0.53	1/2018 (0.0%)
18	W	0.28	0/557	0.50	0/748
19	Y	0.28	0/1672	0.54	1/2252 (0.0%)
20	Z	0.28	0/1195	0.52	1/1616 (0.1%)
All	All	0.38	2/39095 (0.0%)	0.69	42/53772 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	#Chirality outliers	#Planarity outliers
-----	-------	---------------------	---------------------

Mol	Chain	#Chirality outliers	#Planarity outliers
3	f	0	1
5	a	0	1
5	e	0	1
9	I	0	2
14	P	0	1
All	All	0	6

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	N	286	TYR	CD1-CE1	-7.54	1.28	1.39
1	D	47	DT	C1'-N1	5.12	1.55	1.49

The worst 5 of 42 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	a	143	ARG	CG-CD-NE	13.29	139.71	111.80
5	e	143	ARG	CG-CD-NE	13.29	139.70	111.80
5	a	181	MET	CB-CG-SD	11.22	146.07	112.40
5	e	181	MET	CB-CG-SD	11.22	146.05	112.40
2	E	154	DA	P-O3'-C3'	-10.29	107.36	119.70

There are no chirality outliers.

5 of 6 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
9	I	241	ALA	Mainchain
9	I	636	ILE	Peptide
5	a	154	SER	Peptide
5	e	154	SER	Peptide
3	f	98	LEU	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	2475	1364	1365	22	0
2	E	2466	1352	1351	29	0
3	b	625	658	657	0	0
3	f	627	665	664	0	0
4	d	735	754	753	0	0
4	h	729	749	748	0	0
5	a	781	804	803	0	0
5	e	781	804	803	0	0
6	c	742	776	775	0	0
6	g	745	785	784	0	0
7	A	822	846	845	7	0
7	B	876	897	896	7	0
8	H	1412	1453	1451	44	0
9	I	5405	5512	5514	61	0
10	K	1762	1804	1796	46	0
11	L	1941	1946	1946	12	0
12	N	3166	3207	3220	14	0
13	O	1979	1997	1995	28	0
14	P	2116	2192	2189	28	0
15	Q	2146	2201	2201	16	0
16	T	761	782	781	11	0
17	U	1485	1480	1467	15	0
18	W	551	560	559	8	0
19	Y	1663	1645	1588	25	0
20	Z	1180	1145	1108	19	0
All	All	37971	36378	36259	296	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 296 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:H:104:LEU:HD12	9:I:510:MET:HE3	1.46	0.97
8:H:128:LEU:HD11	10:K:114:LEU:HD21	1.47	0.94
15:Q:256:GLU:OE1	19:Y:74:ARG:NH2	2.11	0.83
8:H:166:ILE:HG23	9:I:135:ILE:HD13	1.62	0.81
14:P:344:LEU:HD12	14:P:357:ILE:HD13	1.64	0.79

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	b	77/103 (75%)	72 (94%)	5 (6%)	0	100	100
3	f	77/103 (75%)	72 (94%)	5 (6%)	0	100	100
4	d	93/131 (71%)	92 (99%)	1 (1%)	0	100	100
4	h	92/131 (70%)	91 (99%)	1 (1%)	0	100	100
5	a	95/229 (42%)	84 (88%)	11 (12%)	0	100	100
5	e	95/229 (42%)	84 (88%)	11 (12%)	0	100	100
6	c	95/132 (72%)	93 (98%)	2 (2%)	0	100	100
6	g	95/132 (72%)	93 (98%)	2 (2%)	0	100	100
7	A	99/351 (28%)	92 (93%)	7 (7%)	0	100	100
7	B	105/351 (30%)	105 (100%)	0	0	100	100
8	H	167/181 (92%)	165 (99%)	2 (1%)	0	100	100
9	I	659/733 (90%)	640 (97%)	19 (3%)	0	100	100
10	K	213/239 (89%)	202 (95%)	11 (5%)	0	100	100
11	L	239/245 (98%)	235 (98%)	4 (2%)	0	100	100
12	N	383/458 (84%)	361 (94%)	22 (6%)	0	100	100
13	O	237/368 (64%)	225 (95%)	12 (5%)	0	100	100
14	P	251/369 (68%)	237 (94%)	14 (6%)	0	100	100
15	Q	254/406 (63%)	248 (98%)	6 (2%)	0	100	100
16	T	90/361 (25%)	88 (98%)	2 (2%)	0	100	100
17	U	180/324 (56%)	177 (98%)	3 (2%)	0	100	100
18	W	65/89 (73%)	64 (98%)	1 (2%)	0	100	100
19	Y	217/238 (91%)	206 (95%)	11 (5%)	0	100	100
20	Z	149/153 (97%)	146 (98%)	3 (2%)	0	100	100
All	All	4027/6056 (66%)	3872 (96%)	155 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	b	65/81 (80%)	65 (100%)	0	100	100
3	f	66/81 (82%)	64 (97%)	2 (3%)	41	68
4	d	81/109 (74%)	81 (100%)	0	100	100
4	h	80/109 (73%)	80 (100%)	0	100	100
5	a	82/207 (40%)	69 (84%)	13 (16%)	2	10
5	e	82/207 (40%)	69 (84%)	13 (16%)	2	10
6	c	75/99 (76%)	74 (99%)	1 (1%)	69	84
6	g	76/99 (77%)	76 (100%)	0	100	100
7	A	89/305 (29%)	89 (100%)	0	100	100
7	B	94/305 (31%)	93 (99%)	1 (1%)	73	86
8	H	162/172 (94%)	161 (99%)	1 (1%)	86	94
9	I	619/683 (91%)	618 (100%)	1 (0%)	93	98
10	K	202/223 (91%)	201 (100%)	1 (0%)	88	94
11	L	217/221 (98%)	217 (100%)	0	100	100
12	N	353/416 (85%)	353 (100%)	0	100	100
13	O	226/347 (65%)	225 (100%)	1 (0%)	91	95
14	P	241/344 (70%)	241 (100%)	0	100	100
15	Q	243/378 (64%)	243 (100%)	0	100	100
16	T	89/339 (26%)	89 (100%)	0	100	100
17	U	168/308 (54%)	166 (99%)	2 (1%)	71	85
18	W	57/76 (75%)	56 (98%)	1 (2%)	59	79
19	Y	175/219 (80%)	175 (100%)	0	100	100
20	Z	121/143 (85%)	120 (99%)	1 (1%)	81	91
All	All	3663/5471 (67%)	3625 (99%)	38 (1%)	77	88

5 of 38 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
5	a	224	ILE
17	U	187	ARG
7	B	233	ARG
10	K	206	ARG
20	Z	52	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
9	I	525	GLN
10	K	77	ASN
17	U	205	GLN
20	Z	113	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-17226. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.




## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 180




Y Index: 180



Z Index: 180


### 6.2.2 Raw map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 178




Y Index: 223




Z Index: 200


### 6.3.2 Raw map



X Index: 207



Y Index: 223




Z Index: 191

The images above show the largest variance slices of the map in three orthogonal directions.




## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.149. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 558 nm<sup>3</sup>; this corresponds to an approximate mass of 504 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ



\*Reported resolution corresponds to spatial frequency of 0.294 Å<sup>-1</sup>

## 8 Fourier-Shell correlation


This section was not generated. No FSC curve or half-maps provided.




## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-17226 and PDB model 8OW0. Per-residue inclusion information can be found in [section 3](#) on [page 8](#).


### 9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.149 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.149).





















































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 50% of all backbone atoms, 50% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.149) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5040	 0.2000
A	 0.6230	 0.2460
B	 0.6160	 0.2560
D	 0.6500	 0.1180
E	 0.6310	 0.1180
H	 0.3430	 0.1690
I	 0.3090	 0.1390
K	 0.2700	 0.1110
L	 0.7110	 0.3680
N	 0.7610	 0.3930
O	 0.5950	 0.2980
P	 0.6370	 0.2680
Q	 0.4470	 0.1870
T	 0.1620	 0.0820
U	 0.4960	 0.2180
W	 0.1680	 0.0750
Y	 0.5140	 0.2100
Z	 0.4550	 0.1870
a	 0.3850	 0.0900
b	 0.5060	 0.1370
c	 0.5620	 0.2270
d	 0.5720	 0.2160
e	 0.3810	 0.1090
f	 0.5220	 0.1800
g	 0.3920	 0.1290
h	 0.4620	 0.1600

