



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 4, 2024 – 01:23 PM EST

PDB ID : 2P7N  
Title : Crystal structure of the Pathogenicity island 1 effector protein from *Chromobacterium violaceum*. Northeast Structural Genomics Consortium (NESGC) target CvR69.  
Authors : Benach, J.; Abashidze, M.; Seetharaman, J.; Zhao, L.; Janjua, H.; Cunningham, K.; Ma, L.C.; Xiao, R.; Liu, J.; Baran, M.C.; Acton, T.B.; Rost, B.; Montelione, G.T.; Hunt, J.F.; Tong, L.; Northeast Structural Genomics Consortium (NESG)  
Deposited on : 2007-03-20  
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	3657 (2.80-2.80)
Clashscore	180529	4123 (2.80-2.80)
Ramachandran outliers	177936	4071 (2.80-2.80)
Sidechain outliers	177891	4073 (2.80-2.80)
RSRZ outliers	164620	3659 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	407	

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
 Validation Pipeline (wwPDB-VP) : 2.39

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 2529 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pathogenicity island 1 effector protein.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	335	Total	C	N	O	S	Se	0	0	0
			2514	1561	440	503	2	8			

There are 17 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	MET	modified residue	UNP Q7NUT0
A	134	MSE	MET	modified residue	UNP Q7NUT0
A	164	MSE	MET	modified residue	UNP Q7NUT0
A	176	MSE	MET	modified residue	UNP Q7NUT0
A	184	MSE	MET	modified residue	UNP Q7NUT0
A	221	MSE	MET	modified residue	UNP Q7NUT0
A	290	MSE	MET	modified residue	UNP Q7NUT0
A	317	MSE	MET	modified residue	UNP Q7NUT0
A	323	MSE	MET	modified residue	UNP Q7NUT0
A	400	LEU	-	cloning artifact	UNP Q7NUT0
A	401	GLU	-	cloning artifact	UNP Q7NUT0
A	402	HIS	-	cloning artifact	UNP Q7NUT0
A	403	HIS	-	cloning artifact	UNP Q7NUT0
A	404	HIS	-	cloning artifact	UNP Q7NUT0
A	405	HIS	-	cloning artifact	UNP Q7NUT0
A	406	HIS	-	cloning artifact	UNP Q7NUT0
A	407	HIS	-	cloning artifact	UNP Q7NUT0


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	15	Total	O	0	0
			15	15		

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Pathogenicity island 1 effector protein



## 4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	55.03Å 66.98Å 194.78Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.80 20.00 – 2.80	Depositor EDS
% Data completeness (in resolution range)	91.7 (20.00-2.80) 94.0 (20.00-2.80)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.93 (at 2.58Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.248 , 0.298 0.252 , 0.297	Depositor DCC
$R_{free}$ test set	877 reflections (9.47%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	52.6	Xtriage
Anisotropy	0.597	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.26 , 16.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	2529	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.26% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.50	1/2544 (0.0%)	0.75	7/3421 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	92	GLY	CA-C	-6.84	1.41	1.51

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	107	ASP	N-CA-C	10.45	139.22	111.00
1	A	331	GLY	CA-C-N	-8.92	97.57	117.20
1	A	332	SER	N-CA-C	7.74	131.90	111.00
1	A	331	GLY	CA-C-O	-6.00	109.80	120.60
1	A	98	ARG	N-CA-C	5.85	126.80	111.00
1	A	91	GLY	CA-C-N	-5.80	104.60	116.20
1	A	331	GLY	O-C-N	5.59	131.64	122.70

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	331	GLY	Mainchain,Peptide
1	A	91	GLY	Mainchain,Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2514	0	2459	179	0
2	A	15	0	0	1	0
All	All	2529	0	2459	179	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 36.

All (179) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:195:ASN:O	1:A:199:VAL:HG23	1.21	1.25
1:A:195:ASN:O	1:A:199:VAL:CG2	1.92	1.18
1:A:129:GLN:HE21	1:A:129:GLN:N	1.53	1.06
1:A:167:SER:HB3	1:A:176:MSE:HE1	1.38	1.04
1:A:236:LEU:HD22	1:A:338:LEU:HD12	1.37	1.03
1:A:106:LEU:HD23	1:A:110:ARG:HH21	1.24	1.02
1:A:259:ASP:HA	1:A:275:ILE:HD13	1.42	1.01
1:A:316:ASP:OD1	1:A:318:THR:HG23	1.64	0.97
1:A:236:LEU:CD2	1:A:338:LEU:HD12	1.98	0.93
1:A:320:ILE:HA	1:A:323:MSE:HE3	1.49	0.92
1:A:275:ILE:HD11	1:A:307:ALA:HB3	1.52	0.91
1:A:221:MSE:HA	1:A:224:TRP:CE3	2.07	0.89
1:A:90:SER:O	1:A:92:GLY:N	2.04	0.89
1:A:328:GLY:O	1:A:331:GLY:N	2.06	0.88
1:A:164:MSE:HE1	1:A:378:LEU:HD11	1.54	0.86
1:A:146:LEU:HD12	1:A:168:ALA:HB2	1.58	0.86
1:A:70:VAL:HA	1:A:105:GLU:HG2	1.60	0.82
1:A:202:ASN:ND2	1:A:268:ALA:HA	1.98	0.79
1:A:154:PRO:HB2	1:A:155:PRO:HD2	1.65	0.79
1:A:145:GLY:O	1:A:149:VAL:HG23	1.84	0.78
1:A:129:GLN:HE21	1:A:129:GLN:H	1.31	0.77
1:A:290:MSE:HA	1:A:367:LYS:HE3	1.67	0.77
1:A:236:LEU:CD2	1:A:338:LEU:CD1	2.62	0.77
1:A:101:ALA:O	1:A:103:GLY:N	2.20	0.74
1:A:167:SER:CB	1:A:176:MSE:HE1	2.18	0.73

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:390:LEU:HD12	1:A:390:LEU:O	1.88	0.73
1:A:196:TYR:HE2	1:A:374:LEU:HD23	1.52	0.72
1:A:80:LEU:HD21	1:A:98:ARG:HB2	1.71	0.72
1:A:101:ALA:C	1:A:103:GLY:H	1.93	0.71
1:A:248:LEU:HD23	1:A:320:ILE:HD11	1.73	0.71
1:A:328:GLY:O	1:A:331:GLY:CA	2.38	0.71
1:A:101:ALA:HB1	1:A:102:PRO:HD2	1.73	0.70
1:A:320:ILE:HG12	1:A:323:MSE:HE3	1.74	0.70
1:A:235:LYS:N	2:A:410:HOH:O	2.24	0.69
1:A:221:MSE:HE1	1:A:350:PHE:CZ	2.27	0.69
1:A:110:ARG:O	1:A:110:ARG:HG2	1.92	0.68
1:A:106:LEU:HD23	1:A:110:ARG:NH2	2.05	0.67
1:A:236:LEU:HD22	1:A:338:LEU:CD1	2.19	0.67
1:A:241:LEU:CD2	1:A:327:VAL:HG21	2.26	0.66
1:A:328:GLY:O	1:A:331:GLY:HA2	1.95	0.65
1:A:164:MSE:CE	1:A:378:LEU:HD11	2.25	0.65
1:A:195:ASN:O	1:A:199:VAL:HG21	1.95	0.65
1:A:225:ILE:HD11	1:A:343:PHE:CE1	2.30	0.65
1:A:295:ALA:HB3	1:A:300:PHE:O	1.97	0.64
1:A:76:TYR:HE1	1:A:80:LEU:HD22	1.62	0.64
1:A:329:ALA:C	1:A:331:GLY:H	2.02	0.63
1:A:306:ALA:C	1:A:308:ASP:H	2.00	0.63
1:A:125:LYS:O	1:A:129:GLN:NE2	2.33	0.62
1:A:320:ILE:HG12	1:A:323:MSE:CE	2.30	0.61
1:A:237:ASN:ND2	1:A:240:ALA:H	1.98	0.61
1:A:248:LEU:HD23	1:A:320:ILE:CD1	2.29	0.61
1:A:80:LEU:CD2	1:A:98:ARG:HB2	2.30	0.61
1:A:90:SER:O	1:A:92:GLY:CA	2.48	0.61
1:A:153:ALA:HB1	1:A:154:PRO:HD2	1.83	0.60
1:A:241:LEU:HD22	1:A:327:VAL:HG21	1.83	0.60
1:A:154:PRO:CB	1:A:155:PRO:HD2	2.32	0.60
1:A:284:ARG:HD3	1:A:294:ASP:OD2	2.02	0.60
1:A:49:LEU:HD12	1:A:390:LEU:HA	1.84	0.59
1:A:101:ALA:C	1:A:103:GLY:N	2.56	0.59
1:A:353:GLN:HA	1:A:356:ASN:HD22	1.67	0.59
1:A:284:ARG:NH1	1:A:303:VAL:HG11	2.17	0.59
1:A:101:ALA:HB1	1:A:102:PRO:CD	2.33	0.58
1:A:201:GLU:HG3	1:A:368:TYR:CE1	2.39	0.58
1:A:196:TYR:CE2	1:A:374:LEU:HD23	2.37	0.57
1:A:117:ALA:O	1:A:121:GLU:HG3	2.04	0.57
1:A:69:SER:HB3	1:A:105:GLU:HA	1.86	0.57

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:275:ILE:CD1	1:A:307:ALA:HB3	2.30	0.57
1:A:84:ARG:HH21	1:A:97:ALA:HA	1.70	0.56
1:A:236:LEU:HD23	1:A:338:LEU:CD1	2.36	0.56
1:A:326:ASP:O	1:A:330:LEU:HD13	2.05	0.56
1:A:339:ASP:OD2	1:A:341:ALA:HB3	2.06	0.56
1:A:167:SER:OG	1:A:184:MSE:HG2	2.05	0.56
1:A:276:GLN:HA	1:A:308:ASP:OD2	2.05	0.56
1:A:327:VAL:HG22	1:A:346:TRP:CZ2	2.41	0.55
1:A:254:LEU:HB3	1:A:258:LEU:HA	1.87	0.55
1:A:90:SER:C	1:A:92:GLY:N	2.60	0.55
1:A:106:LEU:CD2	1:A:110:ARG:HH21	2.10	0.55
1:A:314:VAL:HG13	1:A:315:VAL:N	2.22	0.54
1:A:90:SER:O	1:A:92:GLY:HA3	2.08	0.54
1:A:266:PHE:HB3	1:A:313:VAL:CG2	2.37	0.54
1:A:263:ALA:O	1:A:314:VAL:HG22	2.08	0.54
1:A:154:PRO:HB2	1:A:155:PRO:CD	2.37	0.54
1:A:129:GLN:HE21	1:A:129:GLN:CA	2.14	0.53
1:A:241:LEU:C	1:A:241:LEU:HD23	2.29	0.53
1:A:113:GLN:HE21	1:A:193:LYS:HE2	1.74	0.53
1:A:124:LEU:HD21	1:A:386:ILE:HD11	1.91	0.53
1:A:305:LYS:HE2	1:A:309:GLY:HA2	1.90	0.52
1:A:305:LYS:HE3	1:A:309:GLY:O	2.10	0.52
1:A:221:MSE:HE1	1:A:350:PHE:HZ	1.70	0.51
1:A:68:ALA:HB1	1:A:72:ARG:HH21	1.75	0.51
1:A:326:ASP:O	1:A:330:LEU:CD1	2.59	0.51
1:A:47:PRO:C	1:A:49:LEU:H	2.15	0.51
1:A:129:GLN:N	1:A:129:GLN:NE2	2.39	0.50
1:A:176:MSE:HE3	1:A:181:LEU:HA	1.92	0.50
1:A:110:ARG:O	1:A:110:ARG:CG	2.58	0.50
1:A:330:LEU:O	1:A:331:GLY:O	2.30	0.50
1:A:59:LEU:HD21	1:A:375:PHE:HE2	1.75	0.50
1:A:146:LEU:CD2	1:A:164:MSE:HE2	2.42	0.50
1:A:318:THR:N	1:A:319:PRO:HD2	2.27	0.50
1:A:336:LEU:HD12	1:A:336:LEU:C	2.32	0.50
1:A:73:GLN:NE2	1:A:105:GLU:CD	2.64	0.50
1:A:161:GLY:O	1:A:165:LEU:HB2	2.12	0.50
1:A:115:VAL:O	1:A:119:LEU:HG	2.12	0.49
1:A:241:LEU:HD21	1:A:327:VAL:HG21	1.92	0.49
1:A:252:PHE:C	1:A:263:ALA:HB2	2.32	0.49
1:A:105:GLU:O	1:A:109:ALA:HB3	2.11	0.49
1:A:275:ILE:HD12	1:A:307:ALA:H	1.78	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:354:GLU:HB3	1:A:358:LYS:NZ	2.27	0.49
1:A:106:LEU:HD22	1:A:110:ARG:HE	1.78	0.49
1:A:188:GLN:O	1:A:192:ILE:HG13	2.12	0.49
1:A:70:VAL:HG11	1:A:204:VAL:HG11	1.95	0.49
1:A:249:LYS:HD2	1:A:317:MSE:HE2	1.94	0.49
1:A:280:GLU:HA	1:A:311:TRP:CG	2.49	0.48
1:A:76:TYR:C	1:A:76:TYR:CD1	2.87	0.48
1:A:74:THR:HG23	1:A:361:LEU:CD2	2.43	0.48
1:A:346:TRP:O	1:A:349:GLY:N	2.46	0.48
1:A:374:LEU:O	1:A:374:LEU:HD12	2.14	0.48
1:A:306:ALA:C	1:A:308:ASP:N	2.65	0.48
1:A:124:LEU:HD13	1:A:185:ILE:HG22	1.96	0.47
1:A:334:THR:O	1:A:334:THR:OG1	2.31	0.47
1:A:314:VAL:CG1	1:A:315:VAL:N	2.77	0.47
1:A:122:GLY:O	1:A:125:LYS:HB2	2.15	0.46
1:A:74:THR:HG23	1:A:361:LEU:HD21	1.97	0.46
1:A:162:ALA:N	1:A:163:PRO:HD2	2.31	0.46
1:A:241:LEU:HD22	1:A:327:VAL:HG11	1.97	0.46
1:A:66:VAL:O	1:A:69:SER:HB2	2.15	0.46
1:A:196:TYR:HE2	1:A:374:LEU:CD2	2.25	0.46
1:A:238:VAL:HG21	1:A:336:LEU:HD23	1.96	0.46
1:A:138:GLN:O	1:A:141:ALA:N	2.48	0.46
1:A:146:LEU:HD21	1:A:164:MSE:HE2	1.97	0.45
1:A:59:LEU:CD2	1:A:375:PHE:HE2	2.29	0.45
1:A:113:GLN:HE21	1:A:193:LYS:CE	2.30	0.45
1:A:121:GLU:HG2	1:A:189:ILE:HG22	1.97	0.45
1:A:211:TYR:OH	1:A:358:LYS:HG2	2.16	0.45
1:A:225:ILE:CD1	1:A:343:PHE:CE1	2.99	0.45
1:A:275:ILE:HD11	1:A:307:ALA:CB	2.35	0.45
1:A:214:PHE:CE1	1:A:218:LEU:HD11	2.52	0.45
1:A:329:ALA:C	1:A:331:GLY:N	2.67	0.45
1:A:153:ALA:O	1:A:154:PRO:O	2.35	0.45
1:A:70:VAL:CA	1:A:105:GLU:HG2	2.40	0.44
1:A:208:THR:O	1:A:212:LYS:HB2	2.17	0.44
1:A:258:LEU:O	1:A:275:ILE:HD13	2.18	0.44
1:A:121:GLU:OE1	1:A:190:GLY:HA3	2.18	0.44
1:A:154:PRO:CB	1:A:155:PRO:CD	2.95	0.43
1:A:176:MSE:CE	1:A:181:LEU:HG	2.48	0.43
1:A:70:VAL:CG1	1:A:204:VAL:HG11	2.48	0.43
1:A:284:ARG:NH1	1:A:303:VAL:CG1	2.80	0.43
1:A:249:LYS:CG	1:A:317:MSE:HE2	2.49	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:241:LEU:O	1:A:245:LEU:HG	2.19	0.42
1:A:49:LEU:CD2	1:A:127:VAL:HG13	2.49	0.42
1:A:244:ALA:O	1:A:247:LYS:N	2.50	0.42
1:A:290:MSE:HE2	1:A:313:VAL:HG11	2.01	0.42
1:A:319:PRO:HA	1:A:353:GLN:OE1	2.19	0.42
1:A:387:SER:O	1:A:391:GLU:HG3	2.20	0.42
1:A:320:ILE:CA	1:A:323:MSE:HE3	2.36	0.42
1:A:241:LEU:HD23	1:A:241:LEU:O	2.20	0.42
1:A:124:LEU:CB	1:A:186:SER:HB3	2.50	0.42
1:A:129:GLN:NE2	1:A:129:GLN:CA	2.83	0.42
1:A:266:PHE:HB3	1:A:313:VAL:HG23	2.01	0.41
1:A:73:GLN:NE2	1:A:105:GLU:OE2	2.52	0.41
1:A:193:LYS:HG3	1:A:197:LEU:HD23	2.02	0.41
1:A:311:TRP:CD1	1:A:311:TRP:N	2.87	0.41
1:A:339:ASP:HB3	1:A:342:LYS:HD2	2.02	0.41
1:A:142:LEU:O	1:A:146:LEU:HG	2.19	0.41
1:A:176:MSE:HE3	1:A:181:LEU:CB	2.50	0.41
1:A:176:MSE:HE3	1:A:181:LEU:HG	2.02	0.41
1:A:143:GLN:NE2	1:A:169:ASN:HA	2.36	0.41
1:A:303:VAL:HG12	1:A:311:TRP:CE3	2.56	0.41
1:A:327:VAL:CG2	1:A:346:TRP:CZ2	3.04	0.41
1:A:346:TRP:O	1:A:347:GLN:C	2.58	0.41
1:A:98:ARG:NH2	1:A:212:LYS:HG2	2.36	0.40
1:A:189:ILE:HD13	1:A:189:ILE:HA	1.95	0.40
1:A:236:LEU:CD2	1:A:338:LEU:HD11	2.46	0.40
1:A:286:TRP:O	1:A:290:MSE:HG2	2.20	0.40
1:A:294:ASP:O	1:A:294:ASP:OD1	2.38	0.40
1:A:236:LEU:HD23	1:A:338:LEU:HD12	1.91	0.40
1:A:62:ALA:HB1	1:A:113:GLN:N	2.37	0.40
1:A:124:LEU:HD23	1:A:124:LEU:HA	1.90	0.40
1:A:247:LYS:HD3	1:A:247:LYS:HA	1.90	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	327/407 (80%)	290 (89%)	29 (9%)	8 (2%)	5	18

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	91	GLY
1	A	154	PRO
1	A	331	GLY
1	A	102	PRO
1	A	107	ASP
1	A	332	SER
1	A	155	PRO
1	A	299	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	257/301 (85%)	224 (87%)	33 (13%)	3	12

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	59	LEU
1	A	65	GLU
1	A	95	PRO
1	A	108	GLU
1	A	111	ASN
1	A	129	GLN
1	A	140	GLN
1	A	152	ASP
1	A	165	LEU
1	A	184	MSE
1	A	187	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	189	ILE
1	A	223	ASN
1	A	235	LYS
1	A	236	LEU
1	A	237	ASN
1	A	239	ASP
1	A	259	ASP
1	A	275	ILE
1	A	282	ASP
1	A	289	GLU
1	A	290	MSE
1	A	308	ASP
1	A	314	VAL
1	A	318	THR
1	A	325	ARG
1	A	334	THR
1	A	336	LEU
1	A	338	LEU
1	A	373	SER
1	A	374	LEU
1	A	380	LYS
1	A	382	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	73	GLN
1	A	111	ASN
1	A	113	GLN
1	A	123	ASN
1	A	129	GLN
1	A	143	GLN
1	A	169	ASN
1	A	237	ASN
1	A	347	GLN
1	A	356	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	327/407 (80%)	-0.04	6 (1%) 67 60	28, 50, 70, 80	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	225	ILE	3.2
1	A	135	SER	3.0
1	A	107	ASP	2.8
1	A	105	GLU	2.6
1	A	106	LEU	2.2
1	A	104	ALA	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

There are no ligands in this entry.

### 6.5 Other polymers [i](#)

There are no such residues in this entry.