



## Full wwPDB EM Validation Report ⓘ

Oct 28, 2024 – 02:46 am GMT

PDB ID : 7PIT  
EMDB ID : EMD-13450  
Title : 70S ribosome with EF-G, A/P- and P/E-site tRNAs in pseudouridimycin-treated *Mycoplasma pneumoniae* cells  
Authors : Xue, L.; Lenz, S.; Rappsilber, J.; Mahamid, J.  
Deposited on : 2021-08-23  
Resolution : 5.70 Å (reported)  
Based on initial models : 7OOD, 4V7C, 7OOC, 4V7D

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113  
MolProbity : 4.02b-467  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 5.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	48	
2	1	59	
3	2	37	
4	9	688	
5	A	294	
6	B	273	
7	C	205	
8	D	219	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	E	215	
10	F	155	
11	G	142	
12	H	132	
13	I	108	
14	J	121	
15	K	139	
16	L	124	
17	M	61	
18	N	86	
19	O	94	
20	P	85	
21	Q	104	
22	R	87	
23	S	87	
24	T	60	
25	W	122	
26	a	287	
27	b	287	
28	c	212	
29	d	180	
30	e	184	
31	f	149	
32	g	161	
33	h	137	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	i	146	
35	j	122	
36	k	151	
37	l	139	
38	m	124	
39	n	116	
40	o	119	
41	p	127	
42	q	100	
43	r	159	
44	s	237	
45	t	111	
46	u	104	
47	v	65	
48	w	111	
49	x	97	
50	y	57	
51	z	53	
52	3	2907	
53	4	108	
54	5	1520	
55	7	76	
55	8	76	

## 2 Entry composition

There are 55 unique types of molecules in this entry. The entry contains 151980 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	0	47	Total	C	N	O	S	0	0
			380	236	81	61	2		

- Molecule 2 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	1	59	Total	C	N	O	S	0	0
			477	300	99	77	1		

- Molecule 3 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	2	37	Total	C	N	O	S	0	0
			304	189	65	46	4		

- Molecule 4 is a protein called Elongation factor G.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	9	682	Total	C	N	O	S	0	0
			5326	3369	911	1021	25		

- Molecule 5 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	A	240	Total	C	N	O	S	0	0
			1921	1226	334	352	9		

- Molecule 6 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	B	215	Total	C	N	O	S	0	0
			1698	1073	313	307	5		

- Molecule 7 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	C	203	Total	C	N	O	S	0	0
			1660	1051	314	290	5		

- Molecule 8 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	D	153	Total	C	N	O	S	0	0
			1173	742	226	202	3		

- Molecule 9 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	E	167	Total	C	N	O	S	0	0
			1362	857	240	263	2		

- Molecule 10 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	F	154	Total	C	N	O	S	0	0
			1246	785	239	216	6		

- Molecule 11 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	G	141	Total	C	N	O	S	0	0
			1110	723	193	192	2		

- Molecule 12 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	H	128	Total	C	N	O	S	0	0
			1028	655	191	181	1		

- Molecule 13 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	I	101	Total	C	N	O	S	0	0
			809	523	142	143	1		

- Molecule 14 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	J	114	Total	C	N	O	S	0	0
			829	514	153	156	6		

- Molecule 15 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	K	136	Total	C	N	O	S	0	0
			1076	680	213	181	2		

- Molecule 16 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	L	118	Total	C	N	O		0	0
			951	594	191	166			

- Molecule 17 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	M	60	Total	C	N	O	S	0	0
			474	302	96	72	4		

- Molecule 18 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	N	83	Total	C	N	O		0	0
			673	428	125	120			

- Molecule 19 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	O	80	Total	C	N	O	S	0	0
			646	414	119	111	2		

- Molecule 20 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	P	83	Total	C	N	O		0	0
			675	425	135	115			

- Molecule 21 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	Q	65	Total	C	N	O	S	0	0
			535	342	103	86	4		

- Molecule 22 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	R	84	Total	C	N	O	S	0	0
			682	435	127	118	2		

- Molecule 23 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	S	77	Total	C	N	O		0	0
			629	383	135	111			

- Molecule 24 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	T	53	Total	C	N	O	S	0	0
			471	295	103	72	1		

- Molecule 25 is a protein called 50S ribosomal protein L7/L12.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	W	69	Total	C	N	O	S	0	0
			534	342	87	103	2		

- Molecule 26 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	a	285	Total	C	N	O	S	0	0
			2225	1385	437	397	6		

- Molecule 27 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	b	229	Total	C	N	O	S	0	0
			1762	1119	318	318	7		

- Molecule 28 is a protein called 50S ribosomal protein L4.



Mol	Chain	Residues	Atoms					AltConf	Trace
28	c	210	Total	C	N	O	S	0	0
			1644	1047	297	297	3		

- Molecule 29 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	d	175	Total	C	N	O	S	0	0
			1388	893	245	246	4		

- Molecule 30 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	e	176	Total	C	N	O	S	0	0
			1396	899	247	250			

- Molecule 31 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	f	145	Total	C	N	O	S	0	0
			1160	746	204	207	3		

- Molecule 32 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	g	126	Total	C	N	O	S	0	0
			960	612	167	178	3		

- Molecule 33 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	h	128	Total	C	N	O	S	0	0
			959	616	160	177	6		

- Molecule 34 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	i	144	Total	C	N	O	S	0	0
			1164	737	213	209	5		

- Molecule 35 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	j	122	Total	C	N	O	S	0	0
			944	595	178	167	4		

- Molecule 36 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	k	148	Total	C	N	O		0	0
			1153	731	226	196			

- Molecule 37 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	l	136	Total	C	N	O	S	0	0
			1079	694	196	182	7		

- Molecule 38 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	m	119	Total	C	N	O	S	0	0
			958	609	175	171	3		

- Molecule 39 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	n	112	Total	C	N	O	S	0	0
			889	557	175	155	2		

- Molecule 40 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	o	115	Total	C	N	O	S	0	0
			938	592	180	165	1		

- Molecule 41 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	p	114	Total	C	N	O	S	0	0
			947	603	188	154	2		

- Molecule 42 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	q	99	Total	C	N	O	S	0	0
			811	525	148	134	4		

- Molecule 43 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	r	139	Total	C	N	O	S	0	0
			1068	663	207	191	7		

- Molecule 44 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	s	92	Total	C	N	O	S	0	0
			720	475	122	122	1		

- Molecule 45 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	t	111	Total	C	N	O	S	0	0
			872	550	166	153	3		

- Molecule 46 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	u	86	Total	C	N	O	S	0	0
			657	409	130	117	1		

- Molecule 47 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	v	63	Total	C	N	O	S	0	0
			513	317	108	87	1		

- Molecule 48 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	w	100	Total	C	N	O		0	0
			818	517	153	148			

- Molecule 49 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	x	44	Total	C	N	O	S	0	0
			344	221	55	64	4		

- Molecule 50 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	y	56	Total	C	N	O	S	0	0
			452	274	98	75	5		

- Molecule 51 is a protein called 50S ribosomal protein L33 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	z	50	Total	C	N	O	S	0	0
			408	255	81	68	4		

- Molecule 52 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	3	2878	Total	C	N	O	P	0	0
			61664	27558	11236	19995	2875		

- Molecule 53 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	4	105	Total	C	N	O	P	0	0
			2239	1003	409	724	103		

- Molecule 54 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	5	1493	Total	C	N	O	P	0	0
			31943	14279	5792	10382	1490		


- Molecule 55 is a RNA chain called tRNA-Phe.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	7	76	Total	C	N	O	P	0	0
			1618	723	289	531	75		
55	8	76	Total	C	N	O	P	0	0
			1618	723	289	531	75		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L34




- Molecule 2: 50S ribosomal protein L35




- Molecule 3: 50S ribosomal protein L36





- Molecule 4: Elongation factor G







### • Molecule 5: 30S ribosomal protein S2




### • Molecule 6: 30S ribosomal protein S3

Chain B: 




• Molecule 7: 30S ribosomal protein S4

Chain C: 





• Molecule 8: 30S ribosomal protein S5

Chain D: 




• Molecule 9: 30S ribosomal protein S6


Chain E: 




• Molecule 10: 30S ribosomal protein S7




• Molecule 11: 30S ribosomal protein S8




• Molecule 12: 30S ribosomal protein S9



• Molecule 13: 30S ribosomal protein S10









- Molecule 14: 30S ribosomal protein S11

Chain J: 30% 92% 6%




- Molecule 15: 30S ribosomal protein S12

Chain K: 32% 94% 2%




- Molecule 16: 30S ribosomal protein S13

Chain L: 54% 94% 5%




- Molecule 17: 30S ribosomal protein S14 type Z

Chain M: 30% 98% 2%





- Molecule 18: 30S ribosomal protein S15


Chain N: 26% 97% 2%





- Molecule 19: 30S ribosomal protein S16





- Molecule 20: 30S ribosomal protein S17





- Molecule 21: 30S ribosomal protein S18





- Molecule 22: 30S ribosomal protein S19




- Molecule 23: 30S ribosomal protein S20




- Molecule 24: 30S ribosomal protein S21





- Molecule 25: 50S ribosomal protein L7/L12



- Molecule 26: 50S ribosomal protein L2




- Molecule 27: 50S ribosomal protein L3




- Molecule 28: 50S ribosomal protein L4







• Molecule 29: 50S ribosomal protein L5




• Molecule 30: 50S ribosomal protein L6





• Molecule 31: 50S ribosomal protein L9








• Molecule 32: 50S ribosomal protein L10




• Molecule 33: 50S ribosomal protein L11




• Molecule 34: 50S ribosomal protein L13




• Molecule 35: 50S ribosomal protein L14







- Molecule 36: 50S ribosomal protein L15



- Molecule 37: 50S ribosomal protein L16




- Molecule 38: 50S ribosomal protein L17




- Molecule 39: 50S ribosomal protein L18




- Molecule 40: 50S ribosomal protein L19









- Molecule 46: 50S ribosomal protein L27




- Molecule 47: 50S ribosomal protein L28




- Molecule 48: 50S ribosomal protein L29



- Molecule 49: 50S ribosomal protein L31




- Molecule 50: 50S ribosomal protein L32








- Chain z:  34% 94% 6%








G2561	G2464	G2345	G2229	G2144	G2058	A1944	C1812	U1693	U1584	C1359	G1252	G1163
A2572	U2468	U2351	A2230	U2148	G2059	A1945	C1813	A1694	A1585	U1360	G1253	A1164
A2573	G2231	G2355	G2232	G2151	C2062	A1951	U1814	G1695	U1586	U1361	G1257	U1165
A2574	G2233	G2355	G2234	G2152	C2063	A1959	U1815	A1698	U1587	U1369	U1260	U1166
A2580	A2235	U2358	G2235	G2153	G2064	U1962	U1816	G1700	A1589	U1370	U1266	U1167
C2581	G2236	A2360	A2067	U2154	A2065	U1982	G1818	G1701	U1592	G1371	G1267	U1168
G2586	G2242	G2361	G2068	G2158	A2066	C1969	U1819	A1702	U1593	U1374	U1268	C1170
G2586	G2243	A2362	A2069	G2159	G2070	C1970	U1820	A1703	G1594	G1375	U1277	G1171
G2590	G2245	G2365	G2071	U2160	C2071	U1974	U1821	U1705	U1597	U1377	U1278	U1176
U2604	G2247	U2380	G2076	A2165	G2077	A1977	U1822	G1706	A1592	U1381	A1274	A1177
G2605	U2251	U2387	U2083	U2166	U2084	U1978	U1823	U1715	U1593	U1382	A1275	A1178
G2607	U2252	G2388	A2084	G2169	C2085	G1979	U1824	A1716	U1594	U1383	A1276	G1179
G2611	G2253	A2389	G2085	G2173	A2089	C1987	U1825	U1717	U1595	C1390	A1277	A1186
G2612	G2254	G2391	G2090	G2174	G2099	C1990	U1826	A1718	U1596	A1393	A1281	A1190
U2617	A2274	U2392	G2099	G2175	G2100	C1998	U1827	U1719	U1597	C1404	A1282	A1191
C2618	A2275	U2393	A2101	G2176	A2101	G1999	G1832	A1716	U1598	G1405	A1283	U1192
C2619	A2276	G2393	G2106	G2177	G2106	C2003	A1836	G1721	U1599	U1406	G1286	U1193
G2620	A2277	G2393	G2106	G2178	G2106	C2004	C1837	G1729	U1599	U1407	G1287	G1197
U2621	A2278	G2393	G2106	G2179	G2106	C2005	G1842	G1730	U1599	U1408	G1288	
G2631	A2279	G2393	G2106	G2180	G2106	C2006	A1845	G1737	U1599	U1409	U1293	A1201
C2634	A2280	G2393	G2106	G2181	G2106	C2007	A1846	U1743	U1599	U1410	A1298	A1202
A2637	A2281	G2393	G2106	G2182	G2106	C2008	A1847	U1744	U1599	U1411	A1299	U1207
G2638	A2282	G2393	G2106	G2183	G2106	C2009	A1848	G1745	U1599	U1412	G1300	A1208
G2642	A2283	G2393	G2106	G2184	G2106	C2010	A1849	U1746	U1599	U1422	G1301	U1209
A2643	A2284	G2393	G2106	G2185	G2106	C2011	A1850	U1747	U1599	U1423	G1302	A1210
U2644	A2285	G2393	G2106	G2186	G2106	C2012	A1851	U1748	U1599	U1424	U1303	
A2647	A2286	G2393	G2106	G2187	G2106	C2013	A1852	G1753	U1599	U1425	U1304	U1213
G2649	A2287	G2393	G2106	G2188	G2106	C2014	A1853	U1754	U1599	U1426	A1308	U1214
U2654	A2288	G2393	G2106	G2189	G2106	C2015	A1854	U1755	U1599	U1427	G1312	G1215
U2654	A2289	G2393	G2106	G2190	G2106	C2016	A1855	U1756	U1599	U1428	G1313	U1216
A2662	A2290	G2393	G2106	G2191	G2106	C2017	A1856	U1757	U1599	U1429	G1217	G1217
G2664	A2291	G2393	G2106	G2192	G2106	C2018	A1857	U1758	U1599	U1430	G1218	U1219
U2668	A2292	G2393	G2106	G2193	G2106	C2019	A1858	U1759	U1599	U1431	G1319	U1220
G2668	A2293	G2393	G2106	G2194	G2106	C2020	A1859	U1760	U1599	U1432	G1320	G1221
G2668	A2294	G2393	G2106	G2195	G2106	C2021	A1860	U1761	U1599	U1433	G1321	G1226
G2681	A2295	G2393	G2106	G2196	G2106	C2022	A1861	U1762	U1599	U1434	G1322	G1227
A2685	A2296	G2393	G2106	G2197	G2106	C2023	A1862	U1763	U1599	U1435	G1323	G1228
C2686	A2297	G2393	G2106	G2198	G2106	C2024	A1863	U1764	U1599	U1436	G1324	U1234
A2687	A2298	G2393	G2106	G2199	G2106	C2025	A1864	U1765	U1599	U1437	G1325	U1235
C2688	A2299	G2393	G2106	G2200	G2106	C2026	A1865	U1766	U1599	U1438	G1326	G1236
C2689	A2300	G2393	G2106	G2201	G2106	C2027	A1866	U1767	U1599	U1439	G1327	U1240
U2690	A2301	G2393	G2106	G2202	G2106	C2028	A1867	U1768	U1599	U1440	G1328	U1241
	A2302	G2393	G2106	G2203	G2106	C2029	A1868	U1769	U1599	U1441	G1329	U1242
	A2303	G2393	G2106	G2204	G2106	C2030	A1869	U1770	U1599	U1442	G1330	A1243
	A2304	G2393	G2106	G2205	G2106	C2031	A1870	U1771	U1599	U1443	G1331	U1249
	A2305	G2393	G2106	G2206	G2106	C2032	A1871	U1772	U1599	U1444	G1332	A1250
	A2306	G2393	G2106	G2207	G2106	C2033	A1872	U1773	U1599	U1445	G1333	G1251
	A2307	G2393	G2106	G2208	G2106	C2034	A1873	U1774	U1599	U1446	G1334	
	A2308	G2393	G2106	G2209	G2106	C2035	A1874	U1775	U1599	U1447	G1335	
	A2309	G2393	G2106	G2210	G2106	C2036	A1875	U1776	U1599	U1448	G1336	
	A2310	G2393	G2106	G2211	G2106	C2037	A1876	U1777	U1599	U1449	G1337	
	A2311	G2393	G2106	G2212	G2106	C2038	A1877	U1778	U1599	U1450	G1338	
	A2312	G2393	G2106	G2213	G2106	C2039	A1878	U1779	U1599	U1451	G1339	
	A2313	G2393	G2106	G2214	G2106	C2040	A1879	U1780	U1599	U1452	U1340	
	A2314	G2393	G2106	G2215	G2106	C2041	A1880	U1781	U1599	U1453	U1341	
	A2315	G2393	G2106	G2216	G2106	C2042	A1881	U1782	U1599	U1454	U1342	
	A2316	G2393	G2106	G2217	G2106	C2043	A1882	U1783	U1599	U1455	G1351	
	A2317	G2393	G2106	G2218	G2106	C2044	A1883	U1784	U1599	U1456	G1352	
	A2318	G2393	G2106	G2219	G2106	C2045	A1884	U1785	U1599	U1457	G1353	
	A2319	G2393	G2106	G2220	G2106	C2046	A1885	U1786	U1599	U1458	G1354	
	A2320	G2393	G2106	G2221	G2106	C2047	A1886	U1787	U1599	U1459	G1355	
	A2321	G2393	G2106	G2222	G2106	C2048	A1887	U1788	U1599	U1460	G1356	
	A2322	G2393	G2106	G2223	G2106	C2049	A1888	U1789	U1599	U1461	G1357	
	A2323	G2393	G2106	G2224	G2106	C2050	A1889	U1790	U1599	U1462	G1358	
	A2324	G2393	G2106	G2225	G2106	C2051	A1890	U1791	U1599	U1463	G1359	
	A2325	G2393	G2106	G2226	G2106	C2052	A1891	U1792	U1599	U1464	G1360	
	A2326	G2393	G2106	G2227	G2106	C2053	A1892	U1793	U1599	U1465	G1361	
	A2327	G2393	G2106	G2228	G2106	C2054	A1893	U1794	U1599	U1466	G1362	
	A2328	G2393	G2106	G2229	G2106	C2055	A1894	U1795	U1599	U1467	G1363	
	A2329	G2393	G2106	G2230	G2106	C2056	A1895	U1796	U1599	U1468	G1364	
	A2330	G2393	G2106	G2231	G2106	C2057	A1896	U1797	U1599	U1469	G1365	
	A2331	G2393	G2106	G2232	G2106	C2058	A1897	U1798	U1599	U1470	G1366	
	A2332	G2393	G2106	G2233	G2106	C2059	A1898	U1799	U1599	U1471	G1367	
	A2333	G2393	G2106	G2234	G2106	C2060	A1899	U1800	U1599	U1472	G1368	
	A2334	G2393	G2106	G2235	G2106	C2061	A1900	U1801	U1599	U1473	G1369	
	A2335	G2393	G2106	G2236	G2106	C2062	A1901	U1802	U1599	U1474	G1370	
	A2336	G2393	G2106	G2237	G2106	C2063	A1902	U1803	U1599	U1475	G1371	
	A2337	G2393	G2106	G2238	G2106	C2064	A1903	U1804	U1599	U1476	G1372	
	A2338	G2393	G2106	G2239	G2106	C2065	A1904	U1805	U1599	U1477	G1373	
	A2339	G2393	G2106	G2240	G2106	C2066	A1905	U1806	U1599	U1478	G1374	
	A2340	G2393	G2106	G2241	G2106	C2067	A1906	U1807	U1599	U1479	G1375	
	A2341	G2393	G2106	G2242	G2106	C2068	A1907	U1808	U1599	U1480	G1376	
	A2342	G2393	G2106	G2243	G2106	C2069	A1908	U1809	U1599	U1481	G1377	
	A2343	G2393	G2106	G2244	G2106	C2070	A1909	U1810	U1599	U1482	G1378	
	A2344	G2393	G2106	G2245	G2106	C2071	A1910	U1811	U1599	U1483	G1379	
	A2345	G2393	G2106	G2246	G2106	C2072	A1911	U1812	U1599	U1484	G1380	
	A2346	G2393	G2106	G2247	G2106	C2073	A1912	U1813	U1599	U1485	G1381	
	A2347	G2393	G2106	G2248	G2106	C2074	A1913	U1814	U1599	U1486	G1382	
	A2348	G2393	G2106	G2249	G2106	C2075	A1914	U1815	U1599	U1487	G1383	
	A2349	G2393	G2106	G2250	G2106	C2076	A1915	U1816	U1599	U1488	G1384	
	A2350	G2393	G2106	G2251	G2106	C2077	A1916	U1817	U1599	U1489	G1385	
	A2351	G2393	G2106	G2252	G2106	C2078	A1917	U1818	U1599	U1490	G1386	
	A2352	G2393	G2106	G2253	G2106	C2079	A1918	U1819	U1599	U1491	G1387	
	A2353	G2393	G2106	G2254	G2106	C2080	A1919	U1820	U1599	U1492	G1388	
	A2354	G2393	G2106	G2255	G2106	C2081	A1920	U1821	U1599	U1493	G1389	
	A2355	G2393	G2106	G2256	G2106	C2082	A1921	U1822	U1599	U1494	G1390	
	A2356	G2393	G2106	G2257	G2106	C2083	A1922	U1823	U1599	U1495	G1391	
	A2357	G2393	G2106	G2258	G2106	C2084	A1923	U1824	U1599	U1496	G1392	
	A2358	G2393	G2106	G2259	G2106	C2085	A1924	U1825	U1599	U1497	G1393	
	A2359	G2393	G2106	G2260	G2106	C2086	A1925	U1826	U1599	U1498	G1394	
	A2360	G2393	G2106	G2261	G2106	C2087	A1926	U1827	U1599	U1499	G1395	
	A2361	G2393	G2106	G2262	G2106	C2088	A1927	U1828	U1599	U1500	G1396	
	A2362	G2393	G2106	G2263	G2106	C2089	A1928	U1829	U1599	U1501	G1397	
	A2363	G2393	G210									




• Molecule 53: 5S ribosomal RNA



• Molecule 54: 16S ribosomal RNA





## 4 Experimental information

Property	Value	Source
EM reconstruction method	SUBTOMOGRAM AVERAGING	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of subtomograms used	8730	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	3.2	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	3750	Depositor
Magnification	81000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	1.874	Depositor
Minimum map value	-0.889	Depositor
Average map value	0.021	Depositor
Map value standard deviation	0.121	Depositor
Recommended contour level	0.54	Depositor
Map size (Å)	435.328, 435.328, 435.328	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.7005, 1.7005, 1.7005	Depositor

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	0	0.27	0/383	0.58	1/504 (0.2%)
2	1	0.26	0/484	0.54	0/637
3	2	0.24	0/306	0.53	0/401
4	9	0.26	0/5419	0.50	0/7307
5	A	0.29	0/1954	0.56	0/2642
6	B	0.25	0/1721	0.48	0/2323
7	C	0.26	0/1691	0.49	0/2267
8	D	0.24	0/1188	0.48	0/1593
9	E	0.28	0/1384	0.51	0/1867
10	F	0.28	0/1266	0.48	0/1700
11	G	0.26	0/1126	0.56	0/1517
12	H	0.25	0/1044	0.47	0/1395
13	I	0.26	0/820	0.55	0/1103
14	J	0.25	0/844	0.49	0/1136
15	K	0.29	0/1094	0.53	0/1468
16	L	0.25	0/962	0.51	0/1289
17	M	0.27	0/483	0.53	0/643
18	N	0.27	0/679	0.56	0/907
19	O	0.28	0/659	0.51	0/885
20	P	0.23	0/684	0.47	0/913
21	Q	0.26	0/545	0.50	0/730
22	R	0.27	0/698	0.51	0/936
23	S	0.24	0/631	0.44	0/838
24	T	0.28	0/475	0.50	0/621
25	W	0.24	0/538	0.44	0/722
26	a	0.25	0/2267	0.50	0/3044
27	b	0.27	0/1795	0.52	0/2412
28	c	0.25	0/1671	0.50	0/2246
29	d	0.24	0/1409	0.49	0/1894
30	e	0.26	0/1420	0.50	0/1912
31	f	0.26	0/1183	0.56	1/1587 (0.1%)
32	g	0.39	0/969	0.64	0/1295
33	h	0.26	0/968	0.49	0/1298
34	i	0.25	0/1186	0.51	0/1592

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
35	j	0.28	0/953	0.55	0/1275
36	k	0.25	0/1170	0.49	0/1559
37	l	0.25	0/1104	0.52	0/1481
38	m	0.25	0/973	0.49	0/1309
39	n	0.27	0/897	0.56	0/1198
40	o	0.26	0/948	0.53	0/1262
41	p	0.25	0/961	0.50	0/1278
42	q	0.37	0/828	0.61	0/1111
43	r	0.25	0/1077	0.55	0/1441
44	s	0.25	0/732	0.51	0/988
45	t	0.25	0/879	0.50	0/1165
46	u	0.25	0/665	0.50	0/884
47	v	0.24	0/519	0.53	0/695
48	w	0.32	0/826	0.52	0/1104
49	x	0.27	0/353	0.48	0/474
50	y	0.30	0/457	0.60	0/601
51	z	0.23	0/412	0.46	0/547
52	3	0.21	0/69073	0.82	56/107710 (0.1%)
53	4	0.19	0/2505	0.81	5/3902 (0.1%)
54	5	0.21	0/35768	0.80	25/55764 (0.0%)
55	7	0.20	0/1808	0.81	0/2817
55	8	0.21	0/1808	0.80	0/2817
All	All	0.23	0/164662	0.74	88/245006 (0.0%)

There are no bond length outliers.

All (88) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
52	3	1320	C	N3-C2-O2	-8.79	115.75	121.90
52	3	394	C	N3-C2-O2	-8.57	115.90	121.90
52	3	1987	C	N3-C2-O2	-8.44	115.99	121.90
54	5	161	C	N3-C2-O2	-8.02	116.29	121.90
52	3	2474	C	C6-N1-C2	-8.01	117.09	120.30
52	3	517	G	O4'-C1'-N9	7.95	114.56	108.20
52	3	2070	C	N1-C2-O2	7.89	123.64	118.90
52	3	1021	C	N3-C2-O2	-7.70	116.51	121.90
52	3	370	C	N3-C2-O2	-7.61	116.57	121.90
54	5	361	U	N1-C2-O2	7.45	128.01	122.80
54	5	268	C	N3-C2-O2	-7.44	116.69	121.90
54	5	361	U	C2-N1-C1'	7.40	126.58	117.70
52	3	2070	C	N3-C2-O2	-7.37	116.74	121.90
52	3	99	C	N3-C2-O2	-7.34	116.76	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
52	3	2114	C	N3-C2-O2	-7.34	116.76	121.90
52	3	1970	C	C2-N1-C1'	7.31	126.84	118.80
52	3	1010	G	O4'-C1'-N9	7.22	113.98	108.20
54	5	1235	C	N1-C2-O2	7.14	123.18	118.90
52	3	1970	C	N1-C2-O2	7.12	123.17	118.90
52	3	1341	U	C2-N1-C1'	7.12	126.25	117.70
54	5	714	C	N3-C2-O2	-7.11	116.92	121.90
54	5	751	C	C2-N1-C1'	7.06	126.56	118.80
54	5	361	U	N3-C2-O2	-7.04	117.27	122.20
54	5	1434	C	N1-C2-O2	7.02	123.11	118.90
52	3	1021	C	N1-C2-O2	6.99	123.09	118.90
54	5	1183	C	N3-C2-O2	-6.94	117.04	121.90
52	3	2474	C	C6-N1-C1'	6.94	129.12	120.80
52	3	2070	C	C2-N1-C1'	6.92	126.41	118.80
54	5	1183	C	C6-N1-C2	-6.92	117.53	120.30
52	3	403	U	C2-N1-C1'	6.87	125.94	117.70
54	5	714	C	N1-C2-O2	6.82	122.99	118.90
54	5	751	C	N1-C2-O2	6.73	122.94	118.90
52	3	1518	C	C2-N1-C1'	6.67	126.14	118.80
52	3	2070	C	C6-N1-C2	-6.64	117.64	120.30
52	3	1507	G	O4'-C1'-N9	6.51	113.41	108.20
53	4	58	C	N3-C2-O2	-6.51	117.35	121.90
52	3	2473	C	N1-C2-O2	6.45	122.77	118.90
52	3	1341	U	N1-C2-O2	6.44	127.31	122.80
54	5	161	C	N1-C2-O2	6.41	122.75	118.90
52	3	498	C	N3-C2-O2	-6.40	117.42	121.90
52	3	426	U	C2-N1-C1'	6.35	125.31	117.70
52	3	1518	C	N1-C2-O2	6.18	122.61	118.90
54	5	1235	C	C2-N1-C1'	6.14	125.55	118.80
54	5	1235	C	N3-C2-O2	-6.07	117.65	121.90
52	3	403	U	N1-C2-O2	6.07	127.05	122.80
53	4	58	C	N1-C2-O2	6.01	122.50	118.90
54	5	1434	C	N3-C2-O2	-6.00	117.70	121.90
52	3	1832	G	C5-C6-O6	5.93	132.16	128.60
52	3	500	U	P-O3'-C3'	5.92	126.80	119.70
52	3	444	C	N3-C2-O2	-5.91	117.77	121.90
52	3	2700	C	N3-C2-O2	-5.91	117.77	121.90
31	f	35	LEU	CA-CB-CG	5.90	128.87	115.30
54	5	1134	C	C2-N1-C1'	5.88	125.27	118.80
52	3	99	C	N1-C2-O2	5.87	122.42	118.90
52	3	1341	U	N3-C2-O2	-5.84	118.11	122.20
52	3	1320	C	N1-C2-O2	5.82	122.39	118.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
52	3	1014	G	N1-C6-O6	-5.75	116.45	119.90
52	3	1832	G	N1-C6-O6	-5.72	116.47	119.90
54	5	1182	C	N1-C2-O2	5.65	122.29	118.90
53	4	78	C	C2-N1-C1'	5.65	125.02	118.80
54	5	268	C	N1-C2-O2	5.64	122.29	118.90
52	3	2199	C	C2-N1-C1'	5.63	124.99	118.80
54	5	1182	C	C2-N1-C1'	5.63	124.99	118.80
52	3	1970	C	N3-C2-O2	-5.55	118.01	121.90
52	3	2000	U	N3-C2-O2	-5.55	118.32	122.20
52	3	904	C	N1-C2-O2	5.50	122.20	118.90
52	3	403	U	N3-C2-O2	-5.49	118.35	122.20
54	5	751	C	N3-C2-O2	-5.49	118.06	121.90
52	3	1319	C	N1-C2-O2	5.46	122.17	118.90
52	3	1779	G	C5-C6-O6	5.43	131.86	128.60
1	0	11	LYS	CB-CA-C	-5.33	99.74	110.40
52	3	2473	C	C2-N1-C1'	5.30	124.63	118.80
52	3	1779	G	N1-C6-O6	-5.26	116.75	119.90
52	3	1970	C	C6-N1-C1'	-5.18	114.58	120.80
52	3	361	G	N1-C6-O6	-5.17	116.80	119.90
52	3	450	C	N1-C2-O2	5.12	121.97	118.90
52	3	2697	C	C2-N1-C1'	5.12	124.44	118.80
54	5	751	C	C6-N1-C1'	-5.09	114.69	120.80
52	3	1922	U	C2-N1-C1'	5.07	123.78	117.70
52	3	1922	U	N1-C2-O2	5.04	126.33	122.80
52	3	2699	C	N1-C2-O2	5.04	121.92	118.90
52	3	2697	C	N1-C2-O2	5.04	121.92	118.90
53	4	8	C	N1-C2-O2	5.03	121.92	118.90
52	3	904	C	C2-N1-C1'	5.01	124.31	118.80
53	4	8	C	C2-N1-C1'	5.01	124.31	118.80
54	5	468	G	C4-N9-C1'	5.01	133.01	126.50
52	3	450	C	C2-N1-C1'	5.00	124.30	118.80
54	5	1134	C	O4'-C1'-N1	5.00	112.20	108.20

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	45/48 (94%)	44 (98%)	1 (2%)	0	100	100
2	1	57/59 (97%)	55 (96%)	2 (4%)	0	100	100
3	2	35/37 (95%)	33 (94%)	2 (6%)	0	100	100
4	9	680/688 (99%)	625 (92%)	55 (8%)	0	100	100
5	A	238/294 (81%)	216 (91%)	22 (9%)	0	100	100
6	B	213/273 (78%)	191 (90%)	22 (10%)	0	100	100
7	C	201/205 (98%)	188 (94%)	13 (6%)	0	100	100
8	D	151/219 (69%)	145 (96%)	6 (4%)	0	100	100
9	E	165/215 (77%)	150 (91%)	15 (9%)	0	100	100
10	F	152/155 (98%)	144 (95%)	8 (5%)	0	100	100
11	G	139/142 (98%)	119 (86%)	20 (14%)	0	100	100
12	H	126/132 (96%)	109 (86%)	17 (14%)	0	100	100
13	I	99/108 (92%)	90 (91%)	9 (9%)	0	100	100
14	J	112/121 (93%)	109 (97%)	3 (3%)	0	100	100
15	K	134/139 (96%)	114 (85%)	20 (15%)	0	100	100
16	L	116/124 (94%)	99 (85%)	17 (15%)	0	100	100
17	M	58/61 (95%)	56 (97%)	2 (3%)	0	100	100
18	N	81/86 (94%)	80 (99%)	1 (1%)	0	100	100
19	O	78/94 (83%)	73 (94%)	5 (6%)	0	100	100
20	P	81/85 (95%)	76 (94%)	5 (6%)	0	100	100
21	Q	63/104 (61%)	58 (92%)	5 (8%)	0	100	100
22	R	82/87 (94%)	76 (93%)	6 (7%)	0	100	100
23	S	75/87 (86%)	74 (99%)	1 (1%)	0	100	100
24	T	51/60 (85%)	50 (98%)	1 (2%)	0	100	100
25	W	67/122 (55%)	63 (94%)	4 (6%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
26	a	283/287 (99%)	252 (89%)	31 (11%)	0	100	100
27	b	227/287 (79%)	210 (92%)	17 (8%)	0	100	100
28	c	208/212 (98%)	193 (93%)	15 (7%)	0	100	100
29	d	173/180 (96%)	152 (88%)	21 (12%)	0	100	100
30	e	174/184 (95%)	162 (93%)	12 (7%)	0	100	100
31	f	143/149 (96%)	131 (92%)	12 (8%)	0	100	100
32	g	124/161 (77%)	111 (90%)	12 (10%)	1 (1%)	16	54
33	h	126/137 (92%)	113 (90%)	13 (10%)	0	100	100
34	i	142/146 (97%)	132 (93%)	10 (7%)	0	100	100
35	j	120/122 (98%)	113 (94%)	7 (6%)	0	100	100
36	k	146/151 (97%)	135 (92%)	11 (8%)	0	100	100
37	l	134/139 (96%)	127 (95%)	7 (5%)	0	100	100
38	m	117/124 (94%)	115 (98%)	2 (2%)	0	100	100
39	n	108/116 (93%)	98 (91%)	10 (9%)	0	100	100
40	o	113/119 (95%)	103 (91%)	10 (9%)	0	100	100
41	p	112/127 (88%)	106 (95%)	6 (5%)	0	100	100
42	q	97/100 (97%)	86 (89%)	11 (11%)	0	100	100
43	r	137/159 (86%)	126 (92%)	11 (8%)	0	100	100
44	s	90/237 (38%)	87 (97%)	3 (3%)	0	100	100
45	t	109/111 (98%)	93 (85%)	15 (14%)	1 (1%)	14	51
46	u	84/104 (81%)	78 (93%)	6 (7%)	0	100	100
47	v	61/65 (94%)	56 (92%)	5 (8%)	0	100	100
48	w	96/111 (86%)	91 (95%)	5 (5%)	0	100	100
49	x	42/97 (43%)	38 (90%)	4 (10%)	0	100	100
50	y	54/57 (95%)	51 (94%)	2 (4%)	1 (2%)	6	32
51	z	48/53 (91%)	47 (98%)	1 (2%)	0	100	100
All	All	6567/7480 (88%)	6043 (92%)	521 (8%)	3 (0%)	100	100

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
32	g	88	GLU
50	y	53	VAL

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
45	t	95	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	40/41 (98%)	39 (98%)	1 (2%)	42	61
2	1	51/51 (100%)	51 (100%)	0	100	100
3	2	35/35 (100%)	34 (97%)	1 (3%)	37	56
4	9	579/584 (99%)	578 (100%)	1 (0%)	92	94
5	A	212/262 (81%)	210 (99%)	2 (1%)	75	83
6	B	180/232 (78%)	179 (99%)	1 (1%)	84	88
7	C	181/183 (99%)	179 (99%)	2 (1%)	70	79
8	D	123/178 (69%)	122 (99%)	1 (1%)	79	84
9	E	150/196 (76%)	148 (99%)	2 (1%)	65	76
10	F	131/132 (99%)	129 (98%)	2 (2%)	60	75
11	G	123/124 (99%)	121 (98%)	2 (2%)	58	73
12	H	111/115 (96%)	109 (98%)	2 (2%)	54	71
13	I	95/99 (96%)	95 (100%)	0	100	100
14	J	91/97 (94%)	88 (97%)	3 (3%)	33	52
15	K	117/120 (98%)	112 (96%)	5 (4%)	25	46
16	L	100/105 (95%)	99 (99%)	1 (1%)	73	81
17	M	47/48 (98%)	47 (100%)	0	100	100
18	N	76/78 (97%)	76 (100%)	0	100	100
19	O	69/82 (84%)	69 (100%)	0	100	100
20	P	73/75 (97%)	73 (100%)	0	100	100
21	Q	56/94 (60%)	56 (100%)	0	100	100
22	R	74/77 (96%)	73 (99%)	1 (1%)	62	75
23	S	70/77 (91%)	70 (100%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
24	T	49/56 (88%)	48 (98%)	1 (2%)	50	67
25	W	58/98 (59%)	58 (100%)	0	100	100
26	a	241/243 (99%)	240 (100%)	1 (0%)	89	90
27	b	186/233 (80%)	185 (100%)	1 (0%)	86	89
28	c	182/184 (99%)	182 (100%)	0	100	100
29	d	150/154 (97%)	148 (99%)	2 (1%)	65	76
30	e	153/159 (96%)	153 (100%)	0	100	100
31	f	123/134 (92%)	121 (98%)	2 (2%)	58	73
32	g	101/129 (78%)	92 (91%)	9 (9%)	8	25
33	h	102/110 (93%)	101 (99%)	1 (1%)	73	81
34	i	126/128 (98%)	126 (100%)	0	100	100
35	j	103/103 (100%)	102 (99%)	1 (1%)	73	81
36	k	123/126 (98%)	123 (100%)	0	100	100
37	l	113/115 (98%)	112 (99%)	1 (1%)	75	83
38	m	105/109 (96%)	105 (100%)	0	100	100
39	n	96/99 (97%)	95 (99%)	1 (1%)	73	81
40	o	101/105 (96%)	101 (100%)	0	100	100
41	p	100/108 (93%)	100 (100%)	0	100	100
42	q	90/91 (99%)	89 (99%)	1 (1%)	70	79
43	r	116/132 (88%)	115 (99%)	1 (1%)	75	83
44	s	82/208 (39%)	82 (100%)	0	100	100
45	t	96/96 (100%)	96 (100%)	0	100	100
46	u	69/85 (81%)	69 (100%)	0	100	100
47	v	58/60 (97%)	58 (100%)	0	100	100
48	w	87/98 (89%)	87 (100%)	0	100	100
49	x	41/86 (48%)	40 (98%)	1 (2%)	44	62
50	y	48/49 (98%)	45 (94%)	3 (6%)	15	36
51	z	47/50 (94%)	47 (100%)	0	100	100
All	All	5730/6433 (89%)	5677 (99%)	53 (1%)	74	83

All (53) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	0	11	LYS
3	2	35	ARG
4	9	464	ARG
5	A	88	LYS
5	A	102	ARG
6	B	21	ARG
7	C	37	GLN
7	C	180	ARG
8	D	143	ARG
9	E	1	MET
9	E	2	GLN
10	F	2	ARG
10	F	78	ARG
11	G	24	ASN
11	G	99	ARG
12	H	70	LYS
12	H	108	ARG
14	J	49	ARG
14	J	65	LYS
14	J	86	LYS
15	K	44	ARG
15	K	117	THR
15	K	118	VAL
15	K	120	VAL
15	K	122	LYS
16	L	46	LYS
22	R	3	ARG
24	T	8	ASN
26	a	178	LYS
27	b	13	MET
29	d	45	ARG
29	d	110	ARG
31	f	114	LYS
31	f	118	ARG
32	g	26	ILE
32	g	30	THR
32	g	42	LYS
32	g	43	LYS
32	g	46	LYS
32	g	86	VAL
32	g	88	GLU
32	g	90	VAL
32	g	116	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
33	h	84	LYS
35	j	54	LYS
37	l	51	ARG
39	n	83	LYS
42	q	91	LYS
43	r	134	LYS
49	x	15	LYS
50	y	47	MET
50	y	51	LEU
50	y	52	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (44) such sidechains are listed below:

Mol	Chain	Res	Type
4	9	33	HIS
4	9	264	ASN
4	9	357	HIS
4	9	362	ASN
4	9	395	GLN
4	9	637	GLN
5	A	63	GLN
5	A	77	GLN
5	A	203	ASN
5	A	219	ASN
6	B	8	ASN
6	B	52	GLN
8	D	190	ASN
9	E	106	GLN
11	G	24	ASN
12	H	77	GLN
15	K	59	ASN
16	L	100	GLN
21	Q	78	ASN
21	Q	83	GLN
21	Q	85	HIS
22	R	47	ASN
23	S	24	GLN
24	T	8	ASN
26	a	50	GLN
26	a	238	HIS
27	b	35	GLN
27	b	225	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
28	c	68	GLN
28	c	76	GLN
28	c	83	HIS
28	c	162	ASN
29	d	58	HIS
32	g	56	ASN
33	h	106	GLN
36	k	67	ASN
38	m	62	GLN
38	m	117	GLN
40	o	82	HIS
42	q	78	HIS
43	r	102	ASN
46	u	43	GLN
48	w	66	GLN
50	y	4	GLN

### 5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
52	3	2875/2907 (98%)	980 (34%)	39 (1%)
53	4	103/108 (95%)	44 (42%)	3 (2%)
54	5	1490/1520 (98%)	454 (30%)	12 (0%)
55	7	75/76 (98%)	29 (38%)	1 (1%)
55	8	75/76 (98%)	29 (38%)	1 (1%)
All	All	4618/4687 (98%)	1536 (33%)	56 (1%)

All (1536) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
52	3	12	A
52	3	13	C
52	3	14	U
52	3	15	A
52	3	17	G
52	3	29	G
52	3	36	U
52	3	41	C
52	3	42	U
52	3	48	G
52	3	51	A

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
52	3	52	U
52	3	53	G
52	3	62	G
52	3	63	U
52	3	65	A
52	3	73	A
52	3	75	A
52	3	76	A
52	3	77	G
52	3	81	C
52	3	86	A
52	3	90	G
52	3	91	G
52	3	95	G
52	3	96	A
52	3	97	A
52	3	102	A
52	3	103	G
52	3	111	G
52	3	112	A
52	3	115	U
52	3	119	A
52	3	121	U
52	3	126	C
52	3	127	A
52	3	129	U
52	3	136	G
52	3	141	A
52	3	146	G
52	3	151	C
52	3	152	A
52	3	163	A
52	3	164	A
52	3	165	U
52	3	178	A
52	3	179	A
52	3	181	G
52	3	184	A
52	3	185	U
52	3	186	A
52	3	188	G
52	3	194	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
52	3	197	U
52	3	200	A
52	3	203	A
52	3	204	U
52	3	205	C
52	3	208	A
52	3	209	G
52	3	210	U
52	3	211	A
52	3	215	A
52	3	219	G
52	3	220	A
52	3	225	A
52	3	226	A
52	3	229	C
52	3	232	A
52	3	234	G
52	3	236	G
52	3	237	A
52	3	243	U
52	3	247	U
52	3	252	G
52	3	253	C
52	3	254	G
52	3	255	A
52	3	256	G
52	3	257	C
52	3	267	A
52	3	269	A
52	3	270	G
52	3	276	A
52	3	277	C
52	3	282	C
52	3	284	U
52	3	285	U
52	3	287	G
52	3	290	A
52	3	295	U
52	3	296	U
52	3	297	G
52	3	298	U
52	3	299	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
52	3	305	U
52	3	309	A
52	3	312	U
52	3	314	G
52	3	315	A
52	3	316	C
52	3	319	G
52	3	320	A
52	3	322	A
52	3	329	G
52	3	336	C
52	3	337	U
52	3	338	G
52	3	339	U
52	3	345	A
52	3	346	G
52	3	347	C
52	3	354	C
52	3	356	A
52	3	357	A
52	3	358	A
52	3	363	G
52	3	364	A
52	3	366	A
52	3	367	G
52	3	368	C
52	3	369	C
52	3	375	U
52	3	393	C
52	3	396	A
52	3	397	G
52	3	402	A
52	3	403	U
52	3	405	C
52	3	408	G
52	3	409	A
52	3	410	G
52	3	411	U
52	3	413	G
52	3	417	G
52	3	418	G
52	3	422	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
52	3	423	C
52	3	424	G
52	3	425	U
52	3	426	U
52	3	427	A
52	3	428	U
52	3	429	U
52	3	432	G
52	3	441	U
52	3	442	G
52	3	446	A
52	3	447	G
52	3	448	A
52	3	455	G
52	3	458	A
52	3	459	A
52	3	460	G
52	3	465	A
52	3	466	A
52	3	467	U
52	3	473	U
52	3	479	A
52	3	480	C
52	3	481	C
52	3	482	G
52	3	484	U
52	3	485	A
52	3	487	C
52	3	495	U
52	3	500	U
52	3	501	G
52	3	509	G
52	3	511	U
52	3	513	A
52	3	514	A
52	3	515	A
52	3	516	A
52	3	517	G
52	3	518	A
52	3	520	C
52	3	524	G
52	3	525	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
52	3	526	G
52	3	527	A
52	3	537	A
52	3	539	U
52	3	540	A
52	3	541	G
52	3	543	U
52	3	544	U
52	3	548	A
52	3	554	U
52	3	562	C
52	3	565	C
52	3	566	G
52	3	567	U
52	3	568	G
52	3	573	A
52	3	577	C
52	3	578	A
52	3	581	A
52	3	582	A
52	3	583	U
52	3	584	G
52	3	585	U
52	3	588	G
52	3	589	A
52	3	595	U
52	3	596	G
52	3	598	G
52	3	605	A
52	3	607	U
52	3	608	A
52	3	610	G
52	3	616	G
52	3	619	A
52	3	620	G
52	3	623	A
52	3	630	C
52	3	636	U
52	3	638	A
52	3	646	A
52	3	647	G
52	3	648	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
52	3	649	A
52	3	650	G
52	3	653	G
52	3	656	G
52	3	667	A
52	3	668	A
52	3	671	C
52	3	672	G
52	3	673	A
52	3	681	A
52	3	682	A
52	3	683	G
52	3	687	G
52	3	689	U
52	3	691	G
52	3	696	U
52	3	701	A
52	3	702	U
52	3	704	G
52	3	706	C
52	3	708	C
52	3	710	A
52	3	712	A
52	3	719	G
52	3	720	A
52	3	721	G
52	3	722	C
52	3	730	G
52	3	739	G
52	3	740	A
52	3	741	A
52	3	757	A
52	3	761	G
52	3	763	G
52	3	765	A
52	3	771	C
52	3	775	C
52	3	782	U
52	3	783	G
52	3	784	A
52	3	786	A
52	3	787	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
52	3	788	G
52	3	789	A
52	3	792	G
52	3	797	U
52	3	799	A
52	3	800	C
52	3	807	U
52	3	810	G
52	3	811	G
52	3	813	G
52	3	816	A
52	3	817	A
52	3	818	A
52	3	819	U
52	3	820	U
52	3	821	C
52	3	823	A
52	3	824	A
52	3	825	U
52	3	827	G
52	3	828	A
52	3	830	A
52	3	832	C
52	3	835	U
52	3	840	G
52	3	841	C
52	3	842	U
52	3	844	G
52	3	847	C
52	3	850	G
52	3	851	U
52	3	854	A
52	3	855	A
52	3	862	U
52	3	863	U
52	3	865	A
52	3	873	G
52	3	879	U
52	3	881	A
52	3	882	C
52	3	883	A
52	3	884	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
52	3	885	A
52	3	887	A
52	3	888	A
52	3	891	G
52	3	892	G
52	3	893	A
52	3	894	G
52	3	895	G
52	3	896	U
52	3	902	U
52	3	914	G
52	3	916	U
52	3	929	G
52	3	932	U
52	3	933	A
52	3	936	G
52	3	937	A
52	3	938	A
52	3	943	A
52	3	944	U
52	3	947	A
52	3	949	C
52	3	951	C
52	3	953	G
52	3	972	C
52	3	973	U
52	3	978	G
52	3	980	C
52	3	981	A
52	3	982	G
52	3	985	A
52	3	989	G
52	3	995	A
52	3	997	G
52	3	998	C
52	3	1000	U
52	3	1001	C
52	3	1002	A
52	3	1004	U
52	3	1005	G
52	3	1007	C
52	3	1014	G

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
52	3	1015	G
52	3	1016	A
52	3	1018	G
52	3	1019	A
52	3	1024	A
52	3	1026	A
52	3	1027	U
52	3	1032	A
52	3	1033	A
52	3	1035	U
52	3	1045	A
52	3	1047	A
52	3	1048	A
52	3	1049	U
52	3	1055	A
52	3	1057	G
52	3	1061	A
52	3	1062	A
52	3	1068	U
52	3	1069	G
52	3	1072	A
52	3	1077	G
52	3	1080	A
52	3	1081	A
52	3	1082	A
52	3	1083	A
52	3	1084	C
52	3	1090	G
52	3	1093	U
52	3	1094	G
52	3	1095	U
52	3	1098	G
52	3	1100	U
52	3	1101	U
52	3	1102	A
52	3	1103	G
52	3	1105	A
52	3	1107	C
52	3	1112	A
52	3	1113	U
52	3	1114	C
52	3	1122	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
52	3	1123	A
52	3	1124	G
52	3	1132	C
52	3	1145	G
52	3	1146	A
52	3	1147	G
52	3	1151	U
52	3	1155	G
52	3	1157	G
52	3	1158	C
52	3	1161	A
52	3	1162	A
52	3	1164	A
52	3	1165	U
52	3	1166	G
52	3	1167	U
52	3	1168	A
52	3	1169	A
52	3	1170	C
52	3	1171	G
52	3	1176	U
52	3	1177	A
52	3	1178	A
52	3	1179	G
52	3	1186	A
52	3	1190	A
52	3	1191	A
52	3	1192	U
52	3	1193	U
52	3	1197	G
52	3	1201	A
52	3	1203	G
52	3	1208	A
52	3	1209	U
52	3	1210	A
52	3	1213	U
52	3	1215	G
52	3	1217	G
52	3	1219	U
52	3	1221	G
52	3	1226	G
52	3	1228	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
52	3	1229	U
52	3	1234	U
52	3	1236	G
52	3	1240	U
52	3	1241	U
52	3	1242	G
52	3	1243	A
52	3	1249	A
52	3	1250	A
52	3	1251	G
52	3	1253	G
52	3	1257	G
52	3	1260	U
52	3	1266	G
52	3	1267	A
52	3	1268	U
52	3	1274	A
52	3	1276	A
52	3	1278	G
52	3	1281	A
52	3	1283	A
52	3	1286	G
52	3	1287	C
52	3	1288	C
52	3	1293	U
52	3	1298	A
52	3	1299	A
52	3	1301	G
52	3	1302	C
52	3	1303	U
52	3	1304	U
52	3	1308	A
52	3	1312	A
52	3	1313	G
52	3	1322	A
52	3	1323	A
52	3	1328	A
52	3	1329	U
52	3	1333	C
52	3	1339	U
52	3	1340	U
52	3	1342	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
52	3	1351	G
52	3	1353	G
52	3	1359	C
52	3	1361	U
52	3	1369	U
52	3	1371	G
52	3	1374	U
52	3	1375	G
52	3	1381	A
52	3	1383	G
52	3	1390	C
52	3	1393	A
52	3	1404	C
52	3	1406	A
52	3	1407	U
52	3	1408	G
52	3	1410	A
52	3	1412	A
52	3	1422	U
52	3	1423	A
52	3	1425	U
52	3	1426	C
52	3	1427	C
52	3	1431	A
52	3	1444	C
52	3	1445	U
52	3	1448	U
52	3	1449	G
52	3	1456	C
52	3	1463	G
52	3	1466	U
52	3	1480	A
52	3	1481	U
52	3	1482	U
52	3	1483	G
52	3	1485	A
52	3	1486	U
52	3	1487	U
52	3	1497	A
52	3	1500	A
52	3	1502	A
52	3	1507	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
52	3	1508	G
52	3	1510	A
52	3	1513	A
52	3	1515	A
52	3	1516	G
52	3	1517	G
52	3	1519	A
52	3	1522	U
52	3	1528	G
52	3	1531	C
52	3	1533	U
52	3	1534	A
52	3	1535	A
52	3	1536	C
52	3	1540	G
52	3	1541	A
52	3	1543	U
52	3	1545	A
52	3	1548	A
52	3	1549	U
52	3	1550	G
52	3	1557	G
52	3	1559	A
52	3	1571	G
52	3	1572	U
52	3	1581	U
52	3	1584	U
52	3	1585	A
52	3	1586	U
52	3	1587	U
52	3	1588	A
52	3	1589	A
52	3	1592	A
52	3	1594	G
52	3	1597	U
52	3	1603	A
52	3	1610	U
52	3	1612	U
52	3	1615	G
52	3	1618	U
52	3	1619	A
52	3	1623	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
52	3	1628	G
52	3	1641	A
52	3	1642	G
52	3	1643	A
52	3	1644	A
52	3	1645	C
52	3	1648	A
52	3	1650	A
52	3	1651	C
52	3	1652	A
52	3	1653	C
52	3	1656	A
52	3	1663	G
52	3	1672	C
52	3	1676	G
52	3	1679	U
52	3	1680	A
52	3	1681	G
52	3	1682	C
52	3	1683	G
52	3	1684	A
52	3	1685	G
52	3	1688	A
52	3	1693	U
52	3	1694	A
52	3	1695	G
52	3	1698	A
52	3	1700	G
52	3	1702	A
52	3	1703	A
52	3	1704	C
52	3	1706	C
52	3	1708	G
52	3	1714	U
52	3	1716	A
52	3	1721	G
52	3	1729	G
52	3	1730	C
52	3	1737	G
52	3	1743	U
52	3	1747	G
52	3	1748	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
52	3	1753	G
52	3	1764	U
52	3	1765	G
52	3	1766	A
52	3	1769	A
52	3	1770	A
52	3	1771	C
52	3	1772	G
52	3	1780	A
52	3	1784	U
52	3	1786	U
52	3	1787	A
52	3	1788	A
52	3	1789	C
52	3	1791	A
52	3	1805	U
52	3	1807	C
52	3	1809	A
52	3	1812	C
52	3	1814	G
52	3	1815	U
52	3	1817	A
52	3	1818	G
52	3	1821	G
52	3	1822	A
52	3	1823	U
52	3	1824	G
52	3	1825	U
52	3	1826	A
52	3	1827	U
52	3	1832	G
52	3	1836	A
52	3	1837	C
52	3	1842	G
52	3	1845	C
52	3	1865	A
52	3	1873	A
52	3	1876	G
52	3	1877	C
52	3	1889	U
52	3	1890	U
52	3	1891	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
52	3	1892	A
52	3	1903	A
52	3	1905	U
52	3	1906	G
52	3	1907	A
52	3	1913	G
52	3	1919	A
52	3	1920	A
52	3	1921	C
52	3	1927	C
52	3	1931	C
52	3	1936	G
52	3	1937	G
52	3	1943	A
52	3	1944	A
52	3	1945	A
52	3	1951	A
52	3	1959	A
52	3	1962	U
52	3	1969	C
52	3	1971	G
52	3	1972	C
52	3	1974	U
52	3	1977	A
52	3	1978	U
52	3	1979	G
52	3	1990	C
52	3	1998	U
52	3	1999	G
52	3	2000	U
52	3	2003	C
52	3	2004	G
52	3	2009	U
52	3	2010	A
52	3	2013	C
52	3	2018	U
52	3	2025	C
52	3	2028	G
52	3	2032	G
52	3	2035	U
52	3	2037	A
52	3	2038	A

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
52	3	2039	G
52	3	2040	A
52	3	2041	C
52	3	2042	A
52	3	2043	C
52	3	2044	C
52	3	2050	G
52	3	2055	A
52	3	2056	A
52	3	2057	C
52	3	2058	G
52	3	2059	G
52	3	2062	C
52	3	2063	G
52	3	2065	A
52	3	2067	A
52	3	2068	G
52	3	2069	A
52	3	2070	C
52	3	2071	C
52	3	2075	U
52	3	2076	G
52	3	2083	U
52	3	2084	A
52	3	2085	C
52	3	2089	A
52	3	2099	U
52	3	2100	G
52	3	2101	A
52	3	2106	G
52	3	2109	A
52	3	2110	U
52	3	2111	U
52	3	2112	A
52	3	2114	C
52	3	2117	G
52	3	2119	A
52	3	2122	G
52	3	2123	A
52	3	2124	A
52	3	2125	U
52	3	2127	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
52	3	2131	G
52	3	2133	A
52	3	2134	G
52	3	2139	C
52	3	2140	G
52	3	2141	A
52	3	2144	C
52	3	2151	G
52	3	2152	C
52	3	2153	U
52	3	2154	A
52	3	2166	U
52	3	2169	G
52	3	2179	A
52	3	2180	U
52	3	2181	A
52	3	2184	A
52	3	2187	C
52	3	2189	U
52	3	2193	U
52	3	2195	U
52	3	2196	G
52	3	2198	G
52	3	2200	U
52	3	2202	U
52	3	2205	U
52	3	2206	A
52	3	2210	G
52	3	2211	G
52	3	2212	U
52	3	2219	U
52	3	2221	U
52	3	2222	C
52	3	2224	A
52	3	2226	U
52	3	2229	C
52	3	2231	A
52	3	2232	G
52	3	2233	A
52	3	2235	A
52	3	2242	G
52	3	2243	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
52	3	2246	G
52	3	2247	G
52	3	2251	U
52	3	2253	U
52	3	2254	G
52	3	2274	A
52	3	2276	A
52	3	2280	U
52	3	2286	A
52	3	2287	G
52	3	2288	G
52	3	2291	U
52	3	2294	A
52	3	2295	A
52	3	2305	C
52	3	2312	G
52	3	2313	U
52	3	2316	G
52	3	2319	A
52	3	2320	U
52	3	2322	G
52	3	2327	U
52	3	2329	G
52	3	2330	A
52	3	2333	G
52	3	2334	U
52	3	2335	A
52	3	2341	G
52	3	2342	U
52	3	2343	A
52	3	2344	A
52	3	2345	G
52	3	2351	U
52	3	2355	C
52	3	2358	U
52	3	2359	G
52	3	2361	G
52	3	2362	A
52	3	2365	U
52	3	2380	U
52	3	2387	U
52	3	2389	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
52	3	2391	G
52	3	2393	C
52	3	2396	A
52	3	2397	G
52	3	2399	G
52	3	2410	C
52	3	2411	C
52	3	2414	U
52	3	2424	C
52	3	2430	C
52	3	2431	U
52	3	2433	A
52	3	2434	A
52	3	2436	G
52	3	2437	G
52	3	2438	A
52	3	2439	U
52	3	2444	G
52	3	2447	A
52	3	2448	C
52	3	2449	U
52	3	2455	G
52	3	2456	A
52	3	2457	U
52	3	2458	A
52	3	2460	C
52	3	2464	C
52	3	2468	U
52	3	2474	C
52	3	2476	A
52	3	2477	A
52	3	2478	G
52	3	2483	C
52	3	2484	A
52	3	2486	A
52	3	2490	A
52	3	2492	G
52	3	2495	A
52	3	2497	U
52	3	2498	G
52	3	2499	U
52	3	2500	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
52	3	2505	A
52	3	2506	C
52	3	2507	C
52	3	2508	U
52	3	2509	C
52	3	2510	G
52	3	2511	A
52	3	2512	U
52	3	2513	G
52	3	2514	U
52	3	2515	C
52	3	2521	A
52	3	2524	U
52	3	2526	A
52	3	2528	C
52	3	2537	G
52	3	2538	A
52	3	2539	A
52	3	2542	A
52	3	2543	G
52	3	2545	U
52	3	2555	U
52	3	2561	G
52	3	2572	A
52	3	2573	A
52	3	2574	A
52	3	2575	G
52	3	2580	A
52	3	2581	C
52	3	2586	G
52	3	2590	G
52	3	2604	U
52	3	2605	G
52	3	2607	G
52	3	2611	G
52	3	2612	G
52	3	2617	U
52	3	2618	C
52	3	2619	C
52	3	2621	U
52	3	2631	G
52	3	2634	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
52	3	2637	A
52	3	2638	G
52	3	2642	G
52	3	2644	U
52	3	2647	A
52	3	2649	G
52	3	2654	U
52	3	2662	A
52	3	2664	U
52	3	2668	A
52	3	2669	G
52	3	2681	G
52	3	2685	A
52	3	2686	C
52	3	2687	A
52	3	2689	C
52	3	2690	U
52	3	2696	G
52	3	2697	C
52	3	2698	U
52	3	2699	C
52	3	2709	C
52	3	2718	C
52	3	2720	C
52	3	2721	C
52	3	2722	G
52	3	2737	G
52	3	2740	U
52	3	2741	A
52	3	2747	U
52	3	2752	G
52	3	2756	A
52	3	2757	A
52	3	2758	A
52	3	2760	C
52	3	2765	A
52	3	2768	U
52	3	2769	G
52	3	2773	A
52	3	2775	C
52	3	2782	A
52	3	2783	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
52	3	2786	A
52	3	2788	U
52	3	2789	A
52	3	2793	U
52	3	2799	U
52	3	2800	U
52	3	2801	U
52	3	2802	C
52	3	2803	G
52	3	2804	C
52	3	2805	A
52	3	2806	A
52	3	2807	G
52	3	2808	A
52	3	2811	G
52	3	2812	U
52	3	2815	G
52	3	2821	U
52	3	2822	C
52	3	2823	A
52	3	2824	A
52	3	2825	A
52	3	2827	A
52	3	2828	C
52	3	2829	G
52	3	2831	U
52	3	2835	G
52	3	2836	U
52	3	2837	U
52	3	2838	G
52	3	2839	A
52	3	2862	U
52	3	2865	U
52	3	2871	G
52	3	2876	G
52	3	2881	A
52	3	2884	C
52	3	2888	U
52	3	2889	U
52	3	2890	G
52	3	2891	C
52	3	2896	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
52	3	2897	G
52	3	2898	A
52	3	2899	C
53	4	2	U
53	4	5	G
53	4	9	C
53	4	10	C
53	4	13	G
53	4	22	G
53	4	23	A
53	4	25	A
53	4	27	A
53	4	28	C
53	4	31	G
53	4	33	U
53	4	37	A
53	4	38	U
53	4	40	U
53	4	41	C
53	4	42	G
53	4	48	A
53	4	51	A
53	4	53	U
53	4	54	U
53	4	55	A
53	4	58	C
53	4	60	C
53	4	65	G
53	4	68	C
53	4	77	G
53	4	79	U
53	4	80	G
53	4	85	A
53	4	86	G
53	4	87	U
53	4	88	G
53	4	89	A
53	4	92	A
53	4	93	U
53	4	96	G
53	4	98	A
53	4	99	A

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
53	4	100	G
53	4	101	C
53	4	103	C
53	4	105	A
53	4	108	C
54	5	7	U
54	5	8	G
54	5	10	G
54	5	11	A
54	5	15	U
54	5	19	C
54	5	23	G
54	5	29	G
54	5	32	U
54	5	33	A
54	5	37	C
54	5	38	U
54	5	40	G
54	5	43	G
54	5	44	C
54	5	48	C
54	5	49	C
54	5	52	A
54	5	53	U
54	5	60	A
54	5	61	A
54	5	62	G
54	5	67	U
54	5	70	A
54	5	75	A
54	5	77	U
54	5	80	U
54	5	85	U
54	5	86	A
54	5	94	A
54	5	95	C
54	5	100	G
54	5	102	G
54	5	103	U
54	5	105	A
54	5	106	C
54	5	107	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
54	5	114	C
54	5	115	A
54	5	116	A
54	5	117	U
54	5	129	U
54	5	130	G
54	5	131	G
54	5	132	G
54	5	145	G
54	5	149	G
54	5	159	U
54	5	161	C
54	5	162	C
54	5	169	G
54	5	172	C
54	5	187	A
54	5	197	A
54	5	202	A
54	5	207	C
54	5	208	A
54	5	210	G
54	5	213	U
54	5	218	U
54	5	223	G
54	5	236	C
54	5	237	A
54	5	241	C
54	5	243	G
54	5	247	G
54	5	253	G
54	5	258	A
54	5	260	C
54	5	262	G
54	5	268	C
54	5	271	G
54	5	272	G
54	5	275	A
54	5	281	U
54	5	284	A
54	5	285	G
54	5	312	A
54	5	321	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
54	5	322	G
54	5	323	A
54	5	324	C
54	5	325	A
54	5	326	C
54	5	327	G
54	5	328	G
54	5	341	C
54	5	342	G
54	5	343	G
54	5	344	G
54	5	347	G
54	5	348	C
54	5	349	A
54	5	350	G
54	5	355	A
54	5	361	U
54	5	363	U
54	5	364	U
54	5	368	C
54	5	380	G
54	5	391	C
54	5	394	U
54	5	396	C
54	5	399	C
54	5	401	U
54	5	402	G
54	5	403	A
54	5	404	A
54	5	407	A
54	5	408	U
54	5	409	G
54	5	413	G
54	5	417	U
54	5	418	U
54	5	419	A
54	5	420	A
54	5	422	A
54	5	425	G
54	5	426	U
54	5	427	A
54	5	428	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
54	5	434	U
54	5	436	U
54	5	437	U
54	5	447	G
54	5	448	A
54	5	452	A
54	5	462	G
54	5	463	U
54	5	464	A
54	5	468	G
54	5	469	C
54	5	471	A
54	5	475	U
54	5	476	U
54	5	477	U
54	5	478	G
54	5	480	C
54	5	481	U
54	5	482	G
54	5	483	U
54	5	488	U
54	5	489	U
54	5	493	A
54	5	494	A
54	5	496	A
54	5	500	G
54	5	503	G
54	5	504	A
54	5	507	A
54	5	509	C
54	5	510	U
54	5	515	G
54	5	516	C
54	5	519	G
54	5	522	G
54	5	525	G
54	5	530	A
54	5	531	A
54	5	533	A
54	5	543	C
54	5	545	A
54	5	547	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
54	5	549	U
54	5	550	U
54	5	553	C
54	5	557	A
54	5	558	U
54	5	560	U
54	5	561	A
54	5	562	U
54	5	565	G
54	5	570	A
54	5	571	A
54	5	574	C
54	5	575	A
54	5	578	C
54	5	579	G
54	5	586	G
54	5	594	A
54	5	608	G
54	5	616	C
54	5	617	U
54	5	618	U
54	5	628	A
54	5	629	U
54	5	630	G
54	5	637	A
54	5	642	A
54	5	643	U
54	5	646	A
54	5	647	U
54	5	648	C
54	5	649	U
54	5	650	A
54	5	653	G
54	5	656	U
54	5	661	G
54	5	662	G
54	5	664	A
54	5	668	U
54	5	672	A
54	5	681	U
54	5	683	G
54	5	684	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
54	5	685	G
54	5	687	G
54	5	690	G
54	5	691	A
54	5	694	U
54	5	699	A
54	5	700	G
54	5	704	U
54	5	712	A
54	5	715	A
54	5	719	G
54	5	720	U
54	5	721	G
54	5	731	A
54	5	732	A
54	5	745	U
54	5	746	A
54	5	750	A
54	5	752	G
54	5	757	G
54	5	758	G
54	5	766	G
54	5	768	G
54	5	770	G
54	5	774	A
54	5	775	G
54	5	784	A
54	5	789	A
54	5	791	A
54	5	793	C
54	5	802	C
54	5	806	A
54	5	809	G
54	5	813	A
54	5	814	C
54	5	817	U
54	5	818	A
54	5	822	A
54	5	825	A
54	5	829	G
54	5	836	C
54	5	838	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
54	5	845	C
54	5	849	A
54	5	856	U
54	5	862	C
54	5	864	U
54	5	865	U
54	5	867	A
54	5	870	A
54	5	872	C
54	5	877	C
54	5	883	A
54	5	885	U
54	5	890	U
54	5	895	A
54	5	896	G
54	5	908	A
54	5	910	C
54	5	911	G
54	5	913	A
54	5	916	U
54	5	921	G
54	5	922	G
54	5	927	C
54	5	929	C
54	5	930	A
54	5	934	G
54	5	935	U
54	5	938	U
54	5	942	G
54	5	946	G
54	5	955	U
54	5	964	A
54	5	966	A
54	5	967	C
54	5	969	A
54	5	970	A
54	5	971	A
54	5	972	A
54	5	975	C
54	5	977	U
54	5	979	C
54	5	980	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
54	5	985	C
54	5	986	U
54	5	987	U
54	5	988	G
54	5	989	A
54	5	994	C
54	5	997	G
54	5	1002	A
54	5	1003	G
54	5	1004	U
54	5	1005	U
54	5	1006	A
54	5	1007	U
54	5	1012	A
54	5	1014	A
54	5	1016	A
54	5	1030	G
54	5	1034	G
54	5	1035	A
54	5	1036	C
54	5	1038	G
54	5	1041	G
54	5	1042	G
54	5	1044	G
54	5	1045	C
54	5	1046	A
54	5	1047	U
54	5	1056	U
54	5	1058	A
54	5	1061	U
54	5	1075	G
54	5	1077	U
54	5	1082	U
54	5	1085	G
54	5	1086	U
54	5	1089	C
54	5	1092	A
54	5	1096	A
54	5	1098	C
54	5	1100	C
54	5	1101	A
54	5	1113	U

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
54	5	1115	G
54	5	1117	U
54	5	1118	A
54	5	1119	C
54	5	1121	U
54	5	1122	U
54	5	1123	G
54	5	1124	U
54	5	1125	C
54	5	1130	G
54	5	1133	A
54	5	1135	U
54	5	1141	U
54	5	1147	U
54	5	1154	A
54	5	1158	A
54	5	1159	A
54	5	1160	G
54	5	1161	G
54	5	1162	G
54	5	1165	G
54	5	1166	A
54	5	1169	U
54	5	1171	A
54	5	1172	A
54	5	1173	A
54	5	1176	A
54	5	1177	U
54	5	1179	A
54	5	1181	G
54	5	1183	C
54	5	1187	U
54	5	1188	A
54	5	1190	G
54	5	1192	C
54	5	1199	U
54	5	1200	G
54	5	1201	C
54	5	1202	A
54	5	1203	A
54	5	1204	A
54	5	1206	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
54	5	1211	A
54	5	1213	A
54	5	1215	U
54	5	1216	G
54	5	1228	C
54	5	1233	G
54	5	1235	C
54	5	1236	A
54	5	1241	G
54	5	1243	A
54	5	1244	A
54	5	1245	A
54	5	1251	G
54	5	1254	A
54	5	1255	A
54	5	1257	C
54	5	1260	U
54	5	1261	A
54	5	1267	G
54	5	1268	G
54	5	1271	U
54	5	1272	C
54	5	1276	U
54	5	1277	C
54	5	1279	G
54	5	1296	C
54	5	1297	G
54	5	1305	G
54	5	1306	A
54	5	1312	G
54	5	1313	A
54	5	1315	U
54	5	1319	U
54	5	1320	A
54	5	1322	U
54	5	1330	A
54	5	1332	U
54	5	1335	G
54	5	1338	A
54	5	1343	G
54	5	1353	C
54	5	1362	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
54	5	1369	A
54	5	1372	C
54	5	1373	A
54	5	1374	C
54	5	1375	C
54	5	1376	G
54	5	1381	U
54	5	1398	G
54	5	1404	U
54	5	1405	U
54	5	1410	A
54	5	1417	U
54	5	1418	G
54	5	1421	A
54	5	1423	C
54	5	1426	U
54	5	1427	U
54	5	1428	A
54	5	1429	G
54	5	1431	A
54	5	1434	C
54	5	1446	A
54	5	1449	G
54	5	1450	C
54	5	1466	U
54	5	1467	A
54	5	1468	A
54	5	1469	G
54	5	1474	A
54	5	1478	A
54	5	1480	G
54	5	1481	U
54	5	1482	A
54	5	1492	G
54	5	1493	A
54	5	1502	G
54	5	1504	G
54	5	1505	G
54	5	1509	A
55	7	3	G
55	7	9	U
55	7	11	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
55	7	12	C
55	7	13	U
55	7	15	A
55	7	16	G
55	7	17	U
55	7	18	C
55	7	20	G
55	7	21	U
55	7	22	A
55	7	23	G
55	7	35	G
55	7	36	A
55	7	38	G
55	7	42	C
55	7	43	G
55	7	44	U
55	7	45	G
55	7	49	C
55	7	50	G
55	7	53	A
55	7	60	U
55	7	69	A
55	7	71	A
55	7	72	C
55	7	75	C
55	7	77	A
55	8	3	G
55	8	9	U
55	8	11	G
55	8	12	C
55	8	13	U
55	8	15	A
55	8	16	G
55	8	17	U
55	8	18	C
55	8	20	G
55	8	21	U
55	8	22	A
55	8	23	G
55	8	35	G
55	8	36	A
55	8	38	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
55	8	42	C
55	8	43	G
55	8	44	U
55	8	45	G
55	8	49	C
55	8	50	G
55	8	53	A
55	8	60	U
55	8	69	A
55	8	71	A
55	8	72	C
55	8	75	C
55	8	77	A

All (56) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
52	3	85	U
52	3	254	G
52	3	295	U
52	3	410	G
52	3	425	U
52	3	500	U
52	3	513	A
52	3	514	A
52	3	667	A
52	3	688	U
52	3	721	G
52	3	783	G
52	3	881	A
52	3	952	U
52	3	994	U
52	3	1048	A
52	3	1082	A
52	3	1104	A
52	3	1209	U
52	3	1328	A
52	3	1382	A
52	3	1507	G
52	3	1583	G
52	3	1655	U
52	3	1820	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
52	3	2057	C
52	3	2116	U
52	3	2165	A
52	3	2333	G
52	3	2342	U
52	3	2446	U
52	3	2504	C
52	3	2506	C
52	3	2604	U
52	3	2668	A
52	3	2764	U
52	3	2823	A
52	3	2826	G
52	3	2890	G
53	4	54	U
53	4	59	A
53	4	85	A
54	5	196	G
54	5	340	A
54	5	461	G
54	5	529	U
54	5	532	U
54	5	686	C
54	5	920	G
54	5	1037	A
54	5	1099	G
54	5	1124	U
54	5	1180	U
54	5	1467	A
55	7	16	G
55	8	16	G

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-13450. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.




## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


### 6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 103




Y Index: 120




Z Index: 122


### 6.3.2 Raw map



X Index: 117



Y Index: 128




Z Index: 129


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.54. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_13450\_msk\_1.map [i](#)



X



Y




Z



## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1353 nm<sup>3</sup>; this corresponds to an approximate mass of 1222 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.175 Å<sup>-1</sup>



## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.175  $\text{\AA}^{-1}$

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	5.70	-	-
Author-provided FSC curve	5.67	8.29	6.22
Unmasked-calculated*	8.21	11.96	8.70

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 8.21 differs from the reported value 5.7 by more than 10 %


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-13450 and PDB model 7PIT. Per-residue inclusion information can be found in section [3](#) on page [13](#).


### 9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.54 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.54).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 75% of all backbone atoms, 70% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary ⓘ













































The table lists the average atom inclusion at the recommended contour level (0.54) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7020	 0.2390
0	 0.5840	 0.2160
1	 0.5790	 0.2550
2	 0.6150	 0.2680
3	 0.8660	 0.2590
4	 0.8190	 0.2440
5	 0.8430	 0.2460
7	 0.3630	 0.0970
8	 0.7080	 0.1860
9	 0.1670	 0.1860
A	 0.3910	 0.2110
B	 0.4040	 0.2280
C	 0.3900	 0.2050
D	 0.4480	 0.2400
E	 0.4000	 0.2200
F	 0.3490	 0.2140
G	 0.4850	 0.2060
H	 0.4220	 0.2270
I	 0.3250	 0.2020
J	 0.5140	 0.2250
K	 0.5110	 0.2340
L	 0.3660	 0.2190
M	 0.4920	 0.2180
N	 0.5060	 0.2230
O	 0.5200	 0.2320
P	 0.4930	 0.2400
Q	 0.5150	 0.2480
R	 0.4000	 0.1700
S	 0.5340	 0.1980
T	 0.4980	 0.2310
W	 0.0450	 0.1760
a	 0.5930	 0.2410
b	 0.5340	 0.2320
c	 0.5200	 0.2460
d	 0.3910	 0.2060



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
e	 0.3800	 0.2150
f	 0.1520	 0.1850
g	 0.1850	 0.1540
h	 0.1750	 0.1750
i	 0.5520	 0.2300
j	 0.4660	 0.2410
k	 0.5450	 0.2570
l	 0.5400	 0.2300
m	 0.5980	 0.2290
n	 0.5040	 0.2230
o	 0.4600	 0.2310
p	 0.5400	 0.1950
q	 0.4880	 0.2340
r	 0.6060	 0.2290
s	 0.5440	 0.2580
t	 0.3810	 0.2270
u	 0.5230	 0.2250
v	 0.4990	 0.2050
w	 0.5260	 0.2260
x	 0.2940	 0.2420
y	 0.6180	 0.2560
z	 0.5060	 0.2420