



wwPDB EM Validation Summary Report ⓘ

Oct 28, 2024 – 06:11 pm GMT

PDB ID : 8QEO
EMDB ID : EMD-18374
Title : cryo-EM structure complex of Frizzled-7 and Clostridioides difficile toxin B
Authors : Kinsolving, J.; Bous, J.
Deposited on : 2023-09-01
Resolution : 3.26 Å(reported)
Based on initial model : .

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.26 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	2397	<div> <div>24%</div> <div>74%</div> <div>15%</div> <div>10%</div> </div>
2	B	603	<div> <div>11%</div> <div>16%</div> <div>80%</div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 18126 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Toxin B.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	2146	Total	C	N	O	S	0	0
			17176	10943	2710	3477	46		

There are 31 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-13	MET	-	initiating methionine	UNP P18177
A	-12	ASP	-	expression tag	UNP P18177
A	-11	LYS	-	expression tag	UNP P18177
A	-10	LEU	-	expression tag	UNP P18177
A	-9	VAL	-	expression tag	UNP P18177
A	-8	HIS	-	expression tag	UNP P18177
A	-7	LEU	-	expression tag	UNP P18177
A	-6	ASN	-	expression tag	UNP P18177
A	-5	GLN	-	expression tag	UNP P18177
A	-4	ARG	-	expression tag	UNP P18177
A	-3	GLY	-	expression tag	UNP P18177
A	-2	LYS	-	expression tag	UNP P18177
A	-1	CYS	-	expression tag	UNP P18177
A	0	THR	-	expression tag	UNP P18177
A	2367	GLY	-	expression tag	UNP P18177
A	2368	TYR	-	expression tag	UNP P18177
A	2369	ARG	-	expression tag	UNP P18177
A	2370	PRO	-	expression tag	UNP P18177
A	2371	HIS	-	expression tag	UNP P18177
A	2372	ALA	-	expression tag	UNP P18177
A	2373	GLY	-	expression tag	UNP P18177
A	2374	LEU	-	expression tag	UNP P18177
A	2375	ARG	-	expression tag	UNP P18177
A	2376	GLY	-	expression tag	UNP P18177
A	2377	SER	-	expression tag	UNP P18177
A	2378	HIS	-	expression tag	UNP P18177
A	2379	HIS	-	expression tag	UNP P18177
A	2380	HIS	-	expression tag	UNP P18177

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	2381	HIS	-	expression tag	UNP P18177
A	2382	HIS	-	expression tag	UNP P18177
A	2383	HIS	-	expression tag	UNP P18177

- Molecule 2 is a protein called Frizzled-7.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	121	Total	C	N	O	S	0	0
			949	600	165	172	12		

There are 61 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	10	MET	-	initiating methionine	UNP O75084
B	11	LYS	-	expression tag	UNP O75084
B	12	THR	-	expression tag	UNP O75084
B	13	ILE	-	expression tag	UNP O75084
B	14	ILE	-	expression tag	UNP O75084
B	15	ALA	-	expression tag	UNP O75084
B	16	LEU	-	expression tag	UNP O75084
B	17	SER	-	expression tag	UNP O75084
B	18	TYR	-	expression tag	UNP O75084
B	19	ILE	-	expression tag	UNP O75084
B	20	PHE	-	expression tag	UNP O75084
B	21	CYS	-	expression tag	UNP O75084
B	22	LEU	-	expression tag	UNP O75084
B	23	VAL	-	expression tag	UNP O75084
B	24	PHE	-	expression tag	UNP O75084
B	25	ALA	-	expression tag	UNP O75084
B	26	ASP	-	expression tag	UNP O75084
B	27	TYR	-	expression tag	UNP O75084
B	28	LYS	-	expression tag	UNP O75084
B	29	ASP	-	expression tag	UNP O75084
B	30	ASP	-	expression tag	UNP O75084
B	31	ASP	-	expression tag	UNP O75084
B	32	ASP	-	expression tag	UNP O75084
B	575	SER	-	expression tag	UNP O75084
B	576	ARG	-	expression tag	UNP O75084
B	577	LEU	-	expression tag	UNP O75084
B	578	GLU	-	expression tag	UNP O75084
B	579	VAL	-	expression tag	UNP O75084
B	580	LEU	-	expression tag	UNP O75084

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	581	PHE	-	expression tag	UNP O75084
B	582	GLN	-	expression tag	UNP O75084
B	583	GLY	-	expression tag	UNP O75084
B	584	PRO	-	expression tag	UNP O75084
B	585	TRP	-	expression tag	UNP O75084
B	586	SER	-	expression tag	UNP O75084
B	587	HIS	-	expression tag	UNP O75084
B	588	PRO	-	expression tag	UNP O75084
B	589	GLN	-	expression tag	UNP O75084
B	590	PHE	-	expression tag	UNP O75084
B	591	GLU	-	expression tag	UNP O75084
B	592	LYS	-	expression tag	UNP O75084
B	593	GLY	-	expression tag	UNP O75084
B	594	GLY	-	expression tag	UNP O75084
B	595	GLY	-	expression tag	UNP O75084
B	596	SER	-	expression tag	UNP O75084
B	597	GLY	-	expression tag	UNP O75084
B	598	GLY	-	expression tag	UNP O75084
B	599	GLY	-	expression tag	UNP O75084
B	600	SER	-	expression tag	UNP O75084
B	601	GLY	-	expression tag	UNP O75084
B	602	GLY	-	expression tag	UNP O75084
B	603	GLY	-	expression tag	UNP O75084
B	604	SER	-	expression tag	UNP O75084
B	605	TRP	-	expression tag	UNP O75084
B	606	SER	-	expression tag	UNP O75084
B	607	HIS	-	expression tag	UNP O75084
B	608	PRO	-	expression tag	UNP O75084
B	609	GLN	-	expression tag	UNP O75084
B	610	PHE	-	expression tag	UNP O75084
B	611	GLU	-	expression tag	UNP O75084
B	612	LYS	-	expression tag	UNP O75084


- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	AltConf
3	A	1	Total Zn 1 1	0

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Toxin B



ASN	N2154	A2075	Q1986	F1905	L1808	Y1661	D1558	N1453	K1361	A1271	H1199	E1131
GLU	G2155	V2076	K1987	K1906	I1809	D1662	E1559	S1454	I1362	D1272	L1200	T1132
SER	I2156	V2077	I1992	F1908	G1810	L1663	E1559	E1455	K1363	A1273	S1201	E1133
LYS	Q2157	E2083	M1993	A1909	G1667	I1565	I1565	Q1456	K1364	L1274	Y1203	G1134
TYR	Q2158	D2084	D1994	N1912	T1672	G1573	G1573	Q1457	G1365	I1275	K1210	V1135
TYR	I2159	D2084	M1995	T1913	L1673	N1574	N1574	K1458	D1366	T1276	E1211	F1136
PHE	G2160	G2085	K1996	L1914	I1674	N1575	N1575	N1459	L1367	T1277	E1212	T1137
ASN	V2161	G2085	K1996	L1914	I1674	N1576	N1576	I1460	I1368	L1278	L1213	L1138
PRO	V2162	G2085	K1996	L1914	I1674	N1576	N1576	I1461	I1368	L1278	D1214	L1139
GLU	F2162	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	E1283	D1215	D1140
THR	D2163	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1216	D1141
LYS	T2164	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1217	K1142
LYS	S2092	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1218	I1143
ALA	D2093	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1219	M1144
LYS	T2094	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1220	M1145
CYS	D2095	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1221	D1148
LYS	A2096	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1222	D1149
GLY	E2096	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1223	V1151
ILE	K2168	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1224	E1154
ASN	K2169	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1225	N1158
LEU	Y2170	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1226	N1159
ILE	F2171	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1227	N1160
ASP	A2172	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1228	V1163
ASP	P2173	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1229	L1164
ILE	A2174	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1230	E1168
LYS	N2175	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1231	R1171
TYR	T2176	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1232	E1172
PHE	V2177	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1233	E1173
ASP	N2178	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1234	G1174
GLU	Y2182	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1235	S1175
LYS	Y2182	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1236	G1176
GLY	F2121	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1237	G1177
ILE	V2122	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1238	H1178
MET	T2123	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1239	T1179
ARG	I2124	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1240	V1180
THR	N2125	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1241	T1181
LEU	D2126	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1242	D1182
ILE	K2127	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1243	D1183
SER	V2130	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1244	I1184
PHE	F2131	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1245	D1185
GLU	S2132	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1246	H1186
ASN	D2133	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1247	F1187
TYR	S2134	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1248	F1188
PHE	G2135	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1249	S1189
ASN	I2136	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1250	S1190
GLY	T2137	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1251	P1191
GLY	E2138	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1252	S1192
GLY	S2139	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1253	I1193
MET	I2140	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1254	T1194
GLU	V2141	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1255	Y1195
THR	Y2142	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1256	N1196
TYR	Q2143	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1257	E1197
THR	N2144	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1258	F1198
ILE	I2145	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1259	
THR	D2146	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1260	
THR	N2147	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1261	
ILE	Y2148	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1262	
TYR	N2149	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1263	
ASP	Y2150	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1264	
GLU	I2151	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1265	
	D2152	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1266	
	D2153	G2085	K1996	L1914	I1674	N1576	N1576	Y1462	I1371	D1284	L1267	

- Molecule 2: Frizzled-7



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	151385	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50.453	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	105000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	9.875	Depositor
Minimum map value	-0.121	Depositor
Average map value	0.014	Depositor
Map value standard deviation	0.031	Depositor
Recommended contour level	0.4	Depositor
Map size (Å)	579.6, 579.6, 579.6	wwPDB
Map dimensions	500, 500, 500	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.1592, 1.1592, 1.1592	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.29	0/17497	0.46	0/23686
2	B	0.26	0/974	0.48	0/1325
All	All	0.29	0/18471	0.46	0/25011

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	17176	0	16623	207	0
2	B	949	0	910	15	0
3	A	1	0	0	0	0
All	All	18126	0	17533	221	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 221 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:907:GLU:N	1:A:907:GLU:OE1	2.14	0.80
1:A:299:GLU:O	1:A:300:SER:OG	2.02	0.76
1:A:40:ASN:ND2	1:A:44:GLU:OE1	2.20	0.74
1:A:876:ASN:ND2	1:A:912:GLU:OE1	2.20	0.73
1:A:669:ASP:OD1	1:A:718:LYS:NZ	2.22	0.73

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	2136/2397 (89%)	1959 (92%)	174 (8%)	3 (0%)	48	77
2	B	119/603 (20%)	99 (83%)	20 (17%)	0	100	100
All	All	2255/3000 (75%)	2058 (91%)	194 (9%)	3 (0%)	50	77

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1499	MET
1	A	1631	ILE
1	A	1193	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1930/2163 (89%)	1876 (97%)	54 (3%)	38	62
2	B	106/505 (21%)	104 (98%)	2 (2%)	52	71
All	All	2036/2668 (76%)	1980 (97%)	56 (3%)	40	62

5 of 56 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1137	THR
2	B	160	CYS
1	A	1387	HIS
2	B	129	GLN
1	A	1864	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 11 such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1070	ASN
1	A	1159	ASN
1	A	2147	ASN
1	A	1227	ASN
1	A	809	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-18374. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y



Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 250



Y Index: 250




Z Index: 250

6.2.2 Raw map



X Index: 250



Y Index: 250




Z Index: 250


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 254




Y Index: 248




Z Index: 275


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.4. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_18374_msk_1.map [i](#)



X




Y




Z


6.6.2 emd_18374_msk_2.map [i](#)



X




Y




Z


6.6.3 emd_18374_msk_3.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 84 nm^3 ; this corresponds to an approximate mass of 75 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.307 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.307 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.26	-	-
Author-provided FSC curve	3.36	6.03	3.44
Unmasked-calculated*	8.51	12.09	8.88

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 8.51 differs from the reported value 3.26 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-18374 and PDB model 8QEO. Per-residue inclusion information can be found in [section 3](#) on [page 6](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.4 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.4).

9.4 Atom inclusion [i](#)



At the recommended contour level, 68% of all backbone atoms, 58% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.4) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.5810	<div></div> 0.4160
A	<div></div> 0.5920	<div></div> 0.4200
B	<div></div> 0.3760	<div></div> 0.3350

